

R0.72Z | Orr-Sommerfeld threshold and Squire payment



Closed-form audit guides only; no PDE simulation, fitted exponent, or random seed



A Signed OS threshold

Sufficient class and necessary high-mode power

CLOSED HIGH-GAP CLASS | COARSE CONSTANT NOT OPTIMAL





$g \sim |c|^*(2/5) = \alpha^*(2/5)$: SHARP POWER
Exact sequence; no regression or fitted slope.

Low-gap transient-prefactor theorem: OPEN

B Negative boundary

Two exact witnesses; neither is a stability simulation

ALL-GAP PREFACTOR-ONE L2_q CONTRACTION: FALSE





ABSTRACT TANGENT - NOT PHYSICAL $\mu=0$ ROW
 $q^*=W_{xx}$ exactly cancels scalar mixing.
Projected positive- μ theorem remains open.

C Squire orientation

Kinetic saturation plus explicit history payments

[Lambda] PAID | Q HISTORY REQUIRED



$L2_t / ([\Lambda] M1) = \chi \min(g^{-1}, \alpha^2)$
 $\text{Linf}_t / ([\Lambda] M1) = \chi \min(2g)^{-1/2}, \sqrt{B} \alpha$
Conditional upper bounds; not terminal-Q closure.

Physical direct sum / nonlinear closure: OPEN