

G101-220 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: successful adding product to "Корзина" by authorised user

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Click "Каталог" button		Open "Каталог" page. The pagination element shows that 1 page is selected
2	Select a product (name) from the list		The product is on the page
3	Press the button "Добавить в корзину"		Notification of successful addition "Товар добавлен в корзину". The information about the number of items in the shopping cart is updated

G101-221 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: Error adding product to "Корзина" by unauthorized user

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Unauthorized user

Steps to reproduce

#	Step	Action	Expected Result
---	------	--------	-----------------

#	Step	Action	Expected Result
1	Click "Каталог" button		Open "Каталог" page. The pagination element shows that 1 page is selected
2	Select a product (name) from the list		The product is on the page.
3	Press the button "Добавить в корзину"		A message appears asking you to log in.

G101-222 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: Error adding product to "Карзина" by authorized user offline

Priority	Severity	Behavior	Type
Low	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Click "Каталог" button		Open "Каталог" page
2	Select a product (name) from the list		The product is on the page
3	Torn off the Internet		Internet connection disabled. The page is opened
4	Press the button "Добавить в корзину"		An error message appears

G101-223 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: pagination from 1 page strate to 9 page

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		Open "Каталог" page. The pagination element shows that 1 page is selected
3	Click to element pagination "9"		Product carts is changed. Page "9" is.opend

G101-224 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: sorting product from A to Z

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Click "Каталог" button		Open "Каталог" page
2	Click to dropdown "Sorting"		Dropdown is open
3	Click to "От А до Z"		List of products is updated according to the selected sorting

G101-231 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: sorting product by price

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		"Каталог" page is open
3	Click to filter "Сортировка"		4 sorting options are open
4	Choose "Цена по возрастанию"		The product catalog is updated from the lowest price
5	Choose "Цена по убыванию"		The product catalog is updated from the highest price

G101-232 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: Filtering products by category, brand, free delivery option

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open

#	Step	Action	Expected Result
2	Click "Каталог" button		"Каталог" page is open
3	Click the filter "Все категории"		The list of equipment is opened
4	Choose "Laptops"		Data entered in the field, no error messages
5	Click the filter "Все производители"		The list of brands is opened
6	Choose "Samsung"		Data entered in the field, no error messages
7	Click "Бесплатная доставка" button		Data entered in the field, no error messages
8	Click "Применить фильтры" button		The list of products is changed according to the filter

G101-233 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: Reset filters clears all selected options

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised, filter "Все категории", "Производители" "Бесплатная доставка" is selected

Steps to reproduce

#	Step	Action	Expected Result
1	Filters "Laptops" from "Все категории", "Samsung" from "Все производители" "Бесплатная доставка" are visible		The selected filters are visible and the products are sorted
2	Click "Сбросить фильтры" button		The selected filter is removed, the product list is updated

G101-234 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: filtering products by minimum and maximum price

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		"Каталог" page is open
3	Clik "Мин. цена" button		The input field is working, data can be entered
4	Enter "500"		Data entered in the field, no error messages
5	Clik "Микс. цена" button		The input field is working, data can be entered
6	Enter "1700"		Data entered in the field, no error messages
7	Click "Применить фильтры" button		The list of products is changed according to the filter

G101-235 / Testing Documentation / Testing Documentation - Alena Kaskevich

Product Catalog: filtering products by non-numeric values in price filter

Priority	Severity	Behavior	Type
Low	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		"Каталог" page is opend
3	Clik "Мин. цена" button		The input field is working, data can be entered
4	Enter numbers and letters	15so	Data entered in the field, no error messages
5	Click "Применить фильтры" button		An error message appears

G101-209 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization

Successful registration: valid data

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter a valid password	12345678Ak_	Data entered in the field, no error messages
5	Click the "Зарегестрироваться" button		The message "Registration successfully completed" appears. The "Войти" button is replaced by the "Выйти" button

Error registration: Username 2 characters (numbers, symbols)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter an invalid Username	2_	Data entered in the field, no error messages
4	Enter a valid password		Data entered in the field, no error messages
5	Click the "Зарегестироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Username 16 characters (latin letters, numbers, symbols)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter an invalid username	1845123aA123_123	Data entered in the field, no error messages
4	Enter a valid password	12345678Ak_	Data entered in the field, no error messages
5	Click the "Зарегестироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Username with hieroglyphs

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter hieroglyphs to "Логин"	漢字漢字	Data entered in the field, no error messages
4	Enter a valid password	12345678Ak_	Data entered in the field, no error messages
5	Click the "Зарегестироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Password with disallowed symbols (@, !, €, &)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter an invalid password	Test@!23	Data entered in the field, no error messages
5	Click the "Зарегестироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Password field is empty

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Leave the password field empty		no error messages
5	Click the "Зарегистрироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Authorization check: user is not registered

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Not registered user open page (example.com)		The main page is open
2	Navigate to "Корзина"		Message about the need for authorization and link to the login page (/login)
3	Click to the login page		User redirected to login page

Log in: with valid username and invalid password

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not logged in

Postconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.c		The main page is open

#	Step	Action	Expected Result
	om)		
2	Navigate to "Вход" tab		The login field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter a invalid password	!2	Data entered in the field, no error messages
5	Click the "Войти" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _ . Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

G101-218 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization

Log out: with user account

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Postconditions

User is logged out

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Open user account		Account is opened
3	Click the "Выйти" button		The user is logged out and redirected to the main page

Unauthorized user open “История заказов” page

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not logged in

Postconditions

User is not logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "История заказов" in the header		Message about the need for authorization with a link to the login page
3	Click on the link to log in		The login page is open.

Successful registration: valid data

Priority	Severity	Behavior	Type
High	-	Positive	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open

#	Step	Action	Expected Result
2	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
3	Enter a valid password	12345678Ak_	Data entered in the field, no error messages
4	Click the "Зарегестрироваться" button		The message "Registration successfully completed" appears. The "Войти" button is replaced by the "Выйти" button

G101-259 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ Testing Documentation - Alena Kaskevich

Error registration: Username 2 characters (numbers, symbols)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the 'Registration' tab		The registration field is visible
3	Enter an invalid Username	2_	The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _-. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Username 16 characters (latin letters, numbers, symbols)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the 'Registration' tab		The registration field is visible
3	Enter an invalid username	1845123aA123_123	The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _-. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Username with hieroglyphs

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.co		The main page is open

#	Step	Action	Expected Result
	m)		
2	Navigate to the 'Registration' tab		The registration field is visible
3	Enter hieroglyphs	漢字漢字	The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

G101-262 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Error registration: Password with disallowed symbols (@, !, €, &)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Registration" tab		The registration field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter an invalid password	Test@!23	The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Password field is empty

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the 'Registration' tab		The registration field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Leave the password field empty		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _ . Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Authorization check: user is not registered

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
---	------	--------	-----------------

#	Step	Action	Expected Result
1	Not registered user open page (example.com)		The main page is open
2	Navigate to "Корзина"		Message about the need for authorization and link to the login page (/login)
3	Click to the login page		User redirected to login page

G101-265 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Log in: with user account

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to "Вход" tab		The login field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter a valid password	12345678Ak_	Data entered in the field, no error messages
5	Click the "Войти" button		Successful login. The user is redirected to the home page.

G101-266 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Log out: with user account

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Postconditions

User log out

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Open user account		Account is opened
3	Click the "Выйти" button		The user is logged out and redirected to the main page

G101-267 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Error log in: with valid user account and invalid password

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to "Вход" tab		The login field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter an invalid password	Test@!23	The error message: "Неверное имя пользователя или пароль" is appeared

Product Catalog: successful adding product to "Карзина" by authorised user

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Click "Каталог" button		Open "Каталог" page. The pagination element shows that 1 page is selected
2	Select a product (name) from the list		The product is on the page
3	Press the button "Добавить в карзину"		Notification of successful addition "Товар добавлен в карзину". The information about the number of items in the shopping cart is updated

Product Catalog: Error adding product to "Карзина" by unauthorized user

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Unauthorized user

Steps to reproduce

#	Step	Action	Expected Result
1	Click "Каталог" button		Open "Каталог" page. The pagination element shows that 1 page is selected
2	Select a product (name) from the list		The product is on the page.
3	Press the button "Добавить в корзину"		A message appears asking you to log in. User redirected to login page

G101-270 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Product Catalog: Error adding product to "Карзина" by authorized user offline

Priority	Severity	Behavior	Type
Low	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Click "Каталог" button		Open "Каталог" page
2	Select a product (name) from the list		The product is on the page
3	Torn off the Internet		Internet connection disabled. The page is opened
4	Press the button "Добавить в корзину"		An error message appears

G101-271 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Product Catalog: pagination from 1 page strate to 9 page

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		Open "Каталог" page. The pagination element shows that 1 page is selected
3	Click to element pagination "9"		Product carts is changed. Page "9" is.opend

G101-272 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Product Catalog: sorting product from A to Z

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Click "Каталог" button		Open "Каталог" page
2	Click to dropdown "Sorting"		Dropdown is open
3	Click to "От А до Z"		List of products is updated according to the selected sorting

Product Catalog: sorting product by price

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		"Каталог" page is opend
3	Click to filter "Сортировка"		4 sorting options are opend
4	Choose "Цена по возрастанию"		The product catalog is updated from the lowest price
5	Choose "Цена по убыванию"		The product catalog is updated from the highest price

Product Catalog: Filtering products by category, brand, free delivery option

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
---	------	--------	-----------------

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		"Каталог" page is opened
3	Click the filter "Все категории"		The list of equipment is opened
4	Choose "Laptops"		Data entered in the field, no error messages
5	Click the filter "Все производители"		The list of brands is opened
6	Choose "Samsung"		Data entered in the field, no error messages
7	Click "Бесплатная доставка" button		Data entered in the field, no error messages
8	Click "Применить фильтры" button		The list of products is changed according to the filter

G101-275 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Product Catalog: Reset filters clears all selected options

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised, filter "Все категории", "Производители" "Бесплатная доставка" is selected

Steps to reproduce

#	Step	Action	Expected Result
1	Filters "Laptops" from "Все категории", "Samsung" from "Все производители" "Бесплатная доставка" are visible		The selected filters are visible and the products are sorted
2	Click "Сбросить фильтры" button		The selected filter is removed, the product list is updated

G101-276 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Product Catalog: filtering products by minimum and maximum price

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		"Каталог" page is opened
3	Click "Мин. цена" button		The input field is working, data can be entered
4	Enter "500"		Data entered in the field, no error messages
5	Click "Микс. цена" button		The input field is working, data can be entered
6	Enter "1700"		Data entered in the field, no error messages
7	Click "Применить фильтры" button		The list of products is changed according to the filter

G101-277 / Testing Documentation / Testing Documentation - Alena Kaskevich / Registration and Authorization / УДАЛИТЬ
Testing Documentation - Alena Kaskevich

Product Catalog: filtering products by non-numeric values in price filter

Priority	Severity	Behavior	Type
Low	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is authorised

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "Каталог" button		"Каталог" page is open
3	Click "Мин. цена" button		The input field is working, data can be entered
4	Enter numbers and letters	15so	An error message appears

G101-353 / Testing Documentation / Testing Documentation - Alena Kaskevich / УДАЛИТЬ / Registration and Authorization

Successful registration: valid data

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter a valid password	12345678Ak_	Data entered in the field, no error messages
5	Click the "Зарегистрироваться" button		The message "Registration successfully completed" appears. The "Войти" button is replaced by the "Выйти" button

Error registration: Username 2 characters (numbers, symbols)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter an invalid Username	2_	Data entered in the field, no error messages
4	Enter a valid password		Data entered in the field, no error messages
5	Click the "Зарегестироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Username 16 characters (latin letters, numbers, symbols)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter an invalid username	1845123aA123_123	Data entered in the field, no error messages
4	Enter a valid password	12345678Ak_	Data entered in the field, no error messages
5	Click the "Зарегестироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Username with hieroglyphs

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter hieroglyphs to "Логин"	漢字漢字	Data entered in the field, no error messages
4	Enter a valid password	12345678Ak_	Data entered in the field, no error messages
5	Click the "Зарегистрироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Password with disallowed symbols (@, !, €, &)

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter an invalid password	Test@!23	Data entered in the field, no error messages
5	Click the "Зарегестироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Error registration: Password field is empty

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not registered

Postconditions

User is not registered

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Navigate to the "Регистрация" tab		The registration field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Leave the password field empty		no error messages
5	Click the "Зарегистрироваться" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

Authorization check: user is not registered

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Not registered user open page (example.com)		The main page is open
2	Navigate to "Корзина"		Message about the need for authorization and link to the login page (/login)
3	Click to the login page		User redirected to login page

Log in: with valid username and invalid password

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not logged in

Postconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.c		The main page is open

#	Step	Action	Expected Result
	om)		
2	Navigate to "Вход" tab		The login field is visible
3	Enter a valid username	Testing_Ak	Data entered in the field, no error messages
4	Enter a invalid password	!2	Data entered in the field, no error messages
5	Click the "Войти" button		The error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и символы: _. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру" is appeared

G101-361 / Testing Documentation / Testing Documentation - Alena Kaskevich / УДАЛИТЬ / Registration and Authorization

Log out: with user account

Priority	Severity	Behavior	Type
High	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Postconditions

User is logged out

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Open user account		Account is opened
3	Click the "Выйти" button		The user is logged out and redirected to the main page

Unauthorized user open “История заказов” page

Priority	Severity	Behavior	Type
Medium	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is not logged in

Postconditions

User is not logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Open page (example.com)		The main page is open
2	Click "История заказов" in the header		Message about the need for authorization with a link to the login page
3	Click on the link to log in		The login page is open.