




```
Airline(  
    AirlineID VARCHAR(2) PRIMARY KEY,  
    name VARCHAR(100)  
)
```

```
Airport(  
    AirportID VARCHAR(3) PRIMARY KEY,  
    name VARCHAR(100),  
    city VARCHAR(100),  
    country VARCHAR(100)  
)
```

```
Aircraft(  
    aircraftID INT PRIMARY KEY,  
    model VARCHAR(100),  
    capacity INT,  
    AirlineID VARCHAR(2),  
    FOREIGN KEY (AirlineID) REFERENCES Airline(AirlineID)  
)
```

```
Flight(  
    AirlineID VARCHAR(2),  
    flight_number VARCHAR(10),  
    departure_AirportID VARCHAR(3),  
    arrival_AirportID VARCHAR(3),  
    aircraftID INT,  
    departure_time TIME,  
    arrival_time TIME,  
    days_of_week VARCHAR(20),  
    type VARCHAR(20),  
  
    PRIMARY KEY (AirlineID, flight_number),  
  
    FOREIGN KEY (AirlineID) REFERENCES Airline(AirlineID),  
    FOREIGN KEY (departure_AirportID) REFERENCES Airport(AirportID),  
    FOREIGN KEY (arrival_AirportID) REFERENCES Airport(AirportID),  
    FOREIGN KEY (aircraftID) REFERENCES Aircraft(aircraftID)  
)
```

```
Flight_Instance(  
    flight_instance_id INT PRIMARY KEY,  
    AirlineID VARCHAR(2),  
    flight_number VARCHAR(10),  
    departure_date DATE,  
    actual_departure_time DATETIME,  
    actual_arrival_time DATETIME,  
  
    FOREIGN KEY (AirlineID, flight_number) REFERENCES Flight(AirlineID, flight_number)  
)
```

```
Customer(  

```

customerID INT PRIMARY KEY,
name VARCHAR(100),
email VARCHAR(100),
phone VARCHAR(20)

)

Account(

accountID INT PRIMARY KEY,
customerID INT UNIQUE,
created_at DATETIME,
FOREIGN KEY (customerID) REFERENCES Customer(customerID)

)

Reservation(

reservationID INT PRIMARY KEY,
customerID INT,
created_at DATETIME,
status VARCHAR(20),

FOREIGN KEY (customerID) REFERENCES Customer(customerID)

)

Ticket(

ticket_number VARCHAR(15) PRIMARY KEY,
reservationID INT,
customerID INT,

total_fare DECIMAL(10,2),
booking_fee DECIMAL(10,2),
purchase_datetime DATETIME,
class VARCHAR(20),
seat_number VARCHAR(10),
special_meal VARCHAR(50),

FOREIGN KEY (reservationID) REFERENCES Reservation(reservationID),
FOREIGN KEY (customerID) REFERENCES Customer(customerID)

)

Employee(

employeeID INT PRIMARY KEY,
name VARCHAR(100)

)

Admin(

employeeID INT PRIMARY KEY,
FOREIGN KEY (employeeID) REFERENCES Employee(employeeID)

)

Customer_Representative(

employeeID INT PRIMARY KEY,
FOREIGN KEY (employeeID) REFERENCES Employee(employeeID)

)

```
manages(  
    employeeID INT,  
    reservationID INT,  
    PRIMARY KEY (employeeID, reservationID),  
    FOREIGN KEY (employeeID) REFERENCES Employee(employeeID),  
    FOREIGN KEY (reservationID) REFERENCES Reservation(reservationID)  
)
```

```
includes(  
    ticket_number VARCHAR(15),  
    flight_instance_id INT,  
    sequence_number INT,  
  
    PRIMARY KEY (ticket_number, flight_instance_id),  
  
    FOREIGN KEY (ticket_number) REFERENCES Ticket(ticket_number),  
    FOREIGN KEY (flight_instance_id) REFERENCES Flight_Instance(flight_instance_id)  
)
```

```
waits_for(  
    customerID INT,  
    flight_instance_id INT,  
    timestamp DATETIME,  
  
    PRIMARY KEY (customerID, flight_instance_id),  
  
    FOREIGN KEY (customerID) REFERENCES Customer(customerID),  
    FOREIGN KEY (flight_instance_id) REFERENCES Flight_Instance(flight_instance_id)  
)
```

```
operates_at(  
    AirlineID VARCHAR(2),  
    AirportID VARCHAR(3),  
  
    PRIMARY KEY (AirlineID, AirportID),  
  
    FOREIGN KEY (AirlineID) REFERENCES Airline(AirlineID),  
    FOREIGN KEY (AirportID) REFERENCES Airport(AirportID)  
)
```