

Atividade MOD 4 S 3

Requisição “A” (<https://api.predic8.de/shop/customers/?name=Ervin Howell>):

GET a./?name=Ervin Howell

MOD4S3 / a./?name=Ervin Howell

GET https://api.predic8.de/shop/customers/?name=Ervin Howell

Params Authorization Headers (6) Body Pre-request Script Tests Settings

```
1 pm.test("Status code is 200", function () {
2   pm.response.to.have.status(200);
3 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [test scripts](#)

Body Cookies Headers (6) Test Results (1/1)

Status: 200 OK Time: 717 ms Size: 663 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "meta": {
3     "count": 6,
4     "start": 1,
5     "limit": 10
6   },
7   "customers": [
8     {
9       "id": 6,
10      "name": "Pedro Santiago",
11      "self_link": "/shop/v2/customers/6"
12    },
13    {
14      "id": 5,
15      "name": "Carlos Sánchez",
16      "self_link": "/shop/v2/customers/5"
17    },
18    {
19      "id": 4,
20      "name": "Garrick Barnett",
21      "self_link": "/shop/v2/customers/4"
22    },
23    {
24      "id": 3,
25      "name": "Larry Lawson",
26      "self_link": "/shop/v2/customers/3"
27    },
28    {
29      "id": 2,
30      "name": "Helen Andrus",
31      "self_link": "/shop/v2/customers/2"
32    },
33    {
34      "id": 1,
```

GET a./?name=Ervin Howell

MOD4S3 / a./?name=Ervin Howell

GET https://api.predic8.de/shop/customers/?name=Ervin Howell

Params Authorization Headers (6) Body Pre-request Script Tests Settings

```
1 pm.test("Status code is 200", function () {
2   pm.response.to.have.status(200);
3 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [test scripts](#)

Body Cookies Headers (6) Test Results (1/1)

Status: 200 OK Time: 717 ms Size: 663 B Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. [View Templates](#)

All Passed Skipped Failed

PASS Status code is 200

Requisição “B” (<https://api.predic8.de/shop/customers/2>):

MOD4S3 / b./2

GET https://api.predic8.de/shop/customers/2

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (6) Test Results (1/1)

Status: 200 OK Time: 731 ms Size: 246 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "firstname": "Helen",
3   "lastname": "Andrus"
4 }
```

MOD453 / b./2

GET https://api.predic8.de/shop/customers/2

Params Authorization Headers (6) Body Pre-request Script Tests Settings

```
1 pm.test("Status code is 200", function () {
2   pm.response.to.have.status(200);
3 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

Snippets

- Get an environment variable
- Get a global variable
- Get a variable
- Get a collection variable
- Set an environment variable

Body Cookies Headers (6) Test Results (1/1)

Status: 200 OK Time: 731 ms Size: 246 B Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. [View Templates](#)

All Passed Skipped Failed

PASS Status code is 200

Requisição “C” (<https://api.predic8.de/shop/customers/?Samantha>):

MOD453 / c./?Samantha

GET https://api.predic8.de/shop/customers/?Samantha

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

Key	Value	Description
Samantha		

Body Cookies Headers (6) Test Results (1/1)

Status: 200 OK Time: 714 ms Size: 663 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "meta": {
3     "count": 6,
4     "start": 1,
5     "limit": 10
6   },
7   "customers": [
8     {
9       "id": 6,
10      "name": "Pedro Santiago",
11      "self_link": "/shop/v2/customers/6"
12    },
13    {
14      "id": 5,
15      "name": "Carlos Sánchez",
16      "self_link": "/shop/v2/customers/5"
17    },
18    {
19      "id": 4,
20      "name": "Garrick Barnett",
21      "self_link": "/shop/v2/customers/4"
22    },
23    {
24      "id": 3,
25      "name": "Larry Lawson",
26      "self_link": "/shop/v2/customers/3"
27    },
28    {
29      "id": 2,
30      "name": "Helen Andrus",
31      "self_link": "/shop/v2/customers/2"
32    }
33  ]
34 }
```

MOD453 / c./?Samantha

GET https://api.predic8.de/shop/customers/?Samantha

Params Authorization Headers (6) Body Pre-request Script Tests Settings

```
1 pm.test("Status code is 200", function () {
2   pm.response.to.have.status(200);
3 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

Snippets

- Get an environment variable

Body Cookies Headers (6) Test Results (1/1)

Status: 200 OK Time: 714 ms Size: 663 B Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. [View Templates](#)

All Passed Skipped Failed

PASS Status code is 200