Assignment-1.5

Name: kasuri Rohith

Hall ticket : 2303a51oi2

Batch : 23

Task 1: AI-Generated Logic Without Modularization (String Reversal Without Functions)

❖ Scenario

You are developing a basic text-processing utility for a messaging application.

❖ TaskDescription

Use GitHub Copilot to generate a Python program that:

➢ Reverses a given string

➢ Accepts user input

➢ Implements the logic directly in the main code

➢ Does not use any user-defined functions

❖ Expected Output

➢ Correct reversed string

➢ Screenshots showing Copilot-generated code suggestions

➢ Sample inputs and outputs

Prompt : write a python program a string reversal without function

Code:

```
text = input("Enter a string: ")
reversed_text = ""
for i in range(len(text) - 1, -1, -1):
    reversed_text += text[i]
print(reversed_text)
```

Output

```
PS C:\Users\rohit\OneDrive\Desktop\ai> & C:/Users/rohit/AppData/Local/Microsoft/WindowsApps/python3.11.exe c:/Users/rohit/OneDrive/Desktop/ai/assign.py
Enter a string: hello
olleh
```

Task 2: Efficiency C Logic Optimization (Readability Improvement)

❖ Scenario

The code will be reviewed by other developers.

❖ TaskDescription

Examine the Copilot-generated code from Task 1 and improve it by:

➢ Removing unnecessary variables

➢ Simplifyingloop or indexing logic

➢ Improving readability

➢ Use Copilot prompts like:

▪ "Simplifythis string reversal code"

▪ "Improve readability and efficiency"

Hint:

Prompt Copilot with phrases like

"optimize this code", "simplify logic", or "make it more readable"

❖ Expected Output

➢ Original and optimized code versions

➢ Explanation of how the improvements reduce time complexity

Prompt: In the above code string reversal without function add optimized string reversal(readability C efficiency)

Code:

```
#Task 2: Optimized string reversal (readability & efficiency)

text = input("Enter a string: ")
print("Reversed string:", text[::-1])
```

Output:

```
PS C:\Users\rohit\OneDrive\Desktop\ai> & C:/Users/rohit/AppData/Local/Microsoft/WindowsApps/python3.11.exe c:/Users/rohit/OneDrive/Desktop/ai/assign.py
Enter a string: python
nohtyp
```

Task 3: Modular Design Using AI Assistance (String Reversal Using Functions)

❖ Scenario

The string reversal logic is needed in multiple parts of an application.

❖ TaskDescription

Use GitHub Copilot to generate a function-based Python program that:

➢ Uses a user-defined function to reverse a string

➢ Returns the reversed string

➢ Includes meaningful comments (AI-assisted)

❖ Expected Output

➢ Correct function-based implementation

➢ Screenshots documenting Copilot's function generation

➢ Sample test cases and outputs

Prompt: in the above it should include modular design using functions

Code:

```
# Task 3: Modular design using functions

def reverse_string(text):
    """
    Reverse the given string.

    Args:
        text (str): The string to reverse.

    Returns:
        str: The reversed string.
    """
    return text[::-1]

user_input = input("\nEnter a string for Task 3: ")
print("Task 3 - Reversed string:", reverse_string(user_input))
```

Output:



Task 4: Comparative Analysis – Procedural vs Modular Approach (With vs Without Functions)

❖ Scenario

You are asked to justify design choices during a code review.

❖ TaskDescription

Compare the Copilot-generated programs:

➢ Without functions (Task 1)

➢ Withfunctions(Task 3)

Analyze them based on:

➢ Code clarity

➢ Reusability

➢ Debugging ease

➢ Suitability for large-scale applications

❖ Expected Output

Comparison table or short analytical report

Prompt: in the above it should include comparative analysis-procedural approach

Code:

```python
# Task 4: Comparative Analysis - Procedural vs Modular Approach

# --- Procedural Approach (Without Functions) ---

text = input("Enter a string for procedural approach: ")
reversed_text = ""

for i in range(len(text) - 1, -1, -1):
    reversed_text += text[i]

print("Procedural result:", reversed_text)


# --- Modular Approach (With Functions) ---

def reverse_string(text):
    """
    Reverse the given string.
    Args:
        text (str): The string to reverse.
    Returns:
        str: The reversed string.
    """
    return text[::-1]

user_input = input("\nEnter a string for modular approach: ")
print("Modular result:", reverse_string(user_input))
```

Output:

```
Procedural result: watch:tluser larudecorPhctaw

Enter a string for modular approach: watch
Modular result: hctaw
PS C:\Users\rohit\OneDrive\Desktop\ai>
```

Task 5: AI-Generated Iterative vs Recursive Fibonacci Approaches (Different Algorithmic Approaches to String Reversal)

❖ Scenario

Your mentor wants to evaluate how AI handles alternative logic paths.

❖ TaskDescription

Prompt GitHub Copilot to generate:

➢ A loop-based string reversal approach

➢ A built-in / slicing-based string reversal approach

❖ Expected Output

➢ Two correct implementations

➢ Comparison discussing:

- Execution flow
- Time complexity
- Performance for large inputs
- When each approach is appropriate

Prompt: in the above it should include itractive vs slicing approaches

Code:

```
# Task 5: Iterative vs Slicing approaches

# Iterative (loop-based)
text = input("\nEnter a string for Task 5 (Iterative): ")
reversed_text = ""

for char in text:
    reversed_text = char + reversed_text

print("Task 5 (Iterative) - Reversed string:", reversed_text)


# Slicing (built-in)
text = input("\nEnter a string for Task 5 (Slicing): ")
print("Task 5 (Slicing) - Reversed string:", text[::-1])

```

Output:

```
PS C:\Users\rohit\OneDrive\Desktop\ai> & C:/Users/rohit/AppData/Local/Microsoft/WindowsApps/python3.11.exe c:/Users/rohit/OneDrive/Desktop/ai/assign.py

Enter a string for Task 5 (Iterative): bat
Task 5 (Iterative) - Reversed string: tab

Enter a string for Task 5 (Slicing): cat
Task 5 (Slicing) - Reversed string: tac
```