LizzieYzy yzy2.5.4 User Manual

Version: 2.5.4 (build 20261026)

For the Windows x64 package rebuilt on 2026-10-26.

Source: <https://github.com/KataMonk/lizzieyzy> (fork of <https://github.com/yzyray/lizzieyzy>)

1. What is it

LizzieYzy is a Go AI analysis GUI (a modified Lizzie). It bundles KataGo and two networks:

real-time analysis with candidate moves and win rates, territory estimation, SGF analysis,

Fox (Tencent Weiqi) kifu import, and Yike live/lobby sync.

Highlights:

- Bundled JRE 17 — no Java installation needed;
- Bundled KataGo 1.18.1 (OpenCL) and two networks (analysis + estimate);
- Startup/font/temp-dir/black-screen issues fixed;
- Yike live/lobby sync (lobby requires your own token, see 7.4).

2. Quick start

1. Extract the whole folder to disk (do not run inside the zip);

2. Double-click Lizzieyzy-2.5.4-win64.exe;

3. First launch creates runtime files and starts the engine; wait a few seconds.

Situation	File to run
Normal	Lizzieyzy-2.5.4-win64.exe
exe won't open / crashes	bat 启动器(exe 无法打开时使用).bat
Display issues (black/garbled)	Lizzieyzy(仅在显示异常时尝试)-win64.exe or the matching bat
Want console logs	launch via the bat launcher

If antivirus blocks the exe, whitelist the folder (launch4j wrappers are often flagged).

3. Folder layout

Path	Purpose
Lizzieyzy-2.5.4-win64.exe	main launcher (jar embedded)
lizzie-yzy2.5.4-shaded.jar	application (run with java -jar if needed)
jre\java17\	bundled JRE
weights\	KataGo networks
katago_opencl\	KataGo OpenCL engine (default)
katago_eigen\, katago_eigen_avx2\	CPU engines (fallback)
katago_tensorRT\	TensorRT engine (needs NVIDIA + TensorRT libs)
katago_configs\	analysis.cfg / estimate.cfg
KataGoData\	engine cache (safe to delete)
theme\, sound\	board themes and sounds
temp\, persist, save\	runtime files (safe to delete; keep save for autosaved games)
工具\	diagnostic scripts
文档\	detailed docs
images\	screenshots used here

4. Engines and networks

Network	Purpose	Size
kata1-tf3-b11c768-...bin.gz	main analysis (candidates/winrate)	~250 MB
kata1-tf2-b10c384-...bin.gz	territory estimation (fast)	~36 MB


Engine entries (switch in Settings → Engine settings; OpenCL is still the default):

Entry	Backend	Notes
(OpenCL-官方)Kata1-b11c768-tf3	OpenCL	default, best compatibility
(OpenCL-官方)Kata1-b10c384-tf2	OpenCL	
(ONNX-DirectML)Kata1-b11c768-tf3	ONNX + DirectML	no CUDA needed (verified to initialize on this machine)
(ONNX-DirectML)Kata1-b10c384-tf2	ONNX + DirectML	

(CUDA-需 CUDA12/ cuDNN9)...	CUDA	requires CUDA 12.1 + cuDNN 8.9.7 runtime
(TensorRT10-需 TRT10)...	TensorRT	requires TensorRT 10.16.1 + CUDA 13.2 runtime
(TensorRT8-自带库)...	TensorRT	old KataGo 1.13.1 with bundled DLLs

The package includes the ONNX runtime (katago_onnx\) and the CUDA/TRT10 executables (katago_cuda\, katago_tensorRT10\), but their system runtimes must be installed separately.

5. Main window



1. Menu bar: File / View / Game / Analyze / Edit / Sync / Help / Settings;

2. Left panel: win-rate bar and score lead;

3. Candidates on board: green = black's moves, blue = white's moves; numbers are playout share;

4. Right panel: analysis table, variation tree, mini board;

5. Bottom toolbar: start/pause analysis, clear board, navigation, estimate panel, move numbers, coordinates, auto-play.

Basics: click the board to place/try moves; </> to step through the game;

File → Open/Save for SGF; Settings → Engine settings to change engines.

6. Territory estimate (目数估计)

- Open via bottom toolbar 形势判断 or menu Analyze → 形势判断;
- Thresholds: low 0.2, high 0.5 (adjustable).



Row	Meaning
领地 (territory)	empty points only
死子 (dead stones)	opponent's dead stones inside your area
差值 (difference)	territory + dead stones + captures
盘面领先 (board lead)	area difference = (alive + territory + enemy dead stones), komi excluded

Board lead uses area scoring; e.g. engine score −0.8 with komi 7.5 → about 7 points for Black.

7. Kifu and online games

7.1 Fox / Tencent kifu (menu: Sync → 腾讯棋谱)



1. Nickname / keyword (top row): search public/tournament kifu (e.g. 柯洁), 20 per page; double-click a row to load. Casual online games are not indexed — use row 2 instead.
2. Share link / chessid (second row): paste https://h5.foxwq.com/yehunewshare/?chessid=...&boardsize=19 (or just the chessid), click 导入链接 to download SGF and load.
3. 大赛棋谱列表 loads the latest official kifu list.


7.2 Yike live (menu: File → Open online link)

Paste any of:

- https://home.yikeweiqi.com/#/live/new-room/197418/0/0
- https://home.yikeweiqi.com/#/live/room/18328/1/15630642
- https://home.yikeweiqi.com/#/live/board/<id>

The app fetches the current SGF and polls it at the dialog's refresh interval.

7.3 Yike lobby (menu: Sync → 弈客大厅)



- Browse games (playing / finished / all), refresh and page through;
- Double-click a game to load it and start live sync (checks every 3 s, auto-follows new moves);
- 停止同步 stops sync; #/game/play/<hall>/<id> links also work via "Open online link".

7.4 Yike token (required for lobby)

The code contains no token. Provide your own:

1. Open any Yike game page → F12 → Network → find

   game-server.yikeweiqi.com/game/info?id=... → copy the value after authorization: Bearer ;

2. Create yike-token.txt in the program folder (UTF-8, one line),

   or add "yike-game-token": "<token>" to config.txt under ui,

   or start with -Dlizzie.yike.token=<token>.

7.5 Packet capture

See 文档\抓包指南.md.

8. Useful config keys

Key	Meaning
ui.estimate-threshold / ui.estimate-high-threshold	estimate thresholds (0.2 / 0.5)
ui.estimate-calibrate	enable estimate calibration
leelaz.max-analyze-time-seconds	per-move time cap (0 = unlimited)
leelaz.limit-time / leelaz.limit-playout	limit analysis (default false)

ui.read-komi	use komi from SGF
ui.always-gotolast-onlive	jump to last move on live games

Keep config.txt valid JSON; invalid files are renamed to config_wrong.txt.

9. FAQ

Symptom	Fix
exe does nothing / crashes	use the bat launcher
black/garbled window	use the "display issues" exe
Can't create cache file! / font errors	delete temp\ and restart
engine fails to load	check weights\ and antivirus; use OpenCL entries unless TensorRT is installed
no estimate numbers	wait for engine, open the estimate panel, lower thresholds
a kifu is not found by nickname	casual games are not indexed; paste the share link
lobby says no token	configure yike-token.txt (7.4)
Problem reading font data in console	fixed in this build (falls back to loading fonts from a writable temp file)
CUDA/TensorRT10 engine fails	install the matching runtime or switch back to OpenCL / ONNX-DirectML
broken config	delete config.txt and restart

10. Docs and feedback

文档\ contains: integration/estimate notes, code analysis, KataGo comparison,

online-feature fix notes, and the capture guide.

Issues: <https://github.com/KataMonk/lizzieyzy/issues>

QQ groups: 584641555 (4), 246284327 (3), 867298807 (2), 786173361 (1)

11. Changelog

- 2.5.4 (20261026)

  - Simplified update dialog (version + QQ groups only);

- About page: build 20261026, authors yzyray/katamonk, new source URL;

- Version 2.5.4 everywhere (jar/exe/folder);

- Rewritten manual with screenshots;

- fixed Problem reading font data under broken TEMP;

- added ONNX-DirectML / CUDA12 / TensorRT10 engine entries (OpenCL remains default).

- 2.5.3 base (rebuilt from 2023-06 source)

- Startup/font/temp/black-screen fixes; estimate calibration; thresholds 0.2/0.5;

- Fox/Tencent kifu import; Yike live/lobby sync; performance tuning; no embedded secrets.