

Añadir actividad Orden Auditoria IT

Execution Environment

Host name	d.a.carrion.santiago - C11-E5MQC0WGWKX.dir.svc.accenture.com
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 143.0.0.0
Device name	

Summary

ID	Test Suites/PM/O Auditoria/IT/Añadir actividad Orden Auditoria IT		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	29-12-2025 12:35:52	End	29-12-2025 12:36:35
Elapsed	42.925s		

#	ID	Description	Status
1	Test Cases/PM/O Auditorias/Añadir actividad OA IT		FAILED

Añadir actividad OA IT

Information

ID	Test Cases/PM/O Auditorias/Añadir actividad OA IT		
Description			
Tag			
Start	29-12-2025 12:35:53	End	29-12-2025 12:36:24
Elapsed	31.404s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Acceso/Login"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Acceso/Login' successfully	10.818s	PASSED
2	com.url_utilidades.urlutilidades.openApplicationUrl("https://saps4-pre.abertis.com/sap/bc/ui2/flp?saml2=disabled&sap-client=100&sap-language=IT#MaintenanceOrder-change") com.url_utilidades.urlutilidades.openApplicationUrl is PASSED	0.711s	PASSED
3	setText(findTestObject("Object Repository/Añadir actividad OP IT new id/Page_Modificare Ordine videata iniziale/input_O_InputField"), orden) Text '200300000867' is set on object 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Ordine videata iniziale/input_O_InputField'	6.365s	PASSED
4	sendKeys(findTestObject("Añadir actividad OP IT new id/Page_Modificare Ordine videata iniziale/input_O_InputField"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Ordine videata iniziale/input_O_InputField'	0.577s	PASSED
5	click(findTestObject("Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_06833f/span_Operazioni")) Object: 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_06833f/span_Operazioni' is clicked on	2.017s	PASSED

Añadir actividad OA IT

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_ef037e/span_YM01_InputField")) Object: 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_ef037e/span_YM01_InputField' is clicked on	4.599s	PASSED
7	setText(findTestObject("Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_ef037e/input_YM01_InputField"), chtstst) Text 'I_CA002' is set on object 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_ef037e/input_YM01_InputField'	0.614s	PASSED
8	click(findTestObject("Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_ef037e/div_SalvareEvidenziato")) Object: 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_ef037e/div_SalvareEvidenziato' is clicked on	0.392s	PASSED
9	click(findTestObject("Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_ef037e/div_S")) Object: 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Manut. Programmata 20040001_ef037e/div_S' is clicked on	0.675s	PASSED


Añadir actividad OA IT

#	Description	Elapsed	Status
10	click(findTestObject("Object Repository/Añadir actividad OP IT new id/Page_Modificare Ordine videata iniziale/span_Salvato ordine 200400013403 con avviso_3101e6")) Unable to click on object 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Ordine videata iniziale/span_Salvato ordine 200400013403 con avviso_3101e6' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Añadir actividad OP IT new id/Page_Modificare Ordine videata iniziale/span_Salvato ordine 200400013403 con avviso_3101e6' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Añadir actividad OA IT.run (Añadir actividad OA IT:41) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1767008146114.run (TempTestSuite1767008146114.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (NativeMethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found in the current frame (Session info: chrome=143.0.7499.170) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/stale_element_reference.html Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'C11-E5MQC0WGWKX', ip: '192.168.1.43', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver	2.007s	FAILED

Añadir actividad OA IT

#	Description	Elapsed	Status
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 143.0.7499.170, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: C:\Users\DACARR~1.SAN\AppData..., fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:51936}, goog:processID: 30328, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 630f07e620eb918bf60fb7cc4b9c7cd8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CCChromeDriver.execute(CCChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) atjdk.proxy2/jdk.proxy2.\$Proxy25.click(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		

Añadir actividad OA IT

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at Script1766483879149.run(Script1766483879149.groovy:41) ... 15 more)</pre> 		

11

Video

0.001s

PASSED

Video recording for test case 'Test Cases/PM/O Auditorias/Añadir actividad OA IT' .