

Evaluation of Seguro Popular

Design Framework

Gary King
Institute for Quantitative Social Science
Harvard University

Thanks, in Mexico, to Edith Arano, Carlos Avila, Juan Eugenio Hernández Avila, Mauricio Hernández Avila, Jorge Carreon Manuel Castro, Octavio Gómez Dantes, Sara Odette León, Héctor Hernández Llamas, René Santos Luna, Tania Martínez, Gustavo Olaíz, Maritza Ordaz, Eduardo González Pier, Héctor Peña, Raymundo Pérez, Esteban Puentes, Corina Santangelo, Sergio Sesma, Sara Uriega, Martha María (Mara) Tellez; and, at Harvard, to Emmanuela Gakidou, Jason Lakin, Ryan T. Moore, Nirmala Ravishankar, Manett Vargas

A New Member of the Evaluation Team

A New Member of the Evaluation Team

(Manett's) Arturo Vargas

A New Member of the Evaluation Team

(Manett's) Arturo Vargas



Evaluation Components

Evaluation Components

- Impact Evaluation

Evaluation Components

- Impact Evaluation
- National Level Analysis

Evaluation Components

- Impact Evaluation
- National Level Analysis
- Process Evaluation

Evaluation Components

- Impact Evaluation
- National Level Analysis
- Process Evaluation
- In-depth Focus Groups

Goals of SP & Evaluation Outcome Measures

Goals of SP & Evaluation Outcome Measures

- Financial Protection

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease
 - Responsiveness of Seguro Popular

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease
 - Responsiveness of Seguro Popular
 - Satisfaction of affiliates with Seguro Popular

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease
 - Responsiveness of Seguro Popular
 - Satisfaction of affiliates with Seguro Popular
- Health Care Facilities

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease
 - Responsiveness of Seguro Popular
 - Satisfaction of affiliates with Seguro Popular
- Health Care Facilities
 - Operations, office visits, emergencies, personnel, infrastructure and equipment, drug inventory.

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease
 - Responsiveness of Seguro Popular
 - Satisfaction of affiliates with Seguro Popular
- Health Care Facilities
 - Operations, office visits, emergencies, personnel, infrastructure and equipment, drug inventory.
- Health

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend > 30% of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease
 - Responsiveness of Seguro Popular
 - Satisfaction of affiliates with Seguro Popular
- Health Care Facilities
 - Operations, office visits, emergencies, personnel, infrastructure and equipment, drug inventory.
- Health
 - Health status

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease
 - Responsiveness of Seguro Popular
 - Satisfaction of affiliates with Seguro Popular
- Health Care Facilities
 - Operations, office visits, emergencies, personnel, infrastructure and equipment, drug inventory.
- Health
 - Health status
 - All-cause mortality

Goals of SP & Evaluation Outcome Measures

- Financial Protection
 - Out-of-pocket expenditure
 - Catastrophic expenditure (now 3% of households spend $> 30\%$ of disposable income on health)
 - Impoverishment due to health care payments
- Health System Effective Coverage
 - Percent of population receiving appropriate treatment by disease
 - Responsiveness of Seguro Popular
 - Satisfaction of affiliates with Seguro Popular
- Health Care Facilities
 - Operations, office visits, emergencies, personnel, infrastructure and equipment, drug inventory.
- Health
 - Health status
 - All-cause mortality
 - Cause-specific mortality

Data Sources

- Panel survey ($n = 38,000$) at time 0 and year 1

- Panel survey ($n = 38,000$) at time 0 and year 1
- Aggregate data describing health clinics and areas around them

- Panel survey ($n = 38,000$) at time 0 and year 1
- Aggregate data describing health clinics and areas around them
- Health facilities survey

- Panel survey ($n = 38,000$) at time 0 and year 1
- Aggregate data describing health clinics and areas around them
- Health facilities survey
- Focus group interviews

Quantities of Interest, for Each Outcome Variable

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.
- Effect of one Mexican affiliating with SP (“treatment effect”)

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.
- Effect of one Mexican affiliating with SP (“treatment effect”)
- Compliance rates:

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.
- Effect of one Mexican affiliating with SP (“treatment effect”)
- Compliance rates:
 - Difference between intention to treat and treatment

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.
- Effect of one Mexican affiliating with SP (“treatment effect”)
- Compliance rates:
 - Difference between intention to treat and treatment
 - A measure of program success

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.
- Effect of one Mexican affiliating with SP (“treatment effect”)
- Compliance rates:
 - Difference between intention to treat and treatment
 - A measure of program success
- Variation in effect size

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.
- Effect of one Mexican affiliating with SP (“treatment effect”)
- Compliance rates:
 - Difference between intention to treat and treatment
 - A measure of program success
- Variation in effect size
 - Areas with no health facilities: SP would have zero effect

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.
- Effect of one Mexican affiliating with SP (“treatment effect”)
- Compliance rates:
 - Difference between intention to treat and treatment
 - A measure of program success
- Variation in effect size
 - Areas with no health facilities: SP would have zero effect
 - People who already have access to health care: SP effect small

Quantities of Interest, for Each Outcome Variable

- Effect of rolling out the policy in an area (“intention to treat”)
 - Affiliating the poor automatically
 - Establishing an MAO, so people can affiliate
 - Encouraging others to affiliate: painting buildings, radio, TV, loudspeakers, etc.
- Effect of one Mexican affiliating with SP (“treatment effect”)
- Compliance rates:
 - Difference between intention to treat and treatment
 - A measure of program success
- Variation in effect size
 - Areas with no health facilities: SP would have zero effect
 - People who already have access to health care: SP effect small
 - Places with better doctors and health administration: bigger effects

Ideal Design for Mexican Society

Ideal Design for Mexican Society

- Roll out SP as fast as possible to as many as possible

Ideal Design for Mexican Society

- Roll out SP as fast as possible to as many as possible
 - Unless SP doesn't work!

Ideal Design for Mexican Society

- Roll out SP as fast as possible to as many as possible
 - Unless SP doesn't work!
 - Unless we can improve outcomes by learning from sequential affiliation

Ideal Design for Mexican Society

- Roll out SP as fast as possible to as many as possible
 - Unless SP doesn't work!
 - Unless we can improve outcomes by learning from sequential affiliation
- Immediately give all Mexicans equal ability to affiliate

Ideal Design for Mexican Society

- Roll out SP as fast as possible to as many as possible
 - Unless SP doesn't work!
 - Unless we can improve outcomes by learning from sequential affiliation
- Immediately give all Mexicans equal ability to affiliate
 - Impossible because some areas do not have appropriate health facilities

Ideal Design for Mexican Society

- Roll out SP as fast as possible to as many as possible
 - Unless SP doesn't work!
 - Unless we can improve outcomes by learning from sequential affiliation
- Immediately give all Mexicans equal ability to affiliate
 - Impossible because some areas do not have appropriate health facilities
 - Infeasible because of political preferences of local officials to affiliate some areas first

How “Ideal Designs” Make Evaluation Hard

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first
 - Younger and health will affiliate less

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first
 - Younger and health will affiliate less
 - i.e., affiliates are sicker than non-affiliates

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first
 - Younger and health will affiliate less
 - i.e., affiliates are sicker than non-affiliates
 - Evaluation: affiliating makes you sick!

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first
 - Younger and health will affiliate less
 - i.e., affiliates are sicker than non-affiliates
 - Evaluation: affiliating makes you sick!
 - This is the problem of “selection bias”

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first
 - Younger and health will affiliate less
 - i.e., affiliates are sicker than non-affiliates
 - Evaluation: affiliating makes you sick!
 - This is the problem of “selection bias”
- If politicians (in a democracy) decide which areas get MAOs

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first
 - Younger and health will affiliate less
 - i.e., affiliates are sicker than non-affiliates
 - Evaluation: affiliating makes you sick!
 - This is the problem of “selection bias”
- If politicians (in a democracy) decide which areas get MAOs
 - Privileged areas will get affiliation first

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first
 - Younger and health will affiliate less
 - i.e., affiliates are sicker than non-affiliates
 - Evaluation: affiliating makes you sick!
 - This is the problem of “selection bias”
- If politicians (in a democracy) decide which areas get MAOs
 - Privileged areas will get affiliation first
 - Political favorites will be affiliated early

How “Ideal Designs” Make Evaluation Hard

- If anyone can affiliate
 - The older and sicker will affiliate first
 - Younger and health will affiliate less
 - i.e., affiliates are sicker than non-affiliates
 - Evaluation: affiliating makes you sick!
 - This is the problem of “selection bias”
- If politicians (in a democracy) decide which areas get MAOs
 - Privileged areas will get affiliation first
 - Political favorites will be affiliated early
 - Even if SP has no effect, areas with SP will be healthier

Ideal Design for Scientific Evaluation

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

- Some randomized to affiliate, and must affiliate

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

- Some randomized to affiliate, and must affiliate
- Others randomized not to affiliate, and must not

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

- Some randomized to affiliate, and must affiliate
- Others randomized not to affiliate, and must not
- Keep these assignments in place for a decade or more

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

- Some randomized to affiliate, and must affiliate
- Others randomized not to affiliate, and must not
- Keep these assignments in place for a decade or more

The Next Day's Newspaper Headlines

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

- Some randomized to affiliate, and must affiliate
- Others randomized not to affiliate, and must not
- Keep these assignments in place for a decade or more

The Next Day's Newspaper Headlines

- Harvard Professor withholds Health Care from Mexicans!

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

- Some randomized to affiliate, and must affiliate
- Others randomized not to affiliate, and must not
- Keep these assignments in place for a decade or more

The Next Day's Newspaper Headlines

- Harvard Professor withholds Health Care from Mexicans!
- Hector to Decide which Mexicans will Live or Die!

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

- Some randomized to affiliate, and must affiliate
- Others randomized not to affiliate, and must not
- Keep these assignments in place for a decade or more

The Next Day's Newspaper Headlines

- Harvard Professor withholds Health Care from Mexicans!
- Hector to Decide which Mexicans will Live or Die!
- Eduardo Gives Out Drug Prescriptions **randomly**!

Ideal Design for Scientific Evaluation

A randomized clinical trial (like in medicine)

- Some randomized to affiliate, and must affiliate
- Others randomized not to affiliate, and must not
- Keep these assignments in place for a decade or more

The Next Day's Newspaper Headlines

- Harvard Professor withholds Health Care from Mexicans!
- Hector to Decide which Mexicans will Live or Die!
- Eduardo Gives Out Drug Prescriptions **randomly**!
- Octavio Charged with *Talking* to Eduardo, Hector, and Gary!

Is Randomization Always Unethical?

Is Randomization Always Unethical?

- Not ethical to randomly assign health care to Mexicans

Is Randomization Always Unethical?

- Not ethical to randomly assign health care to Mexicans
- Is it ok to randomly assign whether people are told on the left or right side of the road first?

Is Randomization Always Unethical?

- Not ethical to randomly assign health care to Mexicans
- Is it ok to randomly assign whether people are told on the left or right side of the road first?
- program implementation always includes arbitrary decisions, made by low level officials

Is Randomization Always Unethical?

- Not ethical to randomly assign health care to Mexicans
- Is it ok to randomly assign whether people are told on the left or right side of the road first?
- program implementation always includes arbitrary decisions, made by low level officials
- If decisions are arbitrary, they can be randomized

Is Randomization Always Unethical?

- Not ethical to randomly assign health care to Mexicans
- Is it ok to randomly assign whether people are told on the left or right side of the road first?
- program implementation always includes arbitrary decisions, made by low level officials
- If decisions are arbitrary, they can be randomized
- **Generalization: its ethical to randomize at one level below that which officials care**

A Feasible Design for Scientific Evaluation

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.
 - Urban clusters: set of AGEB's that use the health unit.

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.
 - Urban clusters: set of AGEB's that use the health unit.
- Collect health cluster-level data

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.
 - Urban clusters: set of AGEB's that use the health unit.
- Collect health cluster-level data
- Drop (rural) clusters without adequate facilities

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.
 - Urban clusters: set of AGEB's that use the health unit.
- Collect health cluster-level data
- Drop (rural) clusters without adequate facilities
- Affiliate (and drop from evaluation) politicians' favorite clusters

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.
 - Urban clusters: set of AGEB’s that use the health unit.
- Collect health cluster-level data
- Drop (rural) clusters without adequate facilities
- Affiliate (and drop from evaluation) politicians’ favorite clusters
- Drop areas where affiliation had started

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.
 - Urban clusters: set of AGEB's that use the health unit.
- Collect health cluster-level data
- Drop (rural) clusters without adequate facilities
- Affiliate (and drop from evaluation) politicians' favorite clusters
- Drop areas where affiliation had started
- Drop (rural) clusters with < 1000 population,

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.
 - Urban clusters: set of AGEB's that use the health unit.
- Collect health cluster-level data
- Drop (rural) clusters without adequate facilities
- Affiliate (and drop from evaluation) politicians' favorite clusters
- Drop areas where affiliation had started
- Drop (rural) clusters with < 1000 population,
- Only include urban clusters with 2,500–15,000 population

A Feasible Design for Scientific Evaluation

First Define and Choose Health Clusters

- Divide country into “health clusters”
 - Clínicas, centros de salud, hospitales, etc., and catchment area around them
 - Catchment area based on time to service
 - Rural clusters: set of localidades that use the health unit.
 - Urban clusters: set of AGEB's that use the health unit.
- Collect health cluster-level data
- Drop (rural) clusters without adequate facilities
- Affiliate (and drop from evaluation) politicians' favorite clusters
- Drop areas where affiliation had started
- Drop (rural) clusters with < 1000 population,
- Only include urban clusters with 2,500–15,000 population
- Drop clusters from states that did not participate

Remaining in study: 148 clusters in 7 states



States and Clusters **not** Selected Randomly

States and Clusters **not** Selected Randomly

- Effect of SP on the areas studied

States and Clusters **not** Selected Randomly

- Effect of SP on the areas studied
 - estimated well (using methods to be described)

States and Clusters **not** Selected Randomly

- Effect of SP on the areas studied
 - estimated well (using methods to be described)
- Effects of SP on all of Mexico: requires extrapolation

States and Clusters **not** Selected Randomly

- Effect of SP on the areas studied
 - estimated well (using methods to be described)
- Effects of SP on all of Mexico: requires extrapolation
 - Estimate how effects (in areas studied) varies due to observable characteristics (geography, income, age, sex, etc.)

States and Clusters **not** Selected Randomly

- Effect of SP on the areas studied
 - estimated well (using methods to be described)
- Effects of SP on all of Mexico: requires extrapolation
 - Estimate how effects (in areas studied) varies due to observable characteristics (geography, income, age, sex, etc.)
 - Measure these observable characteristics in other areas

States and Clusters **not** Selected Randomly

- Effect of SP on the areas studied
 - estimated well (using methods to be described)
- Effects of SP on all of Mexico: requires extrapolation
 - Estimate how effects (in areas studied) varies due to observable characteristics (geography, income, age, sex, etc.)
 - Measure these observable characteristics in other areas
 - Assume relationship remains constant and extrapolate

States and Clusters **not** Selected Randomly

- Effect of SP on the areas studied
 - estimated well (using methods to be described)
- Effects of SP on all of Mexico: requires extrapolation
 - Estimate how effects (in areas studied) varies due to observable characteristics (geography, income, age, sex, etc.)
 - Measure these observable characteristics in other areas
 - Assume relationship remains constant and extrapolate
- 1 is considerably easier than 2

Who Can Affiliate?

Who Can Affiliate?

Constraints

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate
 - Encourage people to affiliate: radio, TV, loudspeakers, knock on doors, painting buildings, etc.

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate
 - Encourage people to affiliate: radio, TV, loudspeakers, knock on doors, painting buildings, etc.
- Financial constraints: rollout must be staged over time

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate
 - Encourage people to affiliate: radio, TV, loudspeakers, knock on doors, painting buildings, etc.
- Financial constraints: rollout must be staged over time

Randomized Evaluation Design

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate
 - Encourage people to affiliate: radio, TV, loudspeakers, knock on doors, painting buildings, etc.
- Financial constraints: rollout must be staged over time

Randomized Evaluation Design

- Randomly select half of the 148 clusters for encouragement

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate
 - Encourage people to affiliate: radio, TV, loudspeakers, knock on doors, painting buildings, etc.
- Financial constraints: rollout must be staged over time

Randomized Evaluation Design

- Randomly select half of the 148 clusters for encouragement
- Other clusters to get encouragement at a later date

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate
 - Encourage people to affiliate: radio, TV, loudspeakers, knock on doors, painting buildings, etc.
- Financial constraints: rollout must be staged over time

Randomized Evaluation Design

- Randomly select half of the 148 clusters for encouragement
- Other clusters to get encouragement at a later date
- Any Mexican family may still affiliate at any time

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate
 - Encourage people to affiliate: radio, TV, loudspeakers, knock on doors, painting buildings, etc.
- Financial constraints: rollout must be staged over time

Randomized Evaluation Design

- Randomly select half of the 148 clusters for encouragement
- Other clusters to get encouragement at a later date
- Any Mexican family may still affiliate at any time
- No randomization at individual level

Who Can Affiliate?

Constraints

- Must choose clusters to roll out program, and
 - Affiliate the poor automatically
 - Establish an MAO, so people can affiliate
 - Encourage people to affiliate: radio, TV, loudspeakers, knock on doors, painting buildings, etc.
- Financial constraints: rollout must be staged over time

Randomized Evaluation Design

- Randomly select half of the 148 clusters for encouragement
- Other clusters to get encouragement at a later date
- Any Mexican family may still affiliate at any time
- No randomization at individual level
- Without an evaluation, choices would still be made, but would be arbitrary choices made by local government officials

Classical Randomization is Insufficient in the Real World

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups
- Classical random assignment achieves equivalence:

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups
- Classical random assignment achieves equivalence:
 - on average (or with a large enough n), and

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups
- Classical random assignment achieves equivalence:
 - on average (or with a large enough n), and
 - if nothing goes wrong

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups
- Classical random assignment achieves equivalence:
 - on average (or with a large enough n), and
 - if nothing goes wrong
- But, if we lose clusters

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups
- Classical random assignment achieves equivalence:
 - on average (or with a large enough n), and
 - if nothing goes wrong
- But, if we lose clusters
 - Equivalence of affiliate and non-affiliate clusters could fail

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups
- Classical random assignment achieves equivalence:
 - on average (or with a large enough n), and
 - if nothing goes wrong
- But, if we lose clusters
 - Equivalence of affiliate and non-affiliate clusters could fail
 - E.g., maybe poor, unhealthy clusters are more likely to drop out

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups
- Classical random assignment achieves equivalence:
 - on average (or with a large enough n), and
 - if nothing goes wrong
- But, if we lose clusters
 - Equivalence of affiliate and non-affiliate clusters could fail
 - E.g., maybe poor, unhealthy clusters are more likely to drop out
 - Consequence: Bias in evaluation conclusions

Classical Randomization is Insufficient in the Real World

- Goal: equivalent treatment and control groups
- Classical random assignment achieves equivalence:
 - on average (or with a large enough n), and
 - if nothing goes wrong
- But, if we lose clusters
 - Equivalence of affiliate and non-affiliate clusters could fail
 - E.g., maybe poor, unhealthy clusters are more likely to drop out
 - Consequence: Bias in evaluation conclusions
- We need estimators robust not merely to statistical assumptions but to real world problems

We Use: Matching, then Randomization

We Use: Matching, then Randomization

Design

We Use: Matching, then Randomization

Design

- Sort 148 health clusters into 74 matched pairs

We Use: Matching, then Randomization

Design

- Sort 148 health clusters into **74 matched pairs**
- Choose clusters within each pair to be as similar as possible

We Use: Matching, then Randomization

Design

- Sort 148 health clusters into **74 matched pairs**
- Choose clusters within each pair to be as similar as possible
- **Randomly choose one cluster in each pair** for encouragement

We Use: Matching, then Randomization

Design

- Sort 148 health clusters into **74 matched pairs**
- Choose clusters within each pair to be as similar as possible
- **Randomly choose one cluster in each pair** for encouragement

Advantages

We Use: Matching, then Randomization

Design

- Sort 148 health clusters into **74 matched pairs**
- Choose clusters within each pair to be as similar as possible
- **Randomly choose one cluster in each pair** for encouragement

Advantages

- Matching controls for **observable confounders** to a degree

We Use: Matching, then Randomization

Design

- Sort 148 health clusters into **74 matched pairs**
- Choose clusters within each pair to be as similar as possible
- **Randomly choose one cluster in each pair** for encouragement

Advantages

- Matching controls for **observable confounders** to a degree
- Matching does **not** control for **unobservable confounders** (unless they are correlated with those observed)

We Use: Matching, then Randomization

Design

- Sort 148 health clusters into **74 matched pairs**
- Choose clusters within each pair to be as similar as possible
- **Randomly choose one cluster in each pair** for encouragement

Advantages

- Matching controls for **observable confounders** to a degree
- Matching does **not** control for **unobservable confounders** (unless they are correlated with those observed)
- Randomization controls for both.

More Detail on Matching Procedure

More Detail on Matching Procedure

- Select background characteristics

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles
 - socioeconomic status

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles
 - socioeconomic status
 - health facility infrastructure

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles
 - socioeconomic status
 - health facility infrastructure
 - geography and population

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles
 - socioeconomic status
 - health facility infrastructure
 - geography and population
- Exact match on state and urban/rural

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles
 - socioeconomic status
 - health facility infrastructure
 - geography and population
- Exact match on state and urban/rural
- Compute “distance” between every possible pair of clusters (using Mahalanobis Distance, normalized with all state-validated clusters)

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles
 - socioeconomic status
 - health facility infrastructure
 - geography and population
- Exact match on state and urban/rural
- Compute “distance” between every possible pair of clusters (using Mahalanobis Distance, normalized with all state-validated clusters)
- An “optimally greedy” matching algorithm:

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles
 - socioeconomic status
 - health facility infrastructure
 - geography and population
- Exact match on state and urban/rural
- Compute “distance” between every possible pair of clusters (using Mahalanobis Distance, normalized with all state-validated clusters)
- An “optimally greedy” matching algorithm:
 - Select matched pair with smallest distance between clusters

More Detail on Matching Procedure

- Select background characteristics
 - Ideally: outcome measures at time 1 (based on a survey done before random assignment)
 - Next best: proxies highly correlated with the outcome measures
 - Practically: All available, plausibly relevant variables (38 covariates for both Rural & Urban; 30 in common)
 - demographic profiles
 - socioeconomic status
 - health facility infrastructure
 - geography and population
- Exact match on state and urban/rural
- Compute “distance” between every possible pair of clusters (using Mahalanobis Distance, normalized with all state-validated clusters)
- An “optimally greedy” matching algorithm:
 - Select matched pair with smallest distance between clusters
 - Repeat until all clusters are used

Experimental Design Implementation

Experimental Design Implementation

- At the last moment: Flip coin to choose treatment and control cluster for each pair

Experimental Design Implementation

- At the last moment: Flip coin to choose treatment and control cluster for each pair
- Treatment assignments delivered to state governments

Experimental Design Implementation


- At the last moment: Flip coin to choose treatment and control cluster for each pair
- Treatment assignments delivered to state governments
- Implementation of intensive affiliation in treatment clusters

Experimental Design Implementation

- At the last moment: Flip coin to choose treatment and control cluster for each pair
- Treatment assignments delivered to state governments
- Implementation of intensive affiliation in treatment clusters
- 74 matched treatment-control pairs in the evaluation: 55 rural and 19 urban in 7 states

State	Rural Pairs	Urban Pairs	Total
Guerrero	1	6	7
Jalisco	0	1	1
México	35	1	36
Morelos	12	9	21
Oaxaca	3	1	4
San Luis Potosí	2	0	2
Sonora	2	1	3
<i>Total</i>	<i>55</i>	<i>19</i>	<i>74</i>

Matched Pairs, Guerrero




Matched Pairs, Jalisco


Jalisco

1 urban pair


- Treatment Rural
- Control Rural
- Treatment Urban
- Control Urban




Matched Pairs, Estado de México




Matched Pairs, Morelos




Matched Pairs, Oaxaca



Matched Pairs, San Luis Potosí



Matched Pairs, Sonora



Evaluation Design is Triply Robust

Evaluation Design is Triply Robust

Design has three parts

Evaluation Design is Triply Robust

Design has three parts

- 1 Matching pairs on observed covariates

Evaluation Design is Triply Robust

Design has three parts

- 1 Matching pairs on observed covariates
- 2 Randomization of treatment within pairs

Evaluation Design is Triply Robust

Design has three parts

- 1 Matching pairs on observed covariates
- 2 Randomization of treatment within pairs
- 3 Parametric analysis adjusts for remaining covariate differences

Evaluation Design is Triply Robust

Design has three parts

- 1 Matching pairs on observed covariates
- 2 Randomization of treatment within pairs
- 3 Parametric analysis adjusts for remaining covariate differences

Triple Robustness

If matching **or** randomization **or** parametric analysis is right, but the other two are wrong, results are still unbiased

Evaluation Design is Triply Robust

Design has three parts

- 1 Matching pairs on observed covariates
- 2 Randomization of treatment within pairs
- 3 Parametric analysis adjusts for remaining covariate differences

Triple Robustness

If matching **or** randomization **or** parametric analysis is right, but the other two are wrong, results are still unbiased

Two Additional Checks if Triple Robustness Fails

Evaluation Design is Triply Robust

Design has three parts

- 1 Matching pairs on observed covariates
- 2 Randomization of treatment within pairs
- 3 Parametric analysis adjusts for remaining covariate differences

Triple Robustness

If matching **or** randomization **or** parametric analysis is right, but the other two are wrong, results are still unbiased

Two Additional Checks if Triple Robustness Fails

- 1 If one of the three works, then “effect of SP” on time 0 outcomes (measured in baseline survey) must be zero

Evaluation Design is Triply Robust

Design has three parts

- 1 Matching pairs on observed covariates
- 2 Randomization of treatment within pairs
- 3 Parametric analysis adjusts for remaining covariate differences

Triple Robustness


If matching **or** randomization **or** parametric analysis is right, but the other two are wrong, results are still unbiased

Two Additional Checks if Triple Robustness Fails


- 1 If one of the three works, then “effect of SP” on time 0 outcomes (measured in baseline survey) must be zero
- 2 If we lose pairs, we check for selection bias by rerunning this check

Age Differences in Rural Pairs

**Histogram of Proportion Aged 0–4,
Rural Pair Differences, Pre-Assignment**




**Histogram of Proportion Under 18 Years Old,
Rural Pair Differences, Pre-Assignment**




Age Differences in Urban Pairs

Histogram of Proportion Aged 0–4,
Urban Pair Differences, Pre-Assignment




Histogram of Proportion Under 18 Years Old,
Urban Pair Differences, Pre-Assignment




Age Differences in Urban Pairs, II

Histogram of Proportion Over 60
Years Old,
Urban Pair Differences, Pre-Assignment




Histogram of Proportion Over 65 Years Old,
Urban Pair Differences, Pre-Assignment




Demographic Distances in the Rural Pairs

Histogram of Proportion Female,
Rural Pair Differences, Pre-Assignment




Histogram of Total Population,
Rural Pair Differences, Pre-Assignment




Demographic Differences in the Urban Pairs


Histogram of Proportion Female,
Urban Pair Differences, Pre-Assignment




Histogram of Total Population,
Urban Pair Differences, Pre-Assignment



Total Multivariate Distances Within All 55 Rural Pairs




Total Multivariate Distances within All 19 Urban Pairs




Rural Age Balance After Randomization

Smoothed Histogram of Proportion Aged 0–4, Rural Clusters, Post-Assignment




Smoothed Histogram of Proportion Under 18 Years Old, Rural Clusters, Post-Assignment




Urban Age Balance After Randomization

Smoothed Histogram of Proportion Aged 0–4, Urban Clusters Post-Assignment




Smoothed Histogram of Proportion Under 18 Years Old, Urban Clusters Post-Assignment




Urban Age Balance After Randomization, II

Smoothed Histogram of Proportion Over 60 Years Old, Urban Clu:
Post-Assignment




Smoothed Histogram of Proportion Over 65 Years Old, Urban Clu:
Post-Assignment




Rural Demographic Balance After Randomization

Smoothed Histogram of Proportion Female, Rural Clusters, Post-Assignment




Smoothed Histogram of Total Population, Rural Clusters, Post-Assignment




Urban Demographic Balance After Randomization

Smoothed Histogram of Proportion Female, Urban Clusters, Post-Assignment



Smoothed Histogram of Total Population, Urban Clusters, Post-Assignment



Household Survey Design

Household Survey Design

- Baseline in August 2005; followup mid-2006.

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents
 - Questions on: expenditure, insurance, Seguro Popular, sociodemographic characteristics, health status, effective coverage, health system responsiveness and utilization, outpatient and inpatient care, social capital, and stress.

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents
 - Questions on: expenditure, insurance, Seguro Popular, sociodemographic characteristics, health status, effective coverage, health system responsiveness and utilization, outpatient and inpatient care, social capital, and stress.
 - Physical tests: blood pressure, cholesterol, blood sugar and HbA1c.

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents
 - Questions on: expenditure, insurance, Seguro Popular, sociodemographic characteristics, health status, effective coverage, health system responsiveness and utilization, outpatient and inpatient care, social capital, and stress.
 - Physical tests: blood pressure, cholesterol, blood sugar and HbA1c.
- We have 74 matched pairs, but can only (feasibly) survey 50; Sample size: 38,000 households (380 per cluster)

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents
 - Questions on: expenditure, insurance, Seguro Popular, sociodemographic characteristics, health status, effective coverage, health system responsiveness and utilization, outpatient and inpatient care, social capital, and stress.
 - Physical tests: blood pressure, cholesterol, blood sugar and HbA1c.
- We have 74 matched pairs, but can only (feasibly) survey 50; Sample size: 38,000 households (380 per cluster)
- How to choose?

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents
 - Questions on: expenditure, insurance, Seguro Popular, sociodemographic characteristics, health status, effective coverage, health system responsiveness and utilization, outpatient and inpatient care, social capital, and stress.
 - Physical tests: blood pressure, cholesterol, blood sugar and HbA1c.
- We have 74 matched pairs, but can only (feasibly) survey 50; Sample size: 38,000 households (380 per cluster)
- How to choose?
 - Minimize potential for omitted variable bias by choosing pairs with smallest Mahalanobis Distance

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents
 - Questions on: expenditure, insurance, Seguro Popular, sociodemographic characteristics, health status, effective coverage, health system responsiveness and utilization, outpatient and inpatient care, social capital, and stress.
 - Physical tests: blood pressure, cholesterol, blood sugar and HbA1c.
- We have 74 matched pairs, but can only (feasibly) survey 50; Sample size: 38,000 households (380 per cluster)
- How to choose?
 - Minimize potential for omitted variable bias by choosing pairs with smallest Mahalanobis Distance
 - Reduce non-compliance problems by including highest percentage of population in incomes in deciles I and II (automatically affiliated)


Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents
 - Questions on: expenditure, insurance, Seguro Popular, sociodemographic characteristics, health status, effective coverage, health system responsiveness and utilization, outpatient and inpatient care, social capital, and stress.
 - Physical tests: blood pressure, cholesterol, blood sugar and HbA1c.
- We have 74 matched pairs, but can only (feasibly) survey 50; Sample size: 38,000 households (380 per cluster)
- How to choose?
 - Minimize potential for omitted variable bias by choosing pairs with smallest Mahalanobis Distance
 - Reduce non-compliance problems by including highest percentage of population in incomes in deciles I and II (automatically affiliated)
- Result: 45 rural and 5 urban pairs

Household Survey Design

- Baseline in August 2005; followup mid-2006.
- Questionnaire jointly written; implemented by National Institute of Public Health of Mexico (INSP)
- Contents
 - Questions on: expenditure, insurance, Seguro Popular, sociodemographic characteristics, health status, effective coverage, health system responsiveness and utilization, outpatient and inpatient care, social capital, and stress.
 - Physical tests: blood pressure, cholesterol, blood sugar and HbA1c.
- We have 74 matched pairs, but can only (feasibly) survey 50; Sample size: 38,000 households (380 per cluster)
- How to choose?
 - Minimize potential for omitted variable bias by choosing pairs with smallest Mahalanobis Distance
 - Reduce non-compliance problems by including highest percentage of population in incomes in deciles I and II (automatically affiliated)
- Result: 45 rural and 5 urban pairs
- Remaining 24 pairs: also used with aggregate outcomes

Choosing Pairs for the Survey



Health Facilities Survey

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design
 - first measurement (baseline) in October 2005.

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design
 - first measurement (baseline) in October 2005.
 - follow-up measurement in July-2006.

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design
 - first measurement (baseline) in October 2005.
 - follow-up measurement in July-2006.
- Design and implementation:

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design
 - first measurement (baseline) in October 2005.
 - follow-up measurement in July-2006.
- Design and implementation:
 - Survey questionnaire designed by Harvard Team

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design
 - first measurement (baseline) in October 2005.
 - follow-up measurement in July-2006.
- Design and implementation:
 - Survey questionnaire designed by Harvard Team
 - Implementation by INSP

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design
 - first measurement (baseline) in October 2005.
 - follow-up measurement in July-2006.
- Design and implementation:
 - Survey questionnaire designed by Harvard Team
 - Implementation by INSP
- Contents

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design
 - first measurement (baseline) in October 2005.
 - follow-up measurement in July-2006.
- Design and implementation:
 - Survey questionnaire designed by Harvard Team
 - Implementation by INSP
- Contents
 - Information on health unit operation, office visits, emergencies, personnel, infrastructure and equipment, and drug inventory.

Health Facilities Survey

- Sample size: 148 health units (corresponding to the pairs of health clusters in the study).
- Panel design
 - first measurement (baseline) in October 2005.
 - follow-up measurement in July-2006.
- Design and implementation:
 - Survey questionnaire designed by Harvard Team
 - Implementation by INSP
- Contents
 - Information on health unit operation, office visits, emergencies, personnel, infrastructure and equipment, and drug inventory.
 - Information on admissions and discharges.

For more information

<http://GKing.Harvard.edu>