



if_else_elseif



The screenshot shows a Notepad++ editor on the left and a web browser on the right. The Notepad++ editor displays a PHP script in a file named `f_Statement.php`. The script uses an `if` statement to check the current hour and output a message. The web browser, which is displaying `localhost/turnbook/f_Statement/`, shows the output of the script: "Have a good day!".

```
1 <?php
2 <html>
3 <body>
4 <?php
5     $c = date('H');
6     if ($c < '12') {
7         echo "Have a good day!";
8     }
9 }
10
11
12
13 </body>
14 </html>
```

length: 135 lines: 15 line: 12 col: 2 pos: 116 Windows (CR LF) UTF-8 BOM



The screenshot shows a Notepad++ editor on the left and a web browser on the right. The Notepad++ editor displays a PHP script in a file named `f_Statement.php`. The script uses an `if-else` statement to check the current hour and output a message. The web browser, which is displaying `localhost/turnbook/f_Statement/`, shows the output of the script: "Have a good day!".

```
1 <?php
2 <html>
3 <body>
4 <?php
5     $c = date('H');
6     if ($c < '12') {
7         echo "Have a good day!";
8     }
9     else {
10         echo "Have a good night!";
11     }
12 }
13
14 </body>
15 </html>
```

length: 173 lines: 16 line: 14 col: 2 pos: 156 Windows (CR LF) UTF-8 BOM

