HTML 5

	1		T
Tag	Info	٧	Attributes*
	comment	4 / 5	none
	document type	4 / 5	none
<a>>	hyperlink	4/5	href hreflang media ping rel target type
<abbr></abbr>	abbreviation	4 / 5	standard attributes**
<acronym></acronym>	acronym	4	-
<address></address>	address ele- ment	4 / 5	standard attributes**
<applet></applet>	applet	4	-
<area/>	area inside an image map	4/5	alt coords href hreflang media ping rel shape target type
<article></article>	article	5	standard attributes**
<aside></aside>	content along side from the page content	5	standard attributes**
<audio></audio>	sound content	5	autoplay controls end loopend loopstart playcount src start
	bold text	4 / 5	standard attributes**
<base/>	base URL for all the page links	4 / 5	href target
<basefont/>	Base font for the document	4	-
<bd><</bd>	direction of text display	4/5	dir
 	big text	4	-
 	long quotation	4 / 5	cite
<body></body>	body element	4 / 5	standard attributes**
	inserts a single line break	4 / 5	standard attributes**
<button></button>	push button	4 / 5	autofocus disabled name type value
<canvas></canvas>	Graphic area	5	height width
<caption></caption>	table caption	4 / 5	align
<center></center>	centered text	4	-
<cite></cite>	citation	4/5	standard attributes**
<code></code>	computer code text	4 / 5	standard attributes**
<col/>	attributes for table columns	4 / 5	span
<colgroup></colgroup>	groups of table columns	4 / 5	span
<command/>	command button	5	checked default disabled hidden icon label radiogroup type
<datagrid></datagrid>	data in a tree- list	5	disabled multiple
<datalist></datalist>	dropdown list	5	data
<datatemplate></datatemplate>	data template	5	standard attributes**
<dd>></dd>	definition description	4 / 5	standard attributes**
	deleted text	4 / 5	cite datetime
<details></details>	details of an element	5	open
<dialog></dialog>	dialog (conversation)	5	standard attributes**
<dir></dir>	directory list	4	-
<div></div>	section in a document	4 / 5	standard attributes**
<dfn></dfn>	definition term	4 / 5	standard attributes**
<dl></dl>	definition list	4 / 5	standard attributes**
<dt></dt>	definition term	4 / 5	standard attributes**

		ПІМ	<u>L</u>	<u> </u>
ĺ	Tag	Info	٧	Attributes*
	<embed/>	external inter- active content or plugin	5	height src type width
	<eventsource></eventsource>	target for events sent by a server	5	src
l	<fieldset></fieldset>	fieldset	4 / 5	disabled form
	<figure></figure>	group of media content, and their caption	5	standard attributes**
İ		text font, size, and color	4	-
	<footer></footer>	footer for a section or page	5	standard attributes**
	<form></form>	form	4 / 5	action data replace accept accept-charset enctype method target
	<frame/>	sub window	4	-
l	<frameset></frameset>	set of frames	4	-
	<h1> to <h6></h6></h1>	header 1 to header 6	4 / 5	standard attributes**
	<head></head>	information about the document	4 / 5	none
	<header></header>	header for a section or page	5	standard attributes**
	<hr/>	horizontal rule	4 / 5	standard attributes**
I	<html></html>	html document	4 / 5	manifest xmlns
ļ	<i>></i>	italic text	4 / 5	standard attributes**
	<iframe></iframe>	inline sub window (frame)	4 / 5	src
		image	4 / 5	alt src height ismap usemap vspace width
	<input/>	input field	4 / 5	accept alt auto- complete autofocus checked disabled form inputmode list max maxlength min name patterm readonly replace required src step template type value
I	<ins></ins>	inserted text	4 / 5	cite datetime
I	<isindex/>	single-line input field	4	-
İ	<kbd></kbd>	keyboard text	4 / 5	standard attributes**
Ì	<label></label>	label for a form control	4 / 5	for
Ì	<legend></legend>	fieldset title	4 / 5	standard attributes**
	<	list item	4 / 5	value
	k>	resource reference	4 / 5	href hreflang media rel type
	<mark></mark>	marked text	5	standard attributes**
ĺ	<map></map>	image map	4 / 5	id
	<menu></menu>	menu list	4 / 5	autosubmit label type
	<meta/>	meta informa- tion	4 / 5	charset content http- equiv name
ĺ	<meter></meter>	measurement within a prede- fined range	5	high low max min optimum value
			-	standard attributes**
	<nav></nav>	navigation links	5	
	<nav></nav>	navigation links nesting point in a data template	5	filter mode
		nesting point in		filter mode
	<nest></nest>	nesting point in a data template	5	filter mode

	ı		
Tag	Info	٧	Attributes*
	ordered list	4/5	start
<optgroup></optgroup>	option group	4/5	disabled label
<option></option>	option in a drop-down list	4 / 5	disabled label selected value
<output></output>	some types of output	5	form
<	paragraph	4/5	standard attributes**
<pre><param/></pre>	parameter for an object	4 / 5	name value
<pre></pre>	preformatted text	4 / 5	standard attributes**
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	progress of a task of any kind	5	max value
<q></q>	short quotation	4/5	cite
<ruby></ruby>	ruby annota- tions	5	standard attributes**
<rp></rp>	provide paren- theses around a ruby text	5	standard attributes**
<rt></rt>	ruby text component	5	standard attributes**
<rule></rule>	the rules for updating a template	5	condition mode
<s></s>	strikethrough text	4	-
<samp></samp>	sample com- puter code	4 / 5	standard attributes**
<script></td><td>script</td><td>4 / 5</td><td>async type defer src</td></tr><tr><td><section></td><td>section</td><td>5</td><td>standard attributes**</td></tr><tr><td><select></td><td>selectable list</td><td>4 / 5</td><td>autofocus data disabled form multiple name</td></tr><tr><td><small></td><td>small text</td><td>4/5</td><td>standard attributes**</td></tr><tr><td><source></td><td>media re- sources</td><td>5</td><td>media src type</td></tr><tr><td></td><td>inline section</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td><strike></td><td>strikethrough text</td><td>4</td><td>-</td></tr><tr><td></td><td>strong text</td><td>4/5</td><td>standard attributes**</td></tr><tr><td><style></td><td>style definition</td><td>4 / 5</td><td>media type scoped</td></tr><tr><td><sub></td><td>subscripted text</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td><sup></td><td>superscripted text</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td></td><td>table</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td></td><td>table body</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td>></td><td>table cell</td><td>4 / 5</td><td>colspan rowspan</td></tr><tr><td><textarea></td><td>text area</td><td>4 / 5</td><td>autofocus cols disabled form inputmode name readonly required rows</td></tr><tr><td><tfoot></td><td>table footer</td><td>4/5</td><td>standard attributes**</td></tr><tr><td>></td><td>table header</td><td>4 / 5</td><td>colspan rowspan scope</td></tr><tr><td><thead></td><td>table header</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td><time></td><td>date/time</td><td>5</td><td>datetime</td></tr><tr><td><title></td><td>document title</td><td>4 / 5</td><td>none</td></tr><tr><td></td><td>table row</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td><tt></td><td>teletype text</td><td>4</td><td>-</td></tr><tr><td><u></td><td>underlined text</td><td>4</td><td>-</td></tr><tr><td></td><td>unordered list</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td><var></td><td>variable</td><td>4 / 5</td><td>standard attributes**</td></tr><tr><td><video></td><td>video</td><td>5</td><td>autoplay controls end height loopend loopstart playcount poster src start width</td></tr><tr><td><xmp></td><td>preformatted text</td><td>4</td><td>-</td></tr></tbody></table></script>			

Part Number: QRG0009

 $^{{\}bf V}$ = Which version of HTML is this tag valid for Tags with a Grey background are no longer supported in HTML 5

^{*} Attributes: Lists attributes specific to that tag. Deprecated (html4 only) attributes are not listed
** Standard Attributes: class | contenteditable | contextmenu | dir | draggable | id | irrelevant | lang | ref | registrationmark | tabindex |