Introduction

Getting Started

How to Write with Markdown

A First Level Header

A Second Level Header

Now is the time for all good men to come to the aid of their country. This is just a regular paragraph.

The quick brown fox jumped over the lazy dog's back.

Header 3

> This is a blockquote.
>
> This is the second paragraph in the blockquote.
>
> ## This is an H2 in a blockquote

Some of these words *are emphasized*. Some of these words *are emphasized also*.

Use two asterisks for **strong emphasis**. Or, if you prefer, **use two underscores instead**.

- Candy.
- Gum.
- Booze.

- Candy.
- Gum.
- Booze.

- Candy.
- Gum.
- Booze.

- A list item.

  With multiple paragraphs.

- Another item in the list.

This is an [example link](#).

This is an [example link](#).

I get 10 times more traffic from [Google](#) than from [Yahoo](#) or [MSN](#).

I start my morning with a cup of coffee and [The New York Times](#)⧉.

![alt text]

I strongly recommend against using any `<blink>` tags.

I wish SmartyPants used named entities like `—` instead of decimal-encoded entities like `—`.

If you want your page to validate under XHTML 1.0 Strict, you've got to put paragraph tags in your blockquotes:

```
<blockquote>
    <p>For example.</p>
</blockquote>
```