N0rthWestW1nd Bot

User Manual

Table of Content

Introduction	5
Commands	6
Managements	6
Delete	6
Role	6
Unrole	7
Addrole	7
Delrole	8
Autorole	8
Announce	9
Moderator	9
Ban	9
Unban	9
Kick	10
Warn	10
Unwarn	10
Mute	11
Unmute	11
Deafen	11
Undeafen	12
Economy	12
Work	12
Bank	13
Shop	13
Fun	13

Chat	13
Reddit	14
Rng	14
Greet	14
Thx	15
Rank	15
Miscellaneous	15
Giveaway	15
Poll	16
Google	16
Spam	17
Trade	17
NSFW	17
Hentai	17
Information	18
Help	18
Server	18
Ping	18
Info	19
Avatar	19
Profile	19
Welcome	20
Role-Info	20
APIs	20
Minecraft	20
Hypixel	21
Krunker	23

Aki	24
Urban	24
Smm	24
Oxford	25
Music	25
Play	25
Skip	26
Stop	26
Np	26
Queue	26
Clear	27
Shuffle	27
Pause	27
Resume	27
Remove	28
Loop	28
Server Configuration	28
Getting a token	29
Configuration Panel	29
DLC	29
Features	29
Leveling System	30
Suggestions	30
Conclusion	30

Introduction

N0rthWestW1nd is a Discord Bot coded by NorthWestWind in Node.js, with the help of the package of Discord API, discord.js. Discord.js is a package created by discordjs(yes it is the username) on github.com, which is a powerful JavaScript library for interacting with the Discord API. If you want to create your own bot, I recommend you to check it out. This bot is running on discord.js v12, which is the latest version released. The node.js version is also the latest.

The bot is hosted 24/7 on glitch.com, except restarts. It includes a ton of commands such as kick, warn and even something very NSFW. They will be explained later. Music commands are also supported like other bots. Make sure to read the whole manual to understand every command.

N0rthWestW1nd supports welcome messages, images and auto-role. Leave messages are also supported.

By the way, I'm not asking for any votes, donation or stuff because this bot is just an activity I do when I'm bored.

Now, let's jump into the command section.

Commands

Of cause we got commands for you! Commands are divided into categories which are relevant to them.

Important notes:

All commands listed requires the permissions VIEW_CHANNEL, SEND_MESSAGES, EMBED_LINKS and READ_MESSAGE_HISTORY.

Managements

Delete

Delete a specific amount of message in a channel. Sadly, this command does not work for DMs.

Permissions: MANAGE_MESSAGES

Usage: ?delete <amount | subcommand>

Amount: The amount of messages to delete.

Subcommand: Read below.

Subcommands: "all"

All: Delete all messages in a channel, in a second.

Role

Give a role to the mentioned user or the user ID in the message.

Permissions: MANAGE_ROLES

Usage: ?role <user | user ID> <role | role ID | role name>

User: The mention of the user.

User ID: The ID of the user.

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

Unrole

Remove a role from the mentioned user or the user ID in the message.

Permissions: MANAGE_ROLES

Usage: ?unrole <user | userID> <role | role ID | role name>

User: The mention of the user.

User ID: The ID of the user.

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

Addrole

Add a new role to the server. The "color" parameter may be added later.

Permissions: MANAGE_ROLES

Usage: ?addrole <role name> [color]

Role Name: The name of the role.

Color: Optional. The color of the role.

Delrole

Remove a role from the server.

Permissions: MANAGE_ROLES

Usage: ?delrole <role | role ID | role name>

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

Autorole

This has nothing to do with the auto-role when a user joins the server. The command is very similar to the "?role" command, but it can assign a single to multiple users at once.

Permissions: MANAGE_ROLES

Usage: ?autorole <role | role ID | role name> <user | user ID>

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

User: The mention of the user. Can be multiple in this command.

User ID: The ID of the user. Can be multiple in this command.

Announce

Let the bot announce something for you in a specific channel.

Permissions: NONE

Usage: ?announce <channel | channel ID> <announcement>

Channel: The mention of the channel.

Channel ID: The ID of the channel.

Announcement: The announcement you want to make.

Moderator

Ban

Ban a member of the server.

Permissions: BAN_MEMBERS

Usage: ?ban <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for banning the member.

Unban

Unban a member of the server.

Permissions: BAN MEMBERS

Usage: ?unban <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for unbanning the member.

Kick

Kick a member of the server.

Permissions: KICK_MEMBERS

Usage: ?kick <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for kicking the member.

Warn

Warn a member of the server. 3 warnings will lead to a ban.

Permissions: BAN_MEMBERS

Usage: ?warn <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for warning the member.

Unwarn

Remove all warnings of a member of the server.

Permissions: BAN_MEMBERS

Usage: ?unwarn <user | user ID>

User: The mention of the user.

User ID: The ID of the user.

Mute

Mute a member while the member is in a voice channel.

Permissions: MUTE_MEMBERS

Usage: ?mute <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for muting the member.

Unmute

Unmute a member while the member is in a voice channel.

Permissions: MUTE_MEMBERS

Usage: ?unmute <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for unmuting the member.

Deafen

Deafen a member while the member is in a voice channel.

Permissions: DEAFEN_MEMBERS

Aliases: "deaf"

Usage: ?deafen <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for deafening the member.

Undeafen

Undeafen a member while the member is in a voice channel.

Permissions: DEAFEN_MEMBERS

Aliases: "undeaf"

Usage: ?undeafen <user | user ID> [reason]

User: The mention of the user.

User ID: The ID of the user.

Reason: Optional. The reason for undeafening the member.

Economy

Work

Work in the server and gain virtual money. By working more, you will gain experience and level up. That can make you gain more.

Permissions: ATTACH_FILES

Usage: ?work

Bank

Display your Discord Economy status. You can also deposit or withdraw money with this command.

Permissions: NONE

Usage: ?bank [subcommand]Subcommand: Optional. Read below.

Subcommands: "deposit", "withdraw"

Deposit: Deposit virtual money into your virtual bank.

Withdraw: Withdraw virtual money from your virtual bank.

Shop

Currently nothing in stock. Working in progress.

Fun

Chat

Chat with the bot. Note that the bot has no memory about what had been said before so don't try to do Q&A with it.

Usage: ?chat <message>

Message: A string you want the bot to respond to.

Reddit

Fetch memes from Reddit.

Permissions: NONE

Usage: ?reddit [subreddits]

Subreddits: Optional. The subreddits you want the memes to be fetched

from.

Rng

Random number generator. Generate a random number between range.

Permissions: NONE

Aliases: "randomnumber", "randomnumbergenerator"

Usage: ?rng <min> <max>

Min: The minimum value.

Max: The maximum value.

Greet

Greet somebody.

Usage: ?greet <user | user ID>

User: The mention of the user.

User ID: The ID of the user.

Thx

Always be thankful. This command thanks the bot.

Permissions: NONE

Usage: ?thx

Rank

Display your rank in the server. However, this command requires a DLC to work. Leveling system was inspired by MEE6.

Permissions: NONE

Usage: ?rank

Miscellaneous

Giveaway

Create, end or list giveaways on the server.

Permissions: MANAGE_MESSAGES

Aliases: "g"

Usage: ?giveaway <subcommand>

Subcommand: Read below.

Subcommands: "create", "end", "list"

Create: Create a giveaway in a specific channel. The "setup wizard" will

lead you through that.

End <message ID>: End a giveaway.

List: List all the giveaways on the server.

Poll

Create, end or list giveaways on the server.

Permissions: MANAGE_MESSAGES

Usage: ?poll <subcommand>

Subcommand: Read below.

Subcommands: "create", "end", "list"

Create: Create a poll in a specific channel. The "setup wizard" will lead you

through that.

End <message ID>: End a poll.

List: List all the polls on the server.

Google

Google Search everything with Discord.

Usage: ?google <query>

Query: The stuff you want to search.

Spam

Spam a user with the message provided.

Permissions: NONE

Usage: ?spam <user | user ID> <amount> <message>

User: The mention of the user.

User ID: The ID of the user.

Amount: The amount of messages to spam the user.

Message: The message to spam the user.

Trade

Announce in the channel that you want to trade something.

Permissions: NONE

Usage: ?trade

NSFW

Hentai

Return something very NSFW. Require NSFW channel.

Aliases: "h"

Usage: ?hentai [tag]

Tag: The tag of the hentai you want. For tag list please check "?hentai

tags".

Information

Help

Send you a DM with an embed of "help" and this PDF file.

Permissions: ATTACH_FILES

Usage: ?help [command]

Command: The name or aliases of the commands.

Server

Display some server information.

Permissions: NONE

Usage: ?server

Ping

Ping the bot and it will show you something interesting (not really).

Usage: ?ping

Info

Display information of the bot.

Permissions: NONE

Usage: ?info

Avatar

Display the message author's avatar or the mentioned user's avatar.

Permissions: NONE

Aliases: "icon", "pfp"

Usage: ?avatar [user | user ID]

User: The mention of the user.

User ID: The ID of the user.

Profile

Display profile of yourself or the mentioned user on the server.

Permissions: NONE

Usage: ?profile [user | user ID]

User: The mention of the user.

User ID: The ID of the user.

Welcome

Test the welcome message and image.

Permissions: NONE

Usage: ?welcome

Role-Info

Display information of a role.

Permissions: NONE

Aliases: "ri"

Usage: ?role-info <role | role ID | role name>

Role: The mention of the role.

Role ID: The ID of the role.

Role Name: The name of the role.

APIs

Minecraft

Connect to the Minecraft API and display information.

Permissions: NONE

Aliases: "mc"

Usage: ?minecraft <subcommand> <username | IP>

Subcommand: Read below.

Username: The username of the Minecraft player.

IP: Only used when using subcommand "server".

Subcommands: "profile", "server", "history"

Profile: Display a profile of the user.

Server: Check status of any Minecraft servers.

History: Display history of username of a player.

Hypixel

Shows Hypixel related stuff.

Permissions: ADD_REACTIONS

Aliases: "hy"

Usage: ?hypixel [subcommand] <username | item>

Subcommand: Optional. Read below.

Username: The username of the player, except subcommands "auctionhouse" and "bazaar".

Item: Items in Hypixel SkyBlock. Only used with subcommands "auctionhouse" and "bazaar".

Subcommands: "guild", "achievements", "tnt", "bedwars", "duels", "skywars", "blitz", "arcade", "murdermystery", "buildbattle", "copsandcrims", "vampirez", "paintball", "quake", "uhc", "walls", "megawalls, "crazywalls", "smashhero", "speeduhc", "arena", "pit", "skyblock", "auctionhouse", "bazaar"

Guild (Aliases: "g"): Display the information of the Minecraft player's guild on Hypixel.

Achievements (Aliases: "ach"): Display the achievements gained by a Minecraft player in Hypixel.

TNT: Display the stats of the Minecraft player in TNT games on Hypixel.

Bedwars (Aliases: "bw"): Display the stats of the Minecraft player in Bedwars on Hypixel.

Duels (Aliases: "du"): Display the stats of the Minecraft player in Duels on Hypixel.

Skywars (Aliases: "sw"): Display the stats of the Minecraft player in Skywars on Hypixel.

Blitz (Aliases: "sg"): Display the stats of the Minecraft player in Blitz Survival Game on Hypixel.

Arcade (Aliases: "ar"): Display the stats of the Minecraft player in Arcade Games on Hypixel.

MurderMystery (Aliases: "mm"): Display the stats of the Minecraft player in Murder Mystery on Hypixel.

BuildBattle (Aliases: "bb"): Display the stats of the Minecraft player in Build Battle on Hypixel.

CopsAndCrims (Aliases: "mcgo"): Display the stats of the Minecraft player in Cops and Criminals on Hypixel.

VampireZ (Aliases: "vz"): Display the stats of the Minecraft player in VampireZ on Hypixel.

Paintball (Aliases: "pb"): Display the stats of the Minecraft player in Paintball on Hypixel.

Quake (Aliases: "q"): Display the stats of the Minecraft player in QuakeCraft on Hypixel.

UHC: Display the stats of the Minecraft player in UHC Champion on Hypixel.

Walls (Aliases: "wa"): Display the stats of the Minecraft player in Walls on Hypixel.

MegaWalls (Aliases: "mw"): Display the stats of the Minecraft player in Mega Walls on Hypixel.

CrazyWalls (Aliases: "cw"): Display the stats of the Minecraft player in Crazy Walls on Hypixel.

SmashHero (Aliases: "sh"): Display the stats of the Minecraft player in Smash Hero on Hypixel.

SpeedUHC (Aliases: "such"): Display the stats of the Minecraft player in Speed UHC on Hypixel.

Arena (Aliases: "are"): Display the stats of the Minecraft player in Arena on Hypixel.

Pit (Aliases: "p"): Display the stats of the Minecraft player in the Pit on Hypixel.

SkyBlock (Aliases: "sb"): Display the stats of the Minecraft player in SkyBlock on Hypixel and the timer of Magma Boss and Dark Auction.

AuctionHouse (Aliases: "ah"): Display prices information of an item from Auction House in Hypixel SkyBlock.

Bazaar (Aliases: "ba"): Display prices information of an item from Bazaar in Hypixel SkyBlock.

Krunker

Connect to the Krunker.io API and display stats.

Aliases: "kr"

Usage: ?krunker <username>

Username: The username of the Krunker.io player.

Aki

Play Akinator on Discord!

Permissions: ADD_REACTIONS

Aliases: "akinator"

Usage: ?aki [region]

Region: The region of the Akinator game to start at. Use "?aki region" for

list of regions.

Urban

Search the Urban Dictionary on Discord.

Permissions: NONE

Usage: ?urban <query>

Query: The string to search on Urban Dictionary.

Smm

Search courses of Super Mario Maker. API by Tarnadas.

Usage: ?smm <query>

Query: The course to search for.

Oxford

Search definitions of words from Oxford Dictionary. If it cannot search, use "urban" instead.

Permissions: NONE

Aliases: "ox"

Usage: ?oxford <keywords>Keywords: The words to search for.

Music

All commands here require permissions CONNECT and SPEAK

Play

Play music with the link or keywords provided. Only support YouTube videos currently.

Permissions: NONE

Aliases: "add"

Usage: ?play [link | keywords]

Link: A video link of YouTube.

Keywords: The keywords to search for music.

Skip

Skip a music in the song queue.

Permissions: NONE

Usage: ?skip

Stop

Stop the music and disconnect the bot from the voice channel.

Permissions: NONE

Aliases: "end", "disconnect"

Usage: ?stop

Np

Display the music being played.

Permissions: NONE

Aliases: "nowplaying"

Usage: ?np

Queue

Display the current song queue.

Aliases: "q"

Usage: ?queue

Clear

Clear the current song queue.

Permissions: NONE

Usage: ?clear

Shuffle

Shuffle the song queue.

Permissions: NONE

Usage: ?shuffle

Pause

Pause the current music.

Permissions: NONE

Usage: ?pause

Resume

Resume the paused music.

Usage: ?resume

Remove

Remove a music from the song queue.

Permissions: NONE

Usage: ?remove <index>

Index: The number of the music in the song queue.

Loop

Toggle loop of the song queue.

Permissions: NONE

Aliases: "Ip"

Usage: ?loop

Server Configuration

This part we will introduce the Welcome Message, Image and Leave Message and how to change them.

Getting a token

To configure Welcome Message, Leave Message and other stuff, you need to get a token for your server. Using the command "?config" will either generate a new token for your server, or remind you the token generated before. Copy the token and they will be used later.

Configuration Panel

Note that the Configuration Panel require permissions MANAGE_MESSAGES and ADD_REACTIONS.

Now, with the token, you can access the Configuration Panel. Use the command "?config panel" to open the Configuration Panel. At first, you will be asked to login with the token, so just copy and paste the token generated earlier. After that, the panel will load and you can configure everything like Welcome Message, Image or the Giveaway Emoji.

DLC

There is a DLC for this bot, which provide more features for it. In order to use the DLC, you need to invite the DLC bot to your server. Use the link below to invite it:

https://discordapp.com/api/oauth2/authorize?client_id=6846392789442232 77&permissions=1024&scope=bot

Features

The DLC only provide 1 extra feature currently, which is the leveling system.

Leveling System

If you used MEE6 before, the more message you have sent in the server, the higher level you are in the server. This DLC provides a similar feature. By sending message in a server, you will gain 5 to 15 XP. 50 XP will be the goal of Level 1. Each level requires 50 XP more to level up. For example, Level 1 = 50 XP, Level 2 = 150 XP, Level 3 = 300 XP, etc.

Suggestions

For any suggestions (if you have), please find the author of the bot on Discord (NorthWestWind#1885) or join the support server of the N0rthWestW1nd bot (https://discord.gg/n67DUfQ). Issues can also be reported here as well.

Conclusion

Welp, guess that's all of it. Hope you enjoy using my bot!