



APPENDIX A. DATA ANALYSIS SUPPLEMENTARY MATERIALS

Table 1: Offered MCD43A3 Albedo Spectral Bands [49, 50].

Band	Reflected Range (nm)	Description	Band Explanation
Albedo_BSA_Band1	620–670	Black-Sky Albedo for Band 1	Shortwave/VIS
Albedo_BSA_Band2	841–876	Black-Sky Albedo for Band 2	Shortwave/NIR
Albedo_BSA_Band3	459–479	Black-Sky Albedo for Band 3	Shortwave/VIS
Albedo_BSA_Band4	545–565	Black-Sky Albedo for Band 4	Shortwave/VIS
Albedo_BSA_Band5	1230–1250	Black-Sky Albedo for Band 5	Shortwave/NIR
Albedo_BSA_Band6	1628–1652	Black-Sky Albedo for Band 6	Shortwave Infrared/SWIR
Albedo_BSA_Band7	2105–2155	Black-Sky Albedo for Band 7	Shortwave Infrared/SWIR
Albedo_BSA_vis	Wavelengths in the visible spectrum	Black-Sky Albedo for vis broadband	VIS
Albedo_BSA_nir	Wavelengths in the near infrared spectrum	Black-Sky Albedo for NIR broadband	NIR
Albedo_BSA_shortwave	Wavelengths in the shortwave spectrum	Black-Sky Albedo for shortwave broadband	Shortwave
Albedo_WSA_Band1	620–670	White-Sky Albedo for Band 1	Shortwave/VIS
Albedo_WSA_Band2	841–876	White-Sky Albedo for Band 2	Shortwave/NIR
Albedo_WSA_Band3	459–479	White-Sky Albedo for Band 3	Shortwave/VIS
Albedo_WSA_Band4	545–565	White-Sky Albedo for Band 4	Shortwave/VIS
Albedo_WSA_Band5	1230–1250	White-Sky Albedo for Band 5	Shortwave/NIR
Albedo_WSA_Band6	1628–1652	White-Sky Albedo for Band 6	Shortwave Infrared/SWIR
Albedo_WSA_Band7	2105–2155	White-Sky Albedo for Band 7	Shortwave Infrared/SWIR
Albedo_WSA_vis	Wavelengths in the visible spectrum	White-Sky Albedo for vis broadband	VIS
Albedo_WSA_nir	Wavelengths in the near infrared spectrum	White-Sky Albedo for NIR broadband	NIR
Albedo_WSA_shortwave	Wavelengths in the shortwave spectrum	White-Sky Albedo for shortwave broadband	Shortwave

Figure 1: Histogram and Q-Q plot for checking normal distribution








Table 2: Shapiro-Wilk Test Summary of Results

	Statistic	p-value	Normality
VOC	0.626525521	1.05E-42	Not Normally Distributed
Humidity	0.965128183	4.09E-15	Not Normally Distributed
Pressure	0.952127695	6.12E-18	Not Normally Distributed
PM 1	0.816412032	7.06E-33	Not Normally Distributed
PM 2.5	0.818652987	1.02E-32	Not Normally Distributed
PM 10	0.819894314	1.25E-32	Not Normally Distributed
AQS	0.902072847	2.68E-25	Not Normally Distributed
Albedo		1	Normally Distributed
Diurnal Temperature	0.95375669	1.28E-17	Not Normally Distributed

Table 3: Error metric results from MATLABs Regression Learner

Model	RMSE	MSE	RSquared	MAE
Gaussian Process Regression	0.738591338237 707	0.5455171649 19766	0.545191526	0.587402
Gaussian Process Regression	0.741243796070 897	0.5494423652 13593	0.541919009	0.590417
Gaussian Process Regression	0.748801404052 85	0.5607035427 11519	0.532530342	0.597685
Gaussian Process Regression	0.757263266460 654	0.5734476547 30659	0.521905323	0.605713
SVM	0.770386430686	0.5934952525	0.505191244	0.607946

	28	85546		
Neural Network	0.832652436451 139	0.6933100799 28018	0.421973644	0.662111
SVM	0.843116416790 439	0.7108452922 61549	0.407354189	0.671169
Kernel	0.862495096618 093	0.7438977916 90254	0.379797665	0.674770
Kernel	0.839988545211 745	0.7055807560 86943	0.411743338	0.679616
Neural Network	0.884193806200 396	0.7817986869 23143	0.348198938	0.688943
Neural Network	0.895935119795 219	0.8026997388 82473	0.330773317	0.689826
Linear Regression	0.847643413344 251	0.7184993561 85892	0.400972845	0.692216
SVM	0.856604304133 404	0.7337709338 59873	0.388240628	0.694087
SVM	0.849557134621 306	0.7217473249 85964	0.398264949	0.696981
Stepwise Linear Regression	0.872039903568 277	0.7604535934 1537	0.365994765	0.716975
Neural Network	0.923336269124 148	0.8525498658 80102	0.289212278	0.722678
SVM	0.891396990698 03	0.7945885950 25504	0.337535738	0.725776
Linear Regression	0.884055154737 791	0.7815535166 1846	0.348403341	0.730704
Linear Regression	0.882537349275 186	0.7788721728 65671	0.350638831	0.734280
SVM	1.485905517530 37	2.2079152070 2719	-0.840782674	0.743196
Ensemble	0.914704764020 067	0.8366848053 21007	0.45132372553 2359	0.758834
Ensemble	1.029860375194 02	1.0606123923 9477	0.30447780046 6205	0.804167
Neural Network	1.162701595218 32	1.3518749995 2324	-0.127084984	0.842266
Tree	1.085413256772 67	1.1781219379 7786	0.2274180770	0.857549
Tree	1.10708693840	1.2256414892	0.196255984	0.865069
Tree	1.169062536156 55	1.3667072134 4478	0.1037487267	0.918988

Table 4: Interpretation of Spearman Correlation Coefficients
For the whole of Baguio City

Variable 1	Variable 2	Strength	Correlation	P-value
voc	humidity	moderate	-0.304437564	0.219330661
voc	pressure	moderate	0.389060888	0.110541947
voc	pm1	weak	0.197110423	0.43305767
voc	pm2.5	weak	0.180598555	0.473289267
voc	pm10	weak	0.180598555	0.473289267
voc	aqs	strong	-0.598564723	0.008679718
voc	albedo	weak	-0.085655315	0.735410412
voc	DiurnalTemp	strong	0.525283798	0.025183592
humidity	voc	moderate	-0.304437564	0.219330661
humidity	pressure	strong	-0.700722394	0.001198985
humidity	pm1	weak	-0.151702786	0.547900668
humidity	pm2.5	weak	-0.120743034	0.633187382
humidity	pm10	weak	-0.120743034	0.633187382
humidity	aqs	weak	0.183928414	0.465030097
humidity	albedo	moderate	0.407636739	0.093123052
humidity	DiurnalTemp	strong	-0.791537668	9.10E-05
pressure	voc	moderate	0.389060888	0.110541947
pressure	humidity	strong	-0.700722394	0.001198985
pressure	pm1	weak	0.048503612	0.84843036
pressure	pm2.5	weak	0.029927761	0.906160496
pressure	pm10	weak	0.029927761	0.906160496
pressure	aqs	weak	0.024452911	0.923273841
pressure	albedo	strong	-0.647058824	0.003701534
pressure	DiurnalTemp	strong	0.735810114	0.000500083
pm1	voc	weak	0.197110423	0.43305767
pm1	humidity	weak	-0.151702786	0.547900668

pm1	pressure	weak	0.048503612	0.84843036
pm1	pm2.5	strong	0.997936017	1.65E-20
pm1	pm10	strong	0.997936017	1.65E-20
pm1	aqs	weak	-0.239213255	0.339064973
pm1	albedo	weak	0.275541796	0.268425131
pm1	DiurnalTemp	weak	0.157894737	0.531483278
pm2.5	voc	weak	0.180598555	0.473289267
pm2.5	humidity	weak	-0.120743034	0.633187382
pm2.5	pressure	weak	0.029927761	0.906160496
pm2.5	pm1	strong	0.997936017	1.65E-20
pm2.5	pm10	strong	1	0
pm2.5	aqs	weak	-0.230707895	0.357023217
pm2.5	albedo	weak	0.259029928	0.299304842
pm2.5	DiurnalTemp	weak	0.133126935	0.598460765
pm10	voc	weak	0.180598555	0.473289267
pm10	humidity	weak	-0.120743034	0.633187382
pm10	pressure	weak	0.029927761	0.906160496
pm10	pm1	strong	0.997936017	1.65E-20
pm10	pm2.5	strong	1	0
pm10	aqs	weak	-0.230707895	0.357023217
pm10	albedo	weak	0.259029928	0.299304842
pm10	DiurnalTemp	weak	0.133126935	0.598460765
aqs	voc	strong	-0.598564723	0.008679718
aqs	humidity	weak	0.183928414	0.465030097
aqs	pressure	weak	0.024452911	0.923273841
aqs	pm1	weak	-0.239213255	0.339064973
aqs	pm2.5	weak	-0.230707895	0.357023217
aqs	pm10	weak	-0.230707895	0.357023217
aqs	albedo	weak	-0.162665013	0.518991066
aqs	DiurnalTemp	weak	-0.292371756	0.23906667

albedo	voc	weak	-0.085655315	0.735410412
albedo	humidity	moderate	0.407636739	0.093123052
albedo	pressure	strong	-0.647058824	0.003701534
albedo	pm1	weak	0.275541796	0.268425131
albedo	pm2.5	weak	0.259029928	0.299304842
albedo	pm10	weak	0.259029928	0.299304842
albedo	aqs	weak	-0.162665013	0.518991066
albedo	DiurnalTemp	moderate	-0.386996904	0.112611289
DiurnalTemp	voc	strong	0.525283798	0.025183592
DiurnalTemp	humidity	strong	-0.791537668	9.10E-05
DiurnalTemp	pressure	strong	0.735810114	0.000500083
DiurnalTemp	pm1	weak	0.157894737	0.531483278
DiurnalTemp	pm2.5	weak	0.133126935	0.598460765
DiurnalTemp	pm10	weak	0.133126935	0.598460765
DiurnalTemp	aqs	weak	-0.292371756	0.23906667
DiurnalTemp	albedo	moderate	-0.386996904	0.112611289

Figure 2: Correlation Matrix Heatmap for Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO) (Spearman)




Figure 3: Correlation Matrix Heatmap for Alfonso Tabora (Spearman)




Figure 4: Correlation Matrix Heatmap for Asin Road (Spearman)




Figure 5: Correlation Matrix Heatmap for BGH Compound (Spearman)




Figure 6: Correlation Matrix Heatmap for Bagong Lipunan (Market Area) (Spearman)




Figure 7: Correlation Matrix Heatmap for Bakakeng Central (Spearman)




Figure 8: Correlation Matrix Heatmap for Bayan Park West (Bayan Park) (Spearman)



Figure 9: Correlation Matrix Heatmap for Cabinet Hill-Teacher's Camp (Spearman)



Figure 10: Correlation Matrix Heatmap for Camdas Subdivision (Spearman)




Figure 11: Correlation Matrix Heatmap for Camp 7 (Spearman)




Figure 12: Correlation Matrix Heatmap for Camp 8 (Spearman)







Figure 13: Correlation Matrix Heatmap for Camp Allen (Spearman)



Figure 14: Correlation Matrix Heatmap for Campo Filipino (Spearman)










Figure 19: Correlation Matrix Heatmap for Engineers' Hill (Spearman)



Figure 20: Correlation Matrix Heatmap for Ferdinand (Happy Homes-Campo Sioco) (Spearman)







Figure 23: Correlation Matrix Heatmap for Guisad Central (Spearman)




Figure 24: Correlation Matrix Heatmap for Happy Homes (Happy Homes-Lucban) (Spearman)




Figure 25: Correlation Matrix Heatmap for Harrison-Claudio Carantes (Spearman)




Figure 26: Correlation Matrix Heatmap for Honeymoon (Honeymoon-Holy Ghost) (Spearman)




Figure 27: Correlation Matrix Heatmap for Imelda Village (Spearman)




Figure 28: Correlation Matrix Heatmap for Irisan (Spearman)




Figure 29: Correlation Matrix Heatmap for Kabayanihan (Spearman)



Figure 30: Correlation Matrix Heatmap for Kayang Extension (Spearman)




Figure 31: Correlation Matrix Heatmap for Legarda-Burnham-Kisad (Spearman)



Figure 32: Correlation Matrix Heatmap for Liwanag-Loakan (Spearman)




Figure 33: Correlation Matrix Heatmap for Loakan Proper (Spearman)




Figure 34: Correlation Matrix Heatmap for Lourdes Subdivision Extension (Spearman)




Figure 35: Correlation Matrix Heatmap for Lualhati (Spearman)









Figure 36: Correlation Matrix Heatmap for MRR-Queen of Peace (Spearman)











Figure 43: Correlation Matrix Heatmap for New Lucban (Spearman)




Figure 44: Correlation Matrix Heatmap for Pacdal (Spearman)




Figure 45: Correlation Matrix Heatmap for Padre Burgos (Spearman)




Figure 46: Correlation Matrix Heatmap for Pinget (Spearman)




Figure 47: Correlation Matrix Heatmap for Pinsao Proper (Spearman)




Figure 48: Correlation Matrix Heatmap for Quezon Hill Proper (Spearman)






Figure 51: Correlation Matrix Heatmap for Salud Mitra (Spearman)





Figure 52: Correlation Matrix Heatmap for San Luis Village (Spearman)







Figure 59: Correlation Matrix Heatmap for Trancoville (Spearman)



Table 5: Interpretation of Spearman Correlation Coefficients per barangay

Barangay	Variable1	Variable2	Correlation	Strength	P-value
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	voc	humidity	0.402197802	moderate	0.15397443
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	voc	pressure	0.046153846	weak	0.875502538
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	voc	pm1	0.428571429	moderate	0.126273888

Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	voc	pm25	0.450549451	moderate	0.105932785
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	voc	pm10	0.454945055	moderate	0.102153527
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	voc	aqs	0.793458795	strong	0.000706548
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	voc	albedo	0.23956044	weak	0.409429893
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	voc	DiurnalTemp	0.494505495	moderate	0.072249674
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	humidity	voc	0.402197802	moderate	0.15397443
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	humidity	pressure	0.406593407	moderate	0.149101939
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	humidity	pm1	0.252747253	weak	0.383314964
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	humidity	pm25	0.243956044	weak	0.400624804
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	humidity	pm10	0.265934066	weak	0.3581134
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	humidity	aqs	0.496754657	moderate	0.070762428
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	humidity	albedo	0.046153846	weak	0.875502538

Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	humidity	DiurnalTemp	0.815384615	-	strong	0.000379132
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pressure	voc	0.046153846	weak	0.875502538	
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pressure	humidity	0.406593407	-	moderate	0.149101939
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pressure	pm1	0.446153846	-	moderate	0.109807128
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pressure	pm25	0.454945055	-	moderate	0.102153527
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pressure	pm10	0.472527473	-	moderate	0.087967425
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pressure	aqs	0.074176035	weak	0.801032382	
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pressure	albedo	-0.6	strong	0.023308411	
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pressure	DiurnalTemp	0.507692308	-	strong	0.063839158
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm1	voc	0.428571429	moderate	0.126273888	
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm1	humidity	0.252747253	weak	0.383314964	
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm1	pressure	0.446153846	-	moderate	0.109807128

Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm1	pm25	0.995604396	strong	1.03E-13
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm1	pm10	0.991208791	strong	6.54E-12
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm1	aqs	0.429321898	moderate	0.125538884
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm1	albedo	0.454945055	moderate	0.102153527
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm1	DiurnalTemp	0.169230769	weak	0.563017274
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm25	voc	0.450549451	moderate	0.105932785
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm25	humidity	0.243956044	weak	0.400624804
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm25	pressure	0.454945055	moderate	0.102153527
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm25	pm1	0.995604396	strong	1.03E-13
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm25	pm10	0.995604396	strong	1.03E-13
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm25	aqs	0.451799484	moderate	0.104848397
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm25	albedo	0.481318681	moderate	0.081418295

Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm25	DiurnalTemp	-0.178021978	weak	0.542596953
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm10	voc	0.454945055	moderate	0.102153527
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm10	humidity	0.265934066	weak	0.3581134
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm10	pressure	-0.472527473	moderate	0.087967425
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm10	pm1	0.991208791	strong	6.54E-12
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm10	pm25	0.995604396	strong	1.03E-13
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm10	aqs	-0.456295001	moderate	0.101011803
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm10	albedo	0.463736264	moderate	0.094876332
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	pm10	DiurnalTemp	-0.195604396	weak	0.502750091
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	aqs	voc	-0.793458795	strong	0.000706548
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	aqs	humidity	0.496754657	moderate	0.070762428
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	aqs	pressure	0.074176035	weak	0.801032382

Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	aqs	pm1	0.42932189	-8	moderate	0.1255 38884
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	aqs	pm25	0.45179948	-4	moderate	0.1048 48397
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	aqs	pm10	0.45629500	-1	moderate	0.1010 11803
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	aqs	albedo	0.46079051	-9	moderate	0.0972 73325
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	aqs	DiurnalTemp	0.55969189	-8	strong	0.0374 12691
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	albedo	voc	0.23956044		weak	0.4094 29893
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	albedo	humidity	0.04615384	-6	weak	0.8755 02538
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	albedo	pressure		-0.6	strong	0.0233 08411
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	albedo	pm1	0.45494505	-5	moderate	0.1021 53527
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	albedo	pm25	0.48131868	-1	moderate	0.0814 18295
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	albedo	pm10	0.46373626	-4	moderate	0.0948 76332
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	albedo	aqs	0.46079051	-9	moderate	0.0972 73325

Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	albedo	DiurnalTemp	- 0.07252747 3	weak	0.8053 76314
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	DiurnalTemp	voc	- 0.49450549 5	moderate	0.0722 49674
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	DiurnalTemp	humidity	- 0.81538461 5	strong	0.0003 79132
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	DiurnalTemp	pressure	- 0.50769230 8	strong	0.0638 39158
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	DiurnalTemp	pm1	- 0.16923076 9	weak	0.5630 17274
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	DiurnalTemp	pm25	- 0.17802197 8	weak	0.5425 96953
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	DiurnalTemp	pm10	- 0.19560439 6	weak	0.5027 50091
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	DiurnalTemp	aqs	- 0.55969189 8	strong	0.0374 12691
Abanao-Zandueta-Kayong-Chugum-Otek (AZKCO)	DiurnalTemp	albedo	- 0.07252747 3	weak	0.8053 76314
Alfonso Tabora	voc	humidity	- 0.06813186 8	weak	0.8169 8388
Alfonso Tabora	voc	pressure	- 0.32747252 7	moderate	0.2530 71001
Alfonso Tabora	voc	pm1	- 0.25274725 3	weak	0.3833 14964
Alfonso Tabora	voc	pm25	- 0.20879120 9	weak	0.4737 78837

Alfonso Tabora	voc	pm10	0.22637362 6	weak	0.4364 34795
Alfonso Tabora	voc	aqs	0.61363810 5	strong	0.0195 91009
Alfonso Tabora	voc	albedo	0.78021978 -	strong	0.0009 94494
Alfonso Tabora	voc	DiurnalTe mp	0.11648351 6	weak	0.6916 9125
Alfonso Tabora	humidity	voc	0.06813186 8	weak	0.8169 8388
Alfonso Tabora	humidity	pressure	0.19560439 6	weak	0.5027 50091
Alfonso Tabora	humidity	pm1	0.20879120 9	weak	0.4737 78837
Alfonso Tabora	humidity	pm25	0.29670329 7	weak	0.3029 66724
Alfonso Tabora	humidity	pm10	0.22637362 6	weak	0.4364 34795
Alfonso Tabora	humidity	aqs	-0.065185	weak	0.8247 85455
Alfonso Tabora	humidity	albedo	0.09450549 5	weak	0.7479 38261
Alfonso Tabora	humidity	DiurnalTe mp	0.75384615 4	strong	0.0018 44725
Alfonso Tabora	pressure	voc	0.32747252 7	moderate	0.2530 71001
Alfonso Tabora	pressure	humidity	0.19560439 -	weak	0.5027 50091

				6		
Alfonso Tabora	pressure	pm1	0.80659340 7	strong	0.0004 91113	
Alfonso Tabora	pressure	pm25	0.72747252 7	strong	0.0031 90616	
Alfonso Tabora	pressure	pm10	0.69230769 2	strong	0.0060 71049	
Alfonso Tabora	pressure	aqs	0.20005051 8	weak	0.4928 92236	
Alfonso Tabora	pressure	albedo	0.01538461 5	weak	0.9583 69789	
Alfonso Tabora	pressure	DiurnalTe mp	- 0.01538461 5	weak	0.9583 69789	
Alfonso Tabora	pm1	voc	0.25274725 3	weak	0.3833 14964	
Alfonso Tabora	pm1	humidity	- 0.20879120 9	weak	0.4737 78837	
Alfonso Tabora	pm1	pressure	0.80659340 7	strong	0.0004 91113	
Alfonso Tabora	pm1	pm25	0.97802197 8	strong	1.55E- 09	
Alfonso Tabora	pm1	pm10	0.96483516 5	strong	2.53E- 08	
Alfonso Tabora	pm1	aqs	0.23151913 9	weak	0.4257 93202	
Alfonso Tabora	pm1	albedo	0.13406593 4	weak	0.6477 19528	
Alfonso Tabora	pm1	DiurnalTe mp	- 0.21318681 3	weak	0.4643 0282	
Alfonso Tabora	pm25	voc	0.20879120 9	weak	0.4737 78837	

Alfonso Tabora	pm25	humidity	0.29670329 7	weak	0.3029 66724
Alfonso Tabora	pm25	pressure	0.72747252 7	strong	0.0031 90616
Alfonso Tabora	pm25	pm1	0.97802197 8	strong	1.55E- 09
Alfonso Tabora	pm25	pm10	0.98681318 7	strong	7.38E- 11
Alfonso Tabora	pm25	aqs	0.28096982 8	weak	0.3305 17941
Alfonso Tabora	pm25	albedo	0.15604395 6	weak	0.5942 34701
Alfonso Tabora	pm25	DiurnalTe mp	0.16043956 -	weak	0.5837 52753
Alfonso Tabora	pm10	voc	0.22637362 6	weak	0.4364 34795
Alfonso Tabora	pm10	humidity	0.22637362 6	weak	0.4364 34795
Alfonso Tabora	pm10	pressure	0.69230769 2	strong	0.0060 71049
Alfonso Tabora	pm10	pm1	0.96483516 5	strong	2.53E- 08
Alfonso Tabora	pm10	pm25	0.98681318 7	strong	7.38E- 11
Alfonso Tabora	pm10	aqs	0.27647431 1	weak	0.3386 39992
Alfonso Tabora	pm10	albedo	0.16043956	weak	0.5837 52753
Alfonso Tabora	pm10	DiurnalTe mp	0.19560439 6	weak	0.5027 50091
Alfonso Tabora	aqs	voc	0.61363810 -	strong	0.0195 91009

				5		
Alfonso Tabora	aqs	humidity	-0.065185	weak	0.8247 85455	
Alfonso Tabora	aqs	pressure	0.20005051 8	weak	0.4928 92236	
Alfonso Tabora	aqs	pm1	0.23151913 9	weak	0.4257 93202	
Alfonso Tabora	aqs	pm25	0.28096982 8	weak	0.3305 17941	
Alfonso Tabora	aqs	pm10	0.27647431 1	weak	0.3386 39992	
Alfonso Tabora	aqs	albedo	0.68556638 1	strong	0.0068 01589	
Alfonso Tabora	aqs	DiurnalTe mp	0.17307741 4	weak	0.5540 42728	
Alfonso Tabora	albedo	voc	- 0.78021978	strong	0.0009 94494	
Alfonso Tabora	albedo	humidity	0.09450549 5	weak	0.7479 38261	
Alfonso Tabora	albedo	pressure	0.01538461 5	weak	0.9583 69789	
Alfonso Tabora	albedo	pm1	0.13406593 4	weak	0.6477 19528	
Alfonso Tabora	albedo	pm25	0.15604395 6	weak	0.5942 34701	
Alfonso Tabora	albedo	pm10	0.16043956	weak	0.5837 52753	
Alfonso Tabora	albedo	aqs	0.68556638 1	strong	0.0068 01589	
Alfonso Tabora	albedo	DiurnalTe mp	- 0.07692307 7	weak	0.7938 05888	
Alfonso Tabora	DiurnalTe mp	voc	- 0.11648351	weak	0.6916 9125	

				6		
Alfonso Tabora	DiurnalTemp	humidity	0.753846154	-	strong	0.001844725
Alfonso Tabora	DiurnalTemp	pressure	0.015384615	-	weak	0.958369789
Alfonso Tabora	DiurnalTemp	pm1	0.213186813	-	weak	0.46430282
Alfonso Tabora	DiurnalTemp	pm25	0.16043956	-	weak	0.583752753
Alfonso Tabora	DiurnalTemp	pm10	0.195604396	-	weak	0.502750091
Alfonso Tabora	DiurnalTemp	aqs	0.173077414	-	weak	0.554042728
Alfonso Tabora	DiurnalTemp	albedo	0.076923077	-	weak	0.793805888
Asin Road	voc	humidity	0.384615385	-	moderate	0.174508751
Asin Road	voc	pressure	0.437362637	-	moderate	0.117844832
Asin Road	voc	pm1	0.085714286	-	weak	0.770785031
Asin Road	voc	pm25	0.138461538	-	weak	0.636884991
Asin Road	voc	pm10	0.138461538	-	weak	0.636884991
Asin Road	voc	aqs	0.247054866	-	weak	0.394477316
Asin Road	voc	albedo	0.252747253	-	weak	0.383314964
Asin Road	voc	DiurnalTe	0.39780219	moderate		0.1589

		mp		8		50775
Asin Road	humidity	voc	0.38461538 5	moderate	0.1745 08751	
Asin Road	humidity	pressure	0.06373626 4	weak	0.8286 26423	
Asin Road	humidity	pm1	0.30989011	moderate	0.2809 33281	
Asin Road	humidity	pm25	0.35384615 4	moderate	0.2145 39871	
Asin Road	humidity	pm10	0.35384615 4	moderate	0.2145 39871	
Asin Road	humidity	aqs	0.16012815 4	weak	0.5844 92877	
Asin Road	humidity	albedo	0.14285714 3	weak	0.6261 17476	
Asin Road	humidity	DiurnalTe mp	0.13846153 8	weak	0.6368 84991	
Asin Road	pressure	voc	0.43736263 7	moderate	0.1178 44832	
Asin Road	pressure	humidity	0.06373626 4	weak	0.8286 26423	
Asin Road	pressure	pm1	0.23516483 5	weak	0.4183 33896	
Asin Road	pressure	pm25	0.18681318 7	weak	0.5225 04012	
Asin Road	pressure	pm10	0.18681318 7	weak	0.5225 04012	
Asin Road	pressure	aqs	0.31568121 8	moderate	0.2715 64476	
Asin Road	pressure	albedo	0.07252747 3	weak	0.8053 76314	

Asin Road	pressure	DiurnalTemp	0.56043956	strong	0.037104477
Asin Road	pm1	voc	0.085714286	weak	0.770785031
Asin Road	pm1	humidity	0.30989011	moderate	0.280933281
Asin Road	pm1	pressure	0.235164835	weak	0.418333896
Asin Road	pm1	pm25	0.986813187	strong	7.38E-11
Asin Road	pm1	pm10	0.986813187	strong	7.38E-11
Asin Road	pm1	aqs	0.164703244	weak	0.573657604
Asin Road	pm1	albedo	0.503296703	strong	0.066560428
Asin Road	pm1	DiurnalTemp	0.134065934	weak	0.647719528
Asin Road	pm25	voc	0.138461538	weak	0.636884991
Asin Road	pm25	humidity	0.353846154	moderate	0.214539871
Asin Road	pm25	pressure	0.186813187	weak	0.522504012
Asin Road	pm25	pm1	0.986813187	strong	7.38E-11
Asin Road	pm25	pm10	1	strong	0
Asin Road	pm25	aqs	0.130390068	weak	0.656830158
Asin Road	pm25	albedo	0.494505495	moderate	0.072249674
Asin Road	pm25	DiurnalTemp	0.08571428	weak	0.7707

		mp	6		85031
Asin Road	pm10	voc	0.13846153 8	weak	0.6368 84991
Asin Road	pm10	humidity	0.35384615 4	moderate	0.2145 39871
Asin Road	pm10	pressure	0.18681318 7	weak	0.5225 04012
Asin Road	pm10	pm1	0.98681318 7	strong	7.38E- 11
Asin Road	pm10	pm25	1	strong	0
Asin Road	pm10	aqs	0.13039006 8	weak	0.6568 30158
Asin Road	pm10	albedo	0.49450549 5	moderate	0.0722 49674
Asin Road	pm10	DiurnalTe mp	0.08571428 6	weak	0.7707 85031
Asin Road	aqs	voc	0.24705486 6	weak	0.3944 77316
Asin Road	aqs	humidity	0.16012815 4	weak	0.5844 92877
Asin Road	aqs	pressure	0.31568121 8	moderate	0.2715 64476
Asin Road	aqs	pm1	0.16470324 4	weak	0.5736 57604
Asin Road	aqs	pm25	0.13039006 8	weak	0.6568 30158
Asin Road	aqs	pm10	0.13039006 8	weak	0.6568 30158
Asin Road	aqs	albedo	0.18300360 4	weak	0.5311 70132
Asin Road	aqs	DiurnalTe	0.72743932	strong	0.0031

		mp	7	92695
Asin Road	albedo	voc	0.25274725 3	weak 0.3833 14964
Asin Road	albedo	humidity	0.14285714 3	weak 0.6261 17476
Asin Road	albedo	pressure	0.07252747 3	weak 0.8053 76314
Asin Road	albedo	pm1	0.50329670 3	strong 0.0665 60428
Asin Road	albedo	pm25	0.49450549 5	moderate 0.0722 49674
Asin Road	albedo	pm10	0.49450549 5	moderate 0.0722 49674
Asin Road	albedo	aqs	0.18300360 4	weak 0.5311 70132
Asin Road	albedo	DiurnalTe mp	0.09890109 9	weak 0.7365 8537
Asin Road	DiurnalTe mp	voc	0.39780219 8	moderate 0.1589 50775
Asin Road	DiurnalTe mp	humidity	0.13846153 8	weak 0.6368 84991
Asin Road	DiurnalTe mp	pressure	0.56043956	strong 0.0371 04477
Asin Road	DiurnalTe mp	pm1	0.13406593 4	weak 0.6477 19528
Asin Road	DiurnalTe mp	pm25	0.08571428 6	weak 0.7707 85031
Asin Road	DiurnalTe mp	pm10	0.08571428 6	weak 0.7707 85031
Asin Road	DiurnalTe mp	aqs	0.72743932 7	strong 0.0031 92695

Asin Road	DiurnalTemp	albedo	0.09890109 9	weak	0.7365 8537
BGH Compound	voc	humidity	0.05357142 9	weak	0.8496 09937
BGH Compound	voc	pressure	0.13928571 4	weak	0.6205 46088
BGH Compound	voc	pm1	0.05714285 7	weak	0.8396 99869
BGH Compound	voc	pm25	-0.025	weak	0.9295 28971
BGH Compound	voc	pm10	0.00714285 7	weak	0.9798 44228
BGH Compound	voc	aqs	0.57172611 3	strong	0.0259 67857
BGH Compound	voc	albedo	0.575	strong	0.0249 36228
BGH Compound	voc	DiurnalTemp	0.375	moderate	0.1684 3275
BGH Compound	humidity	voc	0.05357142 9	weak	0.8496 09937
BGH Compound	humidity	pressure	0.175	weak	0.5327 48148
BGH Compound	humidity	pm1	0	weak	1
BGH Compound	humidity	pm25	0.07142857 1	weak	0.8002 95987
BGH Compound	humidity	pm10	0.12142857 1	weak	0.6664 01114
BGH Compound	humidity	aqs	0.40205255 7	moderate	0.1373 86813
BGH Compound	humidity	albedo	0.41071428 6	moderate	0.1283 28646

BGH Compound	humidity	DiurnalTemp	0.596428571	-	strong	0.018931925
BGH Compound	pressure	voc	0.139285714	-	weak	0.620546088
BGH Compound	pressure	humidity	-	0.175	weak	0.532748148
BGH Compound	pressure	pm1	0.496428571	-	moderate	0.059797414
BGH Compound	pressure	pm25	-	-0.5	strong	0.057698841
BGH Compound	pressure	pm10	-	-0.575	strong	0.024936228
BGH Compound	pressure	aqs	0.206559112	-	weak	0.460138008
BGH Compound	pressure	albedo	0.064285714	-	weak	0.819947965
BGH Compound	pressure	DiurnalTemp	0.142857143	-	weak	0.611522229
BGH Compound	pm1	voc	0.057142857	-	weak	0.839699869
BGH Compound	pm1	humidity	-	0	weak	1
BGH Compound	pm1	pressure	0.496428571	-	moderate	0.059797414
BGH Compound	pm1	pm25	0.989285714	-	strong	3.00E-12
BGH Compound	pm1	pm10	0.942857143	-	strong	1.42E-07
BGH Compound	pm1	aqs	0.496110724	-	moderate	0.059986836
BGH Compound	pm1	albedo	0.11428571	-	weak	0.6850

				4		65763
BGH Compound	pm1	DiurnalTemp	0.053571429	weak	0.849609937	
BGH Compound	pm25	voc	-0.025	weak	0.929528971	
BGH Compound	pm25	humidity	0.071428571	weak	0.800295987	
BGH Compound	pm25	pressure	-0.5	strong	0.057698841	
BGH Compound	pm25	pm1	0.989285714	strong	3.00E-12	
BGH Compound	pm25	pm10	0.975	strong	7.14E-10	
BGH Compound	pm25	aqs	0.479512224	moderate	0.070497855	
BGH Compound	pm25	albedo	0.203571429	weak	0.466795072	
BGH Compound	pm25	DiurnalTemp	0.035714286	weak	0.899446993	
BGH Compound	pm10	voc	0.007142857	weak	0.979844228	
BGH Compound	pm10	humidity	0.121428571	weak	0.666401114	
BGH Compound	pm10	pressure	-0.575	strong	0.024936228	
BGH Compound	pm10	pm1	0.942857143	strong	1.42E-07	
BGH Compound	pm10	pm25	0.975	strong	7.14E-10	
BGH Compound	pm10	aqs	0.422339613	moderate	0.11682453	

BGH Compound	pm10	albedo	0.3	moderate	0.2773 1678
BGH Compound	pm10	DiurnalTemp	0.01071428 6	weak	0.9697 69876
BGH Compound	aqs	voc	0.57172611 3	strong	0.0259 67857
BGH Compound	aqs	humidity	0.40205255 7	moderate	0.1373 86813
BGH Compound	aqs	pressure	0.20655911 2	weak	0.4601 38008
BGH Compound	aqs	pm1	0.49611072 4	moderate	0.0599 86836
BGH Compound	aqs	pm25	0.47951222 4	moderate	0.0704 97855
BGH Compound	aqs	pm10	0.42233961 3	moderate	0.1168 2453
BGH Compound	aqs	albedo	0.20102627 8	weak	0.4725 02892
BGH Compound	aqs	DiurnalTemp	0.73402255 8	strong	0.0018 36536
BGH Compound	albedo	voc	0.575	strong	0.0249 36228
BGH Compound	albedo	humidity	0.41071428 6	moderate	0.1283 28646
BGH Compound	albedo	pressure	0.06428571 4	weak	0.8199 47965
BGH Compound	albedo	pm1	0.11428571 4	weak	0.6850 65763
BGH Compound	albedo	pm25	0.20357142	weak	0.4667

				9		95072
BGH Compound	albedo	pm10	0.3	moderate	0.2773 1678	
BGH Compound	albedo	aqs	0.20102627 8	weak	0.4725 02892	
BGH Compound	albedo	DiurnalTe mp	0.10357142 9	weak	0.7133 79631	
BGH Compound	DiurnalTe mp	voc	0.375	moderate	0.1684 3275	
BGH Compound	DiurnalTe mp	humidity	0.59642857 1	strong	0.0189 31925	
BGH Compound	DiurnalTe mp	pressure	0.14285714 3	weak	0.6115 22229	
BGH Compound	DiurnalTe mp	pm1	0.05357142 9	weak	0.8496 09937	
BGH Compound	DiurnalTe mp	pm25	0.03571428 6	weak	0.8994 46993	
BGH Compound	DiurnalTe mp	pm10	0.01071428 6	weak	0.9697 69876	
BGH Compound	DiurnalTe mp	aqs	0.73402255 8	strong	0.0018 36536	
BGH Compound	DiurnalTe mp	albedo	0.10357142 9	weak	0.7133 79631	
Bagong Lipunan (Market Area)	voc	humidity	0.28571428 6	weak	0.3440 00218	
Bagong Lipunan (Market Area)	voc	pressure	0.01648351 6	weak	0.9573 76175	
Bagong Lipunan (Market Area)	voc	pm1	0.34615384 6	moderate	0.2466 25263	

Bagong Lipunan (Market Area)	voc	pm25	0.34065934 1	moderate	0.2547 06461
Bagong Lipunan (Market Area)	voc	pm10	0.34615384 6	moderate	0.2466 25263
Bagong Lipunan (Market Area)	voc	aqs	0.16993291 7	weak	0.5788 74715
Bagong Lipunan (Market Area)	voc	albedo	0.19230769 2	weak	0.5290 67987
Bagong Lipunan (Market Area)	voc	DiurnalTe mp	0.51648351 6	strong	0.0707 49041
Bagong Lipunan (Market Area)	humidity	voc	0.28571428 6	weak	0.3440 00218
Bagong Lipunan (Market Area)	humidity	pressure	0.54945054 9	strong	0.0517 70626
Bagong Lipunan (Market Area)	humidity	pm1	0.13186813 2	weak	0.6676 07576
Bagong Lipunan (Market Area)	humidity	pm25	0.09890109 9	weak	0.7478 68304
Bagong Lipunan (Market Area)	humidity	pm10	0.13186813 2	weak	0.6676 07576
Bagong Lipunan (Market Area)	humidity	aqs	0.18664763	weak	0.5414 88585
Bagong Lipunan (Market Area)	humidity	albedo	0.30769230 8	moderate	0.3064 47053
Bagong Lipunan (Market Area)	humidity	DiurnalTe mp	0.51098901 1	strong	0.0743 28914
Bagong Lipunan (Market Area)	pressure	voc	0.01648351 6	weak	0.9573 76175

Bagong Lipunan (Market Area)	pressure	humidity	0.54945054 9	strong	0.0517 70626
Bagong Lipunan (Market Area)	pressure	pm1	0.39560439 6	moderate	0.1808 89163
Bagong Lipunan (Market Area)	pressure	pm25	0.34615384 6	moderate	0.2466 25263
Bagong Lipunan (Market Area)	pressure	pm10	0.39560439 6	moderate	0.1808 89163
Bagong Lipunan (Market Area)	pressure	aqs	0.20893391 4	weak	0.4933 19789
Bagong Lipunan (Market Area)	pressure	albedo	0.63736263 7	strong	0.0191 18114
Bagong Lipunan (Market Area)	pressure	DiurnalTemp	0.29670329 7	weak	0.3249 21588
Bagong Lipunan (Market Area)	pm1	voc	0.34615384 6	moderate	0.2466 25263
Bagong Lipunan (Market Area)	pm1	humidity	0.13186813 2	weak	0.6676 07576
Bagong Lipunan (Market Area)	pm1	pressure	0.39560439 6	moderate	0.1808 89163
Bagong Lipunan (Market Area)	pm1	pm25	0.99450549 5	strong	3.91E- 12
Bagong Lipunan (Market Area)	pm1	pm10	1	strong	0
Bagong Lipunan (Market Area)	pm1	aqs	0.34265161 9	moderate	0.2517 58283
Bagong Lipunan (Market Area)	pm1	albedo	0.69230769 2	strong	0.0087 30318

Bagong Lipunan (Market Area)	pm1	DiurnalTemp	0.098901099	weak	0.747868304
Bagong Lipunan (Market Area)	pm25	voc	0.340659341	moderate	0.254706461
Bagong Lipunan (Market Area)	pm25	humidity	0.098901099	weak	0.747868304
Bagong Lipunan (Market Area)	pm25	pressure	0.346153846	moderate	0.246625263
Bagong Lipunan (Market Area)	pm25	pm1	0.994505495	strong	3.91E-12
Bagong Lipunan (Market Area)	pm25	pm10	0.994505495	strong	3.91E-12
Bagong Lipunan (Market Area)	pm25	aqs	0.342651619	moderate	0.251758283
Bagong Lipunan (Market Area)	pm25	albedo	0.67032967	strong	0.01216622
Bagong Lipunan (Market Area)	pm25	DiurnalTemp	0.131868132	weak	0.667607576
Bagong Lipunan (Market Area)	pm10	voc	0.346153846	moderate	0.246625263
Bagong Lipunan (Market Area)	pm10	humidity	0.131868132	weak	0.667607576
Bagong Lipunan (Market Area)	pm10	pressure	0.395604396	moderate	0.180889163
Bagong Lipunan (Market Area)	pm10	pm1	1	strong	0
Bagong Lipunan (Market Area)	pm10	pm25	0.994505495	strong	3.91E-12
Bagong Lipunan (Market Area)	pm10	aqs	0.342651619	moderate	0.251758283
Bagong Lipunan	pm10	albedo	0.69230769	strong	0.0087

(Market Area)				2		30318
Bagong Lipunan (Market Area)	pm10	DiurnalTemp	0.098901099	- weak	0.747868304	
Bagong Lipunan (Market Area)	aqs	voc	0.169932917	- weak	0.578874715	
Bagong Lipunan (Market Area)	aqs	humidity	0.18664763	- weak	0.541488585	
Bagong Lipunan (Market Area)	aqs	pressure	0.208933914	- weak	0.493319789	
Bagong Lipunan (Market Area)	aqs	pm1	0.342651619	moderate	0.251758283	
Bagong Lipunan (Market Area)	aqs	pm25	0.342651619	moderate	0.251758283	
Bagong Lipunan (Market Area)	aqs	pm10	0.342651619	moderate	0.251758283	
Bagong Lipunan (Market Area)	aqs	albedo	0.26743541	weak	0.377051153	
Bagong Lipunan (Market Area)	aqs	DiurnalTemp	0.512584536	strong	0.073276627	
Bagong Lipunan (Market Area)	albedo	voc	0.192307692	- weak	0.529067987	
Bagong Lipunan (Market Area)	albedo	humidity	0.307692308	moderate	0.306447053	
Bagong Lipunan (Market Area)	albedo	pressure	0.637362637	- strong	0.019118114	
Bagong Lipunan (Market Area)	albedo	pm1	0.692307692	strong	0.008730318	
Bagong Lipunan (Market Area)	albedo	pm25	0.67032967	strong	0.01216622	
Bagong Lipunan (Market Area)	albedo	pm10	0.692307692	strong	0.008730318	

Bagong Lipunan (Market Area)	albedo	aqs	0.26743541	weak	0.3770 51153
Bagong Lipunan (Market Area)	albedo	DiurnalTe mp	0.03296703 3	weak	0.9148 56474
Bagong Lipunan (Market Area)	DiurnalTe mp	voc	0.51648351 6	strong	0.0707 49041
Bagong Lipunan (Market Area)	DiurnalTe mp	humidity	0.51098901 1	strong	0.0743 28914
Bagong Lipunan (Market Area)	DiurnalTe mp	pressure	0.29670329 7	weak	0.3249 21588
Bagong Lipunan (Market Area)	DiurnalTe mp	pm1	0.09890109 9	weak	0.7478 68304
Bagong Lipunan (Market Area)	DiurnalTe mp	pm25	0.13186813 2	weak	0.6676 07576
Bagong Lipunan (Market Area)	DiurnalTe mp	pm10	0.09890109 9	weak	0.7478 68304
Bagong Lipunan (Market Area)	DiurnalTe mp	aqs	0.51258453 6	strong	0.0732 76627
Bagong Lipunan (Market Area)	DiurnalTe mp	- albedo	0.03296703 3	weak	0.9148 56474
Bakakeng Central	voc	humidity	0.26428571 4	weak	0.3411 73758
Bakakeng Central	voc	pressure	0.10714285 7	weak	0.7039 01002
Bakakeng Central	voc	pm1	-0.1	weak	0.7228 97325
Bakakeng Central	voc	pm25	0.13571428 6	weak	0.6296 20442
Bakakeng Central	voc	pm10	0.13571428 -	weak	0.6296 20442

				6		
Bakakeng Central	voc	aqs	0.29324016	-	weak	0.2888
			8			12009
Bakakeng Central	voc	albedo	0.65	strong	0.0087	11584
Bakakeng Central	voc	DiurnalTemp	0.67142857	1	strong	0.0061
			1			27767
Bakakeng Central	humidity	voc	0.26428571	-	weak	0.3411
			4			73758
Bakakeng Central	humidity	pressure	0.23214285	7	weak	0.4050
			7			98741
Bakakeng Central	humidity	pm1	0.70357142	9	strong	0.0034
			9			24337
Bakakeng Central	humidity	pm25	0.70714285	7	strong	0.0031
			7			95481
Bakakeng Central	humidity	pm10	0.70714285	7	strong	0.0031
			7			95481
Bakakeng Central	humidity	aqs	0.43893811	-	moderate	0.1016
			3			62559
Bakakeng Central	humidity	albedo	0.23571428	-	weak	0.3977
			6			02946
Bakakeng Central	humidity	DiurnalTemp	0.14285714	-	weak	0.6115
			3			22229
Bakakeng Central	pressure	voc	0.10714285	7	weak	0.7039
			7			01002
Bakakeng Central	pressure	humidity	0.23214285	7	weak	0.4050
			7			98741
Bakakeng Central	pressure	pm1	0.38571428	6	moderate	0.1556
			6			30795
Bakakeng Central	pressure	pm25	0.38928571	1	moderate	0.1515

				4		11937
Bakakeng Central	pressure	pm10	0.38928571 4	moderate	0.1515 11937	
Bakakeng Central	pressure	aqs	0.20471483 4	weak	0.4642 41841	
Bakakeng Central	pressure	albedo	0.38214285 7	moderate	0.1598 2363	
Bakakeng Central	pressure	DiurnalTemp	0.41428571 4	moderate	0.1247 15442	
Bakakeng Central	pm1	voc	-0.1	weak	0.7228 97325	
Bakakeng Central	pm1	humidity	0.70357142 9	strong	0.0034 24337	
Bakakeng Central	pm1	pressure	0.38571428 6	moderate	0.1556 30795	
Bakakeng Central	pm1	pm25	0.99642857 1	strong	2.42E- 15	
Bakakeng Central	pm1	pm10	0.99642857 1	strong	2.42E- 15	
Bakakeng Central	pm1	aqs	0.66394000 2	strong	0.0069 5048	
Bakakeng Central	pm1	albedo	0.24642857 1	weak	0.3759 50516	
Bakakeng Central	pm1	DiurnalTemp	0.3	moderate	0.2773 1678	
Bakakeng Central	pm25	voc	0.13571428 6	weak	0.6296 20442	
Bakakeng Central	pm25	humidity	0.70714285 7	strong	0.0031 95481	
Bakakeng Central	pm25	pressure	0.38928571 4	moderate	0.1515 11937	

Bakakeng Central	pm25	pm1	0.99642857 1	strong	2.42E- 15
Bakakeng Central	pm25	pm10	- 1	strong	0
Bakakeng Central	pm25	aqs	0.67684994 7	strong	0.0055 81661
Bakakeng Central	pm25	albedo	0.22142857 1	weak	0.4277 13719
Bakakeng Central	pm25	DiurnalTe mp	0.28928571 4	weak	0.2956 65361
Bakakeng Central	pm10	voc	0.13571428 6	weak	0.6296 20442
Bakakeng Central	pm10	humidity	0.70714285 7	strong	0.0031 95481
Bakakeng Central	pm10	pressure	0.38928571 4	moderate	0.1515 11937
Bakakeng Central	pm10	pm1	0.99642857 1	strong	2.42E- 15
Bakakeng Central	pm10	pm25	- 1	strong	0
Bakakeng Central	pm10	aqs	0.67684994 7	strong	0.0055 81661
Bakakeng Central	pm10	albedo	0.22142857 1	weak	0.4277 13719
Bakakeng Central	pm10	DiurnalTe mp	0.28928571 4	weak	0.2956 65361
Bakakeng Central	aqs	voc	- 0.29324016 8	weak	0.2888 12009
Bakakeng Central	aqs	humidity	- 0.43893811 3	moderate	0.1016 62559
Bakakeng Central	aqs	pressure	- 0.20471483	weak	0.4642 41841

				4		
Bakakeng Central	aqs	pm1	0.66394000	- 2	strong	0.0069 5048
Bakakeng Central	aqs	pm25	0.67684994	- 7	strong	0.0055 81661
Bakakeng Central	aqs	pm10	0.67684994	- 7	strong	0.0055 81661
Bakakeng Central	aqs	albedo	0.40020827	- 9	moderate	0.1393 69958
Bakakeng Central	aqs	DiurnalTe mp	0.68422705	- 8	strong	0.0049 01112
Bakakeng Central	albedo	voc		0.65	strong	0.0087 11584
Bakakeng Central	albedo	humidity	0.23571428	- 6	weak	0.3977 02946
Bakakeng Central	albedo	pressure	0.38214285	- 7	moderate	0.1598 2363
Bakakeng Central	albedo	pm1	0.24642857	- 1	weak	0.3759 50516
Bakakeng Central	albedo	pm25	0.22142857	- 1	weak	0.4277 13719
Bakakeng Central	albedo	pm10	0.22142857	- 1	weak	0.4277 13719
Bakakeng Central	albedo	aqs	0.40020827	- 9	moderate	0.1393 69958
Bakakeng Central	albedo	DiurnalTe mp	0.81428571	- 4	strong	0.0002 19366
Bakakeng Central	DiurnalTe	voc	0.67142857		strong	0.0061

	mp		1		27767
Bakakeng Central	DiurnalTemp	humidity	0.142857143	weak	0.611522229
Bakakeng Central	DiurnalTemp	pressure	0.414285714	moderate	0.124715442
Bakakeng Central	DiurnalTemp	pm1	0.3	moderate	0.27731678
Bakakeng Central	DiurnalTemp	pm25	0.289285714	weak	0.295665361
Bakakeng Central	DiurnalTemp	pm10	0.289285714	weak	0.295665361
Bakakeng Central	DiurnalTemp	aqs	0.684227058	strong	0.004901112
Bakakeng Central	DiurnalTemp	albedo	0.814285714	strong	0.000219366
Bayan Park West (Bayan Park)	voc	humidity	0.010714286	weak	0.969769876
Bayan Park West (Bayan Park)	voc	pressure	0.3	moderate	0.27731678
Bayan Park West (Bayan Park)	voc	pm1	0.139285714	weak	0.620546088
Bayan Park West (Bayan Park)	voc	pm25	0.171428571	weak	0.541272176
Bayan Park West (Bayan Park)	voc	pm10	0.253571429	weak	0.361816104
Bayan Park West (Bayan Park)	voc	aqs	0.896319003	strong	6.11E-06
Bayan Park West (Bayan Park)	voc	albedo	0.289285714	weak	0.295665361

Bayan Park West (Bayan Park)	voc	DiurnalTe mp	0.41785714 3	moderate	0.1211 72536
Bayan Park West (Bayan Park)	humidity	voc	0.01071428 6	weak	0.9697 69876
Bayan Park West (Bayan Park)	humidity	pressure	-0.15	weak	0.5936 30203
Bayan Park West (Bayan Park)	humidity	pm1	0.32142857 1	moderate	0.2427 19047
Bayan Park West (Bayan Park)	humidity	pm25	0.31785714 3	moderate	0.2482 90566
Bayan Park West (Bayan Park)	humidity	pm10	0.23214285 7	weak	0.4050 98741
Bayan Park West (Bayan Park)	humidity	aqs	0.11987805 6	weak	0.6704 37721
Bayan Park West (Bayan Park)	humidity	albedo	0.57857142 9	strong	0.0238 46659
Bayan Park West (Bayan Park)	humidity	DiurnalTe mp	0.42857142 9	moderate	0.1109 60214
Bayan Park West (Bayan Park)	pressure	voc	0.3	moderate	0.2773 1678
Bayan Park West (Bayan Park)	pressure	humidity	-0.15	weak	0.5936 30203
Bayan Park West (Bayan Park)	pressure	pm1	0.49642857 1	moderate	0.0597 97414
Bayan Park West (Bayan Park)	pressure	pm25	-0.5	strong	0.0576 98841
Bayan Park West (Bayan Park)	pressure	pm10	0.53928571 4	strong	0.0380 21656
Bayan Park West (Bayan Park)	pressure	aqs	0.07192683 4	weak	0.7989 29133

Bayan Park West (Bayan Park)	pressure	albedo	0.14285714 3	weak	0.6115 22229
Bayan Park West (Bayan Park)	pressure	DiurnalTe mp	0.76071428 6	strong	0.0009 91129
Bayan Park West (Bayan Park)	pm1	voc	0.13928571 4	weak	0.6205 46088
Bayan Park West (Bayan Park)	pm1	humidity	0.32142857 1	moderate	0.2427 19047
Bayan Park West (Bayan Park)	pm1	pressure	0.49642857 1	moderate	0.0597 97414
Bayan Park West (Bayan Park)	pm1	pm25	0.99642857 1	strong	2.42E- 15
Bayan Park West (Bayan Park)	pm1	pm10	0.98214285 7	strong	8.16E- 11
Bayan Park West (Bayan Park)	pm1	aqs	0.05348405 6	weak	0.8498 52649
Bayan Park West (Bayan Park)	pm1	albedo	0.00714285 7	weak	0.9798 44228
Bayan Park West (Bayan Park)	pm1	DiurnalTe mp	0.67142857 1	strong	0.0061 27767
Bayan Park West (Bayan Park)	pm25	voc	0.17142857 1	weak	0.5412 72176
Bayan Park West (Bayan Park)	pm25	humidity	0.31785714 3	moderate	0.2482 90566
Bayan Park West (Bayan Park)	pm25	pressure	-0.5	strong	0.0576 98841
Bayan Park West (Bayan Park)	pm25	pm1	0.99642857 1	strong	2.42E- 15
Bayan Park West (Bayan Park)	pm25	pm10	0.98928571 4	strong	3.00E- 12

Bayan Park West (Bayan Park)	pm25	aqs	0.08668105 6	weak	0.7587 15477
Bayan Park West (Bayan Park)	pm25	albedo	0.00357142 9	weak	0.9899 21407
Bayan Park West (Bayan Park)	pm25	DiurnalTe mp	-0.675	strong	0.0057 63499
Bayan Park West (Bayan Park)	pm10	voc	0.25357142 9	weak	0.3618 16104
Bayan Park West (Bayan Park)	pm10	humidity	0.23214285 7	weak	0.4050 98741
Bayan Park West (Bayan Park)	pm10	pressure	0.53928571 4	strong	0.0380 21656
Bayan Park West (Bayan Park)	pm10	pm1	0.98214285 7	strong	8.16E- 11
Bayan Park West (Bayan Park)	pm10	pm25	0.98928571 4	strong	3.00E- 12
Bayan Park West (Bayan Park)	pm10	aqs	0.15307505 6	weak	0.5859 931
Bayan Park West (Bayan Park)	pm10	albedo	0.00714285 7	weak	0.9798 44228
Bayan Park West (Bayan Park)	pm10	DiurnalTe mp	0.67857142 9	strong	0.0054 1655
Bayan Park West (Bayan Park)	aqs	voc	0.89631900 3	strong	6.11E- 06
Bayan Park West (Bayan Park)	aqs	humidity	0.11987805 6	weak	0.6704 37721
Bayan Park West (Bayan Park)	aqs	pressure	0.07192683 4	weak	0.7989 29133
Bayan Park West (Bayan Park)	aqs	pm1	0.05348405 6	weak	0.8498 52649

Bayan Park West (Bayan Park)	aqs	pm25	0.08668105 6	weak	0.7587 15477
Bayan Park West (Bayan Park)	aqs	pm10	0.15307505 6	weak	0.5859 931
Bayan Park West (Bayan Park)	aqs	albedo	0.46660227 9	moderate	0.0795 44081
Bayan Park West (Bayan Park)	aqs	DiurnalTe mp	0.31721577 9	moderate	0.2492 99364
Bayan Park West (Bayan Park)	albedo	voc	0.28928571 4	weak	0.2956 65361
Bayan Park West (Bayan Park)	albedo	humidity	0.57857142 9	strong	0.0238 46659
Bayan Park West (Bayan Park)	albedo	pressure	0.14285714 3	weak	0.6115 22229
Bayan Park West (Bayan Park)	albedo	pm1	0.00714285 7	weak	0.9798 44228
Bayan Park West (Bayan Park)	albedo	pm25	0.00357142 9	weak	0.9899 21407
Bayan Park West (Bayan Park)	albedo	pm10	0.00714285 7	weak	0.9798 44228
Bayan Park West (Bayan Park)	albedo	aqs	0.46660227 9	moderate	0.0795 44081
Bayan Park West (Bayan Park)	albedo	DiurnalTe mp	0.25714285 7	weak	0.3548 60364
Bayan Park West (Bayan Park)	DiurnalTe mp	voc	0.41785714 3	moderate	0.1211 72536
Bayan Park West (Bayan Park)	DiurnalTe mp	humidity	0.42857142 9	moderate	0.1109 60214
Bayan Park West	DiurnalTe	pressure	0.76071428	strong	0.0009

(Bayan Park)	mp		6		91129
Bayan Park West (Bayan Park)	DiurnalTe mp	pm1	0.67142857 1	strong	0.0061 27767
Bayan Park West (Bayan Park)	DiurnalTe mp	pm25	-0.675	strong	0.0057 63499
Bayan Park West (Bayan Park)	DiurnalTe mp	pm10	0.67857142 9	strong	0.0054 1655
Bayan Park West (Bayan Park)	DiurnalTe mp	aqs	0.31721577 9	moderate	0.2492 99364
Bayan Park West (Bayan Park)	DiurnalTe mp	albedo	0.25714285 7	weak	0.3548 60364
Cabinet Hill-Teacher's Camp	voc	humidity	0.26785714 3	weak	0.3344 43601
Cabinet Hill-Teacher's Camp	voc	pressure	0.03571428 6	weak	0.8994 46993
Cabinet Hill-Teacher's Camp	voc	pm1	0.61428571 4	strong	0.0148 33955
Cabinet Hill-Teacher's Camp	voc	pm25	0.51785714 3	strong	0.0480 04077
Cabinet Hill-Teacher's Camp	voc	pm10	0.50714285 7	strong	0.0536 63664
Cabinet Hill-Teacher's Camp	voc	aqs	0.68975989 1	strong	0.0044 35242
Cabinet Hill-Teacher's Camp	voc	albedo	0.08571428 6	weak	0.7613 34126
Cabinet Hill-Teacher's Camp	voc	DiurnalTe mp	0.06428571 4	weak	0.8199 47965
Cabinet Hill-Teacher's Camp	humidity	voc	0.26785714 3	weak	0.3344 43601
Cabinet Hill-Teacher's	humidity	pressure	-	moderate	0.1013

Camp			0.43928571 4		60571
Cabinet Hill-Teacher's Camp	humidity	pm1	0.12142857 1	weak	0.6664 01114
Cabinet Hill-Teacher's Camp	humidity	pm25	0.025	weak	0.9295 28971
Cabinet Hill-Teacher's Camp	humidity	pm10	0.00357142 9	weak	0.9899 21407
Cabinet Hill-Teacher's Camp	humidity	aqs	0.04241838 9	weak	0.8806 86178
Cabinet Hill-Teacher's Camp	humidity	albedo	0.125	weak	0.6571 35668
Cabinet Hill-Teacher's Camp	humidity	DiurnalTe mp	0.72857142 9	strong	0.0020 6521
Cabinet Hill-Teacher's Camp	pressure	voc	0.03571428 6	weak	0.8994 46993
Cabinet Hill-Teacher's Camp	pressure	humidity	0.43928571 4	moderate	0.1013 60571
Cabinet Hill-Teacher's Camp	pressure	pm1	0.03214285 7	weak	0.9094 62117
Cabinet Hill-Teacher's Camp	pressure	pm25	0.04285714 3	weak	0.8794 60313
Cabinet Hill-Teacher's Camp	pressure	pm10	0.03214285 7	weak	0.9094 62117
Cabinet Hill-Teacher's Camp	pressure	aqs	0.07930394 5	weak	0.7787 572
Cabinet Hill-Teacher's Camp	pressure	albedo	0.30357142 9	moderate	0.2713 55836
Cabinet Hill-Teacher's	pressure	DiurnalTe	0.58571428	strong	0.0217

Camp		mp	6		76518
Cabinet Hill-Teacher's Camp	pm1	voc	0.61428571 4	strong	0.0148 33955
Cabinet Hill-Teacher's Camp	pm1	humidity	0.12142857 1	weak	0.6664 01114
Cabinet Hill-Teacher's Camp	pm1	pressure	0.03214285 7	weak	0.9094 62117
Cabinet Hill-Teacher's Camp	pm1	pm25	0.975	strong	7.14E- 10
Cabinet Hill-Teacher's Camp	pm1	pm10	0.96785714 3	strong	3.60E- 09
Cabinet Hill-Teacher's Camp	pm1	aqs	0.72664544 7	strong	0.0021 51259
Cabinet Hill-Teacher's Camp	pm1	albedo	0.03571428 6	weak	0.8994 46993
Cabinet Hill-Teacher's Camp	pm1	DiurnalTe mp	0.225	weak	0.4201 04687
Cabinet Hill-Teacher's Camp	pm25	voc	0.51785714 3	strong	0.0480 04077
Cabinet Hill-Teacher's Camp	pm25	humidity	0.025	weak	0.9295 28971
Cabinet Hill-Teacher's Camp	pm25	pressure	0.04285714 3	weak	0.8794 60313
Cabinet Hill-Teacher's Camp	pm25	pm1	0.975	strong	7.14E- 10
Cabinet Hill-Teacher's Camp	pm25	pm10	0.99642857 1	strong	2.42E- 15
Cabinet Hill-Teacher's Camp	pm25	aqs	0.67684994 7	strong	0.0055 81661
Cabinet Hill-Teacher's Camp	pm25	albedo	0.07142857 1	weak	0.8002 95987

Cabinet Hill-Teacher's Camp	pm25	DiurnalTemp	0.303571429	moderate	0.271355836
Cabinet Hill-Teacher's Camp	pm10	voc	0.507142857	strong	0.053663664
Cabinet Hill-Teacher's Camp	pm10	humidity	0.003571429	weak	0.989921407
Cabinet Hill-Teacher's Camp	pm10	pressure	0.032142857	weak	0.909462117
Cabinet Hill-Teacher's Camp	pm10	pm1	0.967857143	strong	3.60E-09
Cabinet Hill-Teacher's Camp	pm10	pm25	0.996428571	strong	2.42E-15
Cabinet Hill-Teacher's Camp	pm10	aqs	0.689759891	strong	0.004435242
Cabinet Hill-Teacher's Camp	pm10	albedo	-0.05	weak	0.859540943
Cabinet Hill-Teacher's Camp	pm10	DiurnalTemp	0.282142857	weak	0.308284457
Cabinet Hill-Teacher's Camp	aqs	voc	0.689759891	strong	0.004435242
Cabinet Hill-Teacher's Camp	aqs	humidity	0.042418389	weak	0.880686178
Cabinet Hill-Teacher's Camp	aqs	pressure	0.079303945	weak	0.7787572
Cabinet Hill-Teacher's Camp	aqs	pm1	0.726645447	strong	0.002151259
Cabinet Hill-Teacher's Camp	aqs	pm25	0.676849947	strong	0.005581661
Cabinet Hill-Teacher's	aqs	pm10	0.68975989	strong	0.0044

Camp				1		35242
Cabinet Hill-Teacher's Camp	aqs	albedo	0.189960612	- weak	0.497705863	
Cabinet Hill-Teacher's Camp	aqs	DiurnalTemp	0.173362112	- weak	0.536649917	
Cabinet Hill-Teacher's Camp	albedo	voc	0.085714286	- weak	0.761334126	
Cabinet Hill-Teacher's Camp	albedo	humidity	0.125	- weak	0.657135668	
Cabinet Hill-Teacher's Camp	albedo	pressure	0.303571429	- moderate	0.271355836	
Cabinet Hill-Teacher's Camp	albedo	pm1	0.035714286	- weak	0.899446993	
Cabinet Hill-Teacher's Camp	albedo	pm25	0.071428571	- weak	0.800295987	
Cabinet Hill-Teacher's Camp	albedo	pm10	-0.05	- weak	0.859540943	
Cabinet Hill-Teacher's Camp	albedo	aqs	0.189960612	- weak	0.497705863	
Cabinet Hill-Teacher's Camp	albedo	DiurnalTemp	0.396428571	- moderate	0.143494531	
Cabinet Hill-Teacher's Camp	DiurnalTemp	voc	0.064285714	- weak	0.819947965	
Cabinet Hill-Teacher's Camp	DiurnalTemp	humidity	0.728571429	- strong	0.00206521	
Cabinet Hill-Teacher's Camp	DiurnalTemp	pressure	0.585714286	- strong	0.021776518	

Cabinet Hill-Teacher's Camp	DiurnalTemp	pm1	0.225	weak	0.4201 04687
Cabinet Hill-Teacher's Camp	DiurnalTemp	pm25	0.30357142 9	moderate	0.2713 55836
Cabinet Hill-Teacher's Camp	DiurnalTemp	pm10	0.28214285 7	weak	0.3082 84457
Cabinet Hill-Teacher's Camp	DiurnalTemp	aqs	0.17336211 2	weak	0.5366 49917
Cabinet Hill-Teacher's Camp	DiurnalTemp	albedo	0.39642857 1	moderate	0.1434 94531
Camdas Subdivision	voc	humidity	0.10769230 8	weak	0.7140 30809
Camdas Subdivision	voc	pressure	0.10329670 3	weak	0.7252 82211
Camdas Subdivision	voc	pm1	0.64395604 4	strong	0.0129 42153
Camdas Subdivision	voc	pm25	0.59560439 6	strong	0.0246 12611
Camdas Subdivision	voc	pm10	0.57802197 8	strong	0.0303 83014
Camdas Subdivision	voc	aqs	0.13261775 9	weak	0.6513 03444
Camdas Subdivision	voc	albedo	0.43296703 3	moderate	0.1220 10006
Camdas Subdivision	voc	DiurnalTemp	0.15164835 2	weak	0.6047 90598
Camdas Subdivision	humidity	voc	0.10769230 8	weak	0.7140 30809
Camdas Subdivision	humidity	pressure	-	weak	0.7593

				0.09010989		38838
Camdas Subdivision	humidity	pm1	3	0.32307692	moderate	0.2598 7362
Camdas Subdivision	humidity	pm25	1	0.23076923	weak	0.4273 35862
Camdas Subdivision	humidity	pm10	6	0.19560439	weak	0.5027 50091
Camdas Subdivision	humidity	aqs	3	0.33941155	moderate	0.2351 43388
Camdas Subdivision	humidity	albedo	3	0.21318681	weak	0.4643 0282
Camdas Subdivision	humidity	DiurnalTemp	1	0.70109890	strong	0.0052 11862
Camdas Subdivision	pressure	voc	3	0.10329670	weak	0.7252 82211
Camdas Subdivision	pressure	humidity	-	0.09010989	weak	0.7593 38838
Camdas Subdivision	pressure	pm1	2	0.33186813	moderate	0.2463 77183
Camdas Subdivision	pressure	pm25	4	0.35384615	moderate	0.2145 39871
Camdas Subdivision	pressure	pm10	3	0.36263736	moderate	0.2025 64544
Camdas Subdivision	pressure	aqs	9	0.54170982	strong	0.0454 08444
Camdas Subdivision	pressure	albedo	6	0.08571428	weak	0.7707 85031
Camdas Subdivision	pressure	DiurnalTemp	2	0.40219780	moderate	0.1539 7443
Camdas Subdivision	pm1	voc	4	0.64395604	strong	0.0129 42153

Camdas Subdivision	pm1	humidity	0.32307692 3	moderate	0.2598 7362
Camdas Subdivision	pm1	pressure	0.33186813 2	moderate	0.2463 77183
Camdas Subdivision	pm1	pm25	0.98241758 2	strong	4.11E- 10
Camdas Subdivision	pm1	pm10	0.97802197 8	strong	1.55E- 09
Camdas Subdivision	pm1	aqs	0.23151913 9	weak	0.4257 93202
Camdas Subdivision	pm1	albedo	0.20439560 4	weak	0.4833 46223
Camdas Subdivision	pm1	DiurnalTe mp	0.05934065 9	weak	0.8403 01763
Camdas Subdivision	pm25	voc	0.59560439 6	strong	0.0246 12611
Camdas Subdivision	pm25	humidity	0.23076923 1	weak	0.4273 35862
Camdas Subdivision	pm25	pressure	0.35384615 4	moderate	0.2145 39871
Camdas Subdivision	pm25	pm1	0.98241758 2	strong	4.11E- 10
Camdas Subdivision	pm25	pm10	0.99560439 6	strong	1.03E- 13
Camdas Subdivision	pm25	aqs	0.32592500 1	moderate	0.2554 5354
Camdas Subdivision	pm25	albedo	0.18681318 7	weak	0.5225 04012
Camdas Subdivision	pm25	DiurnalTe mp	0.01538461 5	weak	0.9583 69789
Camdas Subdivision	pm10	voc	0.57802197 8	strong	0.0303 83014

Camdas Subdivision	pm10	humidity	0.19560439 6	weak	0.5027 50091
Camdas Subdivision	pm10	pressure	0.36263736 3	moderate	0.2025 64544
Camdas Subdivision	pm10	pm1	0.97802197 8	strong	1.55E- 09
Camdas Subdivision	pm10	pm25	0.99560439 6	strong	1.03E- 13
Camdas Subdivision	pm10	aqs	0.37088017 3	moderate	0.1917 28336
Camdas Subdivision	pm10	albedo	0.17802197 8	weak	0.5425 96953
Camdas Subdivision	pm10	DiurnalTe mp	0.04175824 2	weak	0.8872 86973
Camdas Subdivision	aqs	voc	0.13261775 9	weak	0.6513 03444
Camdas Subdivision	aqs	humidity	0.33941155 3	moderate	0.2351 43388
Camdas Subdivision	aqs	pressure	0.54170982 9	strong	0.0454 08444
Camdas Subdivision	aqs	pm1	0.23151913 9	weak	0.4257 93202
Camdas Subdivision	aqs	pm25	0.32592500 1	moderate	0.2554 5354
Camdas Subdivision	aqs	pm10	0.37088017 3	moderate	0.1917 28336
Camdas Subdivision	aqs	albedo	0.17757293 2	weak	0.5436 3217
Camdas Subdivision	aqs	DiurnalTe mp	0.67207982 9	strong	0.0084 66904
Camdas Subdivision	albedo	voc	-	moderate	0.1220

				0.43296703		10006
				3		
Camdas Subdivision	albedo	humidity	0.21318681	3	weak	0.46430282
Camdas Subdivision	albedo	pressure	0.08571428	6	weak	0.770785031
Camdas Subdivision	albedo	pm1	0.20439560	4	weak	0.483346223
Camdas Subdivision	albedo	pm25	0.18681318	7	weak	0.522504012
Camdas Subdivision	albedo	pm10	0.17802197	8	weak	0.542596953
Camdas Subdivision	albedo	aqs	0.17757293	2	weak	0.54363217
Camdas Subdivision	albedo	DiurnalTemp	0.37142857	1	moderate	0.191020812
Camdas Subdivision	DiurnalTemp	voc	0.15164835	2	weak	0.604790598
Camdas Subdivision	DiurnalTemp	humidity	0.70109890	1	strong	0.005211862
Camdas Subdivision	DiurnalTemp	pressure	0.40219780	2	moderate	0.15397443
Camdas Subdivision	DiurnalTemp	pm1	0.05934065	9	weak	0.840301763
Camdas Subdivision	DiurnalTemp	pm25	0.01538461	5	weak	0.958369789
Camdas Subdivision	DiurnalTemp	pm10	0.04175824		weak	0.8872

	mp		2		86973
Camdas Subdivision	DiurnalTemp	aqs	0.672079829	strong	0.008466904
Camdas Subdivision	DiurnalTemp	albedo	0.371428571	moderate	0.191020812
Camp 7	voc	humidity	0.450980392	moderate	0.069231986
Camp 7	voc	pressure	0.181372549	weak	0.486009776
Camp 7	voc	pm1	0.147058824	weak	0.573277291
Camp 7	voc	pm25	0.115196078	weak	0.659750043
Camp 7	voc	pm10	0.115196078	weak	0.659750043
Camp 7	voc	aqs	0.038095123	weak	0.884586207
Camp 7	voc	albedo	0.026960784	weak	0.918190901
Camp 7	voc	DiurnalTemp	0.166666667	weak	0.522603154
Camp 7	humidity	voc	0.450980392	moderate	0.069231986
Camp 7	humidity	pressure	0.232843137	weak	0.368459655
Camp 7	humidity	pm1	0.245098039	weak	0.343046653
Camp 7	humidity	pm25	0.242647059	weak	0.348047032
Camp 7	humidity	pm10	0.24264705	weak	0.3480

				9		47032
Camp 7	humidity	aqs	0.17015821 6	weak	0.5138 01872	
Camp 7	humidity	albedo	0.15441176 5	weak	0.5540 31999	
Camp 7	humidity	DiurnalTemp	0.71078431 4	strong	0.0013 82391	
Camp 7	pressure	voc	0.18137254 9	weak	0.4860 09776	
Camp 7	pressure	humidity	0.23284313 7	weak	0.3684 59655	
Camp 7	pressure	pm1	0.46813725 5	moderate	0.0580 71925	
Camp 7	pressure	pm25	0.47549019 6	moderate	0.0537 22731	
Camp 7	pressure	pm10	0.47549019 6	moderate	0.0537 22731	
Camp 7	pressure	aqs	0.35047513 1	moderate	0.1678 34866	
Camp 7	pressure	albedo	0.03186274 5	weak	0.9033 76845	
Camp 7	pressure	DiurnalTemp	0.11029411 8	weak	0.6734 58998	
Camp 7	pm1	voc	0.14705882 4	weak	0.5732 77291	
Camp 7	pm1	humidity	0.24509803 9	weak	0.3430 46653	
Camp 7	pm1	pressure	0.46813725 -	moderate	0.0580 71925	

				5		
Camp 7	pm1	pm25	0.99754902	strong	9.58E-19	
Camp 7	pm1	pm10	0.99754902	strong	9.58E-19	
Camp 7	pm1	aqs	0.53587139 6	strong	0.0266 11345	
Camp 7	pm1	albedo	0.46813725 5	moderate	0.0580 71925	
Camp 7	pm1	DiurnalTemp	0.16666666 7	weak	0.5226 03154	
Camp 7	pm25	voc	0.11519607 8	weak	0.6597 50043	
Camp 7	pm25	humidity	0.24264705 9	weak	0.3480 47032	
Camp 7	pm25	pressure	0.47549019 6	moderate	0.0537 22731	
Camp 7	pm25	pm1	0.99754902	strong	9.58E-19	
Camp 7	pm25	pm10	-1	strong	0	
Camp 7	pm25	aqs	0.53587139 6	strong	0.0266 11345	
Camp 7	pm25	albedo	0.44852941 2	moderate	0.0709 4644	
Camp 7	pm25	DiurnalTemp	0.16176470 6	weak	0.5350 75506	
Camp 7	pm10	voc	0.11519607 8	weak	0.6597 50043	

Camp 7	pm10	humidity	0.24264705 9	weak	0.3480 47032
Camp 7	pm10	pressure	0.47549019 6	moderate	0.0537 22731
Camp 7	pm10	pm1	0.99754902	strong	9.58E- 19
Camp 7	pm10	pm25	- 1	strong	0
Camp 7	pm10	aqs	0.53587139 6	strong	0.0266 11345
Camp 7	pm10	albedo	0.44852941 2	moderate	0.0709 4644
Camp 7	pm10	DiurnalTemp	0.16176470 6	weak	0.5350 75506
Camp 7	aqs	voc	0.03809512 3	weak	0.8845 86207
Camp 7	aqs	humidity	0.17015821 6	weak	0.5138 01872
Camp 7	aqs	pressure	0.35047513 1	moderate	0.1678 34866
Camp 7	aqs	pm1	0.53587139 6	strong	0.0266 11345
Camp 7	aqs	pm25	0.53587139 6	strong	0.0266 11345
Camp 7	aqs	pm10	0.53587139 6	strong	0.0266 11345
Camp 7	aqs	albedo	0.30730065 8	moderate	0.2302 06329

Camp 7	aqs	DiurnalTemp	0.44444310 1	-	moderate	0.0738 73761
Camp 7	albedo	voc	0.02696078 4	weak	0.9181 90901	
Camp 7	albedo	humidity	0.15441176 5	weak	0.5540 31999	
Camp 7	albedo	pressure	0.03186274 5	weak	0.9033 76845	
Camp 7	albedo	pm1	0.46813725 5	moderate	0.0580 71925	
Camp 7	albedo	pm25	0.44852941 2	moderate	0.0709 4644	
Camp 7	albedo	pm10	0.44852941 2	moderate	0.0709 4644	
Camp 7	albedo	aqs	0.30730065 8	moderate	0.2302 06329	
Camp 7	albedo	DiurnalTemp	0.05882352 9	weak	0.8225 58868	
Camp 7	DiurnalTemp	voc	0.16666666 7	weak	0.5226 03154	
Camp 7	DiurnalTemp	humidity	0.71078431 4	strong	0.0013 82391	
Camp 7	DiurnalTemp	pressure	0.11029411 8	weak	0.6734 58998	
Camp 7	DiurnalTemp	pm1	0.16666666 7	weak	0.5226 03154	
Camp 7	DiurnalTemp	pm25	0.16176470 6	weak	0.5350 75506	

Camp 7	DiurnalTemp	pm10	0.16176470 6	weak	0.5350 75506
Camp 7	DiurnalTemp	aqs	0.44444310 1	moderate	0.0738 73761
Camp 7	DiurnalTemp	albedo	0.05882352 9	weak	0.8225 58868
Camp 8	voc	humidity	0.20879120 9	weak	0.4737 78837
Camp 8	voc	pressure	0.29670329 7	weak	0.3029 66724
Camp 8	voc	pm1	0.42857142 9	moderate	0.1262 73888
Camp 8	voc	pm25	0.43736263 7	moderate	0.1178 44832
Camp 8	voc	pm10	0.34505494 5	moderate	0.2269 4868
Camp 8	voc	aqs	0.24500569	weak	0.3985 36928
Camp 8	voc	albedo	0.40219780 2	moderate	0.1539 7443
Camp 8	voc	DiurnalTemp	0.08571428 6	weak	0.7707 85031
Camp 8	humidity	voc	0.20879120 9	weak	0.4737 78837
Camp 8	humidity	pressure	0.14285714 3	weak	0.6261 17476
Camp 8	humidity	pm1	0.06813186 8	weak	0.8169 8388

Camp 8	humidity	pm25	0.02857142 9	- weak	0.9227 61377
Camp 8	humidity	pm10	0.00219780 2	- weak	0.9940 50529
Camp 8	humidity	aqs	0.22702362 1	- weak	0.4350 83231
Camp 8	humidity	albedo	0.35384615 4	moderate	0.2145 39871
Camp 8	humidity	DiurnalTemp	0.57802197 8	- strong	0.0303 83014
Camp 8	pressure	voc	0.29670329 7	- weak	0.3029 66724
Camp 8	pressure	humidity	0.14285714 3	- weak	0.6261 17476
Camp 8	pressure	pm1	0.18241758 2	- weak	0.5325 08819
Camp 8	pressure	pm25	0.16043956	- weak	0.5837 52753
Camp 8	pressure	pm10	0.15604395 6	- weak	0.5942 34701
Camp 8	pressure	aqs	0.21803258 7	- weak	0.4539 63654
Camp 8	pressure	albedo	0.27472527 5	- weak	0.3418 29744
Camp 8	pressure	DiurnalTemp	0.32747252 7	moderate	0.2530 71001
Camp 8	pm1	voc	0.42857142	- moderate	0.1262 73888

				9		
Camp 8	pm1	humidity	0.06813186	-	weak	0.8169
			8			8388
Camp 8	pm1	pressure	0.18241758	-	weak	0.5325
			2			08819
Camp 8	pm1	pm25	0.99120879	1	strong	6.54E-
						12
Camp 8	pm1	pm10	0.97362637	4	strong	4.59E-
						09
Camp 8	pm1	aqs	0.27197879	-	weak	0.3468
			4			72083
Camp 8	pm1	albedo	0.16923076	9	weak	0.5630
						17274
Camp 8	pm1	DiurnalTemp	0.41538461	5	moderate	0.1396
						65948
Camp 8	pm25	voc	0.43736263	-	moderate	0.1178
			7			44832
Camp 8	pm25	humidity	0.02857142	-	weak	0.9227
			9			61377
Camp 8	pm25	pressure	0.16043956	-	weak	0.5837
						52753
Camp 8	pm25	pm1	0.99120879	1	strong	6.54E-
						12
Camp 8	pm25	pm10	0.98241758	2	strong	4.11E-
						10
Camp 8	pm25	aqs	0.33042051	-	moderate	0.2485
			8			69654
Camp 8	pm25	albedo	0.14725274	-	weak	0.6154
			7			18762

Camp 8	pm25	DiurnalTemp	0.397802198	moderate	0.158950775
Camp 8	pm10	voc	0.345054945	moderate	0.22694868
Camp 8	pm10	humidity	0.002197802	weak	0.994050529
Camp 8	pm10	pressure	0.156043956	weak	0.594234701
Camp 8	pm10	pm1	0.973626374	strong	4.59E-09
Camp 8	pm10	pm25	0.982417582	strong	4.11E-10
Camp 8	pm10	aqs	0.348402587	moderate	0.222172278
Camp 8	pm10	albedo	0.248351648	weak	0.391919539
Camp 8	pm10	DiurnalTemp	0.393406593	moderate	0.164031573
Camp 8	aqs	voc	0.24500569	weak	0.398536928
Camp 8	aqs	humidity	0.227023621	weak	0.435083231
Camp 8	aqs	pressure	0.218032587	weak	0.453963654
Camp 8	aqs	pm1	0.271978794	weak	0.346872083
Camp 8	aqs	pm25	0.330420518	moderate	0.248569654

Camp 8	aqs	pm10	0.34840258 7	moderate	0.2221 72278
Camp 8	aqs	albedo	0.22702362 1	weak	0.4350 83231
Camp 8	aqs	DiurnalTe mp	0.65859327 8	strong	0.0104 31448
Camp 8	albedo	voc	0.40219780 2	moderate	0.1539 7443
Camp 8	albedo	humidity	0.35384615 4	moderate	0.2145 39871
Camp 8	albedo	pressure	0.27472527 5	weak	0.3418 29744
Camp 8	albedo	pm1	0.16923076 9	weak	0.5630 17274
Camp 8	albedo	pm25	0.14725274 7	weak	0.6154 18762
Camp 8	albedo	pm10	0.24835164 8	weak	0.3919 19539
Camp 8	albedo	aqs	0.22702362 1	weak	0.4350 83231
Camp 8	albedo	DiurnalTe mp	0.23516483 5	weak	0.4183 33896
Camp 8	DiurnalTe mp	voc	0.08571428 6	weak	0.7707 85031
Camp 8	DiurnalTe mp	humidity	0.57802197 8	strong	0.0303 83014
Camp 8	DiurnalTe mp	pressure	0.32747252 7	moderate	0.2530 71001
Camp 8	DiurnalTe mp	pm1	0.41538461	moderate	0.1396

	mp		5		65948
Camp 8	DiurnalTemp	pm25	0.397802198	moderate	0.158950775
Camp 8	DiurnalTemp	pm10	0.393406593	moderate	0.164031573
Camp 8	DiurnalTemp	aqs	0.658593278	strong	0.010431448
Camp 8	DiurnalTemp	albedo	0.235164835	weak	0.418333896
Camp Allen	voc	humidity	0.204395604	weak	0.483346223
Camp Allen	voc	pressure	0.279120879	weak	0.333845077
Camp Allen	voc	pm1	0.265934066	weak	0.3581134
Camp Allen	voc	pm25	0.265934066	weak	0.3581134
Camp Allen	voc	pm10	0.265934066	weak	0.3581134
Camp Allen	voc	aqs	0.060689483	weak	0.836715742
Camp Allen	voc	albedo	0.564835165	strong	0.035330185
Camp Allen	voc	DiurnalTemp	0.428571429	moderate	0.126273888
Camp Allen	humidity	voc	0.204395604	weak	0.483346223

Camp Allen	humidity	pressure	0.26593406 6	weak	0.3581 134
Camp Allen	humidity	pm1	0.25714285 7	weak	0.3748 11904
Camp Allen	humidity	pm25	0.25714285 7	weak	0.3748 11904
Camp Allen	humidity	pm10	0.25714285 7	weak	0.3748 11904
Camp Allen	humidity	aqs	- 0.21353707	weak	0.4635 51706
Camp Allen	humidity	albedo	0.31868131 9	moderate	0.2667 84961
Camp Allen	humidity	DiurnalTemp	- 0.31868131 9	moderate	0.2667 84961
Camp Allen	pressure	voc	0.27912087 9	weak	0.3338 45077
Camp Allen	pressure	humidity	0.26593406 6	weak	0.3581 134
Camp Allen	pressure	pm1	0.23076923 1	weak	0.4273 35862
Camp Allen	pressure	pm25	0.23076923 1	weak	0.4273 35862
Camp Allen	pressure	pm10	0.23076923 1	weak	0.4273 35862
Camp Allen	pressure	aqs	0.22702362 1	weak	0.4350 83231
Camp Allen	pressure	albedo	0.09010989	weak	0.7593 38838
Camp Allen	pressure	DiurnalTemp	0.47252747 3	moderate	0.0879 67425
Camp Allen	pm1	voc	- 0.26593406 6	weak	0.3581 134

Camp Allen	pm1	humidity	0.25714285 7	weak	0.3748 11904
Camp Allen	pm1	pressure	0.23076923 1	weak	0.4273 35862
Camp Allen	pm1	pm25	1	strong	0
Camp Allen	pm1	pm10	1	strong	0
Camp Allen	pm1	aqs	0.42033086 3	moderate	0.1345 36368
Camp Allen	pm1	albedo	0.62637362 6	strong	0.0165 41935
Camp Allen	pm1	DiurnalTe mp	0.08131868 1	weak	0.7822 74751
Camp Allen	pm25	voc	0.26593406 6	weak	0.3581 134
Camp Allen	pm25	humidity	0.25714285 7	weak	0.3748 11904
Camp Allen	pm25	pressure	0.23076923 1	weak	0.4273 35862
Camp Allen	pm25	pm1	1	strong	0
Camp Allen	pm25	pm10	1	strong	0
Camp Allen	pm25	aqs	0.42033086 3	moderate	0.1345 36368
Camp Allen	pm25	albedo	0.62637362 6	strong	0.0165 41935
Camp Allen	pm25	DiurnalTe mp	0.08131868 1	weak	0.7822 74751
Camp Allen	pm10	voc	0.26593406 6	weak	0.3581 134
Camp Allen	pm10	humidity	0.25714285 7	weak	0.3748 11904
Camp Allen	pm10	pressure	0.23076923 1	weak	0.4273 35862

Camp Allen	pm10	pm1	1	strong	0
Camp Allen	pm10	pm25	1	strong	0
Camp Allen	pm10	aqs	0.42033086 3	moderate	0.1345 36368
Camp Allen	pm10	albedo	0.62637362 6	strong	0.0165 41935
Camp Allen	pm10	DiurnalTe mp	0.08131868 1	weak	0.7822 74751
Camp Allen	aqs	voc	0.06068948 3	weak	0.8367 15742
Camp Allen	aqs	humidity	- 0.21353707	weak	0.4635 51706
Camp Allen	aqs	pressure	0.22702362 1	weak	0.4350 83231
Camp Allen	aqs	pm1	0.42033086 3	moderate	0.1345 36368
Camp Allen	aqs	pm25	0.42033086 3	moderate	0.1345 36368
Camp Allen	aqs	pm10	0.42033086 3	moderate	0.1345 36368
Camp Allen	aqs	albedo	0.39335776	moderate	0.1640 88608
Camp Allen	aqs	DiurnalTe mp	0.52822327 7	strong	0.0521 75683
Camp Allen	albedo	voc	- 0.56483516 5	strong	0.0353 30185
Camp Allen	albedo	humidity	0.31868131 9	moderate	0.2667 84961
Camp Allen	albedo	pressure	0.09010989	weak	0.7593 38838
Camp Allen	albedo	pm1	0.62637362 6	strong	0.0165 41935

Camp Allen	albedo	pm25	0.62637362 6	strong	0.0165 41935
Camp Allen	albedo	pm10	0.62637362 6	strong	0.0165 41935
Camp Allen	albedo	aqs	0.39335776	moderate	0.1640 88608
Camp Allen	albedo	DiurnalTe mp	0.12527472 5	weak	0.6695 82397
Camp Allen	DiurnalTe mp	voc	0.42857142 9	moderate	0.1262 73888
Camp Allen	DiurnalTe mp	humidity	0.31868131 9	moderate	0.2667 84961
Camp Allen	DiurnalTe mp	pressure	0.47252747 3	moderate	0.0879 67425
Camp Allen	DiurnalTe mp	pm1	0.08131868 1	weak	0.7822 74751
Camp Allen	DiurnalTe mp	pm25	0.08131868 1	weak	0.7822 74751
Camp Allen	DiurnalTe mp	pm10	0.08131868 1	weak	0.7822 74751
Camp Allen	DiurnalTe mp	aqs	0.52822327 7	strong	0.0521 75683
Camp Allen	DiurnalTe mp	albedo	0.12527472 5	weak	0.6695 82397
Campo Filipino	voc	humidity	0.45934065 9	moderate	0.0984 68376
Campo Filipino	voc	pressure	0.02857142 9	weak	0.9227 61377
Campo Filipino	voc	pm1	0.40659340 7	moderate	0.1491 01939
Campo Filipino	voc	pm25	0.45054945 1	moderate	0.1059 32785

Campo Filipino	voc	pm10	0.45054945 1	moderate	0.1059 32785
Campo Filipino	voc	aqs	0.28096982 8	weak	0.3305 17941
Campo Filipino	voc	albedo	0.18241758 2	weak	0.5325 08819
Campo Filipino	voc	DiurnalTe mp	0.08571428 6	weak	0.7707 85031
Campo Filipino	humidity	voc	0.45934065 9	moderate	0.0984 68376
Campo Filipino	humidity	pressure	0.09010989	weak	0.7593 38838
Campo Filipino	humidity	pm1	0.00219780 2	weak	0.9940 50529
Campo Filipino	humidity	pm25	0.01098901 1	weak	0.9702 5839
Campo Filipino	humidity	pm10	0.01098901 1	weak	0.9702 5839
Campo Filipino	humidity	aqs	0.43831293 2	moderate	0.1169 57248
Campo Filipino	humidity	albedo	0.10769230 8	weak	0.7140 30809
Campo Filipino	humidity	DiurnalTe mp	0.42417582 4	moderate	0.1306 3731
Campo Filipino	pressure	voc	0.02857142 9	weak	0.9227 61377
Campo Filipino	pressure	humidity	0.09010989	weak	0.7593 38838
Campo Filipino	pressure	pm1	0.05934065	weak	0.8403

				9		01763
Campo Filipino	pressure	pm25	0.01098901 1	weak	0.9702 5839	
Campo Filipino	pressure	pm10	0.01098901 1	weak	0.9702 5839	
Campo Filipino	pressure	aqs	0.45179948 4	moderate	0.1048 48397	
Campo Filipino	pressure	albedo	0.16923076 9	weak	0.5630 17274	
Campo Filipino	pressure	DiurnalTe mp	0.17362637 4	weak	0.5527 66941	
Campo Filipino	pm1	voc	0.40659340 7	moderate	0.1491 01939	
Campo Filipino	pm1	humidity	0.00219780 2	weak	0.9940 50529	
Campo Filipino	pm1	pressure	0.05934065 9	weak	0.8403 01763	
Campo Filipino	pm1	pm25	0.99560439 6	strong	1.03E- 13	
Campo Filipino	pm1	pm10	0.99560439 6	strong	1.03E- 13	
Campo Filipino	pm1	aqs	0.35289810 4	moderate	0.2158 57164	
Campo Filipino	pm1	albedo	0.63516483 5	strong	0.0146 57881	
Campo Filipino	pm1	DiurnalTe mp	0.61318681 3	strong	0.0197 06332	
Campo Filipino	pm25	voc	0.45054945 1	moderate	0.1059 32785	
Campo Filipino	pm25	humidity	0.01098901 1	weak	0.9702 5839	

Campo Filipino	pm25	pressure	0.01098901 1	weak	0.9702 5839
Campo Filipino	pm25	pm1	0.99560439 6	strong	1.03E- 13
Campo Filipino	pm25	pm10	- 1	strong	0
Campo Filipino	pm25	aqs	0.36638465 6	moderate	0.1975 91331
Campo Filipino	pm25	albedo	0.60879120 9	strong	0.0208 56616
Campo Filipino	pm25	DiurnalTe mp	0.56923076 9	strong	0.0336 19417
Campo Filipino	pm10	voc	0.45054945 1	moderate	0.1059 32785
Campo Filipino	pm10	humidity	0.01098901 1	weak	0.9702 5839
Campo Filipino	pm10	pressure	0.01098901 1	weak	0.9702 5839
Campo Filipino	pm10	pm1	0.99560439 6	strong	1.03E- 13
Campo Filipino	pm10	pm25	- 1	strong	0
Campo Filipino	pm10	aqs	0.36638465 6	moderate	0.1975 91331
Campo Filipino	pm10	albedo	0.60879120 9	strong	0.0208 56616
Campo Filipino	pm10	DiurnalTe mp	0.56923076 9	strong	0.0336 19417
Campo Filipino	aqs	voc	- 0.28096982 8	weak	0.3305 17941
Campo Filipino	aqs	humidity	0.43831293 2	moderate	0.1169 57248

Campo Filipino	aqs	pressure	0.45179948 4	moderate	0.1048 48397
Campo Filipino	aqs	pm1	0.35289810 4	moderate	0.2158 57164
Campo Filipino	aqs	pm25	0.36638465 6	moderate	0.1975 91331
Campo Filipino	aqs	pm10	0.36638465 6	moderate	0.1975 91331
Campo Filipino	aqs	albedo	0.11014017 3	weak	0.7077 882
Campo Filipino	aqs	DiurnalTe mp	0.41583534 6	moderate	0.1391 93186
Campo Filipino	albedo	voc	0.18241758 2	weak	0.5325 08819
Campo Filipino	albedo	humidity	0.10769230 8	weak	0.7140 30809
Campo Filipino	albedo	pressure	0.16923076 9	weak	0.5630 17274
Campo Filipino	albedo	pm1	0.63516483 5	strong	0.0146 57881
Campo Filipino	albedo	pm25	0.60879120 9	strong	0.0208 56616
Campo Filipino	albedo	pm10	0.60879120 9	strong	0.0208 56616
Campo Filipino	albedo	aqs	0.11014017 3	weak	0.7077 882
Campo Filipino	albedo	DiurnalTe mp	0.40659340 7	moderate	0.1491 01939
Campo Filipino	DiurnalTe mp	voc	0.08571428 6	weak	0.7707 85031
Campo Filipino	DiurnalTe	humidity	-	moderate	0.1306

	mp		0.42417582		3731
			4		
Campo Filipino	DiurnalTemp	pressure	0.17362637	weak	0.5527
			4		66941
Campo Filipino	DiurnalTemp	pm1	0.61318681	strong	0.0197
			3		06332
Campo Filipino	DiurnalTemp	pm25	0.56923076	strong	0.0336
			9		19417
Campo Filipino	DiurnalTemp	pm10	0.56923076	strong	0.0336
			9		19417
Campo Filipino	DiurnalTemp	aqs	0.41583534	moderate	0.1391
			6		93186
Campo Filipino	DiurnalTemp	albedo	0.40659340	moderate	0.1491
			7		01939
Country Club Village	voc	humidity	0.24664602	weak	0.3238
			7		08813
Country Club Village	voc	pressure	0.11455108	weak	0.6508
			4		34224
Country Club Village	voc	pm1	0.23219814	weak	0.3538
			2		38325
Country Club Village	voc	pm25	0.16615067	weak	0.5099
			1		5046
Country Club Village	voc	pm10	0.12074303	weak	0.6331
			4		87382
Country Club Village	voc	aqs	0.28811907	weak	0.2462
			6		83485
Country Club Village	voc	albedo	-	weak	0.4232
			0.20123839		87669
Country Club Village	voc	DiurnalTemp	0.33126935	moderate	0.1793
					22144
Country Club Village	humidity	voc	-	weak	0.3238
			0.24664602		08813

				7		
Country Club Village	humidity	pressure	0.19711042 3	-	weak	0.4330 5767
Country Club Village	humidity	pm1	0.15995872	-	weak	0.5260 61363
Country Club Village	humidity	pm25	0.13106295 1	-	weak	0.6041 94128
Country Club Village	humidity	pm10	0.16615067 1	-	weak	0.5099 5046
Country Club Village	humidity	aqs	0.34127757 7	moderate		0.1657 45808
Country Club Village	humidity	albedo	0.07533539 7	-	weak	0.7663 92281
Country Club Village	humidity	DiurnalTemp	0.69453044 4	-	strong	0.0013 81771
Country Club Village	pressure	voc	0.11455108 4	-	weak	0.6508 34224
Country Club Village	pressure	humidity	0.19711042 3	-	weak	0.4330 5767
Country Club Village	pressure	pm1	0.27760577 9	-	weak	0.2647 09728
Country Club Village	pressure	pm25	0.30237358 1	moderate		0.2226 29355
Country Club Village	pressure	pm10	0.32094943 2	moderate		0.1940 82235
Country Club Village	pressure	aqs	0.45184726	-	moderate	0.0597 73618
Country Club Village	pressure	albedo	0.08565531	-	weak	0.7354 10412

				5		
Country Club Village	pressure	DiurnalTemp	0.481940144	moderate	0.042835831	
Country Club Village	pm1	voc	0.232198142	weak	0.353838325	
Country Club Village	pm1	humidity	0.15995872	weak	0.526061363	
Country Club Village	pm1	pressure	0.277605779	weak	0.264709728	
Country Club Village	pm1	pm25	0.989680083	strong	6.26E-15	
Country Club Village	pm1	pm10	0.975232198	strong	6.59E-12	
Country Club Village	pm1	aqs	0.717639765	strong	0.000798995	
Country Club Village	pm1	albedo	0.356037152	moderate	0.147025548	
Country Club Village	pm1	DiurnalTemp	0.275541796	weak	0.268425131	
Country Club Village	pm25	voc	0.166150671	weak	0.50995046	
Country Club Village	pm25	humidity	0.131062951	weak	0.604194128	
Country Club Village	pm25	pressure	0.302373581	moderate	0.222629355	
Country Club Village	pm25	pm1	0.989680083	strong	6.26E-15	
Country Club Village	pm25	pm10	0.991744066	strong	1.06E-15	
Country Club Village	pm25	aqs	0.717639765	strong	0.000798995	

Country Club Village	pm25	albedo	0.32301341 6	moderate	0.1910 67884
Country Club Village	pm25	DiurnalTe mp	0.28173374 6	weak	0.2573 75376
Country Club Village	pm10	voc	0.12074303 4	weak	0.6331 87382
Country Club Village	pm10	humidity	0.16615067 1	weak	0.5099 5046
Country Club Village	pm10	pressure	0.32094943 2	moderate	0.1940 82235
Country Club Village	pm10	pm1	0.97523219 8	strong	6.59E- 12
Country Club Village	pm10	pm25	0.99174406 6	strong	1.06E- 15
Country Club Village	pm10	aqs	0.73677682 6	strong	0.0004 87268
Country Club Village	pm10	albedo	0.34365325 1	moderate	0.1626 28654
Country Club Village	pm10	DiurnalTe mp	0.31269349 8	moderate	0.2064 53642
Country Club Village	aqs	voc	0.28811907 6	weak	0.2462 83485
Country Club Village	aqs	humidity	0.34127757 7	moderate	0.1657 45808
Country Club Village	aqs	pressure	0.45184726 -	moderate	0.0597 73618
Country Club Village	aqs	pm1	0.71763976 5	strong	0.0007 98995
Country Club Village	aqs	pm25	0.71763976 -	strong	0.0007

				5		98995
Country Club Village	aqs	pm10	0.73677682 6	- strong	0.0004 87268	
Country Club Village	aqs	albedo	0.17967573 4	- weak	0.4755 90984	
Country Club Village	aqs	DiurnalTe mp	0.46035262	- moderate	0.0545 50461	
Country Club Village	albedo	voc	0.20123839	- weak	0.4232 87669	
Country Club Village	albedo	humidity	0.07533539 7	- weak	0.7663 92281	
Country Club Village	albedo	pressure	0.08565531 5	- weak	0.7354 10412	
Country Club Village	albedo	pm1	0.35603715 2	- moderate	0.1470 25548	
Country Club Village	albedo	pm25	0.32301341 6	- moderate	0.1910 67884	
Country Club Village	albedo	pm10	0.34365325 1	- moderate	0.1626 28654	
Country Club Village	albedo	aqs	0.17967573 4	- weak	0.4755 90984	
Country Club Village	albedo	DiurnalTe mp	0.07739938 1	- weak	0.7601 67239	
Country Club Village	DiurnalTe mp	voc	0.33126935	- moderate	0.1793 22144	
Country Club Village	DiurnalTe mp	humidity	0.69453044 4	- strong	0.0013 81771	
Country Club Village	DiurnalTe	pressure	0.48194014	- moderate	0.0428	

	mp		4		35831
Country Club Village	DiurnalTemp	pm1	0.275541796	weak	0.268425131
Country Club Village	DiurnalTemp	pm25	0.281733746	weak	0.257375376
Country Club Village	DiurnalTemp	pm10	0.312693498	moderate	0.206453642
Country Club Village	DiurnalTemp	aqs	0.46035262	moderate	0.054550461
Country Club Village	DiurnalTemp	albedo	0.077399381	weak	0.760167239
Cresencia Village	voc	humidity	0.032967033	weak	0.914856474
Cresencia Village	voc	pressure	0.065934066	weak	0.830542386
Cresencia Village	voc	pm1	0.131868132	weak	0.667607576
Cresencia Village	voc	pm25	0.131868132	weak	0.667607576
Cresencia Village	voc	pm10	0.214285714	weak	0.482054455
Cresencia Village	voc	aqs	0.821806729	strong	0.000567972
Cresencia Village	voc	albedo	0.631868132	strong	0.020516043
Cresencia Village	voc	DiurnalTemp	0.324175824	moderate	0.279881869
Cresencia Village	humidity	voc	0.03296703	weak	0.9148

				3		56474
Cresencia Village	humidity	pressure	0.05494505 5	weak	0.8585 04294	
Cresencia Village	humidity	pm1	0.40109890 1	moderate	0.1743 57465	
Cresencia Village	humidity	pm25	0.40109890 1	moderate	0.1743 57465	
Cresencia Village	humidity	pm10	0.36263736 3	moderate	0.2233 1572	
Cresencia Village	humidity	aqs	0.40393890 1	moderate	0.1710 41221	
Cresencia Village	humidity	albedo	0.34065934 1	moderate	0.2547 06461	
Cresencia Village	humidity	DiurnalTemp	0.74175824 2	strong	0.0037 01314	
Cresencia Village	pressure	voc	0.06593406 6	weak	0.8305 42386	
Cresencia Village	pressure	humidity	0.05494505 5	weak	0.8585 04294	
Cresencia Village	pressure	pm1	0.31868131 9	moderate	0.2885 83161	
Cresencia Village	pressure	pm25	0.31868131 9	moderate	0.2885 83161	
Cresencia Village	pressure	pm10	0.28021978	weak	0.3537 63636	
Cresencia Village	pressure	aqs	0.11700299 2	weak	0.7034 51711	
Cresencia Village	pressure	albedo	0.22527472 5	weak	0.4593 05143	
Cresencia Village	pressure	DiurnalTemp	0	weak	1	

Cresencia Village	pm1	voc	0.13186813 2	weak	0.6676 07576
Cresencia Village	pm1	humidity	0.40109890 1	moderate	0.1743 57465
Cresencia Village	pm1	pressure	0.31868131 9	moderate	0.2885 83161
Cresencia Village	pm1	pm25	1	strong	0
Cresencia Village	pm1	pm10	0.98351648 4	strong	1.61E- 09
Cresencia Village	pm1	aqs	0.09750249 3	weak	0.7513 31972
Cresencia Village	pm1	albedo	0.15934065 9	weak	0.6030 87753
Cresencia Village	pm1	DiurnalTe mp	0.14835164 8	weak	0.6286 09418
Cresencia Village	pm25	voc	0.13186813 2	weak	0.6676 07576
Cresencia Village	pm25	humidity	0.40109890 1	moderate	0.1743 57465
Cresencia Village	pm25	pressure	0.31868131 9	moderate	0.2885 83161
Cresencia Village	pm25	pm1	1	strong	0
Cresencia Village	pm25	pm10	0.98351648 4	strong	1.61E- 09
Cresencia Village	pm25	aqs	0.09750249 3	weak	0.7513 31972
Cresencia Village	pm25	albedo	0.15934065 9	weak	0.6030 87753
Cresencia Village	pm25	DiurnalTe mp	0.14835164 8	weak	0.6286 09418

Cresencia Village	pm10	voc	0.21428571 4	weak	0.4820 54455
Cresencia Village	pm10	humidity	0.36263736 3	moderate	0.2233 1572
Cresencia Village	pm10	pressure	0.28021978	weak	0.3537 63636
Cresencia Village	pm10	pm1	0.98351648 4	strong	1.61E- 09
Cresencia Village	pm10	pm25	0.98351648 4	strong	1.61E- 09
Cresencia Village	pm10	aqs	0.16714713 1	weak	0.5852 04784
Cresencia Village	pm10	albedo	0.13736263 7	weak	0.6545 1684
Cresencia Village	pm10	DiurnalTe mp	0.09890109 9	weak	0.7478 68304
Cresencia Village	aqs	voc	0.82180672 9	strong	0.0005 67972
Cresencia Village	aqs	humidity	0.40393890 1	moderate	0.1710 41221
Cresencia Village	aqs	pressure	0.11700299 2	weak	0.7034 51711
Cresencia Village	aqs	pm1	0.09750249 3	weak	0.7513 31972
Cresencia Village	aqs	pm25	0.09750249 3	weak	0.7513 31972
Cresencia Village	aqs	pm10	0.16714713 1	weak	0.5852 04784
Cresencia Village	aqs	albedo	0.35100897 6	moderate	0.2396 13969
Cresencia Village	aqs	DiurnalTe	0.56272867	strong	0.0452

		mp	6		69484
Cresencia Village	albedo	voc	0.63186813 2	strong	0.0205 16043
Cresencia Village	albedo	humidity	0.34065934 1	moderate	0.2547 06461
Cresencia Village	albedo	pressure	0.22527472 5	weak	0.4593 05143
Cresencia Village	albedo	pm1	0.15934065 9	weak	0.6030 87753
Cresencia Village	albedo	pm25	0.15934065 9	weak	0.6030 87753
Cresencia Village	albedo	pm10	0.13736263 7	weak	0.6545 1684
Cresencia Village	albedo	aqs	0.35100897 6	moderate	0.2396 13969
Cresencia Village	albedo	DiurnalTemp	0.05494505 5	weak	0.8585 04294
Cresencia Village	DiurnalTemp	voc	0.32417582 4	moderate	0.2798 81869
Cresencia Village	DiurnalTemp	humidity	0.74175824 2	strong	0.0037 01314
Cresencia Village	DiurnalTemp	pressure	- 0	weak	1
Cresencia Village	DiurnalTemp	pm1	0.14835164 8	weak	0.6286 09418
Cresencia Village	DiurnalTemp	pm25	0.14835164 8	weak	0.6286 09418
Cresencia Village	DiurnalTemp	pm10	0.09890109	weak	0.7478 68304

				9		
Cresencia Village	DiurnalTemp	aqs	0.562728676	strong	0.045269484	
Cresencia Village	DiurnalTemp	albedo	0.054945055	weak	0.858504294	
Dizon Subdivision	voc	humidity	0.351648352	moderate	0.238699705	
Dizon Subdivision	voc	pressure	0.406593407	moderate	0.167978346	
Dizon Subdivision	voc	pm1	0.192307692	weak	0.529067987	
Dizon Subdivision	voc	pm25	0.131868132	weak	0.667607576	
Dizon Subdivision	voc	pm10	0.131868132	weak	0.667607576	
Dizon Subdivision	voc	aqs	0.654659598	strong	0.015178211	
Dizon Subdivision	voc	albedo	0.263736264	weak	0.383936517	
Dizon Subdivision	voc	DiurnalTemp	0.203296703	weak	0.505314734	
Dizon Subdivision	humidity	voc	0.351648352	moderate	0.238699705	
Dizon Subdivision	humidity	pressure	0.472527473	moderate	0.10298105	
Dizon Subdivision	humidity	pm1	0.285714286	weak	0.344000218	
Dizon Subdivision	humidity	pm25	0.296703297	weak	0.324921588	
Dizon Subdivision	humidity	pm10	0.29670329	weak	0.3249	

				7		21588
Dizon Subdivision	humidity	aqs	0.52094189 3	-	strong	0.0679 34397
Dizon Subdivision	humidity	albedo	0.30219780 2	-	moderate	0.3156 08366
Dizon Subdivision	humidity	DiurnalTemp	0.75274725 3	-	strong	0.0029 82233
Dizon Subdivision	pressure	voc	0.40659340 7	-	moderate	0.1679 78346
Dizon Subdivision	pressure	humidity	0.47252747 3	-	moderate	0.1029 8105
Dizon Subdivision	pressure	pm1	0.26373626 4	-	weak	0.3839 36517
Dizon Subdivision	pressure	pm25	0.29670329 7	-	weak	0.3249 21588
Dizon Subdivision	pressure	pm10	0.29670329 7	-	weak	0.3249 21588
Dizon Subdivision	pressure	aqs	0.14486084 7	-	weak	0.6367 98587
Dizon Subdivision	pressure	albedo	0.57142857 1	-	strong	0.0413 42267
Dizon Subdivision	pressure	DiurnalTemp	0.21978022	-	weak	0.4706 14851
Dizon Subdivision	pm1	voc	0.19230769 2	-	weak	0.5290 67987
Dizon Subdivision	pm1	humidity	0.28571428 6	-	weak	0.3440 00218

Dizon Subdivision	pm1	pressure	0.26373626 4	weak	0.3839 36517
Dizon Subdivision	pm1	pm25	0.98901098 9	strong	1.75E- 10
Dizon Subdivision	pm1	pm10	0.98901098 9	strong	1.75E- 10
Dizon Subdivision	pm1	aqs	0.12536034 9	weak	0.6832 24963
Dizon Subdivision	pm1	albedo	0.19230769 2	weak	0.5290 67987
Dizon Subdivision	pm1	DiurnalTe mp	0.12637362 6	weak	0.6807 85475
Dizon Subdivision	pm25	voc	0.13186813 2	weak	0.6676 07576
Dizon Subdivision	pm25	humidity	0.29670329 7	weak	0.3249 21588
Dizon Subdivision	pm25	pressure	0.29670329 7	weak	0.3249 21588
Dizon Subdivision	pm25	pm1	0.98901098 9	strong	1.75E- 10
Dizon Subdivision	pm25	pm10	1	strong	0
Dizon Subdivision	pm25	aqs	0.17829027 3	weak	0.5600 522
Dizon Subdivision	pm25	albedo	0.19230769 2	weak	0.5290 67987
Dizon Subdivision	pm25	DiurnalTe mp	0.14835164 8	weak	0.6286 09418
Dizon Subdivision	pm10	voc	0.13186813 2	weak	0.6676 07576
Dizon Subdivision	pm10	humidity	0.29670329 7	weak	0.3249 21588

Dizon Subdivision	pm10	pressure	0.29670329 7	weak	0.3249 21588
Dizon Subdivision	pm10	pm1	0.98901098 9	strong	1.75E- 10
Dizon Subdivision	pm10	pm25	- 1	strong	0
Dizon Subdivision	pm10	aqs	0.17829027 3	weak	0.5600 522
Dizon Subdivision	pm10	albedo	0.19230769 2	weak	0.5290 67987
Dizon Subdivision	pm10	DiurnalTe mp	0.14835164 8	weak	0.6286 09418
Dizon Subdivision	aqs	voc	0.65465959 8	strong	0.0151 78211
Dizon Subdivision	aqs	humidity	0.52094189 3	strong	0.0679 34397
Dizon Subdivision	aqs	pressure	0.14486084 7	weak	0.6367 98587
Dizon Subdivision	aqs	pm1	0.12536034 9	weak	0.6832 24963
Dizon Subdivision	aqs	pm25	0.17829027 3	weak	0.5600 522
Dizon Subdivision	aqs	pm10	0.17829027 3	weak	0.5600 522
Dizon Subdivision	aqs	albedo	0.02507207	weak	0.9352 02194
Dizon Subdivision	aqs	DiurnalTe mp	0.64073067	strong	0.0182 97085
Dizon Subdivision	albedo	voc	0.26373626 4	weak	0.3839 36517

Dizon Subdivision	albedo	humidity	0.30219780 2	moderate	0.3156 08366
Dizon Subdivision	albedo	pressure	0.57142857 1	strong	0.0413 42267
Dizon Subdivision	albedo	pm1	0.19230769 2	weak	0.5290 67987
Dizon Subdivision	albedo	pm25	0.19230769 2	weak	0.5290 67987
Dizon Subdivision	albedo	pm10	0.19230769 2	weak	0.5290 67987
Dizon Subdivision	albedo	aqs	0.02507207	weak	0.9352 02194
Dizon Subdivision	albedo	DiurnalTe mp	0.25274725 3	weak	0.4047 74071
Dizon Subdivision	DiurnalTe mp	voc	0.20329670 3	weak	0.5053 14734
Dizon Subdivision	DiurnalTe mp	humidity	0.75274725 3	strong	0.0029 82233
Dizon Subdivision	DiurnalTe mp	pressure	0.21978022	weak	0.4706 14851
Dizon Subdivision	DiurnalTe mp	pm1	0.12637362 6	weak	0.6807 85475
Dizon Subdivision	DiurnalTe mp	pm25	0.14835164 8	weak	0.6286 09418
Dizon Subdivision	DiurnalTe mp	pm10	0.14835164 8	weak	0.6286 09418
Dizon Subdivision	DiurnalTe mp	aqs	0.64073067	strong	0.0182 97085

Dizon Subdivision	DiurnalTemp	albedo	0.25274725 3	- weak	0.4047 74071
Dominican Hill-Mirador	voc	humidity	0.49642857 1	- moderate	0.0597 97414
Dominican Hill-Mirador	voc	pressure	0.37857142 9	moderate	0.1640 90827
Dominican Hill-Mirador	voc	pm1	0.50357142 9	- strong	0.0556 54517
Dominican Hill-Mirador	voc	pm25	0.53214285 7	- strong	0.0411 5858
Dominican Hill-Mirador	voc	pm10	0.55357142 9	- strong	0.0322 87104
Dominican Hill-Mirador	voc	aqs	0.23422327 9	- weak	0.4007 81812
Dominican Hill-Mirador	voc	albedo	0.25357142 9	- weak	0.3618 16104
Dominican Hill-Mirador	voc	DiurnalTemp	0.15	weak	0.5936 30203
Dominican Hill-Mirador	humidity	voc	0.49642857 1	- moderate	0.0597 97414
Dominican Hill-Mirador	humidity	pressure	-0.05	weak	0.8595 40943
Dominican Hill-Mirador	humidity	pm1	0.66785714 3	strong	0.0065 09957
Dominican Hill-Mirador	humidity	pm25	0.675	strong	0.0057 63499
Dominican Hill-Mirador	humidity	pm10	0.69285714 3	strong	0.0041 90233

Dominican Hill-Mirador	humidity	aqs	0.16598500 1	weak	0.5543 78365
Dominican Hill-Mirador	humidity	albedo	0.12142857 1	weak	0.6664 01114
Dominican Hill-Mirador	humidity	DiurnalTe mp	0.06071428 6	weak	0.8298 12095
Dominican Hill-Mirador	pressure	voc	0.37857142 9	moderate	0.1640 90827
Dominican Hill-Mirador	pressure	humidity	-0.05	weak	0.8595 40943
Dominican Hill-Mirador	pressure	pm1	0.24642857 1	weak	0.3759 50516
Dominican Hill-Mirador	pressure	pm25	0.21785714 3	weak	0.4353 92674
Dominican Hill-Mirador	pressure	pm10	0.23928571 4	weak	0.3903 79312
Dominican Hill-Mirador	pressure	aqs	0.33381427 9	moderate	0.2240 00317
Dominican Hill-Mirador	pressure	albedo	0.42857142 9	moderate	0.1109 60214
Dominican Hill-Mirador	pressure	DiurnalTe mp	0.59642857 1	strong	0.0189 31925
Dominican Hill-Mirador	pm1	voc	0.50357142 9	strong	0.0556 54517
Dominican Hill-Mirador	pm1	humidity	0.66785714 3	strong	0.0065 09957
Dominican Hill-Mirador	pm1	pressure	0.24642857 1	weak	0.3759 50516

Dominican Hill-Mirador	pm1	pm25	0.98571428 6	strong	1.93E- 11
Dominican Hill-Mirador	pm1	pm10	0.975	strong	7.14E- 10
Dominican Hill-Mirador	pm1	aqs	0.11065666 7	weak	0.6946 14592
Dominican Hill-Mirador	pm1	albedo	0.04642857 1	weak	0.8694 91526
Dominican Hill-Mirador	pm1	DiurnalTe mp	0.28571428 6	weak	0.3019 36351
Dominican Hill-Mirador	pm25	voc	0.53214285 7	strong	0.0411 5858
Dominican Hill-Mirador	pm25	humidity	0.675	strong	0.0057 63499
Dominican Hill-Mirador	pm25	pressure	0.21785714 3	weak	0.4353 92674
Dominican Hill-Mirador	pm25	pm1	0.98571428 6	strong	1.93E- 11
Dominican Hill-Mirador	pm25	pm10	0.99642857 1	strong	2.42E- 15
Dominican Hill-Mirador	pm25	aqs	0.09036961 1	weak	0.7487 46991
Dominican Hill-Mirador	pm25	albedo	0.09285714 3	weak	0.7420 4501
Dominican Hill-Mirador	pm25	DiurnalTe mp	0.32142857 1	moderate	0.2427 19047
Dominican Hill-Mirador	pm10	voc	0.55357142 9	strong	0.0322 87104
Dominican Hill-Mirador	pm10	humidity	0.69285714 3	strong	0.0041 90233

Dominican Hill-Mirador	pm10	pressure	0.23928571 4	weak	0.3903 79312
Dominican Hill-Mirador	pm10	pm1	0.975	strong	7.14E- 10
Dominican Hill-Mirador	pm10	pm25	0.99642857 1	strong	2.42E- 15
Dominican Hill-Mirador	pm10	aqs	0.07377111 1	weak	0.7938 74569
Dominican Hill-Mirador	pm10	albedo	0.13571428 6	weak	0.6296 20442
Dominican Hill-Mirador	pm10	DiurnalTe mp	0.33214285 7	moderate	0.2264 71759
Dominican Hill-Mirador	aqs	voc	0.23422327 9	weak	0.4007 81812
Dominican Hill-Mirador	aqs	humidity	0.16598500 1	weak	0.5543 78365
Dominican Hill-Mirador	aqs	pressure	0.33381427 9	moderate	0.2240 00317
Dominican Hill-Mirador	aqs	pm1	0.11065666 7	weak	0.6946 14592
Dominican Hill-Mirador	aqs	pm25	0.09036961 1	weak	0.7487 46991
Dominican Hill-Mirador	aqs	pm10	0.07377111 1	weak	0.7938 74569
Dominican Hill-Mirador	aqs	albedo	0.24528894 5	weak	0.3782 32952
Dominican Hill-Mirador	aqs	DiurnalTe mp	0.79488372 5	strong	0.0003 98034
Dominican Hill-Mirador	albedo	voc	0.25357142 9	weak	0.3618 16104

Dominican Hill-Mirador	albedo	humidity	0.12142857 1	weak	0.6664 01114
Dominican Hill-Mirador	albedo	pressure	0.42857142 9	moderate	0.1109 60214
Dominican Hill-Mirador	albedo	pm1	0.04642857 1	weak	0.8694 91526
Dominican Hill-Mirador	albedo	pm25	0.09285714 3	weak	0.7420 4501
Dominican Hill-Mirador	albedo	pm10	0.13571428 6	weak	0.6296 20442
Dominican Hill-Mirador	albedo	aqs	0.24528894 5	weak	0.3782 32952
Dominican Hill-Mirador	albedo	DiurnalTe mp	0.23214285 7	weak	0.4050 98741
Dominican Hill-Mirador	DiurnalTe mp	voc	0.15	weak	0.5936 30203
Dominican Hill-Mirador	DiurnalTe mp	humidity	0.06071428 6	weak	0.8298 12095
Dominican Hill-Mirador	DiurnalTe mp	pressure	0.59642857 1	strong	0.0189 31925
Dominican Hill-Mirador	DiurnalTe mp	pm1	0.28571428 6	weak	0.3019 36351
Dominican Hill-Mirador	DiurnalTe mp	pm25	0.32142857 1	moderate	0.2427 19047
Dominican Hill-Mirador	DiurnalTe mp	pm10	0.33214285 7	moderate	0.2264 71759
Dominican Hill-Mirador	DiurnalTe mp	aqs	0.79488372 5	strong	0.0003 98034

Dominican Hill-Mirador	DiurnalTemp	albedo	0.232142857	- weak	0.405098741
Engineers' Hill	voc	humidity	0.081318681	- weak	0.782274751
Engineers' Hill	voc	pressure	0.059340659	- weak	0.840301763
Engineers' Hill	voc	pm1	0.230769231	- weak	0.427335862
Engineers' Hill	voc	pm25	0.217582418	- weak	0.454919373
Engineers' Hill	voc	pm10	0.217582418	- weak	0.454919373
Engineers' Hill	voc	aqs	0.456295001	- moderate	0.101011803
Engineers' Hill	voc	albedo	0.318681319	- moderate	0.266784961
Engineers' Hill	voc	DiurnalTemp	0.125274725	- weak	0.669582397
Engineers' Hill	humidity	voc	0.081318681	- weak	0.782274751
Engineers' Hill	humidity	pressure	0.081318681	- weak	0.782274751
Engineers' Hill	humidity	pm1	0.243956044	- weak	0.400624804
Engineers' Hill	humidity	pm25	0.22637362	- weak	0.4364

				6		34795
Engineers' Hill	humidity	pm10	0.22637362	- 6	weak	0.4364 34795
Engineers' Hill	humidity	aqs	0.31243844	- 9	moderate	0.2767 87425
Engineers' Hill	humidity	albedo	0.30109890	- 1	moderate	0.2955 14466
Engineers' Hill	humidity	DiurnalTemp	0.58241758	- 2	strong	0.0288 54655
Engineers' Hill	pressure	voc	0.05934065	- 9	weak	0.8403 01763
Engineers' Hill	pressure	humidity	0.08131868	- 1	weak	0.7822 74751
Engineers' Hill	pressure	pm1	0.20439560	- 4	weak	0.4833 46223
Engineers' Hill	pressure	pm25	0.23076923	- 1	weak	0.4273 35862
Engineers' Hill	pressure	pm10	0.23076923	- 1	weak	0.4273 35862
Engineers' Hill	pressure	aqs	0.26748327	- 7	weak	0.3552 13587
Engineers' Hill	pressure	albedo	0.20879120	- 9	weak	0.4737 78837
Engineers' Hill	pressure	DiurnalTemp	0.59120879	- 1	strong	0.0259 70814
Engineers' Hill	pm1	voc	0.23076923	- 1	weak	0.4273 35862

Engineers' Hill	pm1	humidity	0.24395604 4	- weak	0.4006 24804
Engineers' Hill	pm1	pressure	0.20439560 4	- weak	0.4833 46223
Engineers' Hill	pm1	pm25	0.99560439 6	strong	1.03E- 13
Engineers' Hill	pm1	pm10	0.99560439 6	strong	1.03E- 13
Engineers' Hill	pm1	aqs	0.51923224 3	strong	0.0570 75242
Engineers' Hill	pm1	albedo	0.6	strong	0.0233 08411
Engineers' Hill	pm1	DiurnalTe mp	0.23516483 5	- weak	0.4183 33896
Engineers' Hill	pm25	voc	0.21758241 8	- weak	0.4549 19373
Engineers' Hill	pm25	humidity	0.22637362 6	- weak	0.4364 34795
Engineers' Hill	pm25	pressure	0.23076923 1	- weak	0.4273 35862
Engineers' Hill	pm25	pm1	0.99560439 6	strong	1.03E- 13
Engineers' Hill	pm25	pm10	1	strong	0
Engineers' Hill	pm25	aqs	0.53721431 2	strong	0.0475 88445
Engineers' Hill	pm25	albedo	0.55604395 6	strong	0.0389 4365
Engineers' Hill	pm25	DiurnalTe mp	0.22637362 6	- weak	0.4364 34795
Engineers' Hill	pm10	voc	0.21758241 8	- weak	0.4549 19373

Engineers' Hill	pm10	humidity	0.22637362 6	- weak	0.4364 34795
Engineers' Hill	pm10	pressure	0.23076923 1	- weak	0.4273 35862
Engineers' Hill	pm10	pm1	0.99560439 6	strong	1.03E- 13
Engineers' Hill	pm10	pm25	- 1	strong	0
Engineers' Hill	pm10	aqs	0.53721431 2	strong	0.0475 88445
Engineers' Hill	pm10	albedo	0.55604395 6	strong	0.0389 4365
Engineers' Hill	pm10	DiurnalTe mp	0.22637362 6	- weak	0.4364 34795
Engineers' Hill	aqs	voc	0.45629500 1	moderate	0.1010 11803
Engineers' Hill	aqs	humidity	0.31243844 9	- moderate	0.2767 87425
Engineers' Hill	aqs	pressure	0.26748327 7	weak	0.3552 13587
Engineers' Hill	aqs	pm1	0.51923224 3	strong	0.0570 75242
Engineers' Hill	aqs	pm25	0.53721431 2	strong	0.0475 88445
Engineers' Hill	aqs	pm10	0.53721431 2	strong	0.0475 88445
Engineers' Hill	aqs	albedo	0.28096982 8	weak	0.3305 17941
Engineers' Hill	aqs	DiurnalTe mp	0.42932189 8	moderate	0.1255 38884
Engineers' Hill	albedo	voc	0.31868131 9	moderate	0.2667 84961

Engineers' Hill	albedo	humidity	0.30109890 1	- moderate	0.2955 14466
Engineers' Hill	albedo	pressure	0.20879120 9	- weak	0.4737 78837
Engineers' Hill	albedo	pm1		0.6 strong	0.0233 08411
Engineers' Hill	albedo	pm25	0.55604395 6	strong	0.0389 4365
Engineers' Hill	albedo	pm10	0.55604395 6	strong	0.0389 4365
Engineers' Hill	albedo	aqs	0.28096982 8	weak	0.3305 17941
Engineers' Hill	albedo	DiurnalTe mp	0.03736263 7	weak	0.8990 93097
Engineers' Hill	DiurnalTe mp	voc	0.12527472 5	weak	0.6695 82397
Engineers' Hill	DiurnalTe mp	humidity	0.58241758 2	strong	0.0288 54655
Engineers' Hill	DiurnalTe mp	pressure	0.59120879 1	strong	0.0259 70814
Engineers' Hill	DiurnalTe mp	pm1	0.23516483 5	weak	0.4183 33896
Engineers' Hill	DiurnalTe mp	pm25	0.22637362 6	weak	0.4364 34795
Engineers' Hill	DiurnalTe mp	pm10	0.22637362 6	weak	0.4364 34795
Engineers' Hill	DiurnalTe mp	aqs	0.42932189 8	moderate	0.1255 38884
Engineers' Hill	DiurnalTe mp	albedo	0.03736263 7	weak	0.8990 93097
Ferdinand (Happy Homes-Campo Sioco)	voc	humidity	0.53846153	strong	0.0469 76146

				8		
Ferdinand (Happy Homes-Campo Sioco)	voc	pressure	0.323076923	moderate	0.25987362	
Ferdinand (Happy Homes-Campo Sioco)	voc	pm1	0.450549451	moderate	0.105932785	
Ferdinand (Happy Homes-Campo Sioco)	voc	pm25	0.468131868	moderate	0.091376365	
Ferdinand (Happy Homes-Campo Sioco)	voc	pm10	0.424175824	moderate	0.13063731	
Ferdinand (Happy Homes-Campo Sioco)	voc	aqs	0.848679215	strong	0.000124087	
Ferdinand (Happy Homes-Campo Sioco)	voc	albedo	0.151648352	weak	0.604790598	
Ferdinand (Happy Homes-Campo Sioco)	voc	DiurnalTemp	0.586813187	strong	0.027384376	
Ferdinand (Happy Homes-Campo Sioco)	humidity	voc	0.538461538	strong	0.046976146	
Ferdinand (Happy Homes-Campo Sioco)	humidity	pressure	0.745054945	strong	0.002230037	
Ferdinand (Happy Homes-Campo Sioco)	humidity	pm1	0.16043956	weak	0.583752753	
Ferdinand (Happy Homes-Campo Sioco)	humidity	pm25	0.134065934	weak	0.647719528	
Ferdinand (Happy Homes-Campo Sioco)	humidity	pm10	0.142857143	weak	0.626117476	
Ferdinand (Happy Homes-Campo Sioco)	humidity	aqs	0.404895475	moderate	0.150971812	
Ferdinand (Happy Homes-Campo Sioco)	humidity	albedo	0.362637363	moderate	0.202564544	
Ferdinand (Happy Homes-Campo Sioco)	humidity	DiurnalTemp	0.80219780	strong	0.000556306	

				2		
Ferdinand (Happy Homes-Campo Sioco)	pressure	voc	0.323076923	moderate	0.25987362	
Ferdinand (Happy Homes-Campo Sioco)	pressure	humidity	0.745054945	strong	0.002230037	
Ferdinand (Happy Homes-Campo Sioco)	pressure	pm1	0.221978022	weak	0.445629658	
Ferdinand (Happy Homes-Campo Sioco)	pressure	pm25	0.208791209	weak	0.473778837	
Ferdinand (Happy Homes-Campo Sioco)	pressure	pm10	0.213186813	weak	0.46430282	
Ferdinand (Happy Homes-Campo Sioco)	pressure	aqs	0.201303965	weak	0.490129488	
Ferdinand (Happy Homes-Campo Sioco)	pressure	albedo	0.679120879	strong	0.007562257	
Ferdinand (Happy Homes-Campo Sioco)	pressure	DiurnalTemp	0.49010989	moderate	0.075220067	
Ferdinand (Happy Homes-Campo Sioco)	pm1	voc	0.450549451	moderate	0.105932785	
Ferdinand (Happy Homes-Campo Sioco)	pm1	humidity	0.16043956	weak	0.583752753	
Ferdinand (Happy Homes-Campo Sioco)	pm1	pressure	0.221978022	weak	0.445629658	
Ferdinand (Happy Homes-Campo Sioco)	pm1	pm25	0.995604396	strong	1.03E-13	
Ferdinand (Happy Homes-Campo Sioco)	pm1	pm10	0.986813187	strong	7.38E-11	
Ferdinand (Happy	pm1	aqs	-	strong	0.0140	

Homes-Campo Sioco)				0.63822507		42057
Ferdinand (Happy Homes-Campo Sioco)	pm1	albedo	0.36263736 3	moderate	0.2025 64544	
Ferdinand (Happy Homes-Campo Sioco)	pm1	DiurnalTe mp	0.09890109 9	weak	0.7365 8537	
Ferdinand (Happy Homes-Campo Sioco)	pm25	voc	0.46813186 8	moderate	0.0913 76365	
Ferdinand (Happy Homes-Campo Sioco)	pm25	humidity	0.13406593 4	weak	0.6477 19528	
Ferdinand (Happy Homes-Campo Sioco)	pm25	pressure	0.20879120 9	weak	0.4737 78837	
Ferdinand (Happy Homes-Campo Sioco)	pm25	pm1	0.99560439 6	strong	1.03E- 13	
Ferdinand (Happy Homes-Campo Sioco)	pm25	pm10	0.99120879 1	strong	6.54E- 12	
Ferdinand (Happy Homes-Campo Sioco)	pm25	aqs	0.64737525	strong	0.0123 18116	
Ferdinand (Happy Homes-Campo Sioco)	pm25	albedo	0.35824175 8	moderate	0.2084 98125	
Ferdinand (Happy Homes-Campo Sioco)	pm25	DiurnalTe mp	0.08571428 6	weak	0.7707 85031	
Ferdinand (Happy Homes-Campo Sioco)	pm10	voc	0.42417582 4	moderate	0.1306 3731	
Ferdinand (Happy Homes-Campo Sioco)	pm10	humidity	0.14285714 3	weak	0.6261 17476	
Ferdinand (Happy Homes-Campo Sioco)	pm10	pressure	0.21318681 3	weak	0.4643 0282	
Ferdinand (Happy Homes-Campo Sioco)	pm10	pm1	0.98681318 7	strong	7.38E- 11	
Ferdinand (Happy Homes-Campo Sioco)	pm10	pm25	0.99120879 1	strong	6.54E- 12	
Ferdinand (Happy	pm10	aqs	0.59933680	strong	0.0235	

Homes-Campo Sioco)				4		01779
Ferdinand (Happy Homes-Campo Sioco)	pm10	albedo	0.35384615 4	moderate	0.2145 39871	
Ferdinand (Happy Homes-Campo Sioco)	pm10	DiurnalTe mp	0.04615384 6	weak	0.8755 02538	
Ferdinand (Happy Homes-Campo Sioco)	aqs	voc	0.84867921 5	strong	0.0001 24087	
Ferdinand (Happy Homes-Campo Sioco)	aqs	humidity	0.40489547 5	moderate	0.1509 71812	
Ferdinand (Happy Homes-Campo Sioco)	aqs	pressure	0.20130396 5	weak	0.4901 29488	
Ferdinand (Happy Homes-Campo Sioco)	aqs	pm1	- 0.63822507	strong	0.0140 42057	
Ferdinand (Happy Homes-Campo Sioco)	aqs	pm25	- 0.64737525	strong	0.0123 18116	
Ferdinand (Happy Homes-Campo Sioco)	aqs	pm10	- 0.59933680 4	strong	0.0235 01779	
Ferdinand (Happy Homes-Campo Sioco)	aqs	albedo	- 0.02973808 6	weak	0.9196 166	
Ferdinand (Happy Homes-Campo Sioco)	aqs	DiurnalTe mp	- 0.64280016	strong	0.0131 58493	
Ferdinand (Happy Homes-Campo Sioco)	albedo	voc	- 0.15164835 2	weak	0.6047 90598	
Ferdinand (Happy Homes-Campo Sioco)	albedo	humidity	- 0.36263736 3	moderate	0.2025 64544	
Ferdinand (Happy Homes-Campo Sioco)	albedo	pressure	- 0.67912087 9	strong	0.0075 62257	
Ferdinand (Happy Homes-Campo Sioco)	albedo	pm1	- 0.36263736 3	moderate	0.2025 64544	

Ferdinand (Happy Homes-Campo Sioco)	albedo	pm25	0.35824175 8	moderate	0.2084 98125
Ferdinand (Happy Homes-Campo Sioco)	albedo	pm10	0.35384615 4	moderate	0.2145 39871
Ferdinand (Happy Homes-Campo Sioco)	albedo	aqs	0.02973808 6	weak	0.9196 166
Ferdinand (Happy Homes-Campo Sioco)	albedo	DiurnalTemp	0.10769230 8	weak	0.7140 30809
Ferdinand (Happy Homes-Campo Sioco)	DiurnalTemp	voc	0.58681318 7	strong	0.0273 84376
Ferdinand (Happy Homes-Campo Sioco)	DiurnalTemp	humidity	0.80219780 2	strong	0.0005 56306
Ferdinand (Happy Homes-Campo Sioco)	DiurnalTemp	pressure	0.49010989	moderate	0.0752 20067
Ferdinand (Happy Homes-Campo Sioco)	DiurnalTemp	pm1	0.09890109 9	weak	0.7365 8537
Ferdinand (Happy Homes-Campo Sioco)	DiurnalTemp	pm25	0.08571428 6	weak	0.7707 85031
Ferdinand (Happy Homes-Campo Sioco)	DiurnalTemp	pm10	0.04615384 6	weak	0.8755 02538
Ferdinand (Happy Homes-Campo Sioco)	DiurnalTemp	aqs	0.64280016	strong	0.0131 58493
Ferdinand (Happy Homes-Campo Sioco)	DiurnalTemp	albedo	0.10769230 8	weak	0.7140 30809
General Luna, Upper	voc	humidity	0.02857142 9	weak	0.9227 61377
General Luna, Upper	voc	pressure	0.30109890 1	moderate	0.2955 14466
General Luna, Upper	voc	pm1	0.20879120 9	weak	0.4737 78837
General Luna, Upper	voc	pm25	0.22637362	weak	0.4364

				6		34795
General Luna, Upper	voc	pm10	0.22637362 6	weak	0.4364 34795	
General Luna, Upper	voc	aqs	0.86089155 4	strong	7.70E- 05	
General Luna, Upper	voc	albedo	0.16483516 5	weak	0.5733 46405	
General Luna, Upper	voc	DiurnalTe mp	0.60879120 9	strong	0.0208 56616	
General Luna, Upper	humidity	voc	0.02857142 9	weak	0.9227 61377	
General Luna, Upper	humidity	pressure	0.49450549 5	moderate	0.0722 49674	
General Luna, Upper	humidity	pm1	0.27472527 5	weak	0.3418 29744	
General Luna, Upper	humidity	pm25	0.27032967	weak	0.3499 19386	
General Luna, Upper	humidity	pm10	0.27032967	weak	0.3499 19386	
General Luna, Upper	humidity	aqs	0.05169844 8	weak	0.8606 721	
General Luna, Upper	humidity	albedo	0.2	weak	0.4930 03735	
General Luna, Upper	humidity	DiurnalTe mp	0.40659340 7	moderate	0.1491 01939	
General Luna, Upper	pressure	voc	0.30109890 1	moderate	0.2955 14466	
General Luna, Upper	pressure	humidity	0.49450549 5	moderate	0.0722 49674	
General Luna, Upper	pressure	pm1	0.08571428	weak	0.7707	

				6		85031
General Luna, Upper	pressure	pm25	0.11648351 6	weak	0.6916 9125	
General Luna, Upper	pressure	pm10	0.11648351 6	weak	0.6916 9125	
General Luna, Upper	pressure	aqs	0.32592500 1	moderate	-	0.2554 5354
General Luna, Upper	pressure	albedo	0.47692307 7	moderate	-	0.0846 48434
General Luna, Upper	pressure	DiurnalTemp	0.63076923 1	strong	0.0155 78224	
General Luna, Upper	pm1	voc	0.20879120 9	weak	0.4737 78837	
General Luna, Upper	pm1	humidity	0.27472527 5	weak	-	0.3418 29744
General Luna, Upper	pm1	pressure	0.08571428 6	weak	0.7707 85031	
General Luna, Upper	pm1	pm25	0.99560439 6	strong	-	1.03E- 13
General Luna, Upper	pm1	pm10	0.99560439 6	strong	-	1.03E- 13
General Luna, Upper	pm1	aqs	0.39785327 7	moderate	0.1588 92348	
General Luna, Upper	pm1	albedo	0.14285714 3	weak	0.6261 17476	
General Luna, Upper	pm1	DiurnalTemp	0.18681318 7	weak	0.5225 04012	
General Luna, Upper	pm25	voc	0.22637362 6	weak	0.4364 34795	
General Luna, Upper	pm25	humidity	0.27032967 -	weak	0.3499 19386	

General Luna, Upper	pm25	pressure	0.11648351 6	weak	0.6916 9125
General Luna, Upper	pm25	pm1	0.99560439 6	strong	1.03E- 13
General Luna, Upper	pm25	pm10	- 1	strong	0
General Luna, Upper	pm25	aqs	0.41133982 9	moderate	0.1439 56456
General Luna, Upper	pm25	albedo	0.15604395 6	weak	0.5942 34701
General Luna, Upper	pm25	DiurnalTe mp	0.22197802 2	weak	0.4456 29658
General Luna, Upper	pm10	voc	0.22637362 6	weak	0.4364 34795
General Luna, Upper	pm10	humidity	- 0.27032967	weak	0.3499 19386
General Luna, Upper	pm10	pressure	0.11648351 6	weak	0.6916 9125
General Luna, Upper	pm10	pm1	0.99560439 6	strong	1.03E- 13
General Luna, Upper	pm10	pm25	- 1	strong	0
General Luna, Upper	pm10	aqs	0.41133982 9	moderate	0.1439 56456
General Luna, Upper	pm10	albedo	0.15604395 6	weak	0.5942 34701
General Luna, Upper	pm10	DiurnalTe mp	0.22197802 2	weak	0.4456 29658
General Luna, Upper	aqs	voc	- 0.86089155 4	strong	7.70E- 05
General Luna, Upper	aqs	humidity	0.05169844 8	weak	0.8606 721
General Luna, Upper	aqs	pressure	- 0.32592500	moderate	0.2554

				1		5354
General Luna, Upper	aqs	pm1	0.39785327 7	- moderate	0.1588 92348	
General Luna, Upper	aqs	pm25	0.41133982 9	- moderate	0.1439 56456	
General Luna, Upper	aqs	pm10	0.41133982 9	- moderate	0.1439 56456	
General Luna, Upper	aqs	albedo	0.24500569	- weak	0.3985 36928	
General Luna, Upper	aqs	DiurnalTemp	0.63162017 4	- strong	0.0153 9671	
General Luna, Upper	albedo	voc	0.16483516 5	weak	0.5733 46405	
General Luna, Upper	albedo	humidity	0.2	weak	0.4930 03735	
General Luna, Upper	albedo	pressure	0.47692307 7	- moderate	0.0846 48434	
General Luna, Upper	albedo	pm1	0.14285714 3	weak	0.6261 17476	
General Luna, Upper	albedo	pm25	0.15604395 6	weak	0.5942 34701	
General Luna, Upper	albedo	pm10	0.15604395 6	weak	0.5942 34701	
General Luna, Upper	albedo	aqs	0.24500569	- weak	0.3985 36928	
General Luna, Upper	albedo	DiurnalTemp	0.16483516 5	- weak	0.5733 46405	
General Luna, Upper	DiurnalTemp	voc	0.60879120 9	strong	0.0208 56616	

General Luna, Upper	DiurnalTemp	humidity	0.40659340 7	moderate	0.1491 01939
General Luna, Upper	DiurnalTemp	pressure	0.63076923 1	strong	0.0155 78224
General Luna, Upper	DiurnalTemp	pm1	0.18681318 7	weak	0.5225 04012
General Luna, Upper	DiurnalTemp	pm25	0.22197802 2	weak	0.4456 29658
General Luna, Upper	DiurnalTemp	pm10	0.22197802 2	weak	0.4456 29658
General Luna, Upper	DiurnalTemp	aqs	0.63162017 4	strong	0.0153 9671
General Luna, Upper	DiurnalTemp	albedo	0.16483516 5	weak	0.5733 46405
Gibraltar	voc	humidity	0.19120879 1	weak	0.5125 8397
Gibraltar	voc	pressure	0.15604395 6	weak	0.5942 34701
Gibraltar	voc	pm1	0.51648351 6	strong	0.0586 37163
Gibraltar	voc	pm25	0.51208791 2	strong	0.0611 98486
Gibraltar	voc	pm10	0.51208791 2	strong	0.0611 98486
Gibraltar	voc	aqs	0.58789907 9	strong	0.0270 29946
Gibraltar	voc	albedo	0.07252747 3	weak	0.8053 76314
Gibraltar	voc	DiurnalTemp	0.18681318 7	weak	0.5225 04012

Gibraltar	humidity	voc	0.19120879 1	- weak	0.5125 8397
Gibraltar	humidity	pressure	0.38021978	- moderate	0.1799 06146
Gibraltar	humidity	pm1	0.08131868 1	- weak	0.7822 74751
Gibraltar	humidity	pm25	0.07252747 3	- weak	0.8053 76314
Gibraltar	humidity	pm10	0.07252747 3	- weak	0.8053 76314
Gibraltar	humidity	aqs	0.50783500 2	strong	0.0637 52175
Gibraltar	humidity	albedo	0.55164835 2	strong	0.0408 49058
Gibraltar	humidity	DiurnalTemp	0.76703296 7	- strong	0.0013 67682
Gibraltar	pressure	voc	0.15604395 6	- weak	0.5942 34701
Gibraltar	pressure	humidity	0.38021978	- moderate	0.1799 06146
Gibraltar	pressure	pm1	0.29670329 7	- weak	0.3029 66724
Gibraltar	pressure	pm25	0.30109890 1	- moderate	0.2955 14466
Gibraltar	pressure	pm10	0.30109890 1	- moderate	0.2955 14466
Gibraltar	pressure	aqs	0.08692671 2	- weak	0.7676 23426
Gibraltar	pressure	albedo	0.49450549	- moderate	0.0722

				5		49674
Gibraltar	pressure	DiurnalTemp	0.463736264	moderate	0.094876332	
Gibraltar	pm1	voc	0.516483516	strong	0.058637163	
Gibraltar	pm1	humidity	0.081318681	weak	0.782274751	
Gibraltar	pm1	pressure	0.296703297	weak	0.302966724	
Gibraltar	pm1	pm25	0.995604396	strong	1.03E-13	
Gibraltar	pm1	pm10	0.995604396	strong	1.03E-13	
Gibraltar	pm1	aqs	0.576461354	strong	0.030939874	
Gibraltar	pm1	albedo	0.301098901	moderate	0.295514466	
Gibraltar	pm1	DiurnalTemp	0.046153846	weak	0.875502538	
Gibraltar	pm25	voc	0.512087912	strong	0.061198486	
Gibraltar	pm25	humidity	0.072527473	weak	0.805376314	
Gibraltar	pm25	pressure	0.301098901	moderate	0.295514466	
Gibraltar	pm25	pm1	0.995604396	strong	1.03E-13	
Gibraltar	pm25	pm10	-1	strong	0	
Gibraltar	pm25	aqs	0.597049259	strong	0.02417802	

Gibraltar	pm25	albedo	0.30989011	moderate	0.2809 33281
Gibraltar	pm25	DiurnalTemp	0.068131868	weak	0.8169 8388
Gibraltar	pm10	voc	0.512087912	strong	0.0611 98486
Gibraltar	pm10	humidity	0.072527473	weak	0.8053 76314
Gibraltar	pm10	pressure	0.301098901	moderate	0.2955 14466
Gibraltar	pm10	pm1	0.995604396	strong	1.03E- 13
Gibraltar	pm10	pm25	-1	strong	0
Gibraltar	pm10	aqs	0.597049259	strong	0.0241 7802
Gibraltar	pm10	albedo	0.30989011	moderate	0.2809 33281
Gibraltar	pm10	DiurnalTemp	0.068131868	weak	0.8169 8388
Gibraltar	aqs	voc	0.587899079	strong	0.0270 29946
Gibraltar	aqs	humidity	0.507835002	strong	0.0637 52175
Gibraltar	aqs	pressure	0.086926712	weak	0.7676 23426
Gibraltar	aqs	pm1	0.576461354	strong	0.0309 39874
Gibraltar	aqs	pm25	0.597049259	strong	0.0241 7802

Gibraltar	aqs	pm10	0.59704925 9	- strong	0.0241 7802
Gibraltar	aqs	albedo	0.15097797 4	- weak	0.6064 06882
Gibraltar	aqs	DiurnalTe mp	0.69770124 2	- strong	0.0055 31842
Gibraltar	albedo	voc	0.07252747 3	- weak	0.8053 76314
Gibraltar	albedo	humidity	0.55164835 2	- strong	0.0408 49058
Gibraltar	albedo	pressure	0.49450549 5	- moderate	0.0722 49674
Gibraltar	albedo	pm1	0.30109890 1	- moderate	0.2955 14466
Gibraltar	albedo	pm25	0.30989011	- moderate	0.2809 33281
Gibraltar	albedo	pm10	0.30989011	- moderate	0.2809 33281
Gibraltar	albedo	aqs	0.15097797 4	- weak	0.6064 06882
Gibraltar	albedo	DiurnalTe mp	0.36703296 7	- moderate	0.1967 38872
Gibraltar	DiurnalTe mp	voc	0.18681318 7	- weak	0.5225 04012
Gibraltar	DiurnalTe mp	humidity	0.76703296 7	- strong	0.0013 67682
Gibraltar	DiurnalTe mp	pressure	0.46373626 4	- moderate	0.0948 76332

Gibraltar	DiurnalTemp	pm1	0.046153846	weak	0.875502538
Gibraltar	DiurnalTemp	pm25	0.068131868	weak	0.81698388
Gibraltar	DiurnalTemp	pm10	0.068131868	weak	0.81698388
Gibraltar	DiurnalTemp	aqs	0.697701242	strong	0.005531842
Gibraltar	DiurnalTemp	albedo	0.367032967	moderate	0.196738872
Guisad Central	voc	humidity	-0.1	weak	0.769875
Guisad Central	voc	pressure	0.345454545	moderate	0.298089221
Guisad Central	voc	pm1	0.5	strong	0.117306803
Guisad Central	voc	pm25	0.5	strong	0.117306803
Guisad Central	voc	pm10	0.490909091	moderate	0.125204407
Guisad Central	voc	aqs	0.125615368	weak	0.712861657
Guisad Central	voc	albedo	0.345454545	moderate	0.298089221
Guisad Central	voc	DiurnalTemp	0.027272727	weak	0.936558448
Guisad Central	humidity	voc	-0.1	weak	0.769875
Guisad Central	humidity	pressure	0.581818182	strong	0.060419896

Guisad Central	humidity	pm1	0.01818181 8	- weak	0.9576 85241
Guisad Central	humidity	pm25	0.01818181 8	- weak	0.9576 85241
Guisad Central	humidity	pm10	0.02727272 7	- weak	0.9365 58448
Guisad Central	humidity	aqs	0.20005410 5	- weak	0.5553 36249
Guisad Central	humidity	albedo	0.4	moderate	0.2228 6835
Guisad Central	humidity	DiurnalTe mp	0.59090909 1	- strong	0.0555 75604
Guisad Central	pressure	voc	0.34545454 5	moderate	0.2980 89221
Guisad Central	pressure	humidity	0.58181818 2	- strong	0.0604 19896
Guisad Central	pressure	pm1	0.14545454 5	weak	0.6695 78646
Guisad Central	pressure	pm25	0.14545454 5	weak	0.6695 78646
Guisad Central	pressure	pm10	0.11818181 8	weak	0.7292 8478
Guisad Central	pressure	aqs	0.36754126 3	moderate	0.2661 35179
Guisad Central	pressure	albedo	0.73636363 6	- strong	0.0097 59536
Guisad Central	pressure	DiurnalTe mp	0.38181818 2	moderate	0.2465 59576

Guisad Central	pm1	voc	0.5	strong	0.1173 06803
Guisad Central	pm1	humidity	0.01818181 8	weak	0.9576 85241
Guisad Central	pm1	pressure	0.14545454 5	weak	0.6695 78646
Guisad Central	pm1	pm25	1	strong	0
Guisad Central	pm1	pm10	0.98181818 2	strong	8.40E- 08
Guisad Central	pm1	aqs	0.15818231 6	weak	0.6422 69328
Guisad Central	pm1	albedo	0.46363636 4	moderate	0.1509 01499
Guisad Central	pm1	DiurnalTe mp	0.24545454 5	weak	0.4669 22367
Guisad Central	pm25	voc	0.5	strong	0.1173 06803
Guisad Central	pm25	humidity	0.01818181 8	weak	0.9576 85241
Guisad Central	pm25	pressure	0.14545454 5	weak	0.6695 78646
Guisad Central	pm25	pm1	1	strong	0
Guisad Central	pm25	pm10	0.98181818 2	strong	8.40E- 08
Guisad Central	pm25	aqs	0.15818231 6	weak	0.6422 69328
Guisad Central	pm25	albedo	0.46363636 4	moderate	0.1509 01499
Guisad Central	pm25	DiurnalTe mp	0.24545454 5	weak	0.4669 22367

Guisad Central	pm10	voc	0.49090909 1	moderate	0.1252 04407
Guisad Central	pm10	humidity	0.02727272 7	weak	0.9365 58448
Guisad Central	pm10	pressure	0.11818181 8	weak	0.7292 8478
Guisad Central	pm10	pm1	0.98181818 2	strong	8.40E- 08
Guisad Central	pm10	pm25	0.98181818 2	strong	8.40E- 08
Guisad Central	pm10	aqs	0.21401136 8	weak	0.5274 61409
Guisad Central	pm10	albedo	0.50909090 9	strong	0.1097 37232
Guisad Central	pm10	DiurnalTe mp	0.20909090 9	weak	0.5372 20935
Guisad Central	aqs	voc	0.12561536 8	weak	0.7128 61657
Guisad Central	aqs	humidity	0.20005410 5	weak	0.5553 36249
Guisad Central	aqs	pressure	0.36754126 3	moderate	0.2661 35179
Guisad Central	aqs	pm1	0.15818231 6	weak	0.6422 69328
Guisad Central	aqs	pm25	0.15818231 6	weak	0.6422 69328
Guisad Central	aqs	pm10	0.21401136 8	weak	0.5274 61409
Guisad Central	aqs	albedo	0.56759536 8	strong	0.0685 60792
Guisad Central	aqs	DiurnalTe	0.618772	strong	0.0423

		mp			91353
Guisad Central	albedo	voc	0.34545454 5	moderate	0.2980 89221
Guisad Central	albedo	humidity	0.4	moderate	0.2228 6835
Guisad Central	albedo	pressure	0.73636363 6	strong	0.0097 59536
Guisad Central	albedo	pm1	0.46363636 4	moderate	0.1509 01499
Guisad Central	albedo	pm25	0.46363636 4	moderate	0.1509 01499
Guisad Central	albedo	pm10	0.50909090 9	strong	0.1097 37232
Guisad Central	albedo	aqs	0.56759536 8	strong	0.0685 60792
Guisad Central	albedo	DiurnalTe mp	0.37272727 3	moderate	0.2589 25874
Guisad Central	DiurnalTe mp	voc	0.02727272 7	weak	0.9365 58448
Guisad Central	DiurnalTe mp	humidity	0.59090909 1	strong	0.0555 75604
Guisad Central	DiurnalTe mp	pressure	0.38181818 2	moderate	0.2465 59576
Guisad Central	DiurnalTe mp	pm1	0.24545454 5	weak	0.4669 22367
Guisad Central	DiurnalTe mp	pm25	0.24545454 5	weak	0.4669 22367

Guisad Central	DiurnalTemp	pm10	0.209090909	weak	0.537220935
Guisad Central	DiurnalTemp	aqs	0.618772	strong	0.042391353
Guisad Central	DiurnalTemp	albedo	0.372727273	moderate	0.258925874
Happy Homes (Happy Homes-Lucban)	voc	humidity	0.137362637	weak	0.65451684
Happy Homes (Happy Homes-Lucban)	voc	pressure	0.17032967	weak	0.577975429
Happy Homes (Happy Homes-Lucban)	voc	pm1	0.098901099	weak	0.747868304
Happy Homes (Happy Homes-Lucban)	voc	pm25	0.098901099	weak	0.747868304
Happy Homes (Happy Homes-Lucban)	voc	pm10	0.10989011	weak	0.7208098
Happy Homes (Happy Homes-Lucban)	voc	aqs	0.300864836	moderate	0.317853827
Happy Homes (Happy Homes-Lucban)	voc	albedo	0.192307692	weak	0.529067987
Happy Homes (Happy Homes-Lucban)	voc	DiurnalTemp	0.016483516	weak	0.957376175
Happy Homes (Happy Homes-Lucban)	humidity	voc	0.137362637	weak	0.65451684
Happy Homes (Happy Homes-Lucban)	humidity	pressure	0.642857143	strong	0.017792451
Happy Homes (Happy Homes-Lucban)	humidity	pm1	0.093406593	weak	0.761500023

Happy Homes (Happy Homes-Lucban)	humidity	pm25	0.093406593	weak	0.761500023
Happy Homes (Happy Homes-Lucban)	humidity	pm10	0.098901099	weak	0.747868304
Happy Homes (Happy Homes-Lucban)	humidity	aqs	0.704803737	strong	0.007139485
Happy Homes (Happy Homes-Lucban)	humidity	albedo	0.049450549	weak	0.872544429
Happy Homes (Happy Homes-Lucban)	humidity	DiurnalTemp	0.824175824	strong	0.000530223
Happy Homes (Happy Homes-Lucban)	pressure	voc	0.17032967	weak	0.577975429
Happy Homes (Happy Homes-Lucban)	pressure	humidity	0.642857143	strong	0.017792451
Happy Homes (Happy Homes-Lucban)	pressure	pm1	0.263736264	weak	0.383936517
Happy Homes (Happy Homes-Lucban)	pressure	pm25	0.263736264	weak	0.383936517
Happy Homes (Happy Homes-Lucban)	pressure	pm10	0.247252747	weak	0.41540512
Happy Homes (Happy Homes-Lucban)	pressure	aqs	0.392795759	moderate	0.184287137
Happy Homes (Happy Homes-Lucban)	pressure	albedo	0.225274725	weak	0.459305143
Happy Homes (Happy Homes-Lucban)	pressure	DiurnalTemp	0.620879121	strong	0.023538167
Happy Homes (Happy Homes-Lucban)	pm1	voc	0.098901099	weak	0.747868304
Happy Homes (Happy Homes-Lucban)	pm1	humidity	0.093406593	weak	0.761500023

Happy Homes (Happy Homes-Lucban)	pm1	pressure	0.26373626 4	weak	0.3839 36517
Happy Homes (Happy Homes-Lucban)	pm1	pm25	- 1	strong	0
Happy Homes (Happy Homes-Lucban)	pm1	pm10	0.99450549 5	strong	3.91E- 12
Happy Homes (Happy Homes-Lucban)	pm1	aqs	0.07521620 9	weak	0.8070 64679
Happy Homes (Happy Homes-Lucban)	pm1	albedo	0.32417582 4	moderate	0.2798 81869
Happy Homes (Happy Homes-Lucban)	pm1	DiurnalTemp	0.12087912 1	weak	0.6940 47328
Happy Homes (Happy Homes-Lucban)	pm25	voc	0.09890109 9	weak	0.7478 68304
Happy Homes (Happy Homes-Lucban)	pm25	humidity	0.09340659 3	weak	0.7615 00023
Happy Homes (Happy Homes-Lucban)	pm25	pressure	0.26373626 4	weak	0.3839 36517
Happy Homes (Happy Homes-Lucban)	pm25	pm1	- 1	strong	0
Happy Homes (Happy Homes-Lucban)	pm25	pm10	0.99450549 5	strong	3.91E- 12
Happy Homes (Happy Homes-Lucban)	pm25	aqs	0.07521620 9	weak	0.8070 64679
Happy Homes (Happy Homes-Lucban)	pm25	albedo	0.32417582 4	moderate	0.2798 81869
Happy Homes (Happy Homes-Lucban)	pm25	DiurnalTemp	0.12087912 1	weak	0.6940 47328

Happy Homes (Happy Homes-Lucban)	pm10	voc	- 0.10989011	weak	0.7208 098
Happy Homes (Happy Homes-Lucban)	pm10	humidity	- 0.09890109 9	weak	0.7478 68304
Happy Homes (Happy Homes-Lucban)	pm10	pressure	- 0.24725274 7	weak	0.4154 0512
Happy Homes (Happy Homes-Lucban)	pm10	pm1	- 0.99450549 5	strong	3.91E- 12
Happy Homes (Happy Homes-Lucban)	pm10	pm25	- 0.99450549 5	strong	3.91E- 12
Happy Homes (Happy Homes-Lucban)	pm10	aqs	- 0.06964463 8	weak	0.8211 40464
Happy Homes (Happy Homes-Lucban)	pm10	albedo	- 0.34065934 1	moderate	0.2547 06461
Happy Homes (Happy Homes-Lucban)	pm10	DiurnalTemp	- 0.12637362 6	weak	0.6807 85475
Happy Homes (Happy Homes-Lucban)	aqs	voc	- 0.30086483 6	moderate	0.3178 53827
Happy Homes (Happy Homes-Lucban)	aqs	humidity	- 0.70480373 7	strong	0.0071 39485
Happy Homes (Happy Homes-Lucban)	aqs	pressure	- 0.39279575 9	moderate	0.1842 87137
Happy Homes (Happy Homes-Lucban)	aqs	pm1	- 0.07521620 9	weak	0.8070 64679
Happy Homes (Happy Homes-Lucban)	aqs	pm25	- 0.07521620 9	weak	0.8070 64679
Happy Homes (Happy Homes-Lucban)	aqs	pm10	- 0.06964463 8	weak	0.8211 40464

Happy Homes (Happy Homes-Lucban)	aqs	albedo	0.10585985	weak	0.7307 00665
Happy Homes (Happy Homes-Lucban)	aqs	DiurnalTemp	0.67973166 8	strong	0.0105 90347
Happy Homes (Happy Homes-Lucban)	albedo	voc	0.19230769 2	weak	0.5290 67987
Happy Homes (Happy Homes-Lucban)	albedo	humidity	0.04945054 9	weak	0.8725 44429
Happy Homes (Happy Homes-Lucban)	albedo	pressure	0.22527472 5	weak	0.4593 05143
Happy Homes (Happy Homes-Lucban)	albedo	pm1	0.32417582 4	moderate	0.2798 81869
Happy Homes (Happy Homes-Lucban)	albedo	pm25	0.32417582 4	moderate	0.2798 81869
Happy Homes (Happy Homes-Lucban)	albedo	pm10	0.34065934 1	moderate	0.2547 06461
Happy Homes (Happy Homes-Lucban)	albedo	aqs	0.10585985	weak	0.7307 00665
Happy Homes (Happy Homes-Lucban)	albedo	DiurnalTemp	0.25824175 8	weak	0.3942 84017
Happy Homes (Happy Homes-Lucban)	DiurnalTemp	voc	0.01648351 6	weak	0.9573 76175
Happy Homes (Happy Homes-Lucban)	DiurnalTemp	humidity	0.82417582 4	strong	0.0005 30223
Happy Homes (Happy Homes-Lucban)	DiurnalTemp	pressure	0.62087912 1	strong	0.0235 38167
Happy Homes (Happy Homes-Lucban)	DiurnalTemp	pm1	0.12087912	weak	0.6940 47328

				1		
Happy Homes (Happy Homes-Lucban)	DiurnalTemp	pm25	0.12087912 1	- weak	0.6940 47328	
Happy Homes (Happy Homes-Lucban)	DiurnalTemp	pm10	0.12637362 6	- weak	0.6807 85475	
Happy Homes (Happy Homes-Lucban)	DiurnalTemp	aqs	0.67973166 8	strong	0.0105 90347	
Happy Homes (Happy Homes-Lucban)	DiurnalTemp	albedo	0.25824175 8	- weak	0.3942 84017	
Harrison-Claudio Carantes	voc	humidity	0.11208791 2	- weak	0.7028 33163	
Harrison-Claudio Carantes	voc	pressure	0.50329670 3	strong	0.0665 60428	
Harrison-Claudio Carantes	voc	pm1	0.29230769 2	- weak	0.3105 2632	
Harrison-Claudio Carantes	voc	pm25	0.29230769 2	- weak	0.3105 2632	
Harrison-Claudio Carantes	voc	pm10	0.26153846 2	- weak	0.3664 11137	
Harrison-Claudio Carantes	voc	aqs	0.27197879 4	- weak	0.3468 72083	
Harrison-Claudio Carantes	voc	albedo	0.29670329 7	- weak	0.3029 66724	
Harrison-Claudio Carantes	voc	DiurnalTemp	0.47252747 3	moderate	0.0879 67425	
Harrison-Claudio Carantes	humidity	voc	0.11208791 2	- weak	0.7028 33163	
Harrison-Claudio Carantes	humidity	pressure	0.17362637	- weak	0.5527 66941	

				4		
Harrison-Claudio Carantes	humidity	pm1	0.31868131	- 9	moderate	0.2667 84961
Harrison-Claudio Carantes	humidity	pm25	0.31868131	- 9	moderate	0.2667 84961
Harrison-Claudio Carantes	humidity	pm10	0.28791208	- 8	weak	0.3181 92871
Harrison-Claudio Carantes	humidity	aqs	0.55969189	- 8	strong	0.0374 12691
Harrison-Claudio Carantes	humidity	albedo	0.26593406	- 6	weak	0.3581 134
Harrison-Claudio Carantes	humidity	DiurnalTemp	0.63516483	- 5	strong	0.0146 57881
Harrison-Claudio Carantes	pressure	voc	0.50329670	- 3	strong	0.0665 60428
Harrison-Claudio Carantes	pressure	humidity	0.17362637	- 4	weak	0.5527 66941
Harrison-Claudio Carantes	pressure	pm1	0.12527472	- 5	weak	0.6695 82397
Harrison-Claudio Carantes	pressure	pm25	0.12527472	- 5	weak	0.6695 82397
Harrison-Claudio Carantes	pressure	pm10	0.17802197	- 8	weak	0.5425 96953
Harrison-Claudio Carantes	pressure	aqs	0.21803258	- 7	weak	0.4539 63654
Harrison-Claudio	pressure	albedo		-	strong	0.0220

Carantes			0.60439560		56862
			4		
Harrison-Claudio Carantes	pressure	DiurnalTemp	0.43296703	moderate	0.1220 10006
Harrison-Claudio Carantes	pm1	voc	0.29230769	weak	0.3105 2632
Harrison-Claudio Carantes	pm1	humidity	0.31868131	moderate	0.2667 84961
Harrison-Claudio Carantes	pm1	pressure	0.12527472	weak	0.6695 82397
Harrison-Claudio Carantes	pm1	pm25	-	strong	0
Harrison-Claudio Carantes	pm1	pm10	0.99560439	strong	1.03E- 13
Harrison-Claudio Carantes	pm1	aqs	0.31693396	moderate	0.2695 6255
Harrison-Claudio Carantes	pm1	albedo	0.53406593	strong	0.0491 59916
Harrison-Claudio Carantes	pm1	DiurnalTemp	0.17802197	weak	0.5425 96953
Harrison-Claudio Carantes	pm25	voc	0.29230769	weak	0.3105 2632
Harrison-Claudio Carantes	pm25	humidity	0.31868131	moderate	0.2667 84961
Harrison-Claudio Carantes	pm25	pressure	0.12527472	weak	0.6695 82397
Harrison-Claudio Carantes	pm25	pm1	-	strong	0
Harrison-Claudio Carantes	pm25	pm10	0.99560439	strong	1.03E- 13
Harrison-Claudio	pm25	aqs	0.31693396	moderate	0.2695

Carantes				6		6255
Harrison-Claudio Carantes	pm25	albedo	0.53406593 4	strong	0.0491 59916	
Harrison-Claudio Carantes	pm25	DiurnalTe mp	0.17802197 8	weak	0.5425 96953	
Harrison-Claudio Carantes	pm10	voc	0.26153846 2	weak	0.3664 11137	
Harrison-Claudio Carantes	pm10	humidity	0.28791208 8	weak	0.3181 92871	
Harrison-Claudio Carantes	pm10	pressure	0.17802197 8	weak	0.5425 96953	
Harrison-Claudio Carantes	pm10	pm1	0.99560439 6	strong	1.03E- 13	
Harrison-Claudio Carantes	pm10	pm25	0.99560439 6	strong	1.03E- 13	
Harrison-Claudio Carantes	pm10	aqs	0.27197879 4	weak	0.3468 72083	
Harrison-Claudio Carantes	pm10	albedo	0.57362637 4	strong	0.0319 70814	
Harrison-Claudio Carantes	pm10	DiurnalTe mp	0.12527472 5	weak	0.6695 82397	
Harrison-Claudio Carantes	aqs	voc	0.27197879 4	weak	0.3468 72083	
Harrison-Claudio Carantes	aqs	humidity	0.55969189 8	strong	0.0374 12691	
Harrison-Claudio Carantes	aqs	pressure	0.21803258 7	weak	0.4539 63654	
Harrison-Claudio Carantes	aqs	pm1	0.31693396 6	moderate	0.2695 6255	
Harrison-Claudio Carantes	aqs	pm25	0.31693396 6	moderate	0.2695 6255	

Harrison-Claudio Carantes	aqs	pm10	0.27197879 4	weak	0.3468 72083
Harrison-Claudio Carantes	aqs	albedo	0.11463569	weak	0.6963 68178
Harrison-Claudio Carantes	aqs	DiurnalTe mp	0.68556638 1	strong	0.0068 01589
Harrison-Claudio Carantes	albedo	voc	0.29670329 7	weak	0.3029 66724
Harrison-Claudio Carantes	albedo	humidity	0.26593406 6	weak	0.3581 134
Harrison-Claudio Carantes	albedo	pressure	0.60439560 4	strong	0.0220 56862
Harrison-Claudio Carantes	albedo	pm1	0.53406593 4	strong	0.0491 59916
Harrison-Claudio Carantes	albedo	pm25	0.53406593 4	strong	0.0491 59916
Harrison-Claudio Carantes	albedo	pm10	0.57362637 4	strong	0.0319 70814
Harrison-Claudio Carantes	albedo	aqs	0.11463569	weak	0.6963 68178
Harrison-Claudio Carantes	albedo	DiurnalTe mp	0.18681318 7	weak	0.5225 04012
Harrison-Claudio Carantes	DiurnalTe mp	voc	0.47252747 3	moderate	0.0879 67425
Harrison-Claudio Carantes	DiurnalTe mp	humidity	0.63516483 5	strong	0.0146 57881
Harrison-Claudio Carantes	DiurnalTe mp	pressure	0.43296703 3	moderate	0.1220 10006
Harrison-Claudio Carantes	DiurnalTe mp	pm1	0.17802197 8	weak	0.5425 96953

Harrison-Claudio Carantes	DiurnalTemp	pm25	0.178021978	weak	0.542596953
Harrison-Claudio Carantes	DiurnalTemp	pm10	0.125274725	weak	0.669582397
Harrison-Claudio Carantes	DiurnalTemp	aqs	0.685566381	strong	0.006801589
Harrison-Claudio Carantes	DiurnalTemp	albedo	0.186813187	weak	0.522504012
Honeymoon (Honeymoon-Holy Ghost)	voc	humidity	0.446153846	moderate	0.109807128
Honeymoon (Honeymoon-Holy Ghost)	voc	pressure	0.085714286	weak	0.770785031
Honeymoon (Honeymoon-Holy Ghost)	voc	pm1	0.459340659	moderate	0.098468376
Honeymoon (Honeymoon-Holy Ghost)	voc	pm25	0.450549451	moderate	0.105932785
Honeymoon (Honeymoon-Holy Ghost)	voc	pm10	0.441758242	moderate	0.113777503
Honeymoon (Honeymoon-Holy Ghost)	voc	aqs	0.519232243	strong	0.057075242
Honeymoon (Honeymoon-Holy Ghost)	voc	albedo	0.243956044	weak	0.400624804
Honeymoon (Honeymoon-Holy Ghost)	voc	DiurnalTemp	0.195604396	weak	0.502750091
Honeymoon (Honeymoon-Holy Ghost)	humidity	voc	0.446153846	moderate	0.109807128

Honeymoon (Honeymoon-Holy Ghost)	humidity	pressure	0.29230769 2	- weak	0.3105 2632
Honeymoon (Honeymoon-Holy Ghost)	humidity	pm1	0.17802197 8	- weak	0.5425 96953
Honeymoon (Honeymoon-Holy Ghost)	humidity	pm25	0.19120879 1	- weak	0.5125 8397
Honeymoon (Honeymoon-Holy Ghost)	humidity	pm10	0.18241758 2	- weak	0.5325 08819
Honeymoon (Honeymoon-Holy Ghost)	humidity	aqs	0.56868293 3	- strong	0.0338 29216
Honeymoon (Honeymoon-Holy Ghost)	humidity	albedo	0.28351648 4	- weak	0.3259 65947
Honeymoon (Honeymoon-Holy Ghost)	humidity	DiurnalTemp	0.38901098 9	- moderate	0.1692 1739
Honeymoon (Honeymoon-Holy Ghost)	pressure	voc	0.08571428 6	- weak	0.7707 85031
Honeymoon (Honeymoon-Holy Ghost)	pressure	humidity	0.29230769 2	- weak	0.3105 2632
Honeymoon (Honeymoon-Holy Ghost)	pressure	pm1	0.18681318 7	- weak	0.5225 04012
Honeymoon (Honeymoon-Holy Ghost)	pressure	pm25	0.20439560 4	- weak	0.4833 46223
Honeymoon (Honeymoon-Holy Ghost)	pressure	pm10	0.16483516 5	- weak	0.5733 46405

Honeymoon (Honeymoon-Holy Ghost)	pressure	aqs	0.54620534 6	strong	0.0433 023
Honeymoon (Honeymoon-Holy Ghost)	pressure	albedo	0.01538461 5	weak	0.9583 69789
Honeymoon (Honeymoon-Holy Ghost)	pressure	DiurnalTe mp	0.41538461 5	moderate	0.1396 65948
Honeymoon (Honeymoon-Holy Ghost)	pm1	voc	0.45934065 9	moderate	0.0984 68376
Honeymoon (Honeymoon-Holy Ghost)	pm1	humidity	0.17802197 8	weak	0.5425 96953
Honeymoon (Honeymoon-Holy Ghost)	pm1	pressure	0.18681318 7	weak	0.5225 04012
Honeymoon (Honeymoon-Holy Ghost)	pm1	pm25	0.99560439 6	strong	1.03E- 13
Honeymoon (Honeymoon-Holy Ghost)	pm1	pm10	0.99120879 1	strong	6.54E- 12
Honeymoon (Honeymoon-Holy Ghost)	pm1	aqs	0.41133982 9	moderate	0.1439 56456
Honeymoon (Honeymoon-Holy Ghost)	pm1	albedo	0.69230769 2	strong	0.0060 71049
Honeymoon (Honeymoon-Holy Ghost)	pm1	DiurnalTe mp	0.19120879 1	weak	0.5125 8397
Honeymoon (Honeymoon-Holy Ghost)	pm25	voc	0.45054945 1	moderate	0.1059 32785

Honeymoon (Honeymoon-Holy Ghost)	pm25	humidity	0.19120879 1	weak	0.5125 8397
Honeymoon (Honeymoon-Holy Ghost)	pm25	pressure	0.20439560 4	weak	0.4833 46223
Honeymoon (Honeymoon-Holy Ghost)	pm25	pm1	0.99560439 6	strong	1.03E- 13
Honeymoon (Honeymoon-Holy Ghost)	pm25	pm10	0.99560439 6	strong	1.03E- 13
Honeymoon (Honeymoon-Holy Ghost)	pm25	aqs	0.41133982 9	moderate	0.1439 56456
Honeymoon (Honeymoon-Holy Ghost)	pm25	albedo	0.69670329 7	strong	0.0056 28677
Honeymoon (Honeymoon-Holy Ghost)	pm25	DiurnalTe mp	0.22197802 2	weak	0.4456 29658
Honeymoon (Honeymoon-Holy Ghost)	pm10	voc	0.44175824 2	moderate	0.1137 77503
Honeymoon (Honeymoon-Holy Ghost)	pm10	humidity	0.18241758 2	weak	0.5325 08819
Honeymoon (Honeymoon-Holy Ghost)	pm10	pressure	0.16483516 5	weak	0.5733 46405
Honeymoon (Honeymoon-Holy Ghost)	pm10	pm1	0.99120879 1	strong	6.54E- 12
Honeymoon (Honeymoon-Holy Ghost)	pm10	pm25	0.99560439 6	strong	1.03E- 13

Honeymoon (Honeymoon-Holy Ghost)	pm10	aqs	0.37088017 3	moderate	0.1917 28336
Honeymoon (Honeymoon-Holy Ghost)	pm10	albedo	0.70989011	strong	0.0044 50741
Honeymoon (Honeymoon-Holy Ghost)	pm10	DiurnalTe mp	0.26153846 2	weak	0.3664 11137
Honeymoon (Honeymoon-Holy Ghost)	aqs	voc	0.51923224 3	strong	0.0570 75242
Honeymoon (Honeymoon-Holy Ghost)	aqs	humidity	0.56868293 3	strong	0.0338 29216
Honeymoon (Honeymoon-Holy Ghost)	aqs	pressure	0.54620534 6	strong	0.0433 023
Honeymoon (Honeymoon-Holy Ghost)	aqs	pm1	0.41133982 9	moderate	0.1439 56456
Honeymoon (Honeymoon-Holy Ghost)	aqs	pm25	0.41133982 9	moderate	0.1439 56456
Honeymoon (Honeymoon-Holy Ghost)	aqs	pm10	0.37088017 3	moderate	0.1917 28336
Honeymoon (Honeymoon-Holy Ghost)	aqs	albedo	0.13261775 9	weak	0.6513 03444
Honeymoon (Honeymoon-Holy Ghost)	aqs	DiurnalTe mp	0.60914258 8	strong	0.0207 62844
Honeymoon (Honeymoon-Holy Ghost)	albedo	voc	0.24395604 4	weak	0.4006 24804

Honeymoon (Honeymoon-Holy Ghost)	albedo	humidity	0.28351648 4	weak	0.3259 65947
Honeymoon (Honeymoon-Holy Ghost)	albedo	pressure	0.01538461 5	weak	0.9583 69789
Honeymoon (Honeymoon-Holy Ghost)	albedo	pm1	0.69230769 2	strong	0.0060 71049
Honeymoon (Honeymoon-Holy Ghost)	albedo	pm25	0.69670329 7	strong	0.0056 28677
Honeymoon (Honeymoon-Holy Ghost)	albedo	pm10	0.70989011	strong	0.0044 50741
Honeymoon (Honeymoon-Holy Ghost)	albedo	aqs	0.13261775 9	weak	0.6513 03444
Honeymoon (Honeymoon-Holy Ghost)	albedo	DiurnalTe mp	0.14285714 3	weak	0.6261 17476
Honeymoon (Honeymoon-Holy Ghost)	DiurnalTe mp	voc	0.19560439 6	weak	0.5027 50091
Honeymoon (Honeymoon-Holy Ghost)	DiurnalTe mp	humidity	0.38901098 9	moderate	0.1692 1739
Honeymoon (Honeymoon-Holy Ghost)	DiurnalTe mp	pressure	0.41538461 5	moderate	0.1396 65948
Honeymoon (Honeymoon-Holy Ghost)	DiurnalTe mp	pm1	0.19120879 1	weak	0.5125 8397
Honeymoon (Honeymoon-Holy Ghost)	DiurnalTe mp	pm25	0.22197802 2	weak	0.4456 29658

Honeymoon (Honeymoon-Holy Ghost)	DiurnalTe mp	pm10	0.26153846 2	weak	0.3664 11137
Honeymoon (Honeymoon-Holy Ghost)	DiurnalTe mp	aqs	0.60914258 8	strong	0.0207 62844
Honeymoon (Honeymoon-Holy Ghost)	DiurnalTe mp	albedo	0.14285714 3	weak	0.6261 17476
Imelda Village	voc	humidity	0.28021978	weak	0.3537 63636
Imelda Village	voc	pressure	0.34065934 1	moderate	0.2547 06461
Imelda Village	voc	pm1	0.14835164 8	weak	0.6286 09418
Imelda Village	voc	pm25	0.14835164 8	weak	0.6286 09418
Imelda Village	voc	pm10	0.14835164 8	weak	0.6286 09418
Imelda Village	voc	aqs	0.83649201 2	strong	0.0003 64655
Imelda Village	voc	albedo	0.09890109 9	weak	0.7478 68304
Imelda Village	voc	DiurnalTe mp	0.69780219 8	strong	0.0080 00717
Imelda Village	humidity	voc	0.28021978	weak	0.3537 63636
Imelda Village	humidity	pressure	0.17582417 6	weak	0.5655 79862
Imelda Village	humidity	pm1	0.41758241 8	moderate	0.1556 74754

Imelda Village	humidity	pm25	0.41758241 8	moderate	0.1556 74754
Imelda Village	humidity	pm10	0.41758241 8	moderate	0.1556 74754
Imelda Village	humidity	aqs	0.36172627 5	moderate	0.2245 67516
Imelda Village	humidity	albedo	0.41758241 8	moderate	0.1556 74754
Imelda Village	humidity	DiurnalTe mp	0.69780219 8	strong	0.0080 00717
Imelda Village	pressure	voc	0.34065934 1	moderate	0.2547 06461
Imelda Village	pressure	humidity	0.17582417 6	weak	0.5655 79862
Imelda Village	pressure	pm1	0.63736263 7	strong	0.0191 18114
Imelda Village	pressure	pm25	0.63736263 7	strong	0.0191 18114
Imelda Village	pressure	pm10	0.63736263 7	strong	0.0191 18114
Imelda Village	pressure	aqs	0.06782367 7	weak	0.8257 5178
Imelda Village	pressure	albedo	0.52747252 7	strong	0.0639 54891
Imelda Village	pressure	DiurnalTe mp	0.29120879 1	weak	0.3343 85856
Imelda Village	pm1	voc	0.14835164 8	weak	0.6286 09418

Imelda Village	pm1	humidity	0.41758241 8	moderate	0.1556 74754
Imelda Village	pm1	pressure	0.63736263 7	strong	0.0191 18114
Imelda Village	pm1	pm25	- 1	strong	0
Imelda Village	pm1	pm10	- 1	strong	0
Imelda Village	pm1	aqs	0.03391183 8	weak	0.9124 24633
Imelda Village	pm1	albedo	0.44505494 5	moderate	0.1275 23836
Imelda Village	pm1	DiurnalTe mp	0.52197802 2	strong	0.0672 91712
Imelda Village	pm25	voc	0.14835164 8	weak	0.6286 09418
Imelda Village	pm25	humidity	0.41758241 8	moderate	0.1556 74754
Imelda Village	pm25	pressure	0.63736263 7	strong	0.0191 18114
Imelda Village	pm25	pm1	- 1	strong	0
Imelda Village	pm25	pm10	- 1	strong	0
Imelda Village	pm25	aqs	0.03391183 8	weak	0.9124 24633
Imelda Village	pm25	albedo	0.44505494 5	moderate	0.1275 23836
Imelda Village	pm25	DiurnalTe mp	0.52197802 2	strong	0.0672 91712
Imelda Village	pm10	voc	0.14835164 8	weak	0.6286 09418

Imelda Village	pm10	humidity	0.41758241 8	moderate	0.1556 74754
Imelda Village	pm10	pressure	0.63736263 7	strong	0.0191 18114
Imelda Village	pm10	pm1	- 1	strong	0
Imelda Village	pm10	pm25	- 1	strong	0
Imelda Village	pm10	aqs	0.03391183 8	weak	0.9124 24633
Imelda Village	pm10	albedo	0.44505494 5	moderate	0.1275 23836
Imelda Village	pm10	DiurnalTe mp	0.52197802 2	strong	0.0672 91712
Imelda Village	aqs	voc	0.83649201 2	strong	0.0003 64655
Imelda Village	aqs	humidity	0.36172627 5	moderate	0.2245 67516
Imelda Village	aqs	pressure	- 0.06782367 7	weak	0.8257 5178
Imelda Village	aqs	pm1	0.03391183 8	weak	0.9124 24633
Imelda Village	aqs	pm25	0.03391183 8	weak	0.9124 24633
Imelda Village	aqs	pm10	0.03391183 8	weak	0.9124 24633
Imelda Village	aqs	albedo	- 0.31651049 1	moderate	0.2920 63425
Imelda Village	aqs	DiurnalTe mp	- 0.73475649 7	strong	0.0042 24991
Imelda Village	albedo	voc	0.09890109	weak	0.7478

				9		68304
Imelda Village	albedo	humidity	0.41758241 8	moderate	0.1556 74754	
Imelda Village	albedo	pressure	0.52747252 7	strong	0.0639 54891	
Imelda Village	albedo	pm1	0.44505494 5	moderate	0.1275 23836	
Imelda Village	albedo	pm25	0.44505494 5	moderate	0.1275 23836	
Imelda Village	albedo	pm10	0.44505494 5	moderate	0.1275 23836	
Imelda Village	albedo	aqs	0.31651049 1	moderate	0.2920 63425	
Imelda Village	albedo	DiurnalTe mp	0.12087912 1	weak	0.6940 47328	
Imelda Village	DiurnalTe mp	voc	0.69780219 8	strong	0.0080 00717	
Imelda Village	DiurnalTe mp	humidity	0.69780219 8	strong	0.0080 00717	
Imelda Village	DiurnalTe mp	pressure	0.29120879 1	weak	0.3343 85856	
Imelda Village	DiurnalTe mp	pm1	0.52197802 2	strong	0.0672 91712	
Imelda Village	DiurnalTe mp	pm25	0.52197802 2	strong	0.0672 91712	
Imelda Village	DiurnalTe mp	pm10	0.52197802 2	strong	0.0672 91712	
Imelda Village	DiurnalTe	aqs	0.73475649	strong	0.0042	

		mp		7		24991
Imelda Village	DiurnalTemp	albedo	0.120879121	-	weak	0.694047328
Irisan	voc	humidity	0.139285714	-	weak	0.620546088
Irisan	voc	pressure	0.253571429	-	weak	0.361816104
Irisan	voc	pm1	0.178571429	-	weak	0.52428436
Irisan	voc	pm25		0.15	weak	0.593630203
Irisan	voc	pm10	0.142857143	-	weak	0.611522229
Irisan	voc	aqs	0.61598878	-	strong	0.014482283
Irisan	voc	albedo	0.271428571	-	weak	0.327789307
Irisan	voc	DiurnalTemp		0.475	moderate	0.073570862
Irisan	humidity	voc	0.139285714	-	weak	0.620546088
Irisan	humidity	pressure	0.703571429	-	strong	0.003424337
Irisan	humidity	pm1	0.039285714	-	weak	0.88944593
Irisan	humidity	pm25	0.010714286	-	weak	0.969769876
Irisan	humidity	pm10	0.003571429	-	weak	0.989921407
Irisan	humidity	aqs	0.282174501	-	weak	0.308227873

Irisan	humidity	albedo	0.07857142 9	weak	0.7807 54552
Irisan	humidity	DiurnalTe mp	0.55357142 9	strong	0.0322 87104
Irisan	pressure	voc	0.25357142 9	weak	0.3618 16104
Irisan	pressure	humidity	0.70357142 9	strong	0.0034 24337
Irisan	pressure	pm1	0.46071428 6	moderate	0.0839 33381
Irisan	pressure	pm25	0.41428571 4	moderate	0.1247 15442
Irisan	pressure	pm10	0.43571428 6	moderate	0.1044 93357
Irisan	pressure	aqs	0.66947283 6	strong	0.0063 34797
Irisan	pressure	albedo	-0.025	weak	0.9295 28971
Irisan	pressure	DiurnalTe mp	0.48214285 7	moderate	0.0687 49538
Irisan	pm1	voc	0.17857142 9	weak	0.5242 8436
Irisan	pm1	humidity	0.03928571 4	weak	0.8894 4593
Irisan	pm1	pressure	0.46071428 6	moderate	0.0839 33381
Irisan	pm1	pm25	0.99642857 1	strong	2.42E- 15
Irisan	pm1	pm10	0.98571428	strong	1.93E-

				6		11
Irisan	pm1	aqs	0.62521016 9	- strong	0.0126 88595	
Irisan	pm1	albedo	0.37857142 9	- moderate	0.1640 90827	
Irisan	pm1	DiurnalTe mp	0.26785714 3	- weak	0.3344 43601	
Irisan	pm25	voc	0.15	weak	0.5936 30203	
Irisan	pm25	humidity	0.01071428 6	weak	0.9697 69876	
Irisan	pm25	pressure	0.41428571 4	- moderate	0.1247 15442	
Irisan	pm25	pm1	0.99642857 1	strong	2.42E- 15	
Irisan	pm25	pm10	0.99285714 3	strong	2.17E- 13	
Irisan	pm25	aqs	0.60123455 8	- strong	0.0177 52714	
Irisan	pm25	albedo	0.37142857 1	- moderate	0.1728 49747	
Irisan	pm25	DiurnalTe mp	-0.275	weak	0.3212 11173	
Irisan	pm10	voc	0.14285714 3	weak	0.6115 22229	
Irisan	pm10	humidity	0.00357142 9	weak	0.9899 21407	
Irisan	pm10	pressure	0.43571428	- moderate	0.1044 93357	

				6		
Irisan	pm10	pm1	0.98571428 6	strong	1.93E- 11	
Irisan	pm10	pm25	0.99285714 3	strong	2.17E- 13	
Irisan	pm10	aqs	0.62521016 9	strong	0.0126 88595	
Irisan	pm10	albedo	0.32857142 9	moderate	0.2318 09697	
Irisan	pm10	DiurnalTe mp	0.33928571 4	moderate	0.2160 28925	
Irisan	aqs	voc	0.61598878	strong	0.0144 82283	
Irisan	aqs	humidity	0.28217450 1	weak	0.3082 27873	
Irisan	aqs	pressure	0.66947283 6	strong	0.0063 34797	
Irisan	aqs	pm1	0.62521016 9	strong	0.0126 88595	
Irisan	aqs	pm25	0.60123455 8	strong	0.0177 52714	
Irisan	aqs	pm10	0.62521016 9	strong	0.0126 88595	
Irisan	aqs	albedo	0.00184427 8	weak	0.9947 95348	
Irisan	aqs	DiurnalTe mp	0.19180489	weak	0.4934 62242	
Irisan	albedo	voc	0.27142857 1	weak	0.3277 89307	

Irisan	albedo	humidity	0.07857142 9	weak	0.7807 54552
Irisan	albedo	pressure	-0.025	weak	0.9295 28971
Irisan	albedo	pm1	0.37857142 9	moderate	0.1640 90827
Irisan	albedo	pm25	0.37142857 1	moderate	0.1728 49747
Irisan	albedo	pm10	0.32857142 9	moderate	0.2318 09697
Irisan	albedo	aqs	0.00184427 8	weak	0.9947 95348
Irisan	albedo	DiurnalTe mp	0.05357142 9	weak	0.8496 09937
Irisan	DiurnalTe mp	voc	0.475	moderate	0.0735 70862
Irisan	DiurnalTe mp	humidity	0.55357142 9	strong	0.0322 87104
Irisan	DiurnalTe mp	pressure	0.48214285 7	moderate	0.0687 49538
Irisan	DiurnalTe mp	pm1	0.26785714 3	weak	0.3344 43601
Irisan	DiurnalTe mp	pm25	-0.275	weak	0.3212 11173
Irisan	DiurnalTe mp	pm10	0.33928571 4	moderate	0.2160 28925
Irisan	DiurnalTe mp	aqs	0.19180489	weak	0.4934 62242
Irisan	DiurnalTe	albedo	0.05357142	weak	0.8496

	mp		9		09937
Kabayanihan	voc	humidity	0.14642857 1	- weak	0.6025 49921
Kabayanihan	voc	pressure	0.175	weak	0.5327 48148
Kabayanihan	voc	pm1	0.17142857 1	weak	0.5412 72176
Kabayanihan	voc	pm25	0.14285714 3	weak	0.6115 22229
Kabayanihan	voc	pm10	0.14285714 3	weak	0.6115 22229
Kabayanihan	voc	aqs	0.10881238 9	weak	0.6994 83778
Kabayanihan	voc	albedo	0.10714285 7	- weak	0.7039 01002
Kabayanihan	voc	DiurnalTe mp	0.4	moderate	0.1395 95129
Kabayanihan	humidity	voc	0.14642857 1	- weak	0.6025 49921
Kabayanihan	humidity	pressure	-0.625	strong	0.0127 27454
Kabayanihan	humidity	pm1	0.26428571 4	weak	0.3411 73758
Kabayanihan	humidity	pm25	0.29642857 1	weak	0.2833 55428
Kabayanihan	humidity	pm10	0.29642857 1	weak	0.2833 55428
Kabayanihan	humidity	aqs	0.54775050 2	- strong	0.0345 39211
Kabayanihan	humidity	albedo	0.38571428 6	moderate	0.1556 30795

Kabayanihan	humidity	DiurnalTemp	0.646428571	- strong	0.009214551
Kabayanihan	pressure	voc	0.175	weak	0.532748148
Kabayanihan	pressure	humidity	-0.625	strong	0.012727454
Kabayanihan	pressure	pm1	0.107142857	- weak	0.703901002
Kabayanihan	pressure	pm25	0.128571429	- weak	0.647916329
Kabayanihan	pressure	pm10	0.128571429	- weak	0.647916329
Kabayanihan	pressure	aqs	0.499799279	moderate	0.057815339
Kabayanihan	pressure	albedo	0.514285714	- strong	0.049839233
Kabayanihan	pressure	DiurnalTemp	0.589285714	strong	0.020794358
Kabayanihan	pm1	voc	0.171428571	weak	0.541272176
Kabayanihan	pm1	humidity	0.264285714	weak	0.341173758
Kabayanihan	pm1	pressure	0.107142857	- weak	0.703901002
Kabayanihan	pm1	pm25	0.996428571	strong	2.42E-15
Kabayanihan	pm1	pm10	0.996428571	strong	2.42E-15
Kabayanihan	pm1	aqs	0.20102627	weak	0.4725

				8		02892
Kabayanihan	pm1	albedo	0.06785714 3	-	weak	0.8101 08819
Kabayanihan	pm1	DiurnalTe mp	0.07857142 9	-	weak	0.7807 54552
Kabayanihan	pm25	voc	0.14285714 3	-	weak	0.6115 22229
Kabayanihan	pm25	humidity	0.29642857 1	-	weak	0.2833 55428
Kabayanihan	pm25	pressure	0.12857142 9	-	weak	0.6479 16329
Kabayanihan	pm25	pm1	0.99642857 1	-	strong	2.42E- 15
Kabayanihan	pm25	pm10		1	strong	0
Kabayanihan	pm25	aqs	0.16229644 5	-	weak	0.5633 35825
Kabayanihan	pm25	albedo	0.03214285 7	-	weak	0.9094 62117
Kabayanihan	pm25	DiurnalTe mp	0.03928571 4	-	weak	0.8894 4593
Kabayanihan	pm10	voc	0.14285714 3	-	weak	0.6115 22229
Kabayanihan	pm10	humidity	0.29642857 1	-	weak	0.2833 55428
Kabayanihan	pm10	pressure	0.12857142 9	-	weak	0.6479 16329
Kabayanihan	pm10	pm1	0.99642857 1	-	strong	2.42E- 15
Kabayanihan	pm10	pm25		1	strong	0
Kabayanihan	pm10	aqs	0.16229644	-	weak	0.5633

				5		35825
Kabayanihan	pm10	albedo	0.03214285 7	- weak	0.9094 62117	
Kabayanihan	pm10	DiurnalTe mp	0.03928571 4	- weak	0.8894 4593	
Kabayanihan	aqs	voc	0.10881238 9	- weak	0.6994 83778	
Kabayanihan	aqs	humidity	0.54775050 2	- strong	0.0345 39211	
Kabayanihan	aqs	pressure	0.49979927 9	moderate	0.0578 15339	
Kabayanihan	aqs	pm1	0.20102627 8	- weak	0.4725 02892	
Kabayanihan	aqs	pm25	0.16229644 5	- weak	0.5633 35825	
Kabayanihan	aqs	pm10	0.16229644 5	- weak	0.5633 35825	
Kabayanihan	aqs	albedo	0.36885555 7	- moderate	0.1760 78659	
Kabayanihan	aqs	DiurnalTe mp	0.73402255 8	- strong	0.0018 36536	
Kabayanihan	albedo	voc	0.10714285 7	- weak	0.7039 01002	
Kabayanihan	albedo	humidity	0.38571428 6	- moderate	0.1556 30795	
Kabayanihan	albedo	pressure	0.51428571 4	- strong	0.0498 39233	
Kabayanihan	albedo	pm1	0.06785714 3	- weak	0.8101 08819	

Kabayanihan	albedo	pm25	0.03214285 7	- weak	0.9094 62117
Kabayanihan	albedo	pm10	0.03214285 7	- weak	0.9094 62117
Kabayanihan	albedo	aqs	0.36885555 7	- moderate	0.1760 78659
Kabayanihan	albedo	DiurnalTemp	0.30357142 9	- moderate	0.2713 55836
Kabayanihan	DiurnalTemp	voc	- 0.4	moderate	0.1395 95129
Kabayanihan	DiurnalTemp	humidity	0.64642857 1	- strong	0.0092 14551
Kabayanihan	DiurnalTemp	pressure	0.58928571 4	- strong	0.0207 94358
Kabayanihan	DiurnalTemp	pm1	0.07857142 9	- weak	0.7807 54552
Kabayanihan	DiurnalTemp	pm25	0.03928571 4	- weak	0.8894 4593
Kabayanihan	DiurnalTemp	pm10	0.03928571 4	- weak	0.8894 4593
Kabayanihan	DiurnalTemp	aqs	0.73402255 8	- strong	0.0018 36536
Kabayanihan	DiurnalTemp	albedo	0.30357142 9	- moderate	0.2713 55836
Kayang Extension	voc	humidity	0.01978022	- weak	0.9464 89227
Kayang Extension	voc	pressure	0.02857142 9	- weak	0.9227 61377

Kayang Extension	voc	pm1	-0.2	weak	0.4930 03735
Kayang Extension	voc	pm25	0.16043956	weak	0.5837 52753
Kayang Extension	voc	pm10	0.19560439 6	weak	0.5027 50091
Kayang Extension	voc	aqs	0.40684431 1	moderate	0.1488 26933
Kayang Extension	voc	albedo	0.20879120 9	weak	0.4737 78837
Kayang Extension	voc	DiurnalTe mp	0.23516483 5	weak	0.4183 33896
Kayang Extension	humidity	voc	0.01978022	weak	0.9464 89227
Kayang Extension	humidity	pressure	0.47692307 7	moderate	0.0846 48434
Kayang Extension	humidity	pm1	0.29670329 7	weak	0.3029 66724
Kayang Extension	humidity	pm25	0.35384615 4	moderate	0.2145 39871
Kayang Extension	humidity	pm10	0.40219780 2	moderate	0.1539 7443
Kayang Extension	humidity	aqs	0.13261775 9	weak	0.6513 03444
Kayang Extension	humidity	albedo	0.10769230 8	weak	0.7140 30809
Kayang Extension	humidity	DiurnalTe mp	0.76263736 3	strong	0.0015 14231
Kayang Extension	pressure	voc	0.02857142	weak	0.9227 61377

				9		
Kayang Extension	pressure	humidity	0.47692307	-	moderate	0.0846 48434
				7		
Kayang Extension	pressure	pm1	0.10329670	3	weak	0.7252 82211
Kayang Extension	pressure	pm25	0.08131868	1	weak	0.7822 74751
Kayang Extension	pressure	pm10	0.13846153	8	weak	0.6368 84991
Kayang Extension	pressure	aqs	0.19105948	3	weak	0.5129 19524
Kayang Extension	pressure	albedo	0.01098901	1	weak	0.9702 5839
Kayang Extension	pressure	DiurnalTemp	0.64395604	4	strong	0.0129 42153
Kayang Extension	pm1	voc	-0.2		weak	0.4930 03735
Kayang Extension	pm1	humidity	0.29670329	7	weak	0.3029 66724
Kayang Extension	pm1	pressure	0.10329670	3	weak	0.7252 82211
Kayang Extension	pm1	pm25	0.99120879	1	strong	6.54E- 12
Kayang Extension	pm1	pm10	0.96043956		strong	5.08E- 08
Kayang Extension	pm1	aqs	0.39785327	-	moderate	0.1588 92348
				7		
Kayang Extension	pm1	albedo	0.12087912	1	weak	0.6806 0702
Kayang Extension	pm1	DiurnalTemp	0.05054945	1	weak	0.8637 42036

Kayang Extension	pm25	voc	- 0.16043956	weak	0.5837 52753
Kayang Extension	pm25	humidity	0.35384615 4	moderate	0.2145 39871
Kayang Extension	pm25	pressure	0.08131868 1	weak	0.7822 74751
Kayang Extension	pm25	pm1	0.99120879 1	strong	6.54E- 12
Kayang Extension	pm25	pm10	0.97362637 4	strong	4.59E- 09
Kayang Extension	pm25	aqs	- 0.42033086 3	moderate	0.1345 36368
Kayang Extension	pm25	albedo	0.16043956	weak	0.5837 52753
Kayang Extension	pm25	DiurnalTe mp	0.03296703 3	weak	0.9109 18653
Kayang Extension	pm10	voc	- 0.19560439 6	weak	0.5027 50091
Kayang Extension	pm10	humidity	0.40219780 2	moderate	0.1539 7443
Kayang Extension	pm10	pressure	0.13846153 8	weak	0.6368 84991
Kayang Extension	pm10	pm1	0.96043956	strong	5.08E- 08
Kayang Extension	pm10	pm25	0.97362637 4	strong	4.59E- 09
Kayang Extension	pm10	aqs	- 0.33491603 5	moderate	0.2417 99601
Kayang Extension	pm10	albedo	0.12967033	weak	0.6586 19276
Kayang Extension	pm10	DiurnalTe mp	- 0.01098901	weak	0.9702 5839

				1		
Kayang Extension	aqs	voc	0.40684431 1	-	moderate	0.1488 26933
Kayang Extension	aqs	humidity	0.13261775 9	-	weak	0.6513 03444
Kayang Extension	aqs	pressure	0.19105948 3	-	weak	0.5129 19524
Kayang Extension	aqs	pm1	0.39785327 7	-	moderate	0.1588 92348
Kayang Extension	aqs	pm25	0.42033086 3	-	moderate	0.1345 36368
Kayang Extension	aqs	pm10	0.33491603 5	-	moderate	0.2417 99601
Kayang Extension	aqs	albedo	0.25399672 5	-	weak	0.3808 87566
Kayang Extension	aqs	DiurnalTemp	0.62712465 7	-	strong	0.0163 74148
Kayang Extension	albedo	voc	0.20879120 9	-	weak	0.4737 78837
Kayang Extension	albedo	humidity	0.10769230 8	-	weak	0.7140 30809
Kayang Extension	albedo	pressure	0.01098901 1	-	weak	0.9702 5839
Kayang Extension	albedo	pm1	0.12087912 1	-	weak	0.6806 0702
Kayang Extension	albedo	pm25	0.16043956	-	weak	0.5837 52753

Kayang Extension	albedo	pm10	0.12967033	weak	0.6586 19276
Kayang Extension	albedo	aqs	0.25399672 5	weak	0.3808 87566
Kayang Extension	albedo	DiurnalTemp	0.22637362 6	weak	0.4364 34795
Kayang Extension	DiurnalTemp	voc	0.23516483 5	weak	0.4183 33896
Kayang Extension	DiurnalTemp	humidity	0.76263736 3	strong	0.0015 14231
Kayang Extension	DiurnalTemp	pressure	0.64395604 4	strong	0.0129 42153
Kayang Extension	DiurnalTemp	pm1	0.05054945 1	weak	0.8637 42036
Kayang Extension	DiurnalTemp	pm25	0.03296703 3	weak	0.9109 18653
Kayang Extension	DiurnalTemp	pm10	0.01098901 1	weak	0.9702 5839
Kayang Extension	DiurnalTemp	aqs	0.62712465 7	strong	0.0163 74148
Kayang Extension	DiurnalTemp	albedo	0.22637362 6	weak	0.4364 34795
Legarda-Burnham-Kisad	voc	humidity	0.34285714 3	moderate	0.2109 23793
Legarda-Burnham-Kisad	voc	pressure	0.43571428 6	moderate	0.1044 93357
Legarda-Burnham-Kisad	voc	pm1	0.12142857 1	weak	0.6664 01114
Legarda-Burnham-Kisad	voc	pm25	0.075	weak	0.7905 10794

Legarda-Burnham-Kisad	voc	pm10	0.05714285 7	weak	0.8396 99869
Legarda-Burnham-Kisad	voc	aqs	-0.033197	weak	0.9065 04673
Legarda-Burnham-Kisad	voc	albedo	0.15357142 9	weak	0.5847 64095
Legarda-Burnham-Kisad	voc	DiurnalTe mp	0.73928571 4	strong	0.0016 35511
Legarda-Burnham-Kisad	humidity	voc	0.34285714 3	moderate	0.2109 23793
Legarda-Burnham-Kisad	humidity	pressure	0.30357142 9	moderate	0.2713 55836
Legarda-Burnham-Kisad	humidity	pm1	0.07857142 9	weak	0.7807 54552
Legarda-Burnham-Kisad	humidity	pm25	-0.05	weak	0.8595 40943
Legarda-Burnham-Kisad	humidity	pm10	0.00714285 7	weak	0.9798 44228
Legarda-Burnham-Kisad	humidity	aqs	0.04057411 1	weak	0.8858 41753
Legarda-Burnham-Kisad	humidity	albedo	0.38571428 6	moderate	0.1556 30795
Legarda-Burnham-Kisad	humidity	DiurnalTe mp	0.56428571 4	strong	0.0284 32522
Legarda-Burnham-Kisad	pressure	voc	0.43571428 6	moderate	0.1044 93357
Legarda-Burnham-Kisad	pressure	humidity	0.30357142 9	moderate	0.2713 55836

Legarda-Burnham-Kisad	pressure	pm1	0.07142857 1	- weak	0.8002 95987
Legarda-Burnham-Kisad	pressure	pm25	0.10357142 9	- weak	0.7133 79631
Legarda-Burnham-Kisad	pressure	pm10	0.15357142 9	- weak	0.5847 64095
Legarda-Burnham-Kisad	pressure	aqs	0.28033022 3	- weak	0.3115 35796
Legarda-Burnham-Kisad	pressure	albedo	0.48214285 7	- moderate	0.0687 49538
Legarda-Burnham-Kisad	pressure	DiurnalTe mp	0.71428571 4	strong	0.0027 74384
Legarda-Burnham-Kisad	pm1	voc	0.12142857 1	- weak	0.6664 01114
Legarda-Burnham-Kisad	pm1	humidity	0.07857142 9	- weak	0.7807 54552
Legarda-Burnham-Kisad	pm1	pressure	0.07142857 1	- weak	0.8002 95987
Legarda-Burnham-Kisad	pm1	pm25	0.98928571 4	strong	3.00E- 12
Legarda-Burnham-Kisad	pm1	pm10	0.97857142 9	strong	2.65E- 10
Legarda-Burnham-Kisad	pm1	aqs	0.50902066 8	strong	0.0526 38083
Legarda-Burnham-Kisad	pm1	albedo	0.36428571 4	moderate	0.1819 10259
Legarda-Burnham-Kisad	pm1	DiurnalTe mp	0.05357142 9	- weak	0.8496 09937

Legarda-Burnham-Kisad	pm25	voc	0.075	weak	0.7905 10794
Legarda-Burnham-Kisad	pm25	humidity	-0.05	weak	0.8595 40943
Legarda-Burnham-Kisad	pm25	pressure	0.10357142 9	weak	0.7133 79631
Legarda-Burnham-Kisad	pm25	pm1	0.98928571 4	strong	3.00E- 12
Legarda-Burnham-Kisad	pm25	pm10	0.99642857 1	strong	2.42E- 15
Legarda-Burnham-Kisad	pm25	aqs	0.52193061 3	strong	0.0459 72324
Legarda-Burnham-Kisad	pm25	albedo	0.32857142 9	moderate	0.2318 09697
Legarda-Burnham-Kisad	pm25	DiurnalTe mp	0.11071428 6	weak	0.6944 62647
Legarda-Burnham-Kisad	pm10	voc	0.05714285 7	weak	0.8396 99869
Legarda-Burnham-Kisad	pm10	humidity	0.00714285 7	weak	0.9798 44228
Legarda-Burnham-Kisad	pm10	pressure	0.15357142 9	weak	0.5847 64095
Legarda-Burnham-Kisad	pm10	pm1	0.97857142 9	strong	2.65E- 10
Legarda-Burnham-Kisad	pm10	pm25	0.99642857 1	strong	2.42E- 15
Legarda-Burnham-Kisad	pm10	aqs	0.49426644 6	moderate	0.0610 94567
Legarda-Burnham-Kisad	pm10	albedo	0.32142857 1	moderate	0.2427 19047
Legarda-Burnham-Kisad	pm10	DiurnalTe	-	weak	0.5671

		mp	0.16071428 6		96705
Legarda-Burnham-Kisad	aqs	voc	-0.033197	weak	0.9065 04673
Legarda-Burnham-Kisad	aqs	humidity	0.04057411 1	weak	0.8858 41753
Legarda-Burnham-Kisad	aqs	pressure	0.28033022 3	weak	0.3115 35796
Legarda-Burnham-Kisad	aqs	pm1	0.50902066 8	strong	0.0526 38083
Legarda-Burnham-Kisad	aqs	pm25	0.52193061 3	strong	0.0459 72324
Legarda-Burnham-Kisad	aqs	pm10	0.49426644 6	moderate	0.0610 94567
Legarda-Burnham-Kisad	aqs	albedo	0.02213133 3	weak	0.9375 99828
Legarda-Burnham-Kisad	aqs	DiurnalTe mp	0.13463227 8	weak	0.6323 79432
Legarda-Burnham-Kisad	albedo	voc	0.15357142 9	weak	0.5847 64095
Legarda-Burnham-Kisad	albedo	humidity	0.38571428 6	moderate	0.1556 30795
Legarda-Burnham-Kisad	albedo	pressure	0.48214285 7	moderate	0.0687 49538
Legarda-Burnham-Kisad	albedo	pm1	0.36428571 4	moderate	0.1819 10259
Legarda-Burnham-Kisad	albedo	pm25	0.32857142 9	moderate	0.2318 09697
Legarda-Burnham-Kisad	albedo	pm10	0.32142857 1	moderate	0.2427 19047
Legarda-Burnham-Kisad	albedo	aqs	0.02213133 3	weak	0.9375 99828

Legarda-Burnham-Kisad	albedo	DiurnalTemp	0.103571429	- weak	0.713379631
Legarda-Burnham-Kisad	DiurnalTemp	voc	0.739285714	- strong	0.001635511
Legarda-Burnham-Kisad	DiurnalTemp	humidity	0.564285714	- strong	0.028432522
Legarda-Burnham-Kisad	DiurnalTemp	pressure	0.714285714	- strong	0.002774384
Legarda-Burnham-Kisad	DiurnalTemp	pm1	0.053571429	- weak	0.849609937
Legarda-Burnham-Kisad	DiurnalTemp	pm25	0.110714286	- weak	0.694462647
Legarda-Burnham-Kisad	DiurnalTemp	pm10	0.160714286	- weak	0.567196705
Legarda-Burnham-Kisad	DiurnalTemp	aqs	0.134632278	- weak	0.632379432
Legarda-Burnham-Kisad	DiurnalTemp	albedo	0.103571429	- weak	0.713379631
Liwanag-Loakan	voc	humidity	0.158823529	- weak	0.556861281
Liwanag-Loakan	voc	pressure	0.144117647	- weak	0.594378288
Liwanag-Loakan	voc	pm1	0.147058824	- weak	0.586793394
Liwanag-Loakan	voc	pm25	0.182352941	- weak	0.499074857
Liwanag-Loakan	voc	pm10	0.161764706	- weak	0.549483143

Liwanag-Loakan	voc	aqs	0.28387263 9	- weak	0.2866 50184
Liwanag-Loakan	voc	albedo	0.13823529 4	- weak	0.6096 65941
Liwanag-Loakan	voc	DiurnalTemp	0.02058823 5	- weak	0.9396 7374
Liwanag-Loakan	humidity	voc	0.15882352 9	- weak	0.5568 61281
Liwanag-Loakan	humidity	pressure	0.27941176 5	- weak	0.2946 17654
Liwanag-Loakan	humidity	pm1	0.29705882 4	- weak	0.2638 63015
Liwanag-Loakan	humidity	pm25	0.31470588 2	- moderate	0.2351 58319
Liwanag-Loakan	humidity	pm10	0.28823529 4	- weak	0.2789 8446
Liwanag-Loakan	humidity	aqs	0.36692048 6	- moderate	0.1621 25541
Liwanag-Loakan	humidity	albedo	0.02941176 5	- weak	0.9138 95587
Liwanag-Loakan	humidity	DiurnalTemp	0.55294117 6	- strong	0.0263 145
Liwanag-Loakan	pressure	voc	0.14411764 7	- weak	0.5943 78288
Liwanag-Loakan	pressure	humidity	0.27941176	- weak	0.2946 17654

				5		
Liwanag-Loakan	pressure	pm1	0.4	moderate	0.1247 50424	
Liwanag-Loakan	pressure	pm25	0.36176470 6	moderate	0.1685 58823	
Liwanag-Loakan	pressure	pm10	0.33235294 1	moderate	0.2084 99828	
Liwanag-Loakan	pressure	aqs	0.09814745 5	weak	0.7176 36959	
Liwanag-Loakan	pressure	albedo	0.21176470 6	weak	0.4310 83247	
Liwanag-Loakan	pressure	DiurnalTe mp	0.18823529 4	weak	0.4850 86609	
Liwanag-Loakan	pm1	voc	0.14705882 4	weak	0.5867 93394	
Liwanag-Loakan	pm1	humidity	0.29705882 4	weak	0.2638 63015	
Liwanag-Loakan	pm1	pressure	0.4	moderate	0.1247 50424	
Liwanag-Loakan	pm1	pm25	0.98235294 1	strong	1.36E- 11	
Liwanag-Loakan	pm1	pm10	0.97352941 2	strong	2.28E- 10	
Liwanag-Loakan	pm1	aqs	0.70062183 3	strong	0.0025 0317	
Liwanag-Loakan	pm1	albedo	0.17941176 5	weak	0.5061 3954	
Liwanag-Loakan	pm1	DiurnalTe mp	0.01176470 6	weak	0.9655 0817	

Liwanag-Loakan	pm25	voc	0.18235294 1	weak	0.4990 74857
Liwanag-Loakan	pm25	humidity	0.31470588 2	moderate	0.2351 58319
Liwanag-Loakan	pm25	pressure	0.36176470 6	moderate	0.1685 58823
Liwanag-Loakan	pm25	pm1	0.98235294 1	strong	1.36E- 11
Liwanag-Loakan	pm25	pm10	0.99411764 7	strong	6.43E- 15
Liwanag-Loakan	pm25	aqs	0.70213179 4	strong	0.0024 27002
Liwanag-Loakan	pm25	albedo	0.26764705 9	weak	0.3162 54419
Liwanag-Loakan	pm25	DiurnalTemp	0.01176470 6	weak	0.9655 0817
Liwanag-Loakan	pm10	voc	0.16176470 6	weak	0.5494 83143
Liwanag-Loakan	pm10	humidity	0.28823529 4	weak	0.2789 8446
Liwanag-Loakan	pm10	pressure	0.33235294 1	moderate	0.2084 99828
Liwanag-Loakan	pm10	pm1	0.97352941 2	strong	2.28E- 10
Liwanag-Loakan	pm10	pm25	0.99411764 7	strong	6.43E- 15
Liwanag-Loakan	pm10	aqs	0.69458199	strong	0.0028 27436
Liwanag-Loakan	pm10	albedo	0.26470588	weak	0.3218 04396

				2		
Liwanag-Loakan	pm10	DiurnalTemp	0.014705882	- weak	0.956891924	
Liwanag-Loakan	aqs	voc	0.283872639	- weak	0.286650184	
Liwanag-Loakan	aqs	humidity	0.366920486	- moderate	0.162125541	
Liwanag-Loakan	aqs	pressure	0.098147455	- weak	0.717636959	
Liwanag-Loakan	aqs	pm1	0.700621833	- strong	0.00250317	
Liwanag-Loakan	aqs	pm25	0.702131794	- strong	0.002427002	
Liwanag-Loakan	aqs	pm10	0.69458199	- strong	0.002827436	
Liwanag-Loakan	aqs	albedo	0.277832796	- weak	0.297469058	
Liwanag-Loakan	aqs	DiurnalTemp	0.220454284	- weak	0.411957704	
Liwanag-Loakan	albedo	voc	0.138235294	- weak	0.609665941	
Liwanag-Loakan	albedo	humidity	0.029411765	- weak	0.913895587	
Liwanag-Loakan	albedo	pressure	0.211764706	- weak	0.431083247	
Liwanag-Loakan	albedo	pm1	0.179411765	- weak	0.50613954	

Liwanag-Loakan	albedo	pm25	0.26764705 9	- weak	0.3162 54419
Liwanag-Loakan	albedo	pm10	0.26470588 2	- weak	0.3218 04396
Liwanag-Loakan	albedo	aqs	0.27783279 6	- weak	0.2974 69058
Liwanag-Loakan	albedo	DiurnalTe mp	0.18235294 1	- weak	0.4990 74857
Liwanag-Loakan	DiurnalTe mp	voc	0.02058823 5	- weak	0.9396 7374
Liwanag-Loakan	DiurnalTe mp	humidity	0.55294117 6	- strong	0.0263 145
Liwanag-Loakan	DiurnalTe mp	pressure	0.18823529 4	- weak	0.4850 86609
Liwanag-Loakan	DiurnalTe mp	pm1	0.01176470 6	- weak	0.9655 0817
Liwanag-Loakan	DiurnalTe mp	pm25	0.01176470 6	- weak	0.9655 0817
Liwanag-Loakan	DiurnalTe mp	pm10	0.01470588 2	- weak	0.9568 91924
Liwanag-Loakan	DiurnalTe mp	aqs	0.22045428 4	- weak	0.4119 57704
Liwanag-Loakan	DiurnalTe mp	albedo	0.18235294 1	- weak	0.4990 74857
Loakan Proper	voc	humidity	0.14215686 3	- weak	0.5862 62863
Loakan Proper	voc	pressure	0.45098039	moderate	0.0692

				2		31986
Loakan Proper	voc	pm1	0.39950980 4	- moderate	0.1121 17909	
Loakan Proper	voc	pm25	0.38970588 2	- moderate	0.1220 34399	
Loakan Proper	voc	pm10	0.21813725 5	- weak	0.4002 95091	
Loakan Proper	voc	aqs	0.43428440 1	- moderate	0.0815 32835	
Loakan Proper	voc	albedo	0.30882352 9	- moderate	0.2277 85653	
Loakan Proper	voc	DiurnalTe mp	0.32107843 1	- moderate	0.2088 98183	
Loakan Proper	humidity	voc	0.14215686 3	- weak	0.5862 62863	
Loakan Proper	humidity	pressure	0.38480392 2	- moderate	0.1272 15995	
Loakan Proper	humidity	pm1	0.07598039 2	- weak	0.7719 44851	
Loakan Proper	humidity	pm25	0.06372549	- weak	0.8080 21077	
Loakan Proper	humidity	pm10	0.19362745 1	- weak	0.4564 96929	
Loakan Proper	humidity	aqs	0.40126862 8	- moderate	0.1104 01011	
Loakan Proper	humidity	albedo	0.44852941 2	- moderate	0.0709 4644	

Loakan Proper	humidity	DiurnalTemp	0.105392157	weak	0.687265839
Loakan Proper	pressure	voc	0.450980392	moderate	0.069231986
Loakan Proper	pressure	humidity	0.384803922	moderate	0.127215995
Loakan Proper	pressure	pm1	0.088235294	weak	0.736305152
Loakan Proper	pressure	pm25	0.066176471	weak	0.800774094
Loakan Proper	pressure	pm10	0.009803922	weak	0.970210571
Loakan Proper	pressure	aqs	0.066031546	weak	0.801202181
Loakan Proper	pressure	albedo	0.200980392	weak	0.439233876
Loakan Proper	pressure	DiurnalTemp	0.470588235	moderate	0.056594109
Loakan Proper	pm1	voc	0.399509804	moderate	0.112117909
Loakan Proper	pm1	humidity	0.075980392	weak	0.771944851
Loakan Proper	pm1	pressure	0.088235294	weak	0.736305152
Loakan Proper	pm1	pm25	0.99754902	strong	9.58E-19
Loakan Proper	pm1	pm10	0.955882353	strong	2.21E-09
Loakan Proper	pm1	aqs	0.241269112	weak	0.350876379

Loakan Proper	pm1	albedo	0.21323529 4	- weak	0.4112 25678
Loakan Proper	pm1	DiurnalTemp	0.45588235 3	- moderate	0.0658 9472
Loakan Proper	pm25	voc	0.38970588 2	- moderate	0.1220 34399
Loakan Proper	pm25	humidity	0.06372549	- weak	0.8080 21077
Loakan Proper	pm25	pressure	0.06617647 1	- weak	0.8007 74094
Loakan Proper	pm25	pm1	0.99754902	strong	9.58E- 19
Loakan Proper	pm25	pm10	0.95833333 3	strong	1.45E- 09
Loakan Proper	pm25	aqs	0.23872943 7	- weak	0.3561 25188
Loakan Proper	pm25	albedo	0.19362745 1	- weak	0.4564 96929
Loakan Proper	pm25	DiurnalTemp	0.41911764 7	- moderate	0.0940 1768
Loakan Proper	pm10	voc	0.21813725 5	- weak	0.4002 95091
Loakan Proper	pm10	humidity	0.19362745 1	- weak	0.4564 96929
Loakan Proper	pm10	pressure	0.00980392 2	- weak	0.9702 10571
Loakan Proper	pm10	pm1	0.95588235 3	strong	2.21E- 09

Loakan Proper	pm10	pm25	0.95833333 3	strong	1.45E- 09
Loakan Proper	pm10	aqs	0.12444406 8	weak	0.6341 66477
Loakan Proper	pm10	albedo	0.04656862 7	weak	0.8591 33376
Loakan Proper	pm10	DiurnalTe mp	0.37745098 -	moderate	0.1352 72639
Loakan Proper	aqs	voc	0.43428440 1	moderate	0.0815 32835
Loakan Proper	aqs	humidity	0.40126862 8	moderate	0.1104 01011
Loakan Proper	aqs	pressure	0.06603154 6	weak	0.8012 02181
Loakan Proper	aqs	pm1	0.24126911 2	weak	0.3508 76379
Loakan Proper	aqs	pm25	0.23872943 7	weak	0.3561 25188
Loakan Proper	aqs	pm10	0.12444406 8	weak	0.6341 66477
Loakan Proper	aqs	albedo	0.16253919 1	weak	0.5330 96036
Loakan Proper	aqs	DiurnalTe mp	0.38349090 4	moderate	0.1286 29535
Loakan Proper	albedo	voc	0.30882352 9	moderate	0.2277 85653
Loakan Proper	albedo	humidity	0.44852941 2	moderate	0.0709 4644
Loakan Proper	albedo	pressure	0.20098039 2	weak	0.4392 33876

Loakan Proper	albedo	pm1	0.21323529 4	- weak	0.4112 25678
Loakan Proper	albedo	pm25	0.19362745 1	- weak	0.4564 96929
Loakan Proper	albedo	pm10	0.04656862 7	- weak	0.8591 33376
Loakan Proper	albedo	aqs	0.16253919 1	- weak	0.5330 96036
Loakan Proper	albedo	DiurnalTemp	0.39950980 4	moderate	0.1121 17909
Loakan Proper	DiurnalTemp	voc	0.32107843 1	moderate	0.2088 98183
Loakan Proper	DiurnalTemp	humidity	0.10539215 7	weak	0.6872 65839
Loakan Proper	DiurnalTemp	pressure	0.47058823 5	moderate	0.0565 94109
Loakan Proper	DiurnalTemp	pm1	0.45588235 3	moderate	0.0658 9472
Loakan Proper	DiurnalTemp	pm25	0.41911764 7	moderate	0.0940 1768
Loakan Proper	DiurnalTemp	pm10	0.37745098	moderate	0.1352 72639
Loakan Proper	DiurnalTemp	aqs	0.38349090 4	moderate	0.1286 29535
Loakan Proper	DiurnalTemp	albedo	0.39950980 4	moderate	0.1121 17909
Lourdes Subdivision Extension	voc	humidity	0.08791208 8	weak	0.7751 95409

Lourdes Subdivision Extension	voc	pressure	0.19780219 8	weak	0.5171 30911
Lourdes Subdivision Extension	voc	pm1	0.19230769 2	weak	0.5290 67987
Lourdes Subdivision Extension	voc	pm25	0.19230769 2	weak	0.5290 67987
Lourdes Subdivision Extension	voc	pm10	0.19230769 2	weak	0.5290 67987
Lourdes Subdivision Extension	voc	aqs	0.50302560 2	strong	0.0797 38944
Lourdes Subdivision Extension	voc	albedo	0.07692307 7	weak	0.8027 63008
Lourdes Subdivision Extension	voc	DiurnalTemp	0.15384615 4	weak	0.6157 98869
Lourdes Subdivision Extension	humidity	voc	0.08791208 8	weak	0.7751 95409
Lourdes Subdivision Extension	humidity	pressure	0.12637362 6	weak	0.6807 85475
Lourdes Subdivision Extension	humidity	pm1	0.07142857 1	weak	0.8166 28041
Lourdes Subdivision Extension	humidity	pm25	0.07142857 1	weak	0.8166 28041
Lourdes Subdivision Extension	humidity	pm10	0.07142857 1	weak	0.8166 28041
Lourdes Subdivision Extension	humidity	aqs	0.12434340 7	weak	0.6856 76121
Lourdes Subdivision Extension	humidity	albedo	0.07692307 7	weak	0.8027 63008

Lourdes Subdivision Extension	humidity	DiurnalTemp	0.148351648	- weak	0.628609418
Lourdes Subdivision Extension	pressure	voc	0.197802198	weak	0.517130911
Lourdes Subdivision Extension	pressure	humidity	0.126373626	weak	0.680785475
Lourdes Subdivision Extension	pressure	pm1	0.203296703	weak	0.505314734
Lourdes Subdivision Extension	pressure	pm25	0.203296703	weak	0.505314734
Lourdes Subdivision Extension	pressure	pm10	0.203296703	weak	0.505314734
Lourdes Subdivision Extension	pressure	aqs	0.446505871	moderate	0.126138822
Lourdes Subdivision Extension	pressure	albedo	0.142857143	- weak	0.641516422
Lourdes Subdivision Extension	pressure	DiurnalTemp	0.538461538	strong	0.057634433
Lourdes Subdivision Extension	pm1	voc	0.192307692	- weak	0.529067987
Lourdes Subdivision Extension	pm1	humidity	0.071428571	weak	0.816628041
Lourdes Subdivision Extension	pm1	pressure	0.203296703	weak	0.505314734
Lourdes Subdivision Extension	pm1	pm25	1	strong	0
Lourdes Subdivision Extension	pm1	pm10	1	strong	0
Lourdes Subdivision Extension	pm1	aqs	0.40694206	moderate	0.167578691
Lourdes Subdivision Extension	pm1	albedo	0.725274725	strong	0.005023238

Lourdes Subdivision Extension	pm1	DiurnalTemp	0.379120879	moderate	0.20140609
Lourdes Subdivision Extension	pm25	voc	0.192307692	weak	0.529067987
Lourdes Subdivision Extension	pm25	humidity	0.071428571	weak	0.816628041
Lourdes Subdivision Extension	pm25	pressure	0.203296703	weak	0.505314734
Lourdes Subdivision Extension	pm25	pm1	-1	strong	0
Lourdes Subdivision Extension	pm25	pm10	-1	strong	0
Lourdes Subdivision Extension	pm25	aqs	0.40694206	moderate	0.167578691
Lourdes Subdivision Extension	pm25	albedo	0.725274725	strong	0.005023238
Lourdes Subdivision Extension	pm25	DiurnalTemp	0.379120879	moderate	0.20140609
Lourdes Subdivision Extension	pm10	voc	0.192307692	weak	0.529067987
Lourdes Subdivision Extension	pm10	humidity	0.071428571	weak	0.816628041
Lourdes Subdivision Extension	pm10	pressure	0.203296703	weak	0.505314734
Lourdes Subdivision Extension	pm10	pm1	-1	strong	0
Lourdes Subdivision Extension	pm10	pm25	-1	strong	0
Lourdes Subdivision Extension	pm10	aqs	0.40694206	moderate	0.167578691
Lourdes Subdivision Extension	pm10	albedo	0.725274725	strong	0.005023238

Lourdes Subdivision Extension	pm10	DiurnalTemp	0.379120879	moderate	0.20140609
Lourdes Subdivision Extension	aqs	voc	0.503025602	strong	0.079738944
Lourdes Subdivision Extension	aqs	humidity	0.124343407	weak	0.685676121
Lourdes Subdivision Extension	aqs	pressure	0.446505871	moderate	0.126138822
Lourdes Subdivision Extension	aqs	pm1	0.40694206	moderate	0.167578691
Lourdes Subdivision Extension	aqs	pm25	0.40694206	moderate	0.167578691
Lourdes Subdivision Extension	aqs	pm10	0.40694206	moderate	0.167578691
Lourdes Subdivision Extension	aqs	albedo	0.175211165	weak	0.566957373
Lourdes Subdivision Extension	aqs	DiurnalTemp	0.683888739	strong	0.009945171
Lourdes Subdivision Extension	albedo	voc	0.076923077	weak	0.802763008
Lourdes Subdivision Extension	albedo	humidity	0.076923077	weak	0.802763008
Lourdes Subdivision Extension	albedo	pressure	0.142857143	weak	0.641516422
Lourdes Subdivision Extension	albedo	pm1	0.725274725	strong	0.005023238
Lourdes Subdivision Extension	albedo	pm25	0.725274725	strong	0.005023238
Lourdes Subdivision Extension	albedo	pm10	0.725274725	strong	0.005023238

Lourdes Subdivision Extension	albedo	aqs	0.175211165	weak	0.566957373
Lourdes Subdivision Extension	albedo	DiurnalTemp	0.318681319	moderate	0.288583161
Lourdes Subdivision Extension	DiurnalTemp	voc	0.153846154	weak	0.615798869
Lourdes Subdivision Extension	DiurnalTemp	humidity	0.148351648	weak	0.628609418
Lourdes Subdivision Extension	DiurnalTemp	pressure	0.538461538	strong	0.057634433
Lourdes Subdivision Extension	DiurnalTemp	pm1	0.379120879	moderate	0.20140609
Lourdes Subdivision Extension	DiurnalTemp	pm25	0.379120879	moderate	0.20140609
Lourdes Subdivision Extension	DiurnalTemp	pm10	0.379120879	moderate	0.20140609
Lourdes Subdivision Extension	DiurnalTemp	aqs	0.683888739	strong	0.009945171
Lourdes Subdivision Extension	DiurnalTemp	albedo	0.318681319	moderate	0.288583161
Lualhati	voc	humidity	0.135714286	weak	0.629620442
Lualhati	voc	pressure	0.021428571	weak	0.939577904
Lualhati	voc	pm1	0.25	weak	0.368846292
Lualhati	voc	pm25	0.25	weak	0.368846292
Lualhati	voc	pm10	0.25	weak	0.368846292
Lualhati	voc	aqs	0.603078835	strong	0.017315501

Lualhati	voc	albedo	0.36428571 4	-	moderate	0.1819 10259
Lualhati	voc	DiurnalTe mp	-	0.15	weak	0.5936 30203
Lualhati	humidity	voc	0.13571428 6	-	weak	0.6296 20442
Lualhati	humidity	pressure	0.46071428 6	-	moderate	0.0839 33381
Lualhati	humidity	pm1	0.12857142 9	-	weak	0.6479 16329
Lualhati	humidity	pm25	0.12857142 9	-	weak	0.6479 16329
Lualhati	humidity	pm10	0.12857142 9	-	weak	0.6479 16329
Lualhati	humidity	aqs	0.24344466 7	-	weak	0.3819 42501
Lualhati	humidity	albedo	0.31428571 4	-	moderate	0.2539 40016
Lualhati	humidity	DiurnalTe mp	-	0.74285714 3	strong	0.0015 09489
Lualhati	pressure	voc	0.02142857 1	-	weak	0.9395 77904
Lualhati	pressure	humidity	0.46071428 6	-	moderate	0.0839 33381
Lualhati	pressure	pm1	0.18571428 6	-	weak	0.5075 40963
Lualhati	pressure	pm25	0.18571428 6	-	weak	0.5075 40963
Lualhati	pressure	pm10	0.18571428 6	-	weak	0.5075 40963

Lualhati	pressure	aqs	0.02397561 1	weak	0.9324 10347
Lualhati	pressure	albedo	0.53571428 6	strong	0.0395 66972
Lualhati	pressure	DiurnalTe mp	0.30714285 7	moderate	0.2654 72686
Lualhati	pm1	voc	0.25	weak	0.3688 46292
Lualhati	pm1	humidity	0.12857142 9	weak	0.6479 16329
Lualhati	pm1	pressure	0.18571428 6	weak	0.5075 40963
Lualhati	pm1	pm25	1	strong	0
Lualhati	pm1	pm10	1	strong	0
Lualhati	pm1	aqs	0.55143905 7	strong	0.0330 98906
Lualhati	pm1	albedo	0.11071428 6	weak	0.6944 62647
Lualhati	pm1	DiurnalTe mp	0.04642857 1	weak	0.8694 91526
Lualhati	pm25	voc	0.25	weak	0.3688 46292
Lualhati	pm25	humidity	0.12857142 9	weak	0.6479 16329
Lualhati	pm25	pressure	0.18571428 6	weak	0.5075 40963
Lualhati	pm25	pm1	1	strong	0
Lualhati	pm25	pm10	1	strong	0
Lualhati	pm25	aqs	0.55143905 7	strong	0.0330 98906

Lualhati	pm25	albedo	0.11071428 6	weak	0.6944 62647
Lualhati	pm25	DiurnalTe mp	0.04642857 1	weak	0.8694 91526
Lualhati	pm10	voc	0.25	weak	0.3688 46292
Lualhati	pm10	humidity	0.12857142 9	weak	0.6479 16329
Lualhati	pm10	pressure	0.18571428 6	weak	0.5075 40963
Lualhati	pm10	pm1	1	strong	0
Lualhati	pm10	pm25	1	strong	0
Lualhati	pm10	aqs	0.55143905 7	strong	0.0330 98906
Lualhati	pm10	albedo	0.11071428 6	weak	0.6944 62647
Lualhati	pm10	DiurnalTe mp	0.04642857 1	weak	0.8694 91526
Lualhati	aqs	voc	0.60307883 5	strong	0.0173 15501
Lualhati	aqs	humidity	0.24344466 7	weak	0.3819 42501
Lualhati	aqs	pressure	0.02397561 1	weak	0.9324 10347
Lualhati	aqs	pm1	0.55143905 7	strong	0.0330 98906
Lualhati	aqs	pm25	0.55143905 7	strong	0.0330 98906

Lualhati	aqs	pm10	0.55143905 7	strong	0.0330 98906
Lualhati	aqs	albedo	0.10143527 8	weak	0.7190 67757
Lualhati	aqs	DiurnalTe mp	0.12541088 9	weak	0.6560 72624
Lualhati	albedo	voc	0.36428571 4	moderate	0.1819 10259
Lualhati	albedo	humidity	0.31428571 4	moderate	0.2539 40016
Lualhati	albedo	pressure	0.53571428 6	strong	0.0395 66972
Lualhati	albedo	pm1	0.11071428 6	weak	0.6944 62647
Lualhati	albedo	pm25	0.11071428 6	weak	0.6944 62647
Lualhati	albedo	pm10	0.11071428 6	weak	0.6944 62647
Lualhati	albedo	aqs	0.10143527 8	weak	0.7190 67757
Lualhati	albedo	DiurnalTe mp	-0.475	moderate	0.0735 70862
Lualhati	DiurnalTe mp	voc	0.15	weak	0.5936 30203
Lualhati	DiurnalTe mp	humidity	0.74285714 3	strong	0.0015 09489
Lualhati	DiurnalTe mp	pressure	0.30714285 7	moderate	0.2654 72686
Lualhati	DiurnalTe mp	pm1	0.04642857 1	weak	0.8694 91526

Lualhati	DiurnalTemp	pm25	0.04642857 1	- weak	0.8694 91526
Lualhati	DiurnalTemp	pm10	0.04642857 1	- weak	0.8694 91526
Lualhati	DiurnalTemp	aqs	0.12541088 9	- weak	0.6560 72624
Lualhati	DiurnalTemp	albedo	-0.475	moderate	0.0735 70862
MRR-Queen of Peace	voc	humidity	0.05494505 5	- weak	0.8585 04294
MRR-Queen of Peace	voc	pressure	0.29120879 1	- weak	0.3343 85856
MRR-Queen of Peace	voc	pm1	0.35164835 2	moderate	0.2386 99705
MRR-Queen of Peace	voc	pm25	0.35164835 2	- moderate	0.2386 99705
MRR-Queen of Peace	voc	pm10	0.35164835 2	- moderate	0.2386 99705
MRR-Queen of Peace	voc	aqs	0.35042232 9	- moderate	0.2404 54688
MRR-Queen of Peace	voc	albedo	0.04945054 9	- weak	0.8725 44429
MRR-Queen of Peace	voc	DiurnalTemp	0.45604395 6	moderate	0.1172 83065
MRR-Queen of Peace	humidity	voc	0.05494505 5	- weak	0.8585 04294
MRR-Queen of Peace	humidity	pressure	0.44505494	- moderate	0.1275 23836

				5		
MRR-Queen of Peace	humidity	pm1	0.00549450 5	weak	0.9857 86911	
MRR-Queen of Peace	humidity	pm25	0.00549450 5	weak	0.9857 86911	
MRR-Queen of Peace	humidity	pm10	0.00549450 5	weak	0.9857 86911	
MRR-Queen of Peace	humidity	aqs	0.13564735 3	weak	0.6585 93979	
MRR-Queen of Peace	humidity	albedo	0.27472527 5	weak	0.3636 74982	
MRR-Queen of Peace	humidity	DiurnalTemp	0.36263736 3	moderate	0.2233 1572	
MRR-Queen of Peace	pressure	voc	0.29120879 1	weak	0.3343 85856	
MRR-Queen of Peace	pressure	humidity	0.44505494 5	moderate	0.1275 23836	
MRR-Queen of Peace	pressure	pm1	0.24175824 2	weak	0.4261 7552	
MRR-Queen of Peace	pressure	pm25	0.24175824 2	weak	0.4261 7552	
MRR-Queen of Peace	pressure	pm10	0.24175824 2	weak	0.4261 7552	
MRR-Queen of Peace	pressure	aqs	0.57084927 8	strong	0.0415 9582	
MRR-Queen of Peace	pressure	albedo	0.41758241 8	moderate	0.1556 74754	
MRR-Queen of Peace	pressure	DiurnalTemp	0.80219780 2	strong	0.0009 68779	
MRR-Queen of Peace	pm1	voc	0.35164835	moderate	0.2386 99705	

				2		
MRR-Queen of Peace	pm1	humidity	0.00549450 5	weak	0.9857 86911	
MRR-Queen of Peace	pm1	pressure	0.24175824 2	weak	0.4261 7552	
MRR-Queen of Peace	pm1	pm25	- 1	strong	0	
MRR-Queen of Peace	pm1	pm10	- 1	strong	0	
MRR-Queen of Peace	pm1	aqs	0.45780981 7	moderate	0.1156 90604	
MRR-Queen of Peace	pm1	albedo	0.43406593 4	moderate	0.1383 42378	
MRR-Queen of Peace	pm1	DiurnalTe mp	0.23076923 1	weak	0.4481 27382	
MRR-Queen of Peace	pm25	voc	0.35164835 2	moderate	0.2386 99705	
MRR-Queen of Peace	pm25	humidity	0.00549450 5	weak	0.9857 86911	
MRR-Queen of Peace	pm25	pressure	0.24175824 2	weak	0.4261 7552	
MRR-Queen of Peace	pm25	pm1	- 1	strong	0	
MRR-Queen of Peace	pm25	pm10	- 1	strong	0	
MRR-Queen of Peace	pm25	aqs	0.45780981 7	moderate	0.1156 90604	
MRR-Queen of Peace	pm25	albedo	0.43406593 4	moderate	0.1383 42378	
MRR-Queen of Peace	pm25	DiurnalTe mp	0.23076923 1	weak	0.4481 27382	
MRR-Queen of Peace	pm10	voc	0.35164835 2	moderate	0.2386 99705	
MRR-Queen of Peace	pm10	humidity	0.00549450	weak	0.9857	

				5		86911
MRR-Queen of Peace	pm10	pressure	0.24175824 2	weak	0.4261 7552	
MRR-Queen of Peace	pm10	pm1	-	strong	-	0
MRR-Queen of Peace	pm10	pm25	-	strong	-	0
MRR-Queen of Peace	pm10	aqs	0.45780981 7	moderate	-	0.1156 90604
MRR-Queen of Peace	pm10	albedo	0.43406593 4	moderate	-	0.1383 42378
MRR-Queen of Peace	pm10	DiurnalTe mp	0.23076923 1	weak	-	0.4481 27382
MRR-Queen of Peace	aqs	voc	0.35042232 9	moderate	-	0.2404 54688
MRR-Queen of Peace	aqs	humidity	0.13564735 3	weak	-	0.6585 93979
MRR-Queen of Peace	aqs	pressure	0.57084927 8	strong	-	0.0415 9582
MRR-Queen of Peace	aqs	pm1	0.45780981 7	moderate	-	0.1156 90604
MRR-Queen of Peace	aqs	pm25	0.45780981 7	moderate	-	0.1156 90604
MRR-Queen of Peace	aqs	pm10	0.45780981 7	moderate	-	0.1156 90604
MRR-Queen of Peace	aqs	albedo	0.27694668	weak	-	0.3596 50129
MRR-Queen of Peace	aqs	DiurnalTe mp	0.74606044 3	strong	-	0.0034 05409
MRR-Queen of Peace	albedo	voc	0.04945054	weak	-	0.8725

				9		44429
MRR-Queen of Peace	albedo	humidity	0.27472527 5	-	weak	0.3636 74982
MRR-Queen of Peace	albedo	pressure	0.41758241 8	moderate		0.1556 74754
MRR-Queen of Peace	albedo	pm1	0.43406593 4	moderate		0.1383 42378
MRR-Queen of Peace	albedo	pm25	0.43406593 4	moderate		0.1383 42378
MRR-Queen of Peace	albedo	pm10	0.43406593 4	moderate		0.1383 42378
MRR-Queen of Peace	albedo	aqs	0.27694668	-	weak	0.3596 50129
MRR-Queen of Peace	albedo	DiurnalTe mp	0.40109890 1	moderate		0.1743 57465
MRR-Queen of Peace	DiurnalTe mp	voc	0.45604395 6	moderate		0.1172 83065
MRR-Queen of Peace	DiurnalTe mp	humidity	0.36263736 3	-	moderate	0.2233 1572
MRR-Queen of Peace	DiurnalTe mp	pressure	0.80219780 2	strong		0.0009 68779
MRR-Queen of Peace	DiurnalTe mp	pm1	0.23076923 1	weak		0.4481 27382
MRR-Queen of Peace	DiurnalTe mp	pm25	0.23076923 1	weak		0.4481 27382
MRR-Queen of Peace	DiurnalTe mp	pm10	0.23076923 1	weak		0.4481 27382
MRR-Queen of Peace	DiurnalTe mp	aqs	0.74606044 3	-	strong	0.0034 05409
MRR-Queen of Peace	DiurnalTe mp	albedo	0.40109890 1	moderate		0.1743 57465

Magsaysay Private Road	voc	humidity	0.29120879 1	weak	0.3343 85856
Magsaysay Private Road	voc	pressure	0.19230769 2	weak	0.5290 67987
Magsaysay Private Road	voc	pm1	0.26923076 9	weak	0.3737 33042
Magsaysay Private Road	voc	pm25	0.26923076 9	weak	0.3737 33042
Magsaysay Private Road	voc	pm10	0.25274725 3	weak	0.4047 74071
Magsaysay Private Road	voc	aqs	0.64630224 1	strong	0.0169 97058
Magsaysay Private Road	voc	albedo	0.03846153 8	weak	0.9007 24302
Magsaysay Private Road	voc	DiurnalTe mp	0.29120879 1	weak	0.3343 85856
Magsaysay Private Road	humidity	voc	0.29120879 1	weak	0.3343 85856
Magsaysay Private Road	humidity	pressure	0.42307692 3	moderate	0.1497 48542
Magsaysay Private Road	humidity	pm1	0.15934065 9	weak	0.6030 87753
Magsaysay Private Road	humidity	pm25	0.15934065 9	weak	0.6030 87753
Magsaysay Private Road	humidity	pm10	0.13186813 2	weak	0.6676 07576
Magsaysay Private Road	humidity	aqs	0.50979875 1	strong	0.0751 20756
Magsaysay Private Road	humidity	albedo	0.17582417 6	weak	0.5655 79862
Magsaysay Private	humidity	DiurnalTe	-	strong	0.0045

Road		mp	0.73076923 1		47734
Magsaysay Private Road	pressure	voc	0.19230769 2	weak	0.5290 67987
Magsaysay Private Road	pressure	humidity	0.42307692 3	moderate	0.1497 48542
Magsaysay Private Road	pressure	pm1	0.03296703 3	weak	0.9148 56474
Magsaysay Private Road	pressure	pm25	0.03296703 3	weak	0.9148 56474
Magsaysay Private Road	pressure	pm10	0.02747252 7	weak	0.9290 11729
Magsaysay Private Road	pressure	aqs	0.21450548 5	weak	0.4815 94422
Magsaysay Private Road	pressure	albedo	0.26373626 4	weak	0.3839 36517
Magsaysay Private Road	pressure	DiurnalTe mp	0.21978022 -	weak	0.4706 14851
Magsaysay Private Road	pm1	voc	0.26923076 9	weak	0.3737 33042
Magsaysay Private Road	pm1	humidity	0.15934065 9	weak	0.6030 87753
Magsaysay Private Road	pm1	pressure	0.03296703 3	weak	0.9148 56474
Magsaysay Private Road	pm1	pm25	1	strong	0
Magsaysay Private Road	pm1	pm10	0.98901098 9	strong	1.75E- 10
Magsaysay Private Road	pm1	aqs	- 0.34822319	moderate	0.2436 22058
Magsaysay Private Road	pm1	albedo	0.29670329 7	weak	0.3249 21588
Magsaysay Private	pm1	DiurnalTe	- 0.50549450	strong	0.0780

Road		mp	5		33327
Magsaysay Private Road	pm25	voc	0.26923076 9	weak	0.3737 33042
Magsaysay Private Road	pm25	humidity	0.15934065 9	weak	0.6030 87753
Magsaysay Private Road	pm25	pressure	0.03296703 3	weak	0.9148 56474
Magsaysay Private Road	pm25	pm1	1	strong	0
Magsaysay Private Road	pm25	pm10	0.98901098 9	strong	1.75E- 10
Magsaysay Private Road	pm25	aqs	- 0.34822319	moderate	0.2436 22058
Magsaysay Private Road	pm25	albedo	0.29670329 7	weak	0.3249 21588
Magsaysay Private Road	pm25	DiurnalTemp	- 0.50549450 5	strong	0.0780 33327
Magsaysay Private Road	pm10	voc	0.25274725 3	weak	0.4047 74071
Magsaysay Private Road	pm10	humidity	0.13186813 2	weak	0.6676 07576
Magsaysay Private Road	pm10	pressure	- 0.02747252 7	weak	0.9290 11729
Magsaysay Private Road	pm10	pm1	0.98901098 9	strong	1.75E- 10
Magsaysay Private Road	pm10	pm25	0.98901098 9	strong	1.75E- 10
Magsaysay Private Road	pm10	aqs	- 0.32872269 2	moderate	0.2727 98081
Magsaysay Private Road	pm10	albedo	0.33516483 5	moderate	0.2629 4314

Magsaysay Private Road	pm10	DiurnalTemp	0.52197802 2	strong	0.0672 91712
Magsaysay Private Road	aqs	voc	0.64630224 1	strong	0.0169 97058
Magsaysay Private Road	aqs	humidity	0.50979875 1	strong	0.0751 20756
Magsaysay Private Road	aqs	pressure	0.21450548 5	weak	0.4815 94422
Magsaysay Private Road	aqs	pm1	0.34822319	moderate	0.2436 22058
Magsaysay Private Road	aqs	pm25	0.34822319	moderate	0.2436 22058
Magsaysay Private Road	aqs	pm10	0.32872269 2	moderate	0.2727 98081
Magsaysay Private Road	aqs	albedo	0.38443840 2	moderate	0.1946 35767
Magsaysay Private Road	aqs	DiurnalTemp	0.38443840 2	moderate	0.1946 35767
Magsaysay Private Road	albedo	voc	0.03846153 8	weak	0.9007 24302
Magsaysay Private Road	albedo	humidity	0.17582417 6	weak	0.5655 79862
Magsaysay Private Road	albedo	pressure	0.26373626 4	weak	0.3839 36517
Magsaysay Private Road	albedo	pm1	0.29670329 7	weak	0.3249 21588
Magsaysay Private Road	albedo	pm25	0.29670329 7	weak	0.3249 21588
Magsaysay Private Road	albedo	pm10	0.33516483 5	moderate	0.2629 4314

Magsaysay Private Road	albedo	aqs	0.384438402	moderate	0.194635767
Magsaysay Private Road	albedo	DiurnalTemp	0.038461538	weak	0.900724302
Magsaysay Private Road	DiurnalTemp	voc	0.291208791	weak	0.334385856
Magsaysay Private Road	DiurnalTemp	humidity	0.730769231	strong	0.004547734
Magsaysay Private Road	DiurnalTemp	pressure	0.21978022	weak	0.470614851
Magsaysay Private Road	DiurnalTemp	pm1	0.505494505	strong	0.078033327
Magsaysay Private Road	DiurnalTemp	pm25	0.505494505	strong	0.078033327
Magsaysay Private Road	DiurnalTemp	pm10	0.521978022	strong	0.067291712
Magsaysay Private Road	DiurnalTemp	aqs	0.384438402	moderate	0.194635767
Magsaysay Private Road	DiurnalTemp	albedo	0.038461538	weak	0.900724302
Magsaysay, Lower	voc	humidity	0.186813187	weak	0.522504012
Magsaysay, Lower	voc	pressure	0.182417582	weak	0.532508819
Magsaysay, Lower	voc	pm1	0.393406593	moderate	0.164031573
Magsaysay, Lower	voc	pm25	0.406593407	moderate	0.149101939

Magsaysay, Lower	voc	pm10	0.40659340 7	- moderate	0.1491 01939
Magsaysay, Lower	voc	aqs	0.62712465 7	- strong	0.0163 74148
Magsaysay, Lower	voc	albedo	0.05054945 1	- weak	0.8637 42036
Magsaysay, Lower	voc	DiurnalTemp	0.13846153 8	- weak	0.6368 84991
Magsaysay, Lower	humidity	voc	0.18681318 7	- weak	0.5225 04012
Magsaysay, Lower	humidity	pressure	0.17802197 8	- weak	0.5425 96953
Magsaysay, Lower	humidity	pm1	0.24395604 4	- weak	0.4006 24804
Magsaysay, Lower	humidity	pm25	0.21318681 3	- weak	0.4643 0282
Magsaysay, Lower	humidity	pm10	0.21318681 3	- weak	0.4643 0282
Magsaysay, Lower	humidity	aqs	0.25849224 2	- weak	0.3722 22078
Magsaysay, Lower	humidity	albedo	0.06373626 4	- weak	0.8286 26423
Magsaysay, Lower	humidity	DiurnalTemp	0.74505494 5	- strong	0.0022 30037
Magsaysay, Lower	pressure	voc	0.18241758 2	- weak	0.5325 08819
Magsaysay, Lower	pressure	humidity	0.17802197 8	- weak	0.5425 96953
Magsaysay, Lower	pressure	pm1	0.14285714 3	- weak	0.6261 17476
Magsaysay, Lower	pressure	pm25	0.13846153	- weak	0.6368

				8		84991
Magsaysay, Lower	pressure	pm10	0.13846153 8	weak	0.6368 84991	
Magsaysay, Lower	pressure	aqs	0.07867155 2	weak	0.7892 1423	
Magsaysay, Lower	pressure	albedo	0.10769230 8	weak	0.7140 30809	
Magsaysay, Lower	pressure	DiurnalTemp	0.00219780 2	weak	0.9940 50529	
Magsaysay, Lower	pm1	voc	0.39340659 3	moderate	0.1640 31573	
Magsaysay, Lower	pm1	humidity	0.24395604 4	weak	0.4006 24804	
Magsaysay, Lower	pm1	pressure	0.14285714 3	weak	0.6261 17476	
Magsaysay, Lower	pm1	pm25	0.99560439 6	strong	1.03E- 13	
Magsaysay, Lower	pm1	pm10	0.99560439 6	strong	1.03E- 13	
Magsaysay, Lower	pm1	aqs	0.20454603 5	weak	0.4830 17302	
Magsaysay, Lower	pm1	albedo	0.32307692 3	moderate	0.2598 7362	
Magsaysay, Lower	pm1	DiurnalTemp	0.34065934 1	moderate	0.2333 16051	
Magsaysay, Lower	pm25	voc	0.40659340 7	moderate	0.1491 01939	
Magsaysay, Lower	pm25	humidity	0.21318681 3	weak	0.4643 0282	
Magsaysay, Lower	pm25	pressure	0.13846153	weak	0.6368	

				8		84991
Magsaysay, Lower	pm25	pm1	0.99560439 6	strong	1.03E- 13	
Magsaysay, Lower	pm25	pm10	1	strong	0	
Magsaysay, Lower	pm25	aqs	0.22252810 4	weak	0.4444 73764	
Magsaysay, Lower	pm25	albedo	0.30549450 5	moderate	0.2881 69886	
Magsaysay, Lower	pm25	DiurnalTe mp	0.30109890 1	moderate	0.2955 14466	
Magsaysay, Lower	pm10	voc	0.40659340 7	moderate	0.1491 01939	
Magsaysay, Lower	pm10	humidity	0.21318681 3	weak	0.4643 0282	
Magsaysay, Lower	pm10	pressure	0.13846153 8	weak	0.6368 84991	
Magsaysay, Lower	pm10	pm1	0.99560439 6	strong	1.03E- 13	
Magsaysay, Lower	pm10	pm25	1	strong	0	
Magsaysay, Lower	pm10	aqs	0.22252810 4	weak	0.4444 73764	
Magsaysay, Lower	pm10	albedo	0.30549450 5	moderate	0.2881 69886	
Magsaysay, Lower	pm10	DiurnalTe mp	0.30109890 1	moderate	0.2955 14466	
Magsaysay, Lower	aqs	voc	0.62712465 7	strong	0.0163 74148	
Magsaysay, Lower	aqs	humidity	0.25849224 2	weak	0.3722 22078	
Magsaysay, Lower	aqs	pressure	0.07867155	weak	0.7892	

				2		1423
Magsaysay, Lower	aqs	pm1	0.20454603 5	weak	0.4830 17302	
Magsaysay, Lower	aqs	pm25	0.22252810 4	weak	0.4444 73764	
Magsaysay, Lower	aqs	pm10	0.22252810 4	weak	0.4444 73764	
Magsaysay, Lower	aqs	albedo	0.39785327 7	moderate	0.1588 92348	
Magsaysay, Lower	aqs	DiurnalTe mp	0.37088017 3	moderate	0.1917 28336	
Magsaysay, Lower	albedo	voc	0.05054945 1	weak	0.8637 42036	
Magsaysay, Lower	albedo	humidity	0.06373626 4	weak	0.8286 26423	
Magsaysay, Lower	albedo	pressure	0.10769230 8	weak	0.7140 30809	
Magsaysay, Lower	albedo	pm1	0.32307692 3	moderate	0.2598 7362	
Magsaysay, Lower	albedo	pm25	0.30549450 5	moderate	0.2881 69886	
Magsaysay, Lower	albedo	pm10	0.30549450 5	moderate	0.2881 69886	
Magsaysay, Lower	albedo	aqs	0.39785327 7	moderate	0.1588 92348	
Magsaysay, Lower	albedo	DiurnalTe mp	0.02417582 4	weak	0.9346 18995	
Magsaysay, Lower	DiurnalTe mp	voc	0.13846153 8	weak	0.6368 84991	
Magsaysay, Lower	DiurnalTe	humidity	-	strong	0.0022	

	mp		0.74505494 5		30037
Magsaysay, Lower	DiurnalTemp	pressure	0.00219780 2	weak	0.9940 50529
Magsaysay, Lower	DiurnalTemp	pm1	0.34065934 1	moderate	0.2333 16051
Magsaysay, Lower	DiurnalTemp	pm25	0.30109890 1	moderate	0.2955 14466
Magsaysay, Lower	DiurnalTemp	pm10	0.30109890 1	moderate	0.2955 14466
Magsaysay, Lower	DiurnalTemp	aqs	0.37088017 3	moderate	0.1917 28336
Magsaysay, Lower	DiurnalTemp	albedo	0.02417582 4	weak	0.9346 18995
Magsaysay, Upper	voc	humidity	0.14642857 1	weak	0.6025 49921
Magsaysay, Upper	voc	pressure	0.23928571 4	weak	0.3903 79312
Magsaysay, Upper	voc	pm1	0.18928571 4	weak	0.4992 63033
Magsaysay, Upper	voc	pm25	0.17142857 1	weak	0.5412 72176
Magsaysay, Upper	voc	pm10	0.17142857 1	weak	0.5412 72176
Magsaysay, Upper	voc	aqs	0.24713322 3	weak	0.3745 42993
Magsaysay, Upper	voc	albedo	0.03395890 5	weak	0.9043 67821
Magsaysay, Upper	voc	DiurnalTe	0.36071428	moderate	0.1865

		mp		6		54374
Magsaysay, Upper	humidity	voc	0.14642857 1	weak	0.6025 49921	
Magsaysay, Upper	humidity	pressure	-0.55	strong	0.0336 55358	
Magsaysay, Upper	humidity	pm1	0	weak	1	
Magsaysay, Upper	humidity	pm25	0	weak	1	
Magsaysay, Upper	humidity	pm10	0	weak	1	
Magsaysay, Upper	humidity	aqs	0.20287055 6	weak	0.4683 63502	
Magsaysay, Upper	humidity	albedo	0.30205552 7	moderate	0.2738 76475	
Magsaysay, Upper	humidity	DiurnalTemp	0.53571428 6	strong	0.0395 66972	
Magsaysay, Upper	pressure	voc	0.23928571 4	weak	0.3903 79312	
Magsaysay, Upper	pressure	humidity	-0.55	strong	0.0336 55358	
Magsaysay, Upper	pressure	pm1	0.27857142 9	weak	0.3147 09473	
Magsaysay, Upper	pressure	pm25	-	moderate	0.2773 1678	
Magsaysay, Upper	pressure	pm10	-0.3	moderate	0.2773 1678	
Magsaysay, Upper	pressure	aqs	0.08852533 4	weak	0.7537 26723	
Magsaysay, Upper	pressure	albedo	0.45755156 8	moderate	0.0863 6084	
Magsaysay, Upper	pressure	DiurnalTemp	0.52857142 9	strong	0.0427 97289	
Magsaysay, Upper	pm1	voc	0.18928571	weak	0.4992	

				4		63033
Magsaysay, Upper	pm1	humidity	0	weak	1	
Magsaysay, Upper	pm1	pressure	0.27857142 9	weak	0.3147 09473	
Magsaysay, Upper	pm1	pm25	0.99285714 3	strong	2.17E- 13	
Magsaysay, Upper	pm1	pm10	0.99285714 3	strong	2.17E- 13	
Magsaysay, Upper	pm1	aqs	0.24344466 7	weak	0.3819 42501	
Magsaysay, Upper	pm1	albedo	0.49687240 6	moderate	0.0595 33638	
Magsaysay, Upper	pm1	DiurnalTe mp	0.09285714 3	weak	0.7420 4501	
Magsaysay, Upper	pm25	voc	0.17142857 1	weak	0.5412 72176	
Magsaysay, Upper	pm25	humidity	0	weak	1	
Magsaysay, Upper	pm25	pressure	-0.3	moderate	0.2773 1678	
Magsaysay, Upper	pm25	pm1	0.99285714 3	strong	2.17E- 13	
Magsaysay, Upper	pm25	pm10	1	strong	0	
Magsaysay, Upper	pm25	aqs	0.26004316 8	weak	0.3492 66745	
Magsaysay, Upper	pm25	albedo	0.52010744 6	strong	0.0468 73662	
Magsaysay, Upper	pm25	DiurnalTe mp	0.08928571 4	weak	0.7516 72517	
Magsaysay, Upper	pm10	voc	0.17142857 1	weak	0.5412 72176	
Magsaysay, Upper	pm10	humidity	0	weak	1	
Magsaysay, Upper	pm10	pressure	-0.3	moderate	0.2773	

						1678
Magsaysay, Upper	pm10	pm1	0.99285714 3	strong	2.17E- 13	
Magsaysay, Upper	pm10	pm25	1	strong	0	
Magsaysay, Upper	pm10	aqs	0.26004316 8	weak	0.3492 66745	
Magsaysay, Upper	pm10	albedo	0.52010744 6	strong	0.0468 73662	
Magsaysay, Upper	pm10	DiurnalTe mp	0.08928571 4	weak	0.7516 72517	
Magsaysay, Upper	aqs	voc	0.24713322 3	weak	0.3745 42993	
Magsaysay, Upper	aqs	humidity	0.20287055 6	weak	0.4683 63502	
Magsaysay, Upper	aqs	pressure	0.08852533 4	weak	0.7537 26723	
Magsaysay, Upper	aqs	pm1	0.24344466 7	weak	0.3819 42501	
Magsaysay, Upper	aqs	pm25	0.26004316 8	weak	0.3492 66745	
Magsaysay, Upper	aqs	pm10	0.26004316 8	weak	0.3492 66745	
Magsaysay, Upper	aqs	albedo	0.36549348	moderate	0.1803 56949	
Magsaysay, Upper	aqs	DiurnalTe mp	0.01290994 4	weak	0.9635 78336	
Magsaysay, Upper	albedo	voc	0.03395890 5	weak	0.9043 67821	
Magsaysay, Upper	albedo	humidity	0.30205552 7	moderate	0.2738 76475	
Magsaysay, Upper	albedo	pressure	0.45755156	moderate	0.0863 6084	

				8		
Magsaysay, Upper	albedo	pm1	0.49687240 6	moderate	0.0595 33638	
Magsaysay, Upper	albedo	pm25	0.52010744 6	strong	0.0468 73662	
Magsaysay, Upper	albedo	pm10	0.52010744 6	strong	0.0468 73662	
Magsaysay, Upper	albedo	aqs	0.36549348	moderate	0.1803 56949	
Magsaysay, Upper	albedo	DiurnalTemp	0.04825739 2	weak	0.8643 93773	
Magsaysay, Upper	DiurnalTemp	voc	0.36071428 6	moderate	0.1865 54374	
Magsaysay, Upper	DiurnalTemp	humidity	0.53571428 6	strong	0.0395 66972	
Magsaysay, Upper	DiurnalTemp	pressure	0.52857142 9	strong	0.0427 97289	
Magsaysay, Upper	DiurnalTemp	pm1	0.09285714 3	weak	0.7420 4501	
Magsaysay, Upper	DiurnalTemp	pm25	0.08928571 4	weak	0.7516 72517	
Magsaysay, Upper	DiurnalTemp	pm10	0.08928571 4	weak	0.7516 72517	
Magsaysay, Upper	DiurnalTemp	aqs	0.01290994 4	weak	0.9635 78336	
Magsaysay, Upper	DiurnalTemp	albedo	0.04825739 2	weak	0.8643 93773	
Malcolm Square- Perfecto (Jose Abad Santos)	voc	humidity	0.12637362 6	weak	0.6807 85475	
Malcolm Square-	voc	pressure	0.26923076	weak	0.3737	

Perfecto (Jose Abad Santos)				9		33042
Malcolm Square-Perfecto (Jose Abad Santos)	voc	pm1	0.09340659	- 3	weak	0.7615 00023
Malcolm Square-Perfecto (Jose Abad Santos)	voc	pm25	0.09340659	- 3	weak	0.7615 00023
Malcolm Square-Perfecto (Jose Abad Santos)	voc	pm10	0.10439560	- 4	weak	0.7343 03745
Malcolm Square-Perfecto (Jose Abad Santos)	voc	aqs	0.09471670	- 8	weak	0.7582 43752
Malcolm Square-Perfecto (Jose Abad Santos)	voc	albedo	0.02197802	- 2	weak	0.9431 86242
Malcolm Square-Perfecto (Jose Abad Santos)	voc	DiurnalTemp	0.29670329	- 7	weak	0.3249 21588
Malcolm Square-Perfecto (Jose Abad Santos)	humidity	voc	0.12637362	- 6	weak	0.6807 85475
Malcolm Square-Perfecto (Jose Abad Santos)	humidity	pressure	0.28571428	- 6	weak	0.3440 00218
Malcolm Square-Perfecto (Jose Abad Santos)	humidity	pm1	0.03846153	- 8	weak	0.9007 24302
Malcolm Square-Perfecto (Jose Abad Santos)	humidity	pm25	0.03846153	- 8	weak	0.9007 24302
Malcolm Square-Perfecto (Jose Abad Santos)	humidity	pm10	0.07692307	- 7	weak	0.8027 63008
Malcolm Square-Perfecto (Jose Abad	humidity	aqs	0.04178678	-	weak	0.8921

Santos)				3		84409
Malcolm Square-Perfecto (Jose Abad Santos)	humidity	albedo	0.131868132	weak	0.667607576	
Malcolm Square-Perfecto (Jose Abad Santos)	humidity	DiurnalTemp	0.318681319	moderate	0.288583161	
Malcolm Square-Perfecto (Jose Abad Santos)	pressure	voc	0.269230769	weak	0.373733042	
Malcolm Square-Perfecto (Jose Abad Santos)	pressure	humidity	0.285714286	weak	0.34400218	
Malcolm Square-Perfecto (Jose Abad Santos)	pressure	pm1	0.307692308	moderate	0.306447053	
Malcolm Square-Perfecto (Jose Abad Santos)	pressure	pm25	0.307692308	moderate	0.306447053	
Malcolm Square-Perfecto (Jose Abad Santos)	pressure	pm10	0.32967033	moderate	0.271335055	
Malcolm Square-Perfecto (Jose Abad Santos)	pressure	aqs	0.253506483	weak	0.403316126	
Malcolm Square-Perfecto (Jose Abad Santos)	pressure	albedo	0.725274725	strong	0.005023238	
Malcolm Square-Perfecto (Jose Abad Santos)	pressure	DiurnalTemp	0.406593407	moderate	0.167978346	
Malcolm Square-Perfecto (Jose Abad Santos)	pm1	voc	0.093406593	weak	0.761500023	
Malcolm Square-Perfecto (Jose Abad	pm1	humidity	0.03846153	weak	0.900724302	

Santos)				8		
Malcolm Square-Perfecto (Jose Abad Santos)	pm1	pressure	0.30769230	-8	moderate	0.306447053
Malcolm Square-Perfecto (Jose Abad Santos)	pm1	pm25		1	strong	0
Malcolm Square-Perfecto (Jose Abad Santos)	pm1	pm10	0.99450549	5	strong	3.91E-12
Malcolm Square-Perfecto (Jose Abad Santos)	pm1	aqs	0.49865560	9	moderate	0.082821053
Malcolm Square-Perfecto (Jose Abad Santos)	pm1	albedo	0.59340659	3	strong	0.03252444
Malcolm Square-Perfecto (Jose Abad Santos)	pm1	DiurnalTemp	0.26373626	4	weak	0.383936517
Malcolm Square-Perfecto (Jose Abad Santos)	pm25	voc	0.09340659	-3	weak	0.761500023
Malcolm Square-Perfecto (Jose Abad Santos)	pm25	humidity	0.03846153	-8	weak	0.900724302
Malcolm Square-Perfecto (Jose Abad Santos)	pm25	pressure	0.30769230	-8	moderate	0.306447053
Malcolm Square-Perfecto (Jose Abad Santos)	pm25	pm1		1	strong	0
Malcolm Square-Perfecto (Jose Abad Santos)	pm25	pm10	0.99450549	5	strong	3.91E-12
Malcolm Square-Perfecto (Jose Abad	pm25	aqs	0.49865560	9	moderate	0.082821053

Santos)						
Malcolm Square-Perfecto (Jose Abad Santos)	pm25	albedo	0.593406593	strong	0.03252444	
Malcolm Square-Perfecto (Jose Abad Santos)	pm25	DiurnalTemp	0.263736264	weak	0.383936517	
Malcolm Square-Perfecto (Jose Abad Santos)	pm10	voc	0.104395604	weak	0.734303745	
Malcolm Square-Perfecto (Jose Abad Santos)	pm10	humidity	0.076923077	weak	0.802763008	
Malcolm Square-Perfecto (Jose Abad Santos)	pm10	pressure	0.32967033	moderate	0.271335055	
Malcolm Square-Perfecto (Jose Abad Santos)	pm10	pm1	0.994505495	strong	3.91E-12	
Malcolm Square-Perfecto (Jose Abad Santos)	pm10	pm25	0.994505495	strong	3.91E-12	
Malcolm Square-Perfecto (Jose Abad Santos)	pm10	aqs	0.481940896	moderate	0.095369881	
Malcolm Square-Perfecto (Jose Abad Santos)	pm10	albedo	0.615384615	strong	0.025167117	
Malcolm Square-Perfecto (Jose Abad Santos)	pm10	DiurnalTemp	0.252747253	weak	0.404774071	
Malcolm Square-Perfecto (Jose Abad Santos)	aqs	voc	0.094716708	weak	0.758243752	
Malcolm Square-Perfecto (Jose Abad	aqs	humidity	0.04178678	weak	0.892184409	

Santos)				3		
Malcolm Square-Perfecto (Jose Abad Santos)	aqs	pressure	0.253506483	weak	0.403316126	
Malcolm Square-Perfecto (Jose Abad Santos)	aqs	pm1	0.498655609	moderate	0.082821053	
Malcolm Square-Perfecto (Jose Abad Santos)	aqs	pm25	0.498655609	moderate	0.082821053	
Malcolm Square-Perfecto (Jose Abad Santos)	aqs	pm10	0.481940896	moderate	0.095369881	
Malcolm Square-Perfecto (Jose Abad Santos)	aqs	albedo	0.019500499	weak	0.949582935	
Malcolm Square-Perfecto (Jose Abad Santos)	aqs	DiurnalTemp	0.741018949	strong	0.003754103	
Malcolm Square-Perfecto (Jose Abad Santos)	albedo	voc	0.021978022	weak	0.943186242	
Malcolm Square-Perfecto (Jose Abad Santos)	albedo	humidity	0.131868132	weak	0.667607576	
Malcolm Square-Perfecto (Jose Abad Santos)	albedo	pressure	0.725274725	strong	0.005023238	
Malcolm Square-Perfecto (Jose Abad Santos)	albedo	pm1	0.593406593	strong	0.03252444	
Malcolm Square-Perfecto (Jose Abad Santos)	albedo	pm25	0.593406593	strong	0.03252444	
Malcolm Square-Perfecto (Jose Abad Santos)	albedo	pm10	0.615384615	strong	0.025167117	

Santos)						
Malcolm Square-Perfecto (Jose Abad Santos)	albedo	aqs	0.019500499	-	weak	0.949582935
Malcolm Square-Perfecto (Jose Abad Santos)	albedo	DiurnalTemp	0.054945055	-	weak	0.858504294
Malcolm Square-Perfecto (Jose Abad Santos)	DiurnalTemp	voc	0.296703297	-	weak	0.324921588
Malcolm Square-Perfecto (Jose Abad Santos)	DiurnalTemp	humidity	0.318681319	-	moderate	0.288583161
Malcolm Square-Perfecto (Jose Abad Santos)	DiurnalTemp	pressure	0.406593407	-	moderate	0.167978346
Malcolm Square-Perfecto (Jose Abad Santos)	DiurnalTemp	pm1	0.263736264	-	weak	0.383936517
Malcolm Square-Perfecto (Jose Abad Santos)	DiurnalTemp	pm25	0.263736264	-	weak	0.383936517
Malcolm Square-Perfecto (Jose Abad Santos)	DiurnalTemp	pm10	0.252747253	-	weak	0.404774071
Malcolm Square-Perfecto (Jose Abad Santos)	DiurnalTemp	aqs	0.741018949	-	strong	0.003754103
Malcolm Square-Perfecto (Jose Abad Santos)	DiurnalTemp	albedo	0.054945055	-	weak	0.858504294
Manuel A. Roxas	voc	humidity	0.142857143	-	weak	0.626117476
Manuel A. Roxas	voc	pressure	0.07252747	-	weak	0.805376314

				3		
Manuel A. Roxas	voc	pm1	0.06373626 4	weak	0.8286 26423	
Manuel A. Roxas	voc	pm25	0.06373626 4	weak	0.8286 26423	
Manuel A. Roxas	voc	pm10	0.03736263 7	weak	0.8990 93097	
Manuel A. Roxas	voc	aqs	0.08006407 7	weak	0.7855 61866	
Manuel A. Roxas	voc	albedo	0.17362637 4	weak	0.5527 66941	
Manuel A. Roxas	voc	DiurnalTe mp	0.20879120 9	weak	0.4737 78837	
Manuel A. Roxas	humidity	voc	0.14285714 3	weak	0.6261 17476	
Manuel A. Roxas	humidity	pressure	0.55164835 2	strong	0.0408 49058	
Manuel A. Roxas	humidity	pm1	0.01538461 5	weak	0.9583 69789	
Manuel A. Roxas	humidity	pm25	0.01538461 5	weak	0.9583 69789	
Manuel A. Roxas	humidity	pm10	0.03736263 7	weak	0.8990 93097	
Manuel A. Roxas	humidity	aqs	0.76404004 8	strong	0.0014 66172	
Manuel A. Roxas	humidity	albedo	0.42857142 9	moderate	0.1262 73888	
Manuel A. Roxas	humidity	DiurnalTe	0.85494505 -	strong	9.77E-	

		mp		5		05
Manuel A. Roxas	pressure	voc	0.07252747 3	- weak	0.8053 76314	
Manuel A. Roxas	pressure	humidity	0.55164835 2	- strong	0.0408 49058	
Manuel A. Roxas	pressure	pm1	0.12967033	- weak	0.6586 19276	
Manuel A. Roxas	pressure	pm25	0.12967033	- weak	0.6586 19276	
Manuel A. Roxas	pressure	pm10	0.13846153 8	- weak	0.6368 84991	
Manuel A. Roxas	pressure	aqs	0.43920865	moderate	0.1161 24817	
Manuel A. Roxas	pressure	albedo	0.61318681 3	- strong	0.0197 06332	
Manuel A. Roxas	pressure	DiurnalTemp	0.41978022	moderate	0.1351 01074	
Manuel A. Roxas	pm1	voc	0.06373626 4	- weak	0.8286 26423	
Manuel A. Roxas	pm1	humidity	0.01538461 5	- weak	0.9583 69789	
Manuel A. Roxas	pm1	pressure	0.12967033	- weak	0.6586 19276	
Manuel A. Roxas	pm1	pm25		1 strong		0
Manuel A. Roxas	pm1	pm10	0.99560439 6	strong	1.03E- 13	
Manuel A. Roxas	pm1	aqs	0.09836443 7	- weak	0.7379 68826	
Manuel A. Roxas	pm1	albedo	0.12087912 1	- weak	0.6806 0702	

Manuel A. Roxas	pm1	DiurnalTemp	-0.09010989	weak	0.759338838
Manuel A. Roxas	pm25	voc	0.063736264	weak	0.828626423
Manuel A. Roxas	pm25	humidity	0.015384615	weak	0.958369789
Manuel A. Roxas	pm25	pressure	-0.12967033	weak	0.658619276
Manuel A. Roxas	pm25	pm1	1	strong	0
Manuel A. Roxas	pm25	pm10	0.995604396	strong	1.03E-13
Manuel A. Roxas	pm25	aqs	0.098364437	weak	0.737968826
Manuel A. Roxas	pm25	albedo	0.120879121	weak	0.68060702
Manuel A. Roxas	pm25	DiurnalTemp	-0.09010989	weak	0.759338838
Manuel A. Roxas	pm10	voc	0.037362637	weak	0.899093097
Manuel A. Roxas	pm10	humidity	-0.037362637	weak	0.899093097
Manuel A. Roxas	pm10	pressure	-0.138461538	weak	0.636884991
Manuel A. Roxas	pm10	pm1	0.995604396	strong	1.03E-13
Manuel A. Roxas	pm10	pm25	0.995604396	strong	1.03E-13
Manuel A. Roxas	pm10	aqs	0.098364437	weak	0.737968826
Manuel A. Roxas	pm10	albedo	0.103296703	weak	0.725282211

Manuel A. Roxas	pm10	DiurnalTemp	0.072527473	- weak	0.805376314
Manuel A. Roxas	aqs	voc	0.080064077	- weak	0.785561866
Manuel A. Roxas	aqs	humidity	0.764040048	strong	0.001466172
Manuel A. Roxas	aqs	pressure	0.43920865	moderate	0.116124817
Manuel A. Roxas	aqs	pm1	0.098364437	- weak	0.737968826
Manuel A. Roxas	aqs	pm25	0.098364437	- weak	0.737968826
Manuel A. Roxas	aqs	pm10	0.098364437	- weak	0.737968826
Manuel A. Roxas	aqs	albedo	0.391170204	moderate	0.166656848
Manuel A. Roxas	aqs	DiurnalTemp	0.766327593	strong	0.001390405
Manuel A. Roxas	albedo	voc	0.173626374	- weak	0.552766941
Manuel A. Roxas	albedo	humidity	0.428571429	moderate	0.126273888
Manuel A. Roxas	albedo	pressure	0.613186813	strong	0.019706332
Manuel A. Roxas	albedo	pm1	0.120879121	- weak	0.68060702
Manuel A. Roxas	albedo	pm25	0.120879121	- weak	0.68060702
Manuel A. Roxas	albedo	pm10	0.103296703	- weak	0.725282211

Manuel A. Roxas	albedo	aqs	0.39117020 4	- moderate	0.1666 56848
Manuel A. Roxas	albedo	DiurnalTe mp	0.30549450 5	- moderate	0.2881 69886
Manuel A. Roxas	DiurnalTe mp	voc	0.20879120 9	weak	0.4737 78837
Manuel A. Roxas	DiurnalTe mp	humidity	0.85494505 5	- strong	9.77E- 05
Manuel A. Roxas	DiurnalTe mp	pressure	0.41978022	moderate	0.1351 01074
Manuel A. Roxas	DiurnalTe mp	pm1	0.09010989	- weak	0.7593 38838
Manuel A. Roxas	DiurnalTe mp	pm25	0.09010989	- weak	0.7593 38838
Manuel A. Roxas	DiurnalTe mp	pm10	0.07252747 3	weak	0.8053 76314
Manuel A. Roxas	DiurnalTe mp	aqs	0.76632759 3	strong	0.0013 90405
Manuel A. Roxas	DiurnalTe mp	albedo	0.30549450 5	- moderate	0.2881 69886
Military Cut-off	voc	humidity	0.20357142 9	weak	0.4667 95072
Military Cut-off	voc	pressure	0.23214285 7	weak	0.4050 98741
Military Cut-off	voc	pm1	0.28571428 6	- weak	0.3019 36351
Military Cut-off	voc	pm25	0.23571428 6	- weak	0.3977 02946

Military Cut-off	voc	pm10	0.23571428 6	- weak	0.3977 02946
Military Cut-off	voc	aqs	0.25082177 9	- weak	0.3672 22086
Military Cut-off	voc	albedo	0.275	weak	0.3212 11173
Military Cut-off	voc	DiurnalTe mp	0.23928571 4	weak	0.3903 79312
Military Cut-off	humidity	voc	0.20357142 9	weak	0.4667 95072
Military Cut-off	humidity	pressure	0.49285714 3	- moderate	0.0619 51007
Military Cut-off	humidity	pm1	0.02857142 9	- weak	0.9194 89908
Military Cut-off	humidity	pm25	-0.025	weak	0.9295 28971
Military Cut-off	humidity	pm10	-0.025	weak	0.9295 28971
Military Cut-off	humidity	aqs	0.57172611 3	- strong	0.0259 67857
Military Cut-off	humidity	albedo	0.575	strong	0.0249 36228
Military Cut-off	humidity	DiurnalTe mp	0.75357142 9	- strong	0.0011 77583
Military Cut-off	pressure	voc	0.23214285 7	weak	0.4050 98741
Military Cut-off	pressure	humidity	0.49285714 3	- moderate	0.0619 51007

Military Cut-off	pressure	pm1	0.43571428 6	moderate	0.1044 93357
Military Cut-off	pressure	pm25	0.42142857 1	moderate	0.1176 99396
Military Cut-off	pressure	pm10	0.42142857 1	moderate	0.1176 99396
Military Cut-off	pressure	aqs	0.40574111 2	moderate	0.1334 78059
Military Cut-off	pressure	albedo	0.69285714 3	strong	0.0041 90233
Military Cut-off	pressure	DiurnalTe mp	0.64285714 3	strong	0.0097 39945
Military Cut-off	pm1	voc	0.28571428 6	weak	0.3019 36351
Military Cut-off	pm1	humidity	0.02857142 9	weak	0.9194 89908
Military Cut-off	pm1	pressure	0.43571428 6	moderate	0.1044 93357
Military Cut-off	pm1	pm25	0.99642857 1	strong	2.42E- 15
Military Cut-off	pm1	pm10	0.99642857 1	strong	2.42E- 15
Military Cut-off	pm1	aqs	0.36516700 1	moderate	0.1807 75978
Military Cut-off	pm1	albedo	0.38214285 7	moderate	0.1598 2363
Military Cut-off	pm1	DiurnalTe mp	0.06785714 3	weak	0.8101 08819

Military Cut-off	pm25	voc	0.23571428 6	weak	0.3977 02946
Military Cut-off	pm25	humidity	-0.025	weak	0.9295 28971
Military Cut-off	pm25	pressure	0.42142857 1	moderate	0.1176 99396
Military Cut-off	pm25	pm1	0.99642857 1	strong	2.42E- 15
Military Cut-off	pm25	pm10	1	strong	0
Military Cut-off	pm25	aqs	0.37807694 6	moderate	0.1646 87523
Military Cut-off	pm25	albedo	0.39285714 3	moderate	0.1474 66655
Military Cut-off	pm25	DiurnalTe mp	0.09642857 1	weak	0.7324 52863
Military Cut-off	pm10	voc	0.23571428 6	weak	0.3977 02946
Military Cut-off	pm10	humidity	-0.025	weak	0.9295 28971
Military Cut-off	pm10	pressure	0.42142857 1	moderate	0.1176 99396
Military Cut-off	pm10	pm1	0.99642857 1	strong	2.42E- 15
Military Cut-off	pm10	pm25	1	strong	0
Military Cut-off	pm10	aqs	0.37807694 6	moderate	0.1646 87523
Military Cut-off	pm10	albedo	0.39285714 3	moderate	0.1474 66655
Military Cut-off	pm10	DiurnalTe mp	0.09642857 1	weak	0.7324 52863

Military Cut-off	aqs	voc	0.25082177 9	weak	0.3672 22086
Military Cut-off	aqs	humidity	0.57172611 3	strong	0.0259 67857
Military Cut-off	aqs	pressure	0.40574111 2	moderate	0.1334 78059
Military Cut-off	aqs	pm1	0.36516700 1	moderate	0.1807 75978
Military Cut-off	aqs	pm25	0.37807694 6	moderate	0.1646 87523
Military Cut-off	aqs	pm10	0.37807694 6	moderate	0.1646 87523
Military Cut-off	aqs	albedo	0.38729833 5	moderate	0.1537 94837
Military Cut-off	aqs	DiurnalTemp	0.66762855 8	strong	0.0065 35043
Military Cut-off	albedo	voc	0.275	weak	0.3212 11173
Military Cut-off	albedo	humidity	0.575	strong	0.0249 36228
Military Cut-off	albedo	pressure	0.69285714 3	strong	0.0041 90233
Military Cut-off	albedo	pm1	0.38214285 7	moderate	0.1598 2363
Military Cut-off	albedo	pm25	0.39285714 3	moderate	0.1474 66655
Military Cut-off	albedo	pm10	0.39285714 3	moderate	0.1474 66655
Military Cut-off	albedo	aqs	0.38729833 5	moderate	0.1537 94837

Military Cut-off	albedo	DiurnalTemp	0.282142857	weak	0.308284457
Military Cut-off	DiurnalTemp	voc	0.239285714	weak	0.390379312
Military Cut-off	DiurnalTemp	humidity	0.753571429	strong	0.001177583
Military Cut-off	DiurnalTemp	pressure	0.642857143	strong	0.009739945
Military Cut-off	DiurnalTemp	pm1	0.067857143	weak	0.810108819
Military Cut-off	DiurnalTemp	pm25	0.096428571	weak	0.732452863
Military Cut-off	DiurnalTemp	pm10	0.096428571	weak	0.732452863
Military Cut-off	DiurnalTemp	aqs	0.667628558	strong	0.006535043
Military Cut-off	DiurnalTemp	albedo	0.282142857	weak	0.308284457
New Lucban	voc	humidity	0.142857143	weak	0.626117476
New Lucban	voc	pressure	0.182417582	weak	0.532508819
New Lucban	voc	pm1	0.463736264	moderate	0.094876332
New Lucban	voc	pm25	0.454945055	moderate	0.102153527
New Lucban	voc	pm10	0.468131868	moderate	0.091376365

New Lucban	voc	aqs	0.09665362 1	weak	0.7423 84032
New Lucban	voc	albedo	0.66593406 6	strong	0.0093 22999
New Lucban	voc	DiurnalTe mp	0.11208791 2	weak	0.7028 33163
New Lucban	humidity	voc	0.14285714 3	weak	0.6261 17476
New Lucban	humidity	pressure	0.00659340 7	weak	0.9821 52735
New Lucban	humidity	pm1	0.16043956	weak	0.5837 52753
New Lucban	humidity	pm25	0.19120879 1	weak	0.5125 8397
New Lucban	humidity	pm10	0.17802197 8	weak	0.5425 96953
New Lucban	humidity	aqs	0.55969189 8	strong	0.0374 12691
New Lucban	humidity	albedo	0.29230769 2	weak	0.3105 2632
New Lucban	humidity	DiurnalTe mp	0.64395604 4	strong	0.0129 42153
New Lucban	pressure	voc	0.18241758 2	weak	0.5325 08819
New Lucban	pressure	humidity	0.00659340 7	weak	0.9821 52735
New Lucban	pressure	pm1	0.22637362 6	weak	0.4364 34795
New Lucban	pressure	pm25	0.19120879 1	weak	0.5125 8397

New Lucban	pressure	pm10	0.2	weak	0.4930 03735
New Lucban	pressure	aqs	0.17307741 4	weak	0.5540 42728
New Lucban	pressure	albedo	0.01538461 5	weak	0.9583 69789
New Lucban	pressure	DiurnalTe mp	0.33186813 2	moderate	0.2463 77183
New Lucban	pm1	voc	0.46373626 4	moderate	0.0948 76332
New Lucban	pm1	humidity	0.16043956	weak	0.5837 52753
New Lucban	pm1	pressure	0.22637362 6	weak	0.4364 34795
New Lucban	pm1	pm25	0.99560439 6	strong	1.03E- 13
New Lucban	pm1	pm10	0.99120879 1	strong	6.54E- 12
New Lucban	pm1	aqs	0.05619396 6	weak	0.8486 78744
New Lucban	pm1	albedo	0.6	strong	0.0233 08411
New Lucban	pm1	DiurnalTe mp	0.27032967	weak	0.3499 19386
New Lucban	pm25	voc	0.45494505 5	moderate	0.1021 53527
New Lucban	pm25	humidity	0.19120879 1	weak	0.5125 8397
New Lucban	pm25	pressure	0.19120879 1	weak	0.5125 8397
New Lucban	pm25	pm1	0.99560439 6	strong	1.03E- 13

New Lucban	pm25	pm10	0.99560439 6	strong	1.03E- 13
New Lucban	pm25	aqs	0.07867155 2	weak	0.7892 1423
New Lucban	pm25	albedo	0.58241758 2	strong	0.0288 54655
New Lucban	pm25	DiurnalTe mp	0.32747252 7	moderate	0.2530 71001
New Lucban	pm10	voc	0.46813186 8	moderate	0.0913 76365
New Lucban	pm10	humidity	0.17802197 8	weak	0.5425 96953
New Lucban	pm10	pressure	0.2	weak	0.4930 03735
New Lucban	pm10	pm1	0.99120879 1	strong	6.54E- 12
New Lucban	pm10	pm25	0.99560439 6	strong	1.03E- 13
New Lucban	pm10	aqs	0.09215810 4	weak	0.7540 20725
New Lucban	pm10	albedo	0.60439560 4	strong	0.0220 56862
New Lucban	pm10	DiurnalTe mp	0.32307692 3	moderate	0.2598 7362
New Lucban	aqs	voc	0.09665362 1	weak	0.7423 84032
New Lucban	aqs	humidity	0.55969189 8	strong	0.0374 12691
New Lucban	aqs	pressure	0.17307741 4	weak	0.5540 42728
New Lucban	aqs	pm1	0.05619396 6	weak	0.8486 78744

New Lucban	aqs	pm25	0.07867155 2	weak	0.7892 1423
New Lucban	aqs	pm10	0.09215810 4	weak	0.7540 20725
New Lucban	aqs	albedo	0.17757293 2	weak	0.5436 3217
New Lucban	aqs	DiurnalTe mp	0.63611569 1	strong	0.0144 64373
New Lucban	albedo	voc	0.66593406 6	strong	0.0093 22999
New Lucban	albedo	humidity	0.29230769 2	weak	0.3105 2632
New Lucban	albedo	pressure	0.01538461 5	weak	0.9583 69789
New Lucban	albedo	pm1	0.6	strong	0.0233 08411
New Lucban	albedo	pm25	0.58241758 2	strong	0.0288 54655
New Lucban	albedo	pm10	0.60439560 4	strong	0.0220 56862
New Lucban	albedo	aqs	0.17757293 2	weak	0.5436 3217
New Lucban	albedo	DiurnalTe mp	0.09450549 5	weak	0.7479 38261
New Lucban	DiurnalTe mp	voc	0.11208791 2	weak	0.7028 33163
New Lucban	DiurnalTe mp	humidity	0.64395604 4	strong	0.0129 42153

New Lucban	DiurnalTemp	pressure	0.331868132	moderate	0.246377183
New Lucban	DiurnalTemp	pm1	0.27032967-	weak	0.349919386
New Lucban	DiurnalTemp	pm25	0.327472527	moderate	0.253071001
New Lucban	DiurnalTemp	pm10	0.323076923	moderate	0.25987362
New Lucban	DiurnalTemp	aqs	0.636115691	strong	0.014464373
New Lucban	DiurnalTemp	albedo	0.094505495	weak	0.747938261
Pacdal	voc	humidity	0.173529412	weak	0.520407514
Pacdal	voc	pressure	0.055882353	weak	0.837137222
Pacdal	voc	pm1	0.411764706	moderate	0.113033866
Pacdal	voc	pm25	0.411764706	moderate	0.113033866
Pacdal	voc	pm10	0.411764706	moderate	0.113033866
Pacdal	voc	aqs	0.795212153	strong	0.000231153
Pacdal	voc	albedo	0.017647059	weak	0.94828015
Pacdal	voc	DiurnalTemp	0.464705882	moderate	0.069743676
Pacdal	humidity	voc	0.17352941-	weak	0.5204

				2		07514
Pacdal	humidity	pressure	0.20882352 9	weak	0.4376 58511	
Pacdal	humidity	pm1	0.22647058 8	weak	0.3989 82927	
Pacdal	humidity	pm25	0.22647058 8	weak	0.3989 82927	
Pacdal	humidity	pm10	0.22647058 8	weak	0.3989 82927	
Pacdal	humidity	aqs	0.55879772 9	strong	0.0244 44517	
Pacdal	humidity	albedo	-0.3	moderate	0.2589 36453	
Pacdal	humidity	DiurnalTemp	0.43235294 1	moderate	0.0944 21038	
Pacdal	pressure	voc	0.05588235 3	weak	0.8371 37222	
Pacdal	pressure	humidity	0.20882352 9	weak	0.4376 58511	
Pacdal	pressure	pm1	0.03823529 4	weak	0.8881 97654	
Pacdal	pressure	pm25	0.03823529 4	weak	0.8881 97654	
Pacdal	pressure	pm10	0.03823529 4	weak	0.8881 97654	
Pacdal	pressure	aqs	0.09517983 3	weak	0.7258 6317	
Pacdal	pressure	albedo	0.24117647 1	weak	0.3682 06608	

Pacdal		pressure	DiurnalTemp	0.323529412	moderate	0.221574125
Pacdal	pm1	voc	0.411764706	moderate	0.113033866	-
Pacdal	pm1	humidity	0.226470588	weak	0.398982927	-
Pacdal	pm1	pressure	0.038235294	weak	0.888197654	-
Pacdal	pm1	pm25	1	strong	0	-
Pacdal	pm1	pm10	1	strong	0	-
Pacdal	pm1	aqs	0.64476661	strong	0.007005483	-
Pacdal	pm1	albedo	0.164705882	weak	0.542148135	-
Pacdal	pm1	DiurnalTemp	0.223529412	weak	0.405298347	-
Pacdal	pm25	voc	0.411764706	moderate	0.113033866	-
Pacdal	pm25	humidity	0.226470588	weak	0.398982927	-
Pacdal	pm25	pressure	0.038235294	weak	0.888197654	-
Pacdal	pm25	pm1	1	strong	0	-
Pacdal	pm25	pm10	1	strong	0	-
Pacdal	pm25	aqs	0.64476661	strong	0.007005483	-
Pacdal	pm25	albedo	0.164705882	weak	0.542148135	-
Pacdal	pm25	DiurnalTemp	0.223529412	weak	0.405298347	-
Pacdal	pm10	voc	0.411764706	moderate	0.113033866	-

Pacdal	pm10	humidity	0.22647058 8	weak	0.3989 82927
Pacdal	pm10	pressure	0.03823529 4	weak	0.8881 97654
Pacdal	pm10	pm1	1	strong	0
Pacdal	pm10	pm25	1	strong	0
Pacdal	pm10	aqs	0.64476661	strong	0.0070 05483
Pacdal	pm10	albedo	0.16470588 2	weak	0.5421 48135
Pacdal	pm10	DiurnalTe mp	0.22352941 2	weak	0.4052 98347
Pacdal	aqs	voc	0.79521215 3	strong	0.0002 31153
Pacdal	aqs	humidity	0.55879772 9	strong	0.0244 44517
Pacdal	aqs	pressure	0.09517983 3	weak	0.7258 6317
Pacdal	aqs	pm1	0.64476661	strong	0.0070 05483
Pacdal	aqs	pm25	0.64476661	strong	0.0070 05483
Pacdal	aqs	pm10	0.64476661	strong	0.0070 05483
Pacdal	aqs	albedo	0.23641442 4	weak	0.3780 25282
Pacdal	aqs	DiurnalTe mp	0.62020407 3	strong	0.0103 74537
Pacdal	albedo	voc	0.01764705 9	weak	0.9482 8015

Pacdal	albedo	humidity	-0.3	moderate	0.2589 36453
Pacdal	albedo	pressure	0.24117647 1	weak	0.3682 06608
Pacdal	albedo	pm1	0.16470588 2	weak	0.5421 48135
Pacdal	albedo	pm25	0.16470588 2	weak	0.5421 48135
Pacdal	albedo	pm10	0.16470588 2	weak	0.5421 48135
Pacdal	albedo	aqs	0.23641442 4	weak	0.3780 25282
Pacdal	albedo	DiurnalTe mp	0.21470588 2	weak	0.4245 59234
Pacdal	DiurnalTe mp	voc	0.46470588 2	moderate	0.0697 43676
Pacdal	DiurnalTe mp	humidity	0.43235294 1	moderate	0.0944 21038
Pacdal	DiurnalTe mp	pressure	0.32352941 2	moderate	0.2215 74125
Pacdal	DiurnalTe mp	pm1	0.22352941 2	weak	0.4052 98347
Pacdal	DiurnalTe mp	pm25	0.22352941 2	weak	0.4052 98347
Pacdal	DiurnalTe mp	pm10	0.22352941 2	weak	0.4052 98347
Pacdal	DiurnalTe mp	aqs	0.62020407 3	strong	0.0103 74537
Pacdal	DiurnalTe mp	albedo	0.21470588	weak	0.4245 59234

				2		
Padre Burgos	voc	humidity	0.20329670 3	weak	0.5053 14734	
Padre Burgos	voc	pressure	0.29670329 7	weak	0.3249 21588	
Padre Burgos	voc	pm1	0.34065934 1	moderate	0.2547 06461	
Padre Burgos	voc	pm25	0.34065934 1	moderate	0.2547 06461	
Padre Burgos	voc	pm10	0.34065934 1	moderate	0.2547 06461	
Padre Burgos	voc	aqs	0.01671471 3	weak	0.9567 78834	
Padre Burgos	voc	albedo	0.28571428 6	weak	0.3440 00218	
Padre Burgos	voc	DiurnalTemp	0.18681318 7	weak	0.5411 23524	
Padre Burgos	humidity	voc	0.20329670 3	weak	0.5053 14734	
Padre Burgos	humidity	pressure	0.12637362 6	weak	0.6807 85475	
Padre Burgos	humidity	pm1	0.42307692 3	moderate	0.1497 48542	
Padre Burgos	humidity	pm25	0.42307692 3	moderate	0.1497 48542	
Padre Burgos	humidity	pm10	0.42307692 3	moderate	0.1497 48542	
Padre Burgos	humidity	aqs	0.28693590 9	weak	0.3418 49681	

Padre Burgos	humidity	albedo	0.05494505 5	weak	0.8585 04294
Padre Burgos	humidity	DiurnalTe mp	0.68681318 7	strong	0.0095 09496
Padre Burgos	pressure	voc	0.29670329 7	weak	0.3249 21588
Padre Burgos	pressure	humidity	0.12637362 6	weak	0.6807 85475
Padre Burgos	pressure	pm1	0.57142857 1	strong	0.0413 42267
Padre Burgos	pressure	pm25	0.57142857 1	strong	0.0413 42267
Padre Burgos	pressure	pm10	0.57142857 1	strong	0.0413 42267
Padre Burgos	pressure	aqs	0.18943341 6	weak	0.5353 59841
Padre Burgos	pressure	albedo	0.19230769 2	weak	0.5290 67987
Padre Burgos	pressure	DiurnalTe mp	0.18131868 1	weak	0.5532 95009
Padre Burgos	pm1	voc	0.34065934 1	moderate	0.2547 06461
Padre Burgos	pm1	humidity	0.42307692 3	moderate	0.1497 48542
Padre Burgos	pm1	pressure	0.57142857 1	strong	0.0413 42267
Padre Burgos	pm1	pm25	1	strong	0

Padre Burgos	pm1	pm10	1	strong	0
Padre Burgos	pm1	aqs	0	weak	1
Padre Burgos	pm1	albedo	0.08791208 8	weak	0.7751 95409
Padre Burgos	pm1	DiurnalTe mp	0.38461538 5	moderate	0.1944 1292
Padre Burgos	pm25	voc	0.34065934 1	moderate	0.2547 06461
Padre Burgos	pm25	humidity	0.42307692 3	moderate	0.1497 48542
Padre Burgos	pm25	pressure	0.57142857 1	strong	0.0413 42267
Padre Burgos	pm25	pm1	1	strong	0
Padre Burgos	pm25	pm10	1	strong	0
Padre Burgos	pm25	aqs	0	weak	1
Padre Burgos	pm25	albedo	0.08791208 8	weak	0.7751 95409
Padre Burgos	pm25	DiurnalTe mp	0.38461538 5	moderate	0.1944 1292
Padre Burgos	pm10	voc	0.34065934 1	moderate	0.2547 06461
Padre Burgos	pm10	humidity	0.42307692 3	moderate	0.1497 48542
Padre Burgos	pm10	pressure	0.57142857 1	strong	0.0413 42267
Padre Burgos	pm10	pm1	1	strong	0

Padre Burgos	pm10	pm25	1	strong	0
Padre Burgos	pm10	aqs	0	weak	1
Padre Burgos	pm10	albedo	0.08791208 8	weak	0.7751 95409
Padre Burgos	pm10	DiurnalTe mp	0.38461538 5	moderate	0.1944 1292
Padre Burgos	aqs	voc	0.01671471 3	weak	0.9567 78834
Padre Burgos	aqs	humidity	0.28693590 9	weak	0.3418 49681
Padre Burgos	aqs	pressure	0.18943341 6	weak	0.5353 59841
Padre Burgos	aqs	pm1	0	weak	1
Padre Burgos	aqs	pm25	0	weak	1
Padre Burgos	aqs	pm10	0	weak	1
Padre Burgos	aqs	albedo	0.32872269 2	moderate	0.2727 98081
Padre Burgos	aqs	DiurnalTe mp	0.59615810 2	strong	0.0315 26488
Padre Burgos	albedo	voc	0.28571428 6	weak	0.3440 00218
Padre Burgos	albedo	humidity	0.05494505 5	weak	0.8585 04294
Padre Burgos	albedo	pressure	0.19230769 2	weak	0.5290 67987
Padre Burgos	albedo	pm1	0.08791208 8	weak	0.7751 95409

Padre Burgos	albedo	pm25	0.08791208 8	weak	0.7751 95409
Padre Burgos	albedo	pm10	0.08791208 8	weak	0.7751 95409
Padre Burgos	albedo	aqs	0.32872269 2	moderate	0.2727 98081
Padre Burgos	albedo	DiurnalTe mp	0.24175824 2	weak	0.4261 7552
Padre Burgos	DiurnalTe mp	voc	0.18681318 7	weak	0.5411 23524
Padre Burgos	DiurnalTe mp	humidity	0.68681318 7	strong	0.0095 09496
Padre Burgos	DiurnalTe mp	pressure	0.18131868 1	weak	0.5532 95009
Padre Burgos	DiurnalTe mp	pm1	0.38461538 5	moderate	0.1944 1292
Padre Burgos	DiurnalTe mp	pm25	0.38461538 5	moderate	0.1944 1292
Padre Burgos	DiurnalTe mp	pm10	0.38461538 5	moderate	0.1944 1292
Padre Burgos	DiurnalTe mp	aqs	0.59615810 2	strong	0.0315 26488
Padre Burgos	DiurnalTe mp	albedo	0.24175824 2	weak	0.4261 7552
Pinget	voc	humidity	0.06593406 6	weak	0.8305 42386
Pinget	voc	pressure	-	strong	0.0576

				0.53846153		34433
				8		
Pinget	voc	pm1	0.26923076	9	weak	0.3737
Pinget	voc	pm25	0.26923076	9	weak	0.3737
Pinget	voc	pm10	0.26923076	9	weak	0.3737
Pinget	voc	aqs	0.18086313	8	weak	0.5543
Pinget	voc	albedo	0.17032967	-	weak	0.5779
Pinget	voc	DiurnalTemp	0.09340659	3	weak	0.7615
Pinget	humidity	voc	0.06593406	6	weak	0.8305
Pinget	humidity	pressure	0.10989011	-	weak	0.7208
Pinget	humidity	pm1	0.63186813	2	strong	0.0205
Pinget	humidity	pm25	0.63186813	2	strong	0.0205
Pinget	humidity	pm10	0.63186813	2	strong	0.0205
Pinget	humidity	aqs	0.47476573	6	moderate	0.1011
Pinget	humidity	albedo	0.14835164	8	weak	0.6286
Pinget	humidity	DiurnalTemp	0.62637362	-	strong	0.0219
Pinget	pressure	voc	0.53846153	8	strong	0.0576
						34433

Pinget	pressure	humidity	- 0.10989011	weak	0.7208 098
Pinget	pressure	pm1	0.06043956	weak	0.8445 02371
Pinget	pressure	pm25	0.06043956	weak	0.8445 02371
Pinget	pressure	pm10	0.06043956	weak	0.8445 02371
Pinget	pressure	aqs	0.07347565	weak	0.8114 56411
Pinget	pressure	albedo	- 0.34615384 6	moderate	0.2466 25263
Pinget	pressure	DiurnalTemp	0.17032967	weak	0.5779 75429
Pinget	pm1	voc	0.26923076 9	weak	0.3737 33042
Pinget	pm1	humidity	0.63186813 2	strong	0.0205 16043
Pinget	pm1	pressure	0.06043956	weak	0.8445 02371
Pinget	pm1	pm25	1	strong	0
Pinget	pm1	pm10	1	strong	0
Pinget	pm1	aqs	0	weak	1
Pinget	pm1	albedo	- 0.00549450 5	weak	0.9857 86911
Pinget	pm1	DiurnalTemp	- 0.15934065 9	weak	0.6030 87753
Pinget	pm25	voc	0.26923076 9	weak	0.3737 33042
Pinget	pm25	humidity	0.63186813 2	strong	0.0205 16043

Pinget	pm25	pressure	0.06043956	weak	0.8445 02371
Pinget	pm25	pm1	1	strong	0
Pinget	pm25	pm10	1	strong	0
Pinget	pm25	aqs	0	weak	1
Pinget	pm25	albedo	0.00549450 5	weak	0.9857 86911
Pinget	pm25	DiurnalTe mp	0.15934065 9	weak	0.6030 87753
Pinget	pm10	voc	0.26923076 9	weak	0.3737 33042
Pinget	pm10	humidity	0.63186813 2	strong	0.0205 16043
Pinget	pm10	pressure	0.06043956	weak	0.8445 02371
Pinget	pm10	pm1	1	strong	0
Pinget	pm10	pm25	1	strong	0
Pinget	pm10	aqs	0	weak	1
Pinget	pm10	albedo	0.00549450 5	weak	0.9857 86911
Pinget	pm10	DiurnalTe mp	0.15934065 9	weak	0.6030 87753
Pinget	aqs	voc	0.18086313 8	weak	0.5543 09259
Pinget	aqs	humidity	0.47476573 6	moderate	0.1011 35141
Pinget	aqs	pressure	0.07347565	weak	0.8114 56411
Pinget	aqs	pm1	0	weak	1

Pinget	aqs	pm25	0	weak	1
Pinget	aqs	pm10	0	weak	1
Pinget	aqs	albedo	0.57084927 8	strong	0.0415 9582
Pinget	aqs	DiurnalTe mp	0.77432030 8	strong	0.0018 88345
Pinget	albedo	voc	0.17032967	weak	0.5779 75429
Pinget	albedo	humidity	0.14835164 8	weak	0.6286 09418
Pinget	albedo	pressure	0.34615384 6	moderate	0.2466 25263
Pinget	albedo	pm1	0.00549450 5	weak	0.9857 86911
Pinget	albedo	pm25	0.00549450 5	weak	0.9857 86911
Pinget	albedo	pm10	0.00549450 5	weak	0.9857 86911
Pinget	albedo	aqs	0.57084927 8	strong	0.0415 9582
Pinget	albedo	DiurnalTe mp	0.56043956	strong	0.0463 45906
Pinget	DiurnalTe mp	voc	0.09340659 3	weak	0.7615 00023
Pinget	DiurnalTe mp	humidity	0.62637362 6	strong	0.0219 88602
Pinget	DiurnalTe mp	pressure	0.17032967	weak	0.5779 75429

Pinget	DiurnalTemp	pm1	0.15934065 9	- weak	0.6030 87753
Pinget	DiurnalTemp	pm25	0.15934065 9	- weak	0.6030 87753
Pinget	DiurnalTemp	pm10	0.15934065 9	- weak	0.6030 87753
Pinget	DiurnalTemp	aqs	0.77432030 8	strong	0.0018 88345
Pinget	DiurnalTemp	albedo	0.56043956	- strong	0.0463 45906
Pinsao Proper	voc	humidity	0.13636363 6	weak	0.6893 09021
Pinsao Proper	voc	pressure	0.17272727 3	weak	0.6115 42385
Pinsao Proper	voc	pm1	0.10909090 9	weak	0.7495 08596
Pinsao Proper	voc	pm25	0.10909090 9	weak	0.7495 08596
Pinsao Proper	voc	pm10	0.10909090 9	weak	0.7495 08596
Pinsao Proper	voc	aqs	0.27914526 3	weak	0.4058 16442
Pinsao Proper	voc	albedo	0.42727272 7	moderate	0.1899 43725
Pinsao Proper	voc	DiurnalTemp	0.23636363 6	weak	0.4840 91162
Pinsao Proper	humidity	voc	0.13636363 6	weak	0.6893 09021

Pinsao Proper	humidity	pressure	0.00909090 9	weak	0.9788 365
Pinsao Proper	humidity	pm1	0.44545454 5	moderate	0.1697 32605
Pinsao Proper	humidity	pm25	0.44545454 5	moderate	0.1697 32605
Pinsao Proper	humidity	pm10	0.44545454 5	moderate	0.1697 32605
Pinsao Proper	humidity	aqs	0.15818231 6	weak	0.6422 69328
Pinsao Proper	humidity	albedo	0.31818181 8	moderate	0.3402 97614
Pinsao Proper	humidity	DiurnalTe mp	0.02727272 7	weak	0.9365 58448
Pinsao Proper	pressure	voc	0.17272727 3	weak	0.6115 42385
Pinsao Proper	pressure	humidity	0.00909090 9	weak	0.9788 365
Pinsao Proper	pressure	pm1	0.24545454 5	weak	0.4669 22367
Pinsao Proper	pressure	pm25	0.24545454 5	weak	0.4669 22367
Pinsao Proper	pressure	pm10	0.24545454 5	weak	0.4669 22367
Pinsao Proper	pressure	aqs	0.49780905 3	moderate	0.1191 80007
Pinsao Proper	pressure	albedo	0.20909090 9	weak	0.5372 20935
Pinsao Proper	pressure	DiurnalTe	0.63636363	strong	0.0352

		mp		6		86981
Pinsao Proper	pm1	voc	0.10909090 9	weak	0.7495 08596	
Pinsao Proper	pm1	humidity	0.44545454 5	moderate	0.1697 32605	
Pinsao Proper	pm1	pressure	0.24545454 5	weak	0.4669 22367	
Pinsao Proper	pm1	pm25		1 strong		0
Pinsao Proper	pm1	pm10		1 strong		0
Pinsao Proper	pm1	aqs	0.07443873 7	weak	0.8278 06764	
Pinsao Proper	pm1	albedo	0.26363636 4	weak	0.4334 40738	
Pinsao Proper	pm1	DiurnalTe mp	0.19090909 1	weak	0.5739 13168	
Pinsao Proper	pm25	voc	0.10909090 9	weak	0.7495 08596	
Pinsao Proper	pm25	humidity	0.44545454 5	moderate	0.1697 32605	
Pinsao Proper	pm25	pressure	0.24545454 5	weak	0.4669 22367	
Pinsao Proper	pm25	pm1		1 strong		0
Pinsao Proper	pm25	pm10		1 strong		0
Pinsao Proper	pm25	aqs	0.07443873 7	weak	0.8278 06764	
Pinsao Proper	pm25	albedo	0.26363636 4	weak	0.4334 40738	
Pinsao Proper	pm25	DiurnalTe mp	0.19090909 1	weak	0.5739 13168	
Pinsao Proper	pm10	voc	0.10909090 9	weak	0.7495 08596	

Pinsao Proper	pm10	humidity	0.445454545	moderate	0.169732605
Pinsao Proper	pm10	pressure	0.245454545	weak	0.466922367
Pinsao Proper	pm10	pm1	1	strong	0
Pinsao Proper	pm10	pm25	1	strong	0
Pinsao Proper	pm10	aqs	0.074438737	weak	0.827806764
Pinsao Proper	pm10	albedo	0.263636364	weak	0.433440738
Pinsao Proper	pm10	DiurnalTemp	0.190909091	weak	0.573913168
Pinsao Proper	aqs	voc	0.279145263	weak	0.405816442
Pinsao Proper	aqs	humidity	0.158182316	weak	0.642269328
Pinsao Proper	aqs	pressure	0.497809053	moderate	0.119180007
Pinsao Proper	aqs	pm1	0.074438737	weak	0.827806764
Pinsao Proper	aqs	pm25	0.074438737	weak	0.827806764
Pinsao Proper	aqs	pm10	0.074438737	weak	0.827806764
Pinsao Proper	aqs	albedo	0.735082526	strong	0.00995452
Pinsao Proper	aqs	DiurnalTemp	0.655991368	strong	0.028392113
Pinsao Proper	albedo	voc	0.427272727	moderate	0.189943725
Pinsao Proper	albedo	humidity	0.318181811	moderate	0.3402

				8		97614
Pinsao Proper	albedo	pressure	0.20909090 9	-	weak	0.5372 20935
Pinsao Proper	albedo	pm1	0.26363636 4	-	weak	0.4334 40738
Pinsao Proper	albedo	pm25	0.26363636 4	-	weak	0.4334 40738
Pinsao Proper	albedo	pm10	0.26363636 4	-	weak	0.4334 40738
Pinsao Proper	albedo	aqs	0.73508252 6	-	strong	0.0099 5452
Pinsao Proper	albedo	DiurnalTe mp	0.73636363 6	-	strong	0.0097 59536
Pinsao Proper	DiurnalTe mp	voc	0.23636363 6	-	weak	0.4840 91162
Pinsao Proper	DiurnalTe mp	humidity	0.02727272 7	-	weak	0.9365 58448
Pinsao Proper	DiurnalTe mp	pressure	0.63636363 6	-	strong	0.0352 86981
Pinsao Proper	DiurnalTe mp	pm1	0.19090909 1	-	weak	0.5739 13168
Pinsao Proper	DiurnalTe mp	pm25	0.19090909 1	-	weak	0.5739 13168
Pinsao Proper	DiurnalTe mp	pm10	0.19090909 1	-	weak	0.5739 13168
Pinsao Proper	DiurnalTe mp	aqs	0.65599136 8	-	strong	0.0283 92113

Pinsao Proper	DiurnalTemp	albedo	0.73636363	- 6	strong	0.0097 59536
Quezon Hill Proper	voc	humidity	0.13186813	- 2	weak	0.6676 07576
Quezon Hill Proper	voc	pressure		0	weak	1
Quezon Hill Proper	voc	pm1	0.35714285	- 7	moderate	0.2309 29862
Quezon Hill Proper	voc	pm25	0.35714285	- 7	moderate	0.2309 29862
Quezon Hill Proper	voc	pm10	0.34065934	- 1	moderate	0.2547 06461
Quezon Hill Proper	voc	aqs	0.68954071	- 2	strong	0.0091 16373
Quezon Hill Proper	voc	albedo	0.25824175	- 8	weak	0.3942 84017
Quezon Hill Proper	voc	DiurnalTemp	0.27472527	- 5	weak	0.3636 74982
Quezon Hill Proper	humidity	voc	0.13186813	- 2	weak	0.6676 07576
Quezon Hill Proper	humidity	pressure	0.10439560	- 4	weak	0.7343 03745
Quezon Hill Proper	humidity	pm1	0.55494505	- 5	strong	0.0490 04496
Quezon Hill Proper	humidity	pm25	0.55494505	- 5	strong	0.0490 04496
Quezon Hill Proper	humidity	pm10	0.51648351	- 6	strong	0.0707 49041

Quezon Hill Proper	humidity	aqs	0.04521578 4	- weak	0.8833 89254
Quezon Hill Proper	humidity	albedo	0.14835164 8	- weak	0.6286 09418
Quezon Hill Proper	humidity	DiurnalTemp	0.22527472 5	- weak	0.4593 05143
Quezon Hill Proper	pressure	voc	- 0	weak	1
Quezon Hill Proper	pressure	humidity	0.10439560 4	- weak	0.7343 03745
Quezon Hill Proper	pressure	pm1	0.03846153 8	- weak	0.9007 24302
Quezon Hill Proper	pressure	pm25	0.03846153 8	- weak	0.9007 24302
Quezon Hill Proper	pressure	pm10	0.02747252 7	- weak	0.9290 11729
Quezon Hill Proper	pressure	aqs	0.50302560 2	strong	0.0797 38944
Quezon Hill Proper	pressure	albedo	0.05494505 5	- weak	0.8585 04294
Quezon Hill Proper	pressure	DiurnalTemp	0.46703296 7	moderate	0.1076 0914
Quezon Hill Proper	pm1	voc	0.35714285 7	moderate	0.2309 29862
Quezon Hill Proper	pm1	humidity	0.55494505 5	strong	0.0490 04496
Quezon Hill Proper	pm1	pressure	0.03846153 8	- weak	0.9007 24302

Quezon Hill Proper	pm1	pm25	1	strong	0
Quezon Hill Proper	pm1	pm10	0.99450549 5	strong	3.91E- 12
Quezon Hill Proper	pm1	aqs	0.05651973 1	weak	0.8544 87399
Quezon Hill Proper	pm1	albedo	0.32417582 4	moderate	0.2798 81869
Quezon Hill Proper	pm1	DiurnalTe mp	0.18131868 1	weak	0.5532 95009
Quezon Hill Proper	pm25	voc	0.35714285 7	moderate	0.2309 29862
Quezon Hill Proper	pm25	humidity	0.55494505 5	strong	0.0490 04496
Quezon Hill Proper	pm25	pressure	0.03846153 8	weak	0.9007 24302
Quezon Hill Proper	pm25	pm1	1	strong	0
Quezon Hill Proper	pm25	pm10	0.99450549 5	strong	3.91E- 12
Quezon Hill Proper	pm25	aqs	0.05651973 1	weak	0.8544 87399
Quezon Hill Proper	pm25	albedo	0.32417582 4	moderate	0.2798 81869
Quezon Hill Proper	pm25	DiurnalTe mp	0.18131868 1	weak	0.5532 95009
Quezon Hill Proper	pm10	voc	0.34065934 1	moderate	0.2547 06461
Quezon Hill Proper	pm10	humidity	0.51648351 6	strong	0.0707 49041

Quezon Hill Proper	pm10	pressure	0.02747252 7	weak	0.9290 11729
Quezon Hill Proper	pm10	pm1	0.99450549 5	strong	3.91E- 12
Quezon Hill Proper	pm10	pm25	0.99450549 5	strong	3.91E- 12
Quezon Hill Proper	pm10	aqs	0.05651973 1	weak	0.8544 87399
Quezon Hill Proper	pm10	albedo	0.29120879 1	weak	0.3343 85856
Quezon Hill Proper	pm10	DiurnalTe mp	0.19230769 2	weak	0.5290 67987
Quezon Hill Proper	aqs	voc	0.68954071 2	strong	0.0091 16373
Quezon Hill Proper	aqs	humidity	0.04521578 4	weak	0.8833 89254
Quezon Hill Proper	aqs	pressure	0.50302560 2	strong	0.0797 38944
Quezon Hill Proper	aqs	pm1	0.05651973 1	weak	0.8544 87399
Quezon Hill Proper	aqs	pm25	0.05651973 1	weak	0.8544 87399
Quezon Hill Proper	aqs	pm10	0.05651973 1	weak	0.8544 87399
Quezon Hill Proper	aqs	albedo	0.25999076	weak	0.3909 74679
Quezon Hill Proper	aqs	DiurnalTe mp	0.08477959	weak	0.7830 30476

				6		
Quezon Hill Proper	albedo	voc	0.25824175 8	- weak	0.3942 84017	
Quezon Hill Proper	albedo	humidity	0.14835164 8	- weak	0.6286 09418	
Quezon Hill Proper	albedo	pressure	0.05494505 5	- weak	0.8585 04294	
Quezon Hill Proper	albedo	pm1	0.32417582 4	moderate	0.2798 81869	
Quezon Hill Proper	albedo	pm25	0.32417582 4	moderate	0.2798 81869	
Quezon Hill Proper	albedo	pm10	0.29120879 1	- weak	0.3343 85856	
Quezon Hill Proper	albedo	aqs	0.25999076	- weak	0.3909 74679	
Quezon Hill Proper	albedo	DiurnalTemp	0.35714285 7	moderate	0.2309 29862	
Quezon Hill Proper	DiurnalTemp	voc	0.27472527 5	- weak	0.3636 74982	
Quezon Hill Proper	DiurnalTemp	humidity	0.22527472 5	- weak	0.4593 05143	
Quezon Hill Proper	DiurnalTemp	pressure	0.46703296 7	moderate	0.1076 0914	
Quezon Hill Proper	DiurnalTemp	pm1	0.18131868 1	- weak	0.5532 95009	
Quezon Hill Proper	DiurnalTemp	pm25	0.18131868 1	- weak	0.5532 95009	
Quezon Hill Proper	DiurnalTemp	pm10	0.19230769 2	- weak	0.5290 67987	
Quezon Hill Proper	DiurnalTemp	aqs		- weak	0.7830	

	mp		0.08477959 6		30476
Quezon Hill Proper	DiurnalTe mp	albedo	0.35714285 7	moderate	0.2309 29862
Rizal Monument Area	voc	humidity	0.23516483 5	weak	0.4183 33896
Rizal Monument Area	voc	pressure	0.13846153 8	weak	0.6368 84991
Rizal Monument Area	voc	pm1	0.53406593 4	strong	0.0491 59916
Rizal Monument Area	voc	pm25	0.53406593 4	strong	0.0491 59916
Rizal Monument Area	voc	pm10	0.51208791 2	strong	0.0611 98486
Rizal Monument Area	voc	aqs	0.02022982 8	weak	0.9452 74558
Rizal Monument Area	voc	albedo	0.01098901 1	weak	0.9702 5839
Rizal Monument Area	voc	DiurnalTe mp	0.38901098 9	moderate	0.1692 1739
Rizal Monument Area	humidity	voc	0.23516483 5	weak	0.4183 33896
Rizal Monument Area	humidity	pressure	0.32747252 7	moderate	0.2530 71001
Rizal Monument Area	humidity	pm1	0.38901098 9	moderate	0.1692 1739
Rizal Monument Area	humidity	pm25	0.38901098 9	moderate	0.1692 1739
Rizal Monument Area	humidity	pm10	0.40219780 2	moderate	0.1539 7443
Rizal Monument Area	humidity	aqs	0.54170982 9	strong	0.0454 08444

Rizal Monument Area	humidity	albedo	0.06813186 8	weak	0.8169 8388
Rizal Monument Area	humidity	DiurnalTemp	0.44175824 2	moderate	0.1137 77503
Rizal Monument Area	pressure	voc	0.13846153 8	weak	0.6368 84991
Rizal Monument Area	pressure	humidity	0.32747252 7	moderate	0.2530 71001
Rizal Monument Area	pressure	pm1	0.25714285 7	weak	0.3748 11904
Rizal Monument Area	pressure	pm25	0.25714285 7	weak	0.3748 11904
Rizal Monument Area	pressure	pm10	0.30989011	moderate	0.2809 33281
Rizal Monument Area	pressure	aqs	0.26748327 7	weak	0.3552 13587
Rizal Monument Area	pressure	albedo	0.27472527 5	weak	0.3418 29744
Rizal Monument Area	pressure	DiurnalTemp	0.60439560 4	strong	0.0220 56862
Rizal Monument Area	pm1	voc	0.53406593 4	strong	0.0491 59916
Rizal Monument Area	pm1	humidity	0.38901098 9	moderate	0.1692 1739
Rizal Monument Area	pm1	pressure	0.25714285 7	weak	0.3748 11904
Rizal Monument Area	pm1	pm25	1	strong	0
Rizal Monument Area	pm1	pm10	0.99560439 6	strong	1.03E- 13

Rizal Monument Area	pm1	aqs	0.08316706 9	weak	0.7774 38061
Rizal Monument Area	pm1	albedo	0.24395604 4	weak	0.4006 24804
Rizal Monument Area	pm1	DiurnalTe mp	0.04175824 2	weak	0.8872 86973
Rizal Monument Area	pm25	voc	0.53406593 4	strong	0.0491 59916
Rizal Monument Area	pm25	humidity	0.38901098 9	moderate	0.1692 1739
Rizal Monument Area	pm25	pressure	0.25714285 7	weak	0.3748 11904
Rizal Monument Area	pm25	pm1	- 1	strong	0
Rizal Monument Area	pm25	pm10	0.99560439 6	strong	1.03E- 13
Rizal Monument Area	pm25	aqs	0.08316706 9	weak	0.7774 38061
Rizal Monument Area	pm25	albedo	0.24395604 4	weak	0.4006 24804
Rizal Monument Area	pm25	DiurnalTe mp	0.04175824 2	weak	0.8872 86973
Rizal Monument Area	pm10	voc	0.51208791 2	strong	0.0611 98486
Rizal Monument Area	pm10	humidity	0.40219780 2	moderate	0.1539 7443
Rizal Monument Area	pm10	pressure	- 0.30989011	moderate	0.2809 33281
Rizal Monument Area	pm10	pm1	0.99560439 6	strong	1.03E- 13
Rizal Monument Area	pm10	pm25	0.99560439 6	strong	1.03E- 13
Rizal Monument Area	pm10	aqs	0.04270741 4	weak	0.8847 40368

Rizal Monument Area	pm10	albedo	0.25274725 3	weak	0.3833 14964
Rizal Monument Area	pm10	DiurnalTe mp	0.01098901 1	weak	0.9702 5839
Rizal Monument Area	aqs	voc	0.02022982 8	weak	0.9452 74558
Rizal Monument Area	aqs	humidity	0.54170982 9	strong	0.0454 08444
Rizal Monument Area	aqs	pressure	0.26748327 7	weak	0.3552 13587
Rizal Monument Area	aqs	pm1	0.08316706 9	weak	0.7774 38061
Rizal Monument Area	aqs	pm25	0.08316706 9	weak	0.7774 38061
Rizal Monument Area	aqs	pm10	0.04270741 4	weak	0.8847 40368
Rizal Monument Area	aqs	albedo	0.29895189 7	weak	0.2991 41039
Rizal Monument Area	aqs	DiurnalTe mp	0.52822327 7	strong	0.0521 75683
Rizal Monument Area	albedo	voc	0.01098901 1	weak	0.9702 5839
Rizal Monument Area	albedo	humidity	0.06813186 8	weak	0.8169 8388
Rizal Monument Area	albedo	pressure	0.27472527 5	weak	0.3418 29744
Rizal Monument Area	albedo	pm1	0.24395604 4	weak	0.4006 24804
Rizal Monument Area	albedo	pm25	0.24395604 4	weak	0.4006 24804
Rizal Monument Area	albedo	pm10	0.25274725	weak	0.3833

				3		14964
Rizal Monument Area	albedo	aqs	0.298951897	weak	0.299141039	
Rizal Monument Area	albedo	DiurnalTemp	0.010989011	weak	0.97025839	
Rizal Monument Area	DiurnalTemp	voc	0.389010989	moderate	0.16921739	
Rizal Monument Area	DiurnalTemp	humidity	0.441758242	moderate	0.113777503	
Rizal Monument Area	DiurnalTemp	pressure	0.604395604	strong	0.022056862	
Rizal Monument Area	DiurnalTemp	pm1	0.041758242	weak	0.887286973	
Rizal Monument Area	DiurnalTemp	pm25	0.041758242	weak	0.887286973	
Rizal Monument Area	DiurnalTemp	pm10	0.010989011	weak	0.97025839	
Rizal Monument Area	DiurnalTemp	aqs	0.528223277	strong	0.052175683	
Rizal Monument Area	DiurnalTemp	albedo	0.010989011	weak	0.97025839	
Saint Joseph Village	voc	humidity	0.367857143	moderate	0.177342147	
Saint Joseph Village	voc	pressure	0.167857143	weak	0.549855554	
Saint Joseph Village	voc	pm1	0.060714286	weak	0.829812095	
Saint Joseph Village	voc	pm25	0.060714286	weak	0.829812095	
Saint Joseph Village	voc	pm10	0.06071428	weak	0.8298	

				6		12095
Saint Joseph Village	voc	aqs	0.34634469	- 6	moderate	0.2060 13185
Saint Joseph Village	voc	albedo	0.55714285	- 7	strong	0.0309 61087
Saint Joseph Village	voc	DiurnalTemp	0.35357142	- 9	moderate	0.1960 71678
Saint Joseph Village	humidity	voc	0.36785714	- 3	moderate	0.1773 42147
Saint Joseph Village	humidity	pressure	0.52142857	- 1	strong	0.0462 19234
Saint Joseph Village	humidity	pm1	0.08928571	- 4	weak	0.7516 72517
Saint Joseph Village	humidity	pm25	0.08928571	- 4	weak	0.7516 72517
Saint Joseph Village	humidity	pm10	0.08928571	- 4	weak	0.7516 72517
Saint Joseph Village	humidity	aqs	0.31622776	- 6	moderate	0.2508 58322
Saint Joseph Village	humidity	albedo	0.36071428	- 6	moderate	0.1865 54374
Saint Joseph Village	humidity	DiurnalTemp	0.89642857	- 1	strong	6.07E- 06
Saint Joseph Village	pressure	voc	0.16785714	- 3	weak	0.5498 55554
Saint Joseph Village	pressure	humidity	0.52142857	- 1	strong	0.0462 19234
Saint Joseph Village	pressure	pm1	0.15357142	-	weak	0.5847

				9		64095
Saint Joseph Village	pressure	pm25	0.15357142 9	weak	0.5847 64095	
Saint Joseph Village	pressure	pm10	0.15357142 9	weak	0.5847 64095	
Saint Joseph Village	pressure	aqs	0.25599390 6	weak	0.3570 89923	
Saint Joseph Village	pressure	albedo	-0.55	strong	0.0336 55358	
Saint Joseph Village	pressure	DiurnalTe mp	0.64642857 1	strong	0.0092 14551	
Saint Joseph Village	pm1	voc	0.06071428 6	weak	0.8298 12095	
Saint Joseph Village	pm1	humidity	0.08928571 4	weak	0.7516 72517	
Saint Joseph Village	pm1	pressure	0.15357142 9	weak	0.5847 64095	
Saint Joseph Village	pm1	pm25	1	strong	0	
Saint Joseph Village	pm1	pm10	1	strong	0	
Saint Joseph Village	pm1	aqs	0.35387392 9	moderate	0.1956 62407	
Saint Joseph Village	pm1	albedo	0.02857142 9	weak	0.9194 89908	
Saint Joseph Village	pm1	DiurnalTe mp	0.01428571 4	weak	0.9596 99765	
Saint Joseph Village	pm25	voc	0.06071428 6	weak	0.8298 12095	
Saint Joseph Village	pm25	humidity	0.08928571 4	weak	0.7516 72517	
Saint Joseph Village	pm25	pressure	0.15357142 9	weak	0.5847 64095	
Saint Joseph Village	pm25	pm1	1	strong	0	

Saint Joseph Village	pm25	pm10	-	1	strong	0
Saint Joseph Village	pm25	aqs	0.35387392 9	-	moderate	0.1956 62407
Saint Joseph Village	pm25	albedo	0.02857142 9	-	weak	0.9194 89908
Saint Joseph Village	pm25	DiurnalTe mp	0.01428571 4	-	weak	0.9596 99765
Saint Joseph Village	pm10	voc	0.06071428 6	-	weak	0.8298 12095
Saint Joseph Village	pm10	humidity	0.08928571 4	-	weak	0.7516 72517
Saint Joseph Village	pm10	pressure	0.15357142 9	-	weak	0.5847 64095
Saint Joseph Village	pm10	pm1	-	1	strong	0
Saint Joseph Village	pm10	pm25	-	1	strong	0
Saint Joseph Village	pm10	aqs	0.35387392 9	-	moderate	0.1956 62407
Saint Joseph Village	pm10	albedo	0.02857142 9	-	weak	0.9194 89908
Saint Joseph Village	pm10	DiurnalTe mp	0.01428571 4	-	weak	0.9596 99765
Saint Joseph Village	aqs	voc	0.34634469 6	-	moderate	0.2060 13185
Saint Joseph Village	aqs	humidity	0.31622776 6	-	moderate	0.2508 58322
Saint Joseph Village	aqs	pressure	0.25599390 6	-	weak	0.3570 89923
Saint Joseph Village	aqs	pm1	0.35387392 9	-	moderate	0.1956 62407

Saint Joseph Village	aqs	pm25	0.35387392 9	- moderate	0.1956 62407
Saint Joseph Village	aqs	pm10	0.35387392 9	- moderate	0.1956 62407
Saint Joseph Village	aqs	albedo	0.01505846 5	- weak	0.9575 21588
Saint Joseph Village	aqs	DiurnalTe mp	0.39528470 8	- moderate	0.1447 58794
Saint Joseph Village	albedo	voc	0.55714285 7	- strong	0.0309 61087
Saint Joseph Village	albedo	humidity	0.36071428 6	- moderate	0.1865 54374
Saint Joseph Village	albedo	pressure	-0.55	strong	0.0336 55358
Saint Joseph Village	albedo	pm1	0.02857142 9	- weak	0.9194 89908
Saint Joseph Village	albedo	pm25	0.02857142 9	- weak	0.9194 89908
Saint Joseph Village	albedo	pm10	0.02857142 9	- weak	0.9194 89908
Saint Joseph Village	albedo	aqs	0.01505846 5	- weak	0.9575 21588
Saint Joseph Village	albedo	DiurnalTe mp	0.50714285 7	- strong	0.0536 63664
Saint Joseph Village	DiurnalTe mp	voc	0.35357142 9	- moderate	0.1960 71678
Saint Joseph Village	DiurnalTe mp	humidity	0.89642857 1	- strong	6.07E- 06

Saint Joseph Village	DiurnalTemp	pressure	0.646428571	strong	0.009214551
Saint Joseph Village	DiurnalTemp	pm1	0.014285714	weak	0.959699765
Saint Joseph Village	DiurnalTemp	pm25	0.014285714	weak	0.959699765
Saint Joseph Village	DiurnalTemp	pm10	0.014285714	weak	0.959699765
Saint Joseph Village	DiurnalTemp	aqs	0.395284708	moderate	0.144758794
Saint Joseph Village	DiurnalTemp	albedo	0.507142857	strong	0.053663664
Salud Mitra	voc	humidity	0.037362637	weak	0.899093097
Salud Mitra	voc	pressure	0.314285714	moderate	0.273804903
Salud Mitra	voc	pm1	0.353846154	moderate	0.214539871
Salud Mitra	voc	pm25	0.367032967	moderate	0.196738872
Salud Mitra	voc	pm10	0.367032967	moderate	0.196738872
Salud Mitra	voc	aqs	0.406844311	moderate	0.148826933
Salud Mitra	voc	albedo	0.340659341	moderate	0.233316051
Salud Mitra	voc	DiurnalTemp	0.103296703	weak	0.725282211
Salud Mitra	humidity	voc	0.037362637	weak	0.899093097
Salud Mitra	humidity	pressure	0.32747252	moderate	0.253071001

				7		
Salud Mitra	humidity	pm1	0.12527472 5	-	weak	0.6695 82397
Salud Mitra	humidity	pm25	0.07692307 7	-	weak	0.7938 05888
Salud Mitra	humidity	pm10	0.07692307 7	-	weak	0.7938 05888
Salud Mitra	humidity	aqs	0.52372776	strong		0.0545 85727
Salud Mitra	humidity	albedo	0.28791208 8	-	weak	0.3181 92871
Salud Mitra	humidity	DiurnalTemp	0.46373626 4	-	moderate	0.0948 76332
Salud Mitra	pressure	voc	0.31428571 4	-	moderate	0.2738 04903
Salud Mitra	pressure	humidity	0.32747252 7	-	moderate	0.2530 71001
Salud Mitra	pressure	pm1	0.32747252 7	-	moderate	0.2530 71001
Salud Mitra	pressure	pm25	0.37142857 1	-	moderate	0.1910 20812
Salud Mitra	pressure	pm10	0.37142857 1	-	moderate	0.1910 20812
Salud Mitra	pressure	aqs	0.02922086 2	-	weak	0.9210 10667

Salud Mitra	pressure	albedo	0.31428571 4	- moderate	0.2738 04903
Salud Mitra	pressure	DiurnalTe mp	0.52967033	strong	0.0514 16598
Salud Mitra	pm1	voc	0.35384615 4	- moderate	0.2145 39871
Salud Mitra	pm1	humidity	0.12527472 5	- weak	0.6695 82397
Salud Mitra	pm1	pressure	0.32747252 7	- moderate	0.2530 71001
Salud Mitra	pm1	pm25	0.99120879 1	strong	6.54E- 12
Salud Mitra	pm1	pm10	0.99120879 1	strong	6.54E- 12
Salud Mitra	pm1	aqs	0.72602603 7	strong	0.0032 8219
Salud Mitra	pm1	albedo	0.71428571 4	strong	0.0041 04409
Salud Mitra	pm1	DiurnalTe mp	0.25274725 3	weak	0.3833 14964
Salud Mitra	pm25	voc	0.36703296 7	moderate	0.1967 38872
Salud Mitra	pm25	humidity	0.07692307 7	weak	0.7938 05888
Salud Mitra	pm25	pressure	0.37142857 1	- moderate	0.1910 20812
Salud Mitra	pm25	pm1	0.99120879 1	strong	6.54E- 12
Salud Mitra	pm25	pm10	1	strong	0

Salud Mitra	pm25	aqs	- 0.70354845	strong	0.0049 90284
Salud Mitra	pm25	albedo	0.69670329 7	strong	0.0056 28677
Salud Mitra	pm25	DiurnalTe mp	0.22197802 2	weak	0.4456 29658
Salud Mitra	pm10	voc	0.36703296 7	moderate	0.1967 38872
Salud Mitra	pm10	humidity	- 0.07692307 7	weak	0.7938 05888
Salud Mitra	pm10	pressure	- 0.37142857 1	moderate	0.1910 20812
Salud Mitra	pm10	pm1	0.99120879 1	strong	6.54E- 12
Salud Mitra	pm10	pm25	- 1	strong	0
Salud Mitra	pm10	aqs	- 0.70354845	strong	0.0049 90284
Salud Mitra	pm10	albedo	0.69670329 7	strong	0.0056 28677
Salud Mitra	pm10	DiurnalTe mp	0.22197802 2	weak	0.4456 29658
Salud Mitra	aqs	voc	- 0.40684431 1	moderate	0.1488 26933
Salud Mitra	aqs	humidity	0.52372776	strong	0.0545 85727
Salud Mitra	aqs	pressure	- 0.02922086 2	weak	0.9210 10667
Salud Mitra	aqs	pm1	- 0.72602603 7	strong	0.0032 8219
Salud Mitra	aqs	pm25	-	strong	0.0049

				0.70354845		90284
Salud Mitra	aqs	pm10	-	0.70354845	strong	0.0049 90284
Salud Mitra	aqs	albedo	0.58666500 2	-	strong	0.0274 3301
Salud Mitra	aqs	DiurnalTe mp	0.53271879 5	-	strong	0.0498 43722
Salud Mitra	albedo	voc	0.34065934 1	moderate		0.2333 16051
Salud Mitra	albedo	humidity	0.28791208 8	-	weak	0.3181 92871
Salud Mitra	albedo	pressure	0.31428571 4	-	moderate	0.2738 04903
Salud Mitra	albedo	pm1	0.71428571 4	strong		0.0041 04409
Salud Mitra	albedo	pm25	0.69670329 7	-	strong	0.0056 28677
Salud Mitra	albedo	pm10	0.69670329 7	strong		0.0056 28677
Salud Mitra	albedo	aqs	0.58666500 2	-	strong	0.0274 3301
Salud Mitra	albedo	DiurnalTe mp	0.25274725 3	weak		0.3833 14964
Salud Mitra	DiurnalTe mp	voc	0.10329670 3	-	weak	0.7252 82211
Salud Mitra	DiurnalTe mp	humidity	0.46373626 4	moderate		0.0948 76332
Salud Mitra	DiurnalTe mp	pressure	0.52967033	strong		0.0514 16598

Salud Mitra	DiurnalTemp	pm1	0.252747253	weak	0.383314964
Salud Mitra	DiurnalTemp	pm25	0.221978022	weak	0.445629658
Salud Mitra	DiurnalTemp	pm10	0.221978022	weak	0.445629658
Salud Mitra	DiurnalTemp	aqs	0.532718795	strong	0.049843722
Salud Mitra	DiurnalTemp	albedo	0.252747253	weak	0.383314964
San Luis Village	voc	humidity	0.005494505	weak	0.985786911
San Luis Village	voc	pressure	0.296703297	weak	0.324921588
San Luis Village	voc	pm1	0.06043956	weak	0.844502371
San Luis Village	voc	pm25	0.071428571	weak	0.816628041
San Luis Village	voc	pm10	0.071428571	weak	0.816628041
San Luis Village	voc	aqs	0.192167084	weak	0.529375031
San Luis Village	voc	albedo	0.335164835	moderate	0.26294314
San Luis Village	voc	DiurnalTemp	0.115384615	weak	0.707389874
San Luis Village	humidity	voc	0.005494505	weak	0.985786911

San Luis Village	humidity	pressure	- 0.17032967	weak	0.5779 75429
San Luis Village	humidity	pm1	0.15384615 4	weak	0.6157 98869
San Luis Village	humidity	pm25	0.16483516 5	weak	0.5904 78989
San Luis Village	humidity	pm10	0.16483516 5	weak	0.5904 78989
San Luis Village	humidity	aqs	0.19216708 4	weak	0.5293 75031
San Luis Village	humidity	albedo	0.43406593 4	moderate	0.1383 42378
San Luis Village	humidity	DiurnalTemp	- 0.46703296 7	moderate	0.1076 0914
San Luis Village	pressure	voc	- 0.29670329 7	weak	0.3249 21588
San Luis Village	pressure	humidity	- 0.17032967	weak	0.5779 75429
San Luis Village	pressure	pm1	0.06043956	weak	0.8445 02371
San Luis Village	pressure	pm25	0.01098901 1	weak	0.9715 77683
San Luis Village	pressure	pm10	0.01098901 1	weak	0.9715 77683
San Luis Village	pressure	aqs	- 0.25999076	weak	0.3909 74679
San Luis Village	pressure	albedo	- 0.09890109 9	weak	0.7478 68304
San Luis Village	pressure	DiurnalTemp	0.47802197 8	moderate	0.0984 90115
San Luis Village	pm1	voc	- 0.06043956	weak	0.8445 02371

San Luis Village	pm1	humidity	0.15384615 4	weak	0.6157 98869
San Luis Village	pm1	pressure	0.06043956	weak	0.8445 02371
San Luis Village	pm1	pm25	0.99450549 5	strong	3.91E- 12
San Luis Village	pm1	pm10	0.99450549 5	strong	3.91E- 12
San Luis Village	pm1	aqs	0.31651049 1	moderate	0.2920 63425
San Luis Village	pm1	albedo	- 0.32967033	moderate	0.2713 35055
San Luis Village	pm1	DiurnalTe mp	0.13186813 2	weak	0.6676 07576
San Luis Village	pm25	voc	0.07142857 1	weak	0.8166 28041
San Luis Village	pm25	humidity	0.16483516 5	weak	0.5904 78989
San Luis Village	pm25	pressure	0.01098901 1	weak	0.9715 77683
San Luis Village	pm25	pm1	0.99450549 5	strong	3.91E- 12
San Luis Village	pm25	pm10	1	strong	0
San Luis Village	pm25	aqs	- 0.27129470 7	weak	0.3699 37743
San Luis Village	pm25	albedo	- 0.32417582 4	moderate	0.2798 81869
San Luis Village	pm25	DiurnalTe mp	0.08791208 8	weak	0.7751 95409
San Luis Village	pm10	voc	- 0.07142857	weak	0.8166 28041

				1		
San Luis Village	pm10	humidity	0.16483516 5	weak	0.5904 78989	
San Luis Village	pm10	pressure	0.01098901 1	weak	0.9715 77683	
San Luis Village	pm10	pm1	0.99450549 5	strong	3.91E- 12	
San Luis Village	pm10	pm25	- 1	strong	- 0	
San Luis Village	pm10	aqs	0.27129470 7	weak	0.3699 37743	
San Luis Village	pm10	albedo	- 0.32417582 4	moderate	0.2798 81869	
San Luis Village	pm10	DiurnalTe mp	0.08791208 8	weak	0.7751 95409	
San Luis Village	aqs	voc	- 0.19216708 4	weak	0.5293 75031	
San Luis Village	aqs	humidity	0.19216708 4	weak	0.5293 75031	
San Luis Village	aqs	pressure	- 0.25999076	weak	0.3909 74679	
San Luis Village	aqs	pm1	- 0.31651049 1	moderate	0.2920 63425	
San Luis Village	aqs	pm25	- 0.27129470 7	weak	0.3699 37743	
San Luis Village	aqs	pm10	- 0.27129470 7	weak	0.3699 37743	
San Luis Village	aqs	albedo	0.54824138 6	strong	0.0523 94022	
San Luis Village	aqs	DiurnalTe	-0.7969282	strong	0.0011	

		mp			07407
San Luis Village	albedo	voc	0.33516483 5	moderate	0.2629 4314
San Luis Village	albedo	humidity	0.43406593 4	moderate	0.1383 42378
San Luis Village	albedo	pressure	0.09890109 9	weak	0.7478 68304
San Luis Village	albedo	pm1	0.32967033 -	moderate	0.2713 35055
San Luis Village	albedo	pm25	0.32417582 4	moderate	0.2798 81869
San Luis Village	albedo	pm10	0.32417582 4	moderate	0.2798 81869
San Luis Village	albedo	aqs	0.54824138 6	strong	0.0523 94022
San Luis Village	albedo	DiurnalTemp	0.35164835 2	moderate	0.2386 99705
San Luis Village	DiurnalTemp	voc	0.11538461 5	weak	0.7073 89874
San Luis Village	DiurnalTemp	humidity	0.46703296 7	moderate	0.1076 0914
San Luis Village	DiurnalTemp	pressure	0.47802197 8	moderate	0.0984 90115
San Luis Village	DiurnalTemp	pm1	0.13186813 2	weak	0.6676 07576
San Luis Village	DiurnalTemp	pm25	0.08791208 8	weak	0.7751 95409
San Luis Village	DiurnalTemp	pm10	0.08791208 8	weak	0.7751 95409
San Luis Village	DiurnalTemp	aqs	-0.7969282	strong	0.0011

		mp			07407
San Luis Village	DiurnalTemp	albedo	0.35164835 2	moderate	0.2386 99705
San Roque Village	voc	humidity	0.04195804 2	weak	0.8969 85871
San Roque Village	voc	pressure	0.48951049	moderate	0.1062 52372
San Roque Village	voc	pm1	0.30069930 1	moderate	0.3422 59529
San Roque Village	voc	pm25	0.30069930 1	moderate	0.3422 59529
San Roque Village	voc	pm10	0.30069930 1	moderate	0.3422 59529
San Roque Village	voc	aqs	0.58009102 7	strong	0.0480 12492
San Roque Village	voc	albedo	0.29370629 4	weak	0.3541 47641
San Roque Village	voc	DiurnalTemp	0.37762237 8	moderate	0.2262 06045
San Roque Village	humidity	voc	0.04195804 2	weak	0.8969 85871
San Roque Village	humidity	pressure	0.48251748 3	moderate	0.1121 09291
San Roque Village	humidity	pm1	0.24475524 5	weak	0.4432 61936
San Roque Village	humidity	pm25	0.24475524 5	weak	0.4432 61936
San Roque Village	humidity	pm10	0.24475524 5	weak	0.4432 61936
San Roque Village	humidity	aqs	0	weak	1

San Roque Village	humidity	albedo	0.02097902 1	- weak	0.9484 02225
San Roque Village	humidity	DiurnalTemp	0.20979021	weak	0.5128 40943
San Roque Village	pressure	voc	0.48951049	moderate	0.1062 52372
San Roque Village	pressure	humidity	0.48251748 3	moderate	0.1121 09291
San Roque Village	pressure	pm1	0.09090909 1	- weak	0.7787 25396
San Roque Village	pressure	pm25	0.09090909 1	- weak	0.7787 25396
San Roque Village	pressure	pm10	0.09090909 1	- weak	0.7787 25396
San Roque Village	pressure	aqs	0.37705916 8	- moderate	0.2269 55833
San Roque Village	pressure	albedo	0.07692307 7	- weak	0.8121 82698
San Roque Village	pressure	DiurnalTemp	0.67832167 8	strong	0.0153 17329
San Roque Village	pm1	voc	0.30069930 1	moderate	0.3422 59529
San Roque Village	pm1	humidity	0.24475524 5	weak	0.4432 61936
San Roque Village	pm1	pressure	0.09090909 1	- weak	0.7787 25396
San Roque Village	pm1	pm25	1	strong	0
San Roque Village	pm1	pm10	1	strong	0

San Roque Village	pm1	aqs	0.08701365 4	weak	0.7880 11889
San Roque Village	pm1	albedo	0.35664335 7	moderate	0.2551 37752
San Roque Village	pm1	DiurnalTe mp	0.05594405 6	weak	0.8628 98074
San Roque Village	pm25	voc	0.30069930 1	moderate	0.3422 59529
San Roque Village	pm25	humidity	0.24475524 5	weak	0.4432 61936
San Roque Village	pm25	pressure	0.09090909 1	weak	0.7787 25396
San Roque Village	pm25	pm1	1	strong	0
San Roque Village	pm25	pm10	1	strong	0
San Roque Village	pm25	aqs	0.08701365 4	weak	0.7880 11889
San Roque Village	pm25	albedo	0.35664335 7	moderate	0.2551 37752
San Roque Village	pm25	DiurnalTe mp	0.05594405 6	weak	0.8628 98074
San Roque Village	pm10	voc	0.30069930 1	moderate	0.3422 59529
San Roque Village	pm10	humidity	0.24475524 5	weak	0.4432 61936
San Roque Village	pm10	pressure	0.09090909 1	weak	0.7787 25396
San Roque Village	pm10	pm1	1	strong	0
San Roque Village	pm10	pm25	1	strong	0
San Roque Village	pm10	aqs	0.08701365 4	weak	0.7880 11889

San Roque Village	pm10	albedo	0.35664335 7	moderate	0.2551 37752
San Roque Village	pm10	DiurnalTe mp	0.05594405 6	weak	0.8628 98074
San Roque Village	aqs	voc	0.58009102 7	strong	0.0480 12492
San Roque Village	aqs	humidity	- 0	weak	1
San Roque Village	aqs	pressure	0.37705916 8	moderate	0.2269 55833
San Roque Village	aqs	pm1	0.08701365 4	weak	0.7880 11889
San Roque Village	aqs	pm25	0.08701365 4	weak	0.7880 11889
San Roque Village	aqs	pm10	0.08701365 4	weak	0.7880 11889
San Roque Village	aqs	albedo	0.13052048 1	weak	0.6859 82138
San Roque Village	aqs	DiurnalTe mp	0.05075796 5	weak	0.8755 15921
San Roque Village	albedo	voc	0.29370629 4	weak	0.3541 47641
San Roque Village	albedo	humidity	0.02097902 1	weak	0.9484 02225
San Roque Village	albedo	pressure	0.07692307 7	weak	0.8121 82698
San Roque Village	albedo	pm1	0.35664335 7	moderate	0.2551 37752
San Roque Village	albedo	pm25	0.35664335	moderate	0.2551

				7		37752
San Roque Village	albedo	pm10	0.35664335 7	moderate	0.2551 37752	
San Roque Village	albedo	aqs	0.13052048 1	weak	0.6859 82138	
San Roque Village	albedo	DiurnalTe mp	0.32867132 9	moderate	0.2969 04116	
San Roque Village	DiurnalTe mp	voc	0.37762237 8	moderate	0.2262 06045	
San Roque Village	DiurnalTe mp	humidity	0.20979021	weak	0.5128 40943	
San Roque Village	DiurnalTe mp	pressure	0.67832167 8	strong	0.0153 17329	
San Roque Village	DiurnalTe mp	pm1	0.05594405 6	weak	0.8628 98074	
San Roque Village	DiurnalTe mp	pm25	0.05594405 6	weak	0.8628 98074	
San Roque Village	DiurnalTe mp	pm10	0.05594405 6	weak	0.8628 98074	
San Roque Village	DiurnalTe mp	aqs	0.05075796 5	weak	0.8755 15921	
San Roque Village	DiurnalTe mp	albedo	0.32867132 9	moderate	0.2969 04116	
San Vicente	voc	humidity	0.39780219 8	moderate	0.1589 50775	
San Vicente	voc	pressure	0.32307692 3	moderate	0.2598 7362	
San Vicente	voc	pm1	0.23956044	weak	0.4094 29893	

San Vicente	voc	pm25	- 0.23956044	weak	0.4094 29893
San Vicente	voc	pm10	- 0.23956044	weak	0.4094 29893
San Vicente	voc	aqs	- 0.51024120 8	strong	0.0622 98161
San Vicente	voc	albedo	- 0.73186813 2	strong	0.0029 24631
San Vicente	voc	DiurnalTe mp	- 0.47252747 3	moderate	0.0879 67425
San Vicente	humidity	voc	- 0.39780219 8	moderate	0.1589 50775
San Vicente	humidity	pressure	- 0.68791208 8	strong	0.0065 40042
San Vicente	humidity	pm1	- 0.15604395 6	weak	0.5942 34701
San Vicente	humidity	pm25	- 0.15604395 6	weak	0.5942 34701
San Vicente	humidity	pm10	- 0.16483516 5	weak	0.5733 46405
San Vicente	humidity	aqs	- 0.69905293 3	strong	0.0054 02759
San Vicente	humidity	albedo	- 0.38461538 5	moderate	0.1745 08751
San Vicente	humidity	DiurnalTe mp	- 0.87692307 7	strong	3.83E- 05
San Vicente	pressure	voc	- 0.32307692 3	moderate	0.2598 7362

San Vicente	pressure	humidity	0.68791208 8	strong	0.0065 40042
San Vicente	pressure	pm1	-0.2	weak	0.4930 03735
San Vicente	pressure	pm25	-0.2	weak	0.4930 03735
San Vicente	pressure	pm10	0.18681318 7	weak	0.5225 04012
San Vicente	pressure	aqs	0.34840258 7	moderate	0.2221 72278
San Vicente	pressure	albedo	0.41098901 1	moderate	0.1443 32668
San Vicente	pressure	DiurnalTe mp	0.72747252 7	strong	0.0031 90616
San Vicente	pm1	voc	-0.23956044	weak	0.4094 29893
San Vicente	pm1	humidity	0.15604395 6	weak	0.5942 34701
San Vicente	pm1	pressure	-0.2	weak	0.4930 03735
San Vicente	pm1	pm25	1	strong	0
San Vicente	pm1	pm10	0.99120879 1	strong	6.54E- 12
San Vicente	pm1	aqs	-0.48326810 5	moderate	0.0800 13897
San Vicente	pm1	albedo	0.15164835 2	weak	0.6047 90598
San Vicente	pm1	DiurnalTe mp	0.15164835 2	weak	0.6047 90598

San Vicente	pm25	voc	-0.23956044	weak	0.4094 29893
San Vicente	pm25	humidity	0.15604395 6	weak	0.5942 34701
San Vicente	pm25	pressure	-0.2	weak	0.4930 03735
San Vicente	pm25	pm1	1	strong	0
San Vicente	pm25	pm10	0.99120879 1	strong	6.54E- 12
San Vicente	pm25	aqs	0.48326810 5	moderate	0.0800 13897
San Vicente	pm25	albedo	0.15164835 2	weak	0.6047 90598
San Vicente	pm25	DiurnalTe mp	0.15164835 2	weak	0.6047 90598
San Vicente	pm10	voc	-0.23956044	weak	0.4094 29893
San Vicente	pm10	humidity	0.16483516 5	weak	0.5733 46405
San Vicente	pm10	pressure	-0.18681318 7	weak	0.5225 04012
San Vicente	pm10	pm1	0.99120879 1	strong	6.54E- 12
San Vicente	pm10	pm25	0.99120879 1	strong	6.54E- 12
San Vicente	pm10	aqs	-0.51473672 6	strong	0.0596 456
San Vicente	pm10	albedo	-0.16923076	weak	0.5630 17274

				9		
San Vicente	pm10	DiurnalTemp	0.178021978	weak	0.542596953	
San Vicente	aqs	voc	0.510241208	strong	0.062298161	
San Vicente	aqs	humidity	0.699052933	strong	0.005402759	
San Vicente	aqs	pressure	0.348402587	moderate	0.222172278	
San Vicente	aqs	pm1	0.483268105	moderate	0.080013897	
San Vicente	aqs	pm25	0.483268105	moderate	0.080013897	
San Vicente	aqs	pm10	0.514736726	strong	0.0596456	
San Vicente	aqs	albedo	0.330420518	moderate	0.248569654	
San Vicente	aqs	DiurnalTemp	0.833918451	strong	0.000209711	
San Vicente	albedo	voc	0.731868132	strong	0.002924631	
San Vicente	albedo	humidity	0.384615385	moderate	0.174508751	
San Vicente	albedo	pressure	0.410989011	moderate	0.144332668	
San Vicente	albedo	pm1	0.151648352	weak	0.604790598	

San Vicente	albedo	pm25	0.15164835 2	- weak	0.6047 90598
San Vicente	albedo	pm10	0.16923076 9	- weak	0.5630 17274
San Vicente	albedo	aqs	0.33042051 8	- moderate	0.2485 69654
San Vicente	albedo	DiurnalTe mp	0.42857142 9	- moderate	0.1262 73888
San Vicente	DiurnalTe mp	voc	0.47252747 3	- moderate	0.0879 67425
San Vicente	DiurnalTe mp	humidity	0.87692307 7	- strong	3.83E- 05
San Vicente	DiurnalTe mp	pressure	0.72747252 7	- strong	0.0031 90616
San Vicente	DiurnalTe mp	pm1	0.15164835 2	- weak	0.6047 90598
San Vicente	DiurnalTe mp	pm25	0.15164835 2	- weak	0.6047 90598
San Vicente	DiurnalTe mp	pm10	0.17802197 8	- weak	0.5425 96953
San Vicente	DiurnalTe mp	aqs	0.83391845 1	- strong	0.0002 09711
San Vicente	DiurnalTe mp	albedo	0.42857142 9	- moderate	0.1262 73888
Sanitary Camp, North	voc	humidity	0.32307692 3	- moderate	0.2598 7362
Sanitary Camp, North	voc	pressure	0.37142857 1	- moderate	0.1910 20812
Sanitary Camp, North	voc	pm1	0.45494505 -	- moderate	0.1021 53527

				5		
Sanitary Camp, North	voc	pm25	0.42857142 9	-	moderate	0.1262 73888
Sanitary Camp, North	voc	pm10	0.45054945 1	-	moderate	0.1059 32785
Sanitary Camp, North	voc	aqs	0.07417603 5	weak		0.8010 32382
Sanitary Camp, North	voc	albedo	0.56483516 5	strong		0.0353 30185
Sanitary Camp, North	voc	DiurnalTemp	0.30989011	-	moderate	0.2809 33281
Sanitary Camp, North	humidity	voc	0.32307692 3	-	moderate	0.2598 7362
Sanitary Camp, North	humidity	pressure	0.08131868 1	weak		0.7822 74751
Sanitary Camp, North	humidity	pm1	0.01978022	-	weak	0.9464 89227
Sanitary Camp, North	humidity	pm25	0.01538461 5	weak		0.9583 69789
Sanitary Camp, North	humidity	pm10	0.05054945 1	-	weak	0.8637 42036
Sanitary Camp, North	humidity	aqs	0.06068948 3	-	weak	0.8367 15742
Sanitary Camp, North	humidity	albedo	0.59120879 1	-	strong	0.0259 70814
Sanitary Camp, North	humidity	DiurnalTemp	0.09450549 5	-	weak	0.7479 38261

Sanitary Camp, North	pressure	voc	0.37142857 1	moderate	0.1910 20812
Sanitary Camp, North	pressure	humidity	0.08131868 1	weak	0.7822 74751
Sanitary Camp, North	pressure	pm1	0.23076923 1	weak	0.4273 35862
Sanitary Camp, North	pressure	pm25	0.25714285 7	weak	0.3748 11904
Sanitary Camp, North	pressure	pm10	0.26153846 2	weak	0.3664 11137
Sanitary Camp, North	pressure	aqs	0.28096982 8	weak	0.3305 17941
Sanitary Camp, North	pressure	albedo	0.44615384 6	moderate	0.1098 07128
Sanitary Camp, North	pressure	DiurnalTe mp	0.55164835 2	strong	0.0408 49058
Sanitary Camp, North	pm1	voc	0.45494505 5	moderate	0.1021 53527
Sanitary Camp, North	pm1	humidity	0.01978022 -	weak	0.9464 89227
Sanitary Camp, North	pm1	pressure	0.23076923 1	weak	0.4273 35862
Sanitary Camp, North	pm1	pm25	0.99560439 6	strong	1.03E- 13
Sanitary Camp, North	pm1	pm10	0.99120879 1	strong	6.54E- 12
Sanitary Camp, North	pm1	aqs	0.75299914 -	strong	0.0018 79366
Sanitary Camp, North	pm1	albedo	0.14725274 7	weak	0.6154 18762
Sanitary Camp, North	pm1	DiurnalTe mp	0.27912087 9	weak	0.3338 45077

Sanitary Camp, North	pm25	voc	0.42857142 9	moderate	0.1262 73888
Sanitary Camp, North	pm25	humidity	0.01538461 5	weak	0.9583 69789
Sanitary Camp, North	pm25	pressure	0.25714285 7	weak	0.3748 11904
Sanitary Camp, North	pm25	pm1	0.99560439 6	strong	1.03E- 13
Sanitary Camp, North	pm25	pm10	0.99560439 6	strong	1.03E- 13
Sanitary Camp, North	pm25	aqs	0.76648569 2	strong	0.0013 85286
Sanitary Camp, North	pm25	albedo	0.10329670 3	weak	0.7252 82211
Sanitary Camp, North	pm25	DiurnalTemp	0.30989011	moderate	0.2809 33281
Sanitary Camp, North	pm10	voc	0.45054945 1	moderate	0.1059 32785
Sanitary Camp, North	pm10	humidity	0.05054945 1	weak	0.8637 42036
Sanitary Camp, North	pm10	pressure	0.26153846 2	weak	0.3664 11137
Sanitary Camp, North	pm10	pm1	0.99120879 1	strong	6.54E- 12
Sanitary Camp, North	pm10	pm25	0.99560439 6	strong	1.03E- 13
Sanitary Camp, North	pm10	aqs	0.74850362 3	strong	0.0020 71958
Sanitary Camp, North	pm10	albedo	0.12527472	weak	0.6695

				5		82397
Sanitary Camp, North	pm10	DiurnalTemp	0.318681319	moderate	0.266784961	
Sanitary Camp, North	aqs	voc	0.074176035	weak	0.801032382	
Sanitary Camp, North	aqs	humidity	0.060689483	weak	0.836715742	
Sanitary Camp, North	aqs	pressure	0.280969828	weak	0.330517941	
Sanitary Camp, North	aqs	pm1	0.75299914	strong	0.001879366	
Sanitary Camp, North	aqs	pm25	0.766485692	strong	0.001385286	
Sanitary Camp, North	aqs	pm10	0.748503623	strong	0.002071958	
Sanitary Camp, North	aqs	albedo	0.231519139	weak	0.425793202	
Sanitary Camp, North	aqs	DiurnalTemp	0.730521554	strong	0.003004182	
Sanitary Camp, North	albedo	voc	0.564835165	strong	0.035330185	
Sanitary Camp, North	albedo	humidity	0.591208791	strong	0.025970814	
Sanitary Camp, North	albedo	pressure	0.446153846	moderate	0.109807128	
Sanitary Camp, North	albedo	pm1	0.147252747	weak	0.615418762	

Sanitary Camp, North	albedo	pm25	0.10329670 3	weak	0.7252 82211
Sanitary Camp, North	albedo	pm10	0.12527472 5	weak	0.6695 82397
Sanitary Camp, North	albedo	aqs	0.23151913 9	weak	0.4257 93202
Sanitary Camp, North	albedo	DiurnalTe mp	0.36263736 3	moderate	0.2025 64544
Sanitary Camp, North	DiurnalTe mp	voc	0.30989011	moderate	0.2809 33281
Sanitary Camp, North	DiurnalTe mp	humidity	0.09450549 5	weak	0.7479 38261
Sanitary Camp, North	DiurnalTe mp	pressure	0.55164835 2	strong	0.0408 49058
Sanitary Camp, North	DiurnalTe mp	pm1	0.27912087 9	weak	0.3338 45077
Sanitary Camp, North	DiurnalTe mp	pm25	0.30989011	moderate	0.2809 33281
Sanitary Camp, North	DiurnalTe mp	pm10	0.31868131 9	moderate	0.2667 84961
Sanitary Camp, North	DiurnalTe mp	aqs	0.73052155 4	strong	0.0030 04182
Sanitary Camp, North	DiurnalTe mp	albedo	0.36263736 3	moderate	0.2025 64544
Santo Tomas Proper	voc	humidity	0.07058823 5	weak	0.7950 39302
Santo Tomas Proper	voc	pressure	0.18823529 4	weak	0.4850 86609
Santo Tomas Proper	voc	pm1	0.02647058 8	weak	0.9224 80571
Santo Tomas Proper	voc	pm25	0.02647058	weak	0.9224

				8		80571
Santo Tomas Proper	voc	pm10	0.064705882	-	weak	0.811821451
Santo Tomas Proper	voc	aqs	0.789071518	-	strong	0.000279309
Santo Tomas Proper	voc	albedo	0.211764706	-	weak	0.431083247
Santo Tomas Proper	voc	DiurnalTemp	0.479411765	-	moderate	0.060239303
Santo Tomas Proper	humidity	voc	0.070588235	-	weak	0.795039302
Santo Tomas Proper	humidity	pressure	0.017647059	-	weak	0.94828015
Santo Tomas Proper	humidity	pm1	0.447058824	-	moderate	0.082536923
Santo Tomas Proper	humidity	pm25	0.455882353	-	moderate	0.075945491
Santo Tomas Proper	humidity	pm10	0.502941176	-	strong	0.04706314
Santo Tomas Proper	humidity	aqs	0.193429983	-	weak	0.472892624
Santo Tomas Proper	humidity	albedo	0.482352941	-	moderate	0.058458977
Santo Tomas Proper	humidity	DiurnalTemp	0.358823529	-	moderate	0.172303863
Santo Tomas Proper	pressure	voc	0.188235294	-	weak	0.485086609
Santo Tomas Proper	pressure	humidity	0.017647059	-	weak	0.94828015

Santo Tomas Proper	pressure	pm1	0.2	weak	0.4576 87905
Santo Tomas Proper	pressure	pm25	0.20588235 3	weak	0.4442 84641
Santo Tomas Proper	pressure	pm10	0.24411764 7	weak	0.3622 13496
Santo Tomas Proper	pressure	aqs	0.52195392 3	strong	0.0380 93341
Santo Tomas Proper	pressure	albedo	0.14705882 4	weak	0.5867 93394
Santo Tomas Proper	pressure	DiurnalTe mp	0.28529411 8	weak	0.2841 3874
Santo Tomas Proper	pm1	voc	0.02647058 8	weak	0.9224 80571
Santo Tomas Proper	pm1	humidity	0.44705882 4	moderate	0.0825 36923
Santo Tomas Proper	pm1	pressure	0.2	weak	0.4576 87905
Santo Tomas Proper	pm1	pm25	0.99411764 7	strong	6.43E- 15
Santo Tomas Proper	pm1	pm10	0.97647058 8	strong	1.01E- 10
Santo Tomas Proper	pm1	aqs	0.11974237 1	weak	0.6586 97808
Santo Tomas Proper	pm1	albedo	0.19411764 7	weak	0.4712 89728
Santo Tomas Proper	pm1	DiurnalTe mp	0.22058823 5	weak	0.4116 6643
Santo Tomas Proper	pm25	voc	0.02647058 8	weak	0.9224 80571
Santo Tomas Proper	pm25	humidity	0.45588235	moderate	0.0759

				3		45491
Santo Tomas Proper	pm25	pressure	0.20588235 3	weak	0.4442 84641	
Santo Tomas Proper	pm25	pm1	0.99411764 7	strong	6.43E- 15	
Santo Tomas Proper	pm25	pm10	0.99117647 1	strong	1.09E- 13	
Santo Tomas Proper	pm25	aqs	0.13202363 9	weak	0.6259 75219	
Santo Tomas Proper	pm25	albedo	0.21176470 6	weak	0.4310 83247	
Santo Tomas Proper	pm25	DiurnalTe mp	0.21470588 2	weak	0.4245 59234	
Santo Tomas Proper	pm10	voc	0.06470588 2	weak	0.8118 21451	
Santo Tomas Proper	pm10	humidity	0.50294117 6	strong	0.0470 6314	
Santo Tomas Proper	pm10	pressure	0.24411764 7	weak	0.3622 13496	
Santo Tomas Proper	pm10	pm1	0.97647058 8	strong	1.01E- 10	
Santo Tomas Proper	pm10	pm25	0.99117647 1	strong	1.09E- 13	
Santo Tomas Proper	pm10	aqs	0.18114871 4	weak	0.5019 61762	
Santo Tomas Proper	pm10	albedo	0.22352941 2	weak	0.4052 98347	
Santo Tomas Proper	pm10	DiurnalTe mp	0.19705882 4	weak	0.4644 64211	
Santo Tomas Proper	aqs	voc	0.78907151	strong	0.0002 79309	

				8		
Santo Tomas Proper	aqs	humidity	0.19342998 3	- weak	0.4728 92624	
Santo Tomas Proper	aqs	pressure	0.52195392 3	- strong	0.0380 93341	
Santo Tomas Proper	aqs	pm1	0.11974237 1	- weak	0.6586 97808	
Santo Tomas Proper	aqs	pm25	0.13202363 9	- weak	0.6259 75219	
Santo Tomas Proper	aqs	pm10	0.18114871 4	- weak	0.5019 61762	
Santo Tomas Proper	aqs	albedo	0.12588300 5	- weak	0.6422 5941	
Santo Tomas Proper	aqs	DiurnalTemp	0.55879772 9	- strong	0.0244 44517	
Santo Tomas Proper	albedo	voc	0.21176470 6	- weak	0.4310 83247	
Santo Tomas Proper	albedo	humidity	0.48235294 1	- moderate	0.0584 58977	
Santo Tomas Proper	albedo	pressure	0.14705882 4	- weak	0.5867 93394	
Santo Tomas Proper	albedo	pm1	0.19411764 7	- weak	0.4712 89728	
Santo Tomas Proper	albedo	pm25	0.21176470 6	- weak	0.4310 83247	

Santo Tomas Proper	albedo	pm10	0.22352941 2	- weak	0.4052 98347
Santo Tomas Proper	albedo	aqs	0.12588300 5	- weak	0.6422 5941
Santo Tomas Proper	albedo	DiurnalTe mp	0.60882352 9	strong	0.0123 15203
Santo Tomas Proper	DiurnalTe mp	voc	0.47941176 5	moderate	0.0602 39303
Santo Tomas Proper	DiurnalTe mp	humidity	0.35882352 9	moderate	0.1723 03863
Santo Tomas Proper	DiurnalTe mp	pressure	0.28529411 8	weak	0.2841 3874
Santo Tomas Proper	DiurnalTe mp	pm1	0.22058823 5	weak	0.4116 6643
Santo Tomas Proper	DiurnalTe mp	pm25	0.21470588 2	weak	0.4245 59234
Santo Tomas Proper	DiurnalTe mp	pm10	0.19705882 4	weak	0.4644 64211
Santo Tomas Proper	DiurnalTe mp	aqs	0.55879772 9	strong	0.0244 44517
Santo Tomas Proper	DiurnalTe mp	albedo	0.60882352 9	strong	0.0123 15203
Session Road Area	voc	humidity	0.10294117 6	weak	0.7044 10382
Session Road Area	voc	pressure	0.24411764 7	weak	0.3622 13496
Session Road Area	voc	pm1	0.23823529 4	weak	0.3742 5413
Session Road Area	voc	pm25	0.25882352	weak	0.3330

				9		72307
Session Road Area	voc	pm10	0.27058823 5	-	weak	0.3107 60627
Session Road Area	voc	aqs	0.24255505 8	-	weak	0.3653 90728
Session Road Area	voc	albedo	0.04411764 7	-	weak	0.8711 22005
Session Road Area	voc	DiurnalTe mp	0.54411764 7	strong		0.0293 36337
Session Road Area	humidity	voc	0.10294117 6	-	weak	0.7044 10382
Session Road Area	humidity	pressure	0.67058823 5	-	strong	0.0044 67209
Session Road Area	humidity	pm1	0.18823529 4	-	weak	0.4850 86609
Session Road Area	humidity	pm25	0.19411764 7	-	weak	0.4712 89728
Session Road Area	humidity	pm10	0.22941176 5	-	weak	0.3927 20491
Session Road Area	humidity	aqs	0.43598504 1	-	moderate	0.0913 7917
Session Road Area	humidity	albedo	0.06176470 6	-	weak	0.8202 41878
Session Road Area	humidity	DiurnalTe mp	0.70588235 3	-	strong	0.0022 45901
Session Road Area	pressure	voc	0.24411764 7	-	weak	0.3622 13496
Session Road Area	pressure	humidity	0.67058823	-	strong	0.0044 67209

				5		
Session Road Area	pressure	pm1	0.40294117	-	moderate	0.1217 45763
Session Road Area	pressure	pm25	0.39117647	-	moderate	0.1340 71286
Session Road Area	pressure	pm10	0.41176470	-	moderate	0.1130 33866
Session Road Area	pressure	aqs	0.35615679	-	moderate	0.1757 46846
Session Road Area	pressure	albedo	-0.4	-	moderate	0.1247 50424
Session Road Area	pressure	DiurnalTemp	0.64117647	-	strong	0.0074 34419
Session Road Area	pm1	voc	0.23823529	-	weak	0.3742 5413
Session Road Area	pm1	humidity	0.18823529	-	weak	0.4850 86609
Session Road Area	pm1	pressure	0.40294117	-	moderate	0.1217 45763
Session Road Area	pm1	pm25	0.99705882	-	strong	5.07E- 17
Session Road Area	pm1	pm10	0.99117647	-	strong	1.09E- 13
Session Road Area	pm1	aqs	0.63248534	-	strong	0.0085 5946
Session Road Area	pm1	albedo	0.77647058	-	strong	0.0004 04351
Session Road Area	pm1	DiurnalTemp	0.11176470	-	weak	0.6802 73695

				6		
Session Road Area	pm25	voc	0.25882352 9	- weak	0.3330 72307	
Session Road Area	pm25	humidity	0.19411764 7	- weak	0.4712 89728	
Session Road Area	pm25	pressure	0.39117647 1	- moderate	0.1340 71286	
Session Road Area	pm25	pm1	0.99705882 4	strong	5.07E- 17	
Session Road Area	pm25	pm10	0.99411764 7	strong	6.43E- 15	
Session Road Area	pm25	aqs	0.62634470 7	strong	0.0094 32554	
Session Road Area	pm25	albedo	0.77058823 5	strong	0.0004 76822	
Session Road Area	pm25	DiurnalTemp	0.14117647 1	- weak	0.6020 02684	
Session Road Area	pm10	voc	0.27058823 5	- weak	0.3107 60627	
Session Road Area	pm10	humidity	0.22941176 5	- weak	0.3927 20491	
Session Road Area	pm10	pressure	0.41176470 6	- moderate	0.1130 33866	
Session Road Area	pm10	pm1	0.99117647 1	strong	1.09E- 13	
Session Road Area	pm10	pm25	0.99411764 7	strong	6.43E- 15	
Session Road Area	pm10	aqs	0.63555565	- strong	0.0081 47606	

				9		
Session Road Area	pm10	albedo	0.76764705 9	strong	0.0005 16884	
Session Road Area	pm10	DiurnalTe mp	0.18823529 4	weak	0.4850 86609	
Session Road Area	aqs	voc	0.24255505 8	weak	0.3653 90728	
Session Road Area	aqs	humidity	0.43598504 1	moderate	0.0913 7917	
Session Road Area	aqs	pressure	0.35615679 4	moderate	0.1757 46846	
Session Road Area	aqs	pm1	0.63248534 2	strong	0.0085 5946	
Session Road Area	aqs	pm25	0.62634470 7	strong	0.0094 32554	
Session Road Area	aqs	pm10	0.63555565 9	strong	0.0081 47606	
Session Road Area	aqs	albedo	0.62634470 7	strong	0.0094 32554	
Session Road Area	aqs	DiurnalTe mp	0.09825015	weak	0.7173 52804	
Session Road Area	albedo	voc	0.04411764 7	weak	0.8711 22005	
Session Road Area	albedo	humidity	0.06176470 6	weak	0.8202 41878	
Session Road Area	albedo	pressure	-0.4	moderate	0.1247 50424	
Session Road Area	albedo	pm1	0.77647058	strong	0.0004	

				8		04351
Session Road Area	albedo	pm25	0.77058823 5	strong	0.0004 76822	
Session Road Area	albedo	pm10	0.76764705 9	strong	0.0005 16884	
Session Road Area	albedo	aqs	0.62634470 7	strong	0.0094 32554	
Session Road Area	albedo	DiurnalTemp	0.01470588 2	weak	0.9568 91924	
Session Road Area	DiurnalTemp	voc	0.54411764 7	strong	0.0293 36337	
Session Road Area	DiurnalTemp	humidity	0.70588235 3	strong	0.0022 45901	
Session Road Area	DiurnalTemp	pressure	0.64117647 1	strong	0.0074 34419	
Session Road Area	DiurnalTemp	pm1	0.11176470 6	weak	0.6802 73695	
Session Road Area	DiurnalTemp	pm25	0.14117647 1	weak	0.6020 02684	
Session Road Area	DiurnalTemp	pm10	0.18823529 4	weak	0.4850 86609	
Session Road Area	DiurnalTemp	aqs	0.09825015	weak	0.7173 52804	
Session Road Area	DiurnalTemp	albedo	0.01470588 2	weak	0.9568 91924	
South Drive	voc	humidity	0.11785714 3	weak	0.6757 11529	
South Drive	voc	pressure	0.19642857 1	weak	0.4828 98756	

South Drive	voc	pm1	0.48214285 7	moderate	0.0687 49538
South Drive	voc	pm25	0.49285714 3	moderate	0.0619 51007
South Drive	voc	pm10	0.47857142 9	moderate	0.0711 30808
South Drive	voc	aqs	0.35225705 7	moderate	0.1978 5637
South Drive	voc	albedo	0.28571428 6	weak	0.3019 36351
South Drive	voc	DiurnalTe mp	0.21785714 3	weak	0.4353 92674
South Drive	humidity	voc	0.11785714 3	weak	0.6757 11529
South Drive	humidity	pressure	0.51428571 4	strong	0.0498 39233
South Drive	humidity	pm1	0.07857142 9	weak	0.7807 54552
South Drive	humidity	pm25	0.08571428 6	weak	0.7613 34126
South Drive	humidity	pm10	0.06785714 3	weak	0.8101 08819
South Drive	humidity	aqs	0.31537150 1	moderate	0.2522 14224
South Drive	humidity	albedo	0.25714285 7	weak	0.3548 60364
South Drive	humidity	DiurnalTe mp	-0.65	strong	0.0087 11584

South Drive	pressure	voc	0.19642857 1	weak	0.4828 98756
South Drive	pressure	humidity	0.51428571 4	strong	0.0498 39233
South Drive	pressure	pm1	0.07857142 9	weak	0.7807 54552
South Drive	pressure	pm25	0.02857142 9	weak	0.9194 89908
South Drive	pressure	pm10	-0.05	weak	0.8595 40943
South Drive	pressure	aqs	0.06086116 7	weak	0.8294 05941
South Drive	pressure	albedo	0.21071428 6	weak	0.4509 57865
South Drive	pressure	DiurnalTe mp	0.38214285 7	moderate	0.1598 2363
South Drive	pm1	voc	0.48214285 7	moderate	0.0687 49538
South Drive	pm1	humidity	0.07857142 9	weak	0.7807 54552
South Drive	pm1	pressure	0.07857142 9	weak	0.7807 54552
South Drive	pm1	pm25	0.99642857 1	strong	2.42E- 15
South Drive	pm1	pm10	0.99285714 3	strong	2.17E- 13
South Drive	pm1	aqs	0.87603194 7	strong	1.85E- 05

South Drive	pm1	albedo	0.16071428 6	weak	0.5671 96705
South Drive	pm1	DiurnalTe mp	0.32142857 1	moderate	0.2427 19047
South Drive	pm25	voc	0.49285714 3	moderate	0.0619 51007
South Drive	pm25	humidity	0.08571428 6	weak	0.7613 34126
South Drive	pm25	pressure	0.02857142 9	weak	0.9194 89908
South Drive	pm25	pm1	0.99642857 1	strong	2.42E- 15
South Drive	pm25	pm10	0.99642857 1	strong	2.42E- 15
South Drive	pm25	aqs	0.87603194 7	strong	1.85E- 05
South Drive	pm25	albedo	0.18214285 7	weak	0.5158 81682
South Drive	pm25	DiurnalTe mp	0.33928571 4	moderate	0.2160 28925
South Drive	pm10	voc	0.47857142 9	moderate	0.0711 30808
South Drive	pm10	humidity	0.06785714 3	weak	0.8101 08819
South Drive	pm10	pressure	-0.05	weak	0.8595 40943
South Drive	pm10	pm1	0.99285714 3	strong	2.17E- 13
South Drive	pm10	pm25	0.99642857	strong	2.42E-

				1		15
South Drive	pm10	aqs	0.86865483 6	strong	-	2.65E-05
South Drive	pm10	albedo	0.19285714 3	weak	-	0.491048702
South Drive	pm10	DiurnalTemp	-	moderate	0.325	0.237225438
South Drive	aqs	voc	0.35225705 7	moderate	-	0.19785637
South Drive	aqs	humidity	0.31537150 1	moderate	-	0.252214224
South Drive	aqs	pressure	0.06086116 7	weak	-	0.829405941
South Drive	aqs	pm1	0.87603194 7	strong	-	1.85E-05
South Drive	aqs	pm25	0.87603194 7	strong	-	1.85E-05
South Drive	aqs	pm10	0.86865483 6	strong	-	2.65E-05
South Drive	aqs	albedo	0.32459289	moderate	-	0.237847726
South Drive	aqs	DiurnalTemp	0.60123455 8	strong	-	0.017752714
South Drive	albedo	voc	0.28571428 6	weak	-	0.301936351
South Drive	albedo	humidity	0.25714285 7	weak	-	0.354860364

South Drive	albedo	pressure	0.21071428 6	- weak	0.4509 57865
South Drive	albedo	pm1	0.16071428 6	- weak	0.5671 96705
South Drive	albedo	pm25	0.18214285 7	- weak	0.5158 81682
South Drive	albedo	pm10	0.19285714 3	- weak	0.4910 48702
South Drive	albedo	aqs	0.32459289	moderate	0.2378 47726
South Drive	albedo	DiurnalTe mp	0.40714285 7	- moderate	0.1320 12664
South Drive	DiurnalTe mp	voc	0.21785714 3	- weak	0.4353 92674
South Drive	DiurnalTe mp	humidity	-0.65	strong	0.0087 11584
South Drive	DiurnalTe mp	pressure	0.38214285 7	moderate	0.1598 2363
South Drive	DiurnalTe mp	pm1	0.32142857 1	moderate	0.2427 19047
South Drive	DiurnalTe mp	pm25	0.33928571 4	moderate	0.2160 28925
South Drive	DiurnalTe mp	pm10	0.325	moderate	0.2372 25438
South Drive	DiurnalTe mp	aqs	0.60123455 8	- strong	0.0177 52714
South Drive	DiurnalTe mp	albedo	0.40714285 7	- moderate	0.1320 12664

Trancoville	voc	humidity	0.09010989	weak	0.7593 38838
Trancoville	voc	pressure	0.02417582 4	weak	0.9346 18995
Trancoville	voc	pm1	0.13406593 4	weak	0.6477 19528
Trancoville	voc	pm25	0.06373626 4	weak	0.8286 26423
Trancoville	voc	pm10	0.01098901 1	weak	0.9702 5839
Trancoville	voc	aqs	0.71703500 2	strong	0.0038 98783
Trancoville	voc	albedo	0.09450549 5	weak	0.7479 38261
Trancoville	voc	DiurnalTemp	0.15604395 6	weak	0.5942 34701
Trancoville	humidity	voc	0.09010989	weak	0.7593 38838
Trancoville	humidity	pressure	0.26153846 2	weak	0.3664 11137
Trancoville	humidity	pm1	0.06813186 8	weak	0.8169 8388
Trancoville	humidity	pm25	0.19120879 1	weak	0.5125 8397
Trancoville	humidity	pm10	0.22197802 2	weak	0.4456 29658
Trancoville	humidity	aqs	0.11913120 7	weak	0.6850 07636

Trancoville	humidity	albedo	0.46813186 8	moderate	0.0913 76365
Trancoville	humidity	DiurnalTemp	0.50769230 8	strong	0.0638 39158
Trancoville	pressure	voc	0.02417582 4	weak	0.9346 18995
Trancoville	pressure	humidity	0.26153846 2	weak	0.3664 11137
Trancoville	pressure	pm1	0.51648351 6	strong	0.0586 37163
Trancoville	pressure	pm25	0.45494505 5	moderate	0.1021 53527
Trancoville	pressure	pm10	0.46373626 4	moderate	0.0948 76332
Trancoville	pressure	aqs	0.04270741 4	weak	0.8847 40368
Trancoville	pressure	albedo	0.00659340 7	weak	0.9821 52735
Trancoville	pressure	DiurnalTemp	0.77142857 1	strong	0.0012 32657
Trancoville	pm1	voc	0.13406593 4	weak	0.6477 19528
Trancoville	pm1	humidity	0.06813186 8	weak	0.8169 8388
Trancoville	pm1	pressure	0.51648351 6	strong	0.0586 37163

Trancoville	pm1	pm25	0.95604395 6	strong	9.47E- 08
Trancoville	pm1	pm10	0.93846153 8	strong	6.86E- 07
Trancoville	pm1	aqs	0.07417603 5	weak	0.8010 32382
Trancoville	pm1	albedo	0.57802197 8	strong	0.0303 83014
Trancoville	pm1	DiurnalTe mp	0.53406593 4	strong	0.0491 59916
Trancoville	pm25	voc	0.06373626 4	weak	0.8286 26423
Trancoville	pm25	humidity	0.19120879 1	weak	0.5125 8397
Trancoville	pm25	pressure	0.45494505 5	moderate	0.1021 53527
Trancoville	pm25	pm1	0.95604395 6	strong	9.47E- 08
Trancoville	pm25	pm10	0.98681318 7	strong	7.38E- 11
Trancoville	pm25	aqs	0.09665362 1	weak	0.7423 84032
Trancoville	pm25	albedo	0.65274725 3	strong	0.0113 84574
Trancoville	pm25	DiurnalTe mp	0.49450549 5	moderate	0.0722 49674
Trancoville	pm10	voc	0.01098901 1	weak	0.9702 5839
Trancoville	pm10	humidity	0.22197802	weak	0.4456 29658

				2		
Trancoville	pm10	pressure	0.46373626 4	moderate	0.0948 76332	
Trancoville	pm10	pm1	0.93846153 8	strong	6.86E- 07	
Trancoville	pm10	pm25	0.98681318 7	strong	7.38E- 11	
Trancoville	pm10	aqs	0.16408638	weak	0.5751 13699	
Trancoville	pm10	albedo	0.69230769 2	strong	0.0060 71049	
Trancoville	pm10	DiurnalTe mp	0.49450549 5	moderate	0.0722 49674	
Trancoville	aqs	voc	0.71703500 2	strong	0.0038 98783	
Trancoville	aqs	humidity	0.11913120 7	weak	0.6850 07636	
Trancoville	aqs	pressure	0.04270741 4	weak	0.8847 40368	
Trancoville	aqs	pm1	0.07417603 5	weak	0.8010 32382	
Trancoville	aqs	pm25	0.09665362 1	weak	0.7423 84032	
Trancoville	aqs	pm10	0.16408638	weak	0.5751 13699	
Trancoville	aqs	albedo	0.24500569	weak	0.3985 36928	
Trancoville	aqs	DiurnalTe mp	0.29895189 7	weak	0.2991 41039	
Trancoville	albedo	voc	0.09450549	weak	0.7479	

				5		38261
Trancoville	albedo	humidity	0.46813186 8	-	moderate	0.0913 76365
Trancoville	albedo	pressure	0.00659340 7	weak		0.9821 52735
Trancoville	albedo	pm1	0.57802197 8	strong		0.0303 83014
Trancoville	albedo	pm25	0.65274725 3	strong		0.0113 84574
Trancoville	albedo	pm10	0.69230769 2	strong		0.0060 71049
Trancoville	albedo	aqs	0.24500569 -	weak		0.3985 36928
Trancoville	albedo	DiurnalTe mp	0.01978022 -	weak		0.9464 89227
Trancoville	DiurnalTe mp	voc	0.15604395 6	weak		0.5942 34701
Trancoville	DiurnalTe mp	humidity	0.50769230 8	strong		0.0638 39158
Trancoville	DiurnalTe mp	pressure	0.77142857 1	strong		0.0012 32657
Trancoville	DiurnalTe mp	pm1	0.53406593 4	strong		0.0491 59916
Trancoville	DiurnalTe mp	pm25	0.49450549 5	moderate		0.0722 49674
Trancoville	DiurnalTe mp	pm10	0.49450549 5	moderate		0.0722 49674
Trancoville	DiurnalTe mp	aqs	0.29895189 7	weak		0.2991 41039

Trancoville	Diurnal mp	Te albedo	-	weak	0.9464 89227
-------------	---------------	--------------	---	------	-----------------