

ChatGPT Handoff — ED Research System (Freeze)

Timestamp: 2025-08-24 18:58 UTC

Scope: future assistants continue without breaking invariants; ML stays advice-only.

Contract

Follow this contract exactly. When uncertain ask don't guess.

Invariants (MUST NOT CHANGE/REMOVE)

- WorkflowState unchanged; exposes `.feature_dict()`, `.update_state_from_event(...)`, `.apply_event_log(...)`.
- TinyCritics uses `WorkflowState.feature_dict()`; cold-start safe.
- CONFIG bootstrap with defaults; flags `RUN_UI=False`, `RUN_PIPELINE=False`. Paths keep C semantics.
- Tracker core first-class (`tracker_core.TrackerService` + `tracker_ui.run_ui(...)` or in import-time side effects.
- SOP auto-pull present & offline-safe (`refresh_sop_registry(...)`); lazy imports; return failure.
- QR: generate + scan-to-update; manual payload fallback updates moves if decode libs
- Overdue/alerts: equipment overdue (`last_seen`) + lingering patient (`since_vitals_min`) adjustable thresholds in UI.
- Notebook metadata has `kernel-spec: python3`.

No-hallucinations / verification rules (MANDATORY)

- Only claim 'implemented/working' if code changed AND a local smoke/check passes.
- Cite provenance when copying cells from older notebooks.
- State uncertainty for external deps; don't imply success unless verified.
- No virtual resources: reference only existing files/URLs (or create explicitly).
- Provide exact diffs or full cells for modifications.
- No silent renames/moves; update all call sites.
- Ask before destructive edits.

Allowed changes

Contract

- New features only behind guards: `if RUN_PIPELINE:` / `if RUN_UI:` .
- Append after core definitions; do not reorder `WorkflowState/TinyCritics`.
- Optional deps lazy-imported.
- You may extend `feature_dict()` by adding keys (no renames/removals).

Forbidden changes

- No placeholders for `WorkflowState`; no renames of core classes/functions/paths.
- No top-level execution; no references before definition.
- Do not touch PDFs/data except via `tracker/SOP` services.

Delivery checklist (MUST PASS, overlay suggested)

- 1 Overlay CFG with `RUN_UI=False`; `RUN_PIPELINE=False`.
- 2 `TinyCritics` cold-start; 2 actions; `p` in `[0,1]`.
- 3 Tracker core: `equipment_status()`; `log_move()`; `moves_log.csv` exists; QR `make()`; SOP r
None.
- 4 SOP auto-pull surface present; offline returns summary.
- 5 QR manual payload fallback updates move.
- 6 UI shows adjustable thresholds (minutes) for equipment overdue and vitals overdue.
- 7 Notebook metadata `kernelpec: python3`.

Operational Guidance

Keep changes behind guards; never mutate frozen CONFIG directly (use overlay CFG).

Provide evidence (tiny smoke/file write) with any implementation claim.

Maintain provenance; avoid virtual resources.

Paths & Semantics

EQUIPMENT_STATUS_PATH: /kaggle/working/equipment_status.csv (CSV)

EQUIPMENT_MOVES_LOG_PATH: /kaggle/working/moves_log.csv (CSV)

SOP_REGISTRY_PATH: /kaggle/working/sop_registry.csv (CSV)

QR_OUTPUT_DIR: /kaggle/working/qrs (DIR)

EVENT_LOG_PATH: /kaggle/working/event_log.jsonl (JSONL)

MODEL_BUNDLE_PATH: autodetected (*.joblib)

Advice outputs: /kaggle/working/advice_gatepos_mlp.csv