

GRAFICOS

Katheryn

2022-06-27

Gráficos

Matriz penguins, se encuentra en classroom

```
#----- # Importación de matriz #-----  
  
import data / from excel /browse / seleccionar archivo / aceptar  
  
#----- # Exploración #-----  
  
Abrir libreria  
library(readxl)  
  
penguins<-read_excel("penguins.xlsx")  
  
Exploración de matriz  
dim(penguins)  
  
## [1] 344 9
```

Nombre de las variables

```
colnames(penguins)  
  
## [1] "ID" "especie" "isla" "largo_pico_mm"  
## [5] "grosor_pico_mm" "largo_aleta_mm" "masa_corporal_g" "genero"  
## [9] "año"
```

Tipo de variables

```
str(penguins)  
  
## tibble [344 x 9] (S3: tbl_df/tbl/data.frame)  
## $ ID : chr [1:344] "i1" "i2" "i3" "i4" ...  
## $ especie : chr [1:344] "Adelie" "Adelie" "Adelie" "Adelie" ...  
## $ isla : chr [1:344] "Torgersen" "Torgersen" "Torgersen" "Torgersen" ...  
## $ largo_pico_mm : num [1:344] 39.1 39.5 40.3 37.8 36.7 39.3 38.9 39.2 34.1 42 ...  
## $ grosor_pico_mm : num [1:344] 18.7 17.4 18 18.1 19.3 20.6 17.8 19.6 18.1 20.2 ...  
## $ largo_aleta_mm : num [1:344] 181 186 195 190 193 190 181 195 193 190 ...  
## $ masa_corporal_g: num [1:344] 3750 3800 3250 3700 3450 ...
```

```
## $ genero      : chr [1:344] "male" "female" "female" "female" ...
## $ año         : num [1:344] 2007 2007 2007 2007 2007 ...
```

En busca de valores perdidos (NA's)

```
anyNA(penguins)
```

```
## [1] FALSE
```

Estadística descriptiva

```
summary(penguins)
```

```
##      ID          especie      isla      largo_pico_mm
## Length:344      Length:344      Length:344      Min.   :32.10
## Class :character Class :character Class :character 1st Qu.:39.20
## Mode  :character Mode  :character Mode  :character Median :44.45
##                                           Mean  :43.92
##                                           3rd Qu.:48.50
##                                           Max.   :59.60
## grosor_pico_mm largo_aleta_mm masa_corporal_g genero
## Min.   :13.10   Min.   :172.0   Min.   :2700   Length:344
## 1st Qu.:15.60   1st Qu.:190.0   1st Qu.:3550   Class :character
## Median :17.30   Median :197.0   Median :4050   Mode  :character
## Mean   :17.15   Mean   :200.9   Mean   :4202
## 3rd Qu.:18.70   3rd Qu.:213.2   3rd Qu.:4756
## Max.   :21.50   Max.   :231.0   Max.   :6300
## año
## Min.   :2007
## 1st Qu.:2007
## Median :2008
## Mean   :2008
## 3rd Qu.:2009
## Max.   :2009
```

```
#----- # Configuración de la matriz #-----
```

```
penguins$especie
```

```
## [1] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [7] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [13] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [19] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [25] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [31] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [37] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [43] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [49] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [55] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [61] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [67] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [73] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [79] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [85] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
```

```
## [91] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [97] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [103] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [109] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [115] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [121] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [127] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [133] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [139] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [145] "Adelie" "Adelie" "Adelie" "Adelie" "Adelie" "Adelie"
## [151] "Adelie" "Adelie" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [157] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [163] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [169] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [175] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [181] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [187] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [193] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [199] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [205] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [211] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [217] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [223] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [229] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [235] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [241] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [247] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [253] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [259] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [265] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [271] "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo" "Gentoo"
## [277] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [283] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [289] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [295] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [301] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [307] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [313] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [319] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [325] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [331] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [337] "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap" "Chinstrap"
## [343] "Chinstrap" "Chinstrap"
```

#1.- Convertir las variables categóricas a factores

```
penguins$especie<-factor(penguins$especie,
                          levels=c("Adelie", "Gentoo", "Chinstrap"))
```

```
penguins$isla
```

```
## [1] "Torgersen" "Torgersen" "Torgersen" "Torgersen" "Torgersen" "Torgersen"
## [7] "Torgersen" "Torgersen" "Torgersen" "Torgersen" "Torgersen" "Torgersen"
## [13] "Torgersen" "Torgersen" "Torgersen" "Torgersen" "Torgersen" "Torgersen"
## [19] "Torgersen" "Torgersen" "Biscoe" "Biscoe" "Biscoe" "Biscoe"
```

##	[25]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[31]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[37]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[43]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[49]	"Dream"	"Dream"	"Biscoe"	"Biscoe"	"Biscoe"
##	[55]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[61]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[67]	"Biscoe"	"Biscoe"	"Torgersen"	"Torgersen"	"Torgersen"
##	[73]	"Torgersen"	"Torgersen"	"Torgersen"	"Torgersen"	"Torgersen"
##	[79]	"Torgersen"	"Torgersen"	"Torgersen"	"Torgersen"	"Torgersen"
##	[85]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[91]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[97]	"Dream"	"Dream"	"Dream"	"Dream"	"Biscoe"
##	[103]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[109]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[115]	"Biscoe"	"Biscoe"	"Torgersen"	"Torgersen"	"Torgersen"
##	[121]	"Torgersen"	"Torgersen"	"Torgersen"	"Torgersen"	"Torgersen"
##	[127]	"Torgersen"	"Torgersen"	"Torgersen"	"Torgersen"	"Torgersen"
##	[133]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[139]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[145]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[151]	"Dream"	"Dream"	"Biscoe"	"Biscoe"	"Biscoe"
##	[157]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[163]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[169]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[175]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[181]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[187]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[193]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[199]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[205]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[211]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[217]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[223]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[229]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[235]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[241]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[247]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[253]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[259]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[265]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[271]	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"	"Biscoe"
##	[277]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[283]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[289]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[295]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[301]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[307]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[313]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[319]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[325]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[331]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[337]	"Dream"	"Dream"	"Dream"	"Dream"	"Dream"
##	[343]	"Dream"	"Dream"			

```
penguins$isla<-factor(penguins$isla,
                      levels=c("Torgersen", "Biscoe", "Dream"))
```

```
penguins$genero
```

```
## [1] "male" "female" "female" "female" "female" "male" "female" "male"
## [9] "female" "male" "female" "female" "female" "male" "male" "female"
## [17] "female" "male" "female" "male" "female" "male" "female" "male"
## [25] "male" "female" "male" "female" "female" "male" "female" "male"
## [33] "female" "male" "female" "male" "male" "female" "female" "male"
## [41] "female" "male" "female" "male" "female" "male" "male" "female"
## [49] "female" "male" "female" "male" "female" "male" "female" "male"
## [57] "female" "male" "female" "male" "female" "male" "female" "male"
## [65] "female" "male" "female" "male" "female" "male" "female" "male"
## [73] "female" "male" "female" "male" "female" "male" "female" "male"
## [81] "female" "male" "female" "male" "female" "male" "male" "female"
## [89] "male" "female" "female" "male" "female" "male" "female" "male"
## [97] "female" "male" "female" "male" "female" "male" "female" "male"
## [105] "female" "male" "female" "male" "female" "male" "female" "male"
## [113] "female" "male" "female" "male" "female" "male" "female" "male"
## [121] "female" "male" "female" "male" "female" "male" "female" "male"
## [129] "female" "male" "female" "male" "female" "male" "female" "male"
## [137] "female" "male" "female" "male" "female" "male" "female" "male"
## [145] "female" "male" "male" "female" "female" "male" "female" "male"
## [153] "female" "male" "female" "male" "male" "female" "female" "male"
## [161] "female" "male" "female" "male" "female" "male" "female" "male"
## [169] "female" "male" "female" "male" "male" "female" "female" "male"
## [177] "female" "male" "female" "male" "female" "male" "male" "female"
## [185] "female" "male" "female" "male" "female" "male" "female" "male"
## [193] "female" "male" "female" "male" "male" "female" "female" "male"
## [201] "female" "male" "female" "male" "female" "male" "female" "male"
## [209] "female" "male" "female" "male" "female" "male" "female" "male"
## [217] "female" "male" "female" "male" "female" "male" "female" "male"
## [225] "male" "female" "female" "male" "female" "male" "female" "male"
## [233] "female" "male" "female" "male" "female" "male" "female" "male"
## [241] "female" "male" "female" "male" "female" "male" "female" "male"
## [249] "male" "female" "female" "male" "female" "male" "female" "male"
## [257] "female" "male" "female" "male" "female" "male" "female" "male"
## [265] "female" "male" "female" "male" "female" "male" "female" "male"
## [273] "female" "male" "female" "male" "female" "male" "male" "female"
## [281] "male" "female" "female" "male" "female" "male" "female" "male"
## [289] "female" "male" "female" "male" "male" "female" "female" "male"
## [297] "female" "male" "female" "male" "female" "male" "female" "male"
## [305] "female" "male" "female" "male" "female" "male" "male" "female"
## [313] "female" "male" "female" "male" "male" "female" "male" "female"
## [321] "female" "male" "female" "male" "male" "female" "female" "male"
## [329] "female" "male" "female" "male" "female" "male" "male" "female"
## [337] "male" "female" "female" "male" "female" "male" "male" "female"
```

```
penguins$genero<-factor(penguins$genero,
                        levels=c("male", "female"))
```

```
penguins$año
```

```
## [1] 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007
```

```
## [16] 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007
## [31] 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007
## [46] 2007 2007 2007 2007 2007 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008
## [61] 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008
## [76] 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008
## [91] 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2009 2009 2009 2009 2009
## [106] 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009
## [121] 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009
## [136] 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009
## [151] 2009 2009 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007
## [166] 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007
## [181] 2007 2007 2007 2007 2007 2007 2008 2008 2008 2008 2008 2008 2008 2008 2008
## [196] 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008
## [211] 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008
## [226] 2008 2008 2008 2008 2008 2008 2008 2009 2009 2009 2009 2009 2009 2009 2009
## [241] 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009
## [256] 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009
## [271] 2009 2009 2009 2009 2009 2009 2007 2007 2007 2007 2007 2007 2007 2007 2007
## [286] 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007 2007
## [301] 2007 2007 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008 2008
## [316] 2008 2008 2008 2008 2008 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009
## [331] 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009 2009
```

```
penguins$año<-factor(penguins$año,
                     levels=c("2007", "2008", "2009"))
```

```
str(penguins)
```

```
## tibble [344 x 9] (S3: tbl_df/tbl/data.frame)
## $ ID : chr [1:344] "i1" "i2" "i3" "i4" ...
## $ especie : Factor w/ 3 levels "Adelie","Gentoo",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ isla : Factor w/ 3 levels "Torgersen","Biscoe",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ largo_pico_mm : num [1:344] 39.1 39.5 40.3 37.8 36.7 39.3 38.9 39.2 34.1 42 ...
## $ grosor_pico_mm : num [1:344] 18.7 17.4 18 18.1 19.3 20.6 17.8 19.6 18.1 20.2 ...
## $ largo_aleta_mm : num [1:344] 181 186 195 190 193 190 181 195 193 190 ...
## $ masa_corporal_g: num [1:344] 3750 3800 3250 3700 3450 ...
## $ genero : Factor w/ 2 levels "male","female": 1 2 2 2 2 1 2 1 2 1 ...
## $ año : Factor w/ 3 levels "2007","2008",...: 1 1 1 1 1 1 1 1 1 1 ...
```

```
summary(penguins)
```

```
##      ID      especie      isla      largo_pico_mm
## Length:344      Adelie :152      Torgersen: 52      Min.   :32.10
## Class :character      Gentoo  :124      Biscoe   :168      1st Qu.:39.20
## Mode  :character      Chinstrap: 68      Dream    :124      Median :44.45
##                                     Mean    :43.92
##                                     3rd Qu.:48.50
##                                     Max.    :59.60
## grosor_pico_mm largo_aleta_mm masa_corporal_g genero      año
## Min.   :13.10      Min.   :172.0      Min.   :2700      male :170      2007:110
## 1st Qu.:15.60      1st Qu.:190.0      1st Qu.:3550      female:174    2008:114
## Median :17.30      Median :197.0      Median :4050                                2009:120
## Mean    :17.15      Mean    :200.9      Mean    :4202
## 3rd Qu.:18.70      3rd Qu.:213.2      3rd Qu.:4756
## Max.    :21.50      Max.    :231.0      Max.    :6300
```

—Este paso no es necesario.—

2.- Creamos una nueva matriz de datos donde se seleccionan las columnas de la 2 a la 9.

```
penguins1<-penguins[,2:9]
```

```
penguins$ID<-NULL
```

```
#----- # Librerías #-----
```

```
install.packages("ggplot2")
```

```
## Installing package into '/cloud/lib/x86_64-pc-linux-gnu-library/4.2'
```

```
## (as 'lib' is unspecified)
```

```
library(ggplot2)
```

Boxplot

```
#-----
```

1.- Creación de un vector de color


```
color=c("darkseagreen4","darkslategray4")
```

2.- Creacion del grafico

```
BX<-ggplot(penguins, aes(x=genero, y=largo_pico_mm))+  
  geom_boxplot(fill=color)+  
  ggtitle("Boxplot")+  
  xlab("Género")+  
  ylab("largo de la aleta (mm)")+  
  theme_bw()
```

3.- Visualización del boxplot

```
BX
```



1.- Creación de un vector de color


```
color=c("cornflowerblue", "aquamarine3", "hotpink2")
```

2.- Creación del gráfico

```
GB1<-ggplot(penguins, aes(x=año))+
  geom_bar(colour= "black", fill=color)+
  ggtitle("Gráfico de Barras")+
  xlab("Año")+
  ylab("Frecuencias")+
  theme_minimal()
```

3.- Visualizacion del grafico

```
GB1
```


4.- Barras verticales

```
GB2<-ggplot(penguins, aes(x=año))+  
  geom_bar(colour= "black", fill=color)+  
  ggtitle("Gráfico de Barras")+  
  xlab("Año")+  
  ylab("Frecuencias")+  
  coord_flip()+  
  theme_minimal()
```

5. Visualizacion del objeto

GB2

Gráfico de Barras



#-----# Histograma #


1.- Construcción del gráfico

```
HG<-ggplot(penguins, aes(x=largo_aleta_mm))+  
  geom_histogram(col="black", fill="paleturquoise")+  
  ggtitle("Histograma")+  
  xlab("Largo de la aleta (mm)")+  
  ylab("Frecuencias")+  
  theme_classic()
```

2.- Visualización del gráfico

HG

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```



————— - # Grafico de dispersion # —————


1.- Construcción del gráfico

```
GD<-ggplot(penguins, aes(x=largo_pico_mm, y=grosor_pico_mm))+
  geom_point(aes(color=especie))+
  ggtitle("Gráfico de dispersión")+
  xlab("largo del pico (mm)")+
  ylab("grosor del pico (mm)")+
  theme_light()
```

2.- Visualización del objeto

```
GD
```

Gráfico de dispersión



#-----# Organizacion de graficos #-----

1.- Descargar el paquete gridExtra

```
install.packages("gridExtra")
```



```
## Installing package into '/cloud/lib/x86_64-pc-linux-gnu-library/4.2'  
## (as 'lib' is unspecified)
```

2.- Abrir la libreria

```
library(gridExtra)
```

3.- Organizacion 2 graficos en una fila y dos columnas




```
grid.arrange(BX,GB1, nrow=1, ncol=2)
```



4.- Organizacion 3 graficos en dos filas y dos columnas

```
grid.arrange(BX,GB1,HG, nrow=2, ncol=2)
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```



5.- Organizacion 4 graficos en dos filas y dos columnas

```
grid.arrange(BX,GB1,HG,GD, nrow=2, ncol=2)
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```

