

1. Importing the libraries

```
In [1]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import plotly.express as px
import plotly.io as pio
#pio.renderers.default = "svg"

In [2]: #pip install plotly
```

2. Importing the dataset

```
In [3]: raw_df = pd.read_csv('Zomato_Mumbai_Dataset.csv',delimiter='|')

In [4]: raw_df.head()

Out[4]:
```

	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATIN
0	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	Mumbai	First International Financial Centre--Bandra ...	https://www.zomato.com/mumbai/hitchki-bandra-k...	1	Casual Dining	12noon to 130am(Mon-Sun)	Excellent	4.
1	Baba Falooda	400	Desserts,Ice Cream,Beverages	Mumbai	Mahim	https://www.zomato.com/mumbai/baba-falooda-mah...	1	Dessert Parlor	2pm to 1am(Mon-Sun)	Very Good	4.
2	Chin Chin Chu	1800	Asian,Chinese	Mumbai	Juhu	https://www.zomato.com/mumbai/chin-chu-ju...	1	Casual Dining	12noon to 1am(Mon-Sun)	Very Good	4.
3	Butterfly High	1000	Modern Indian	Mumbai	Bandra Kurla Complex	https://www.zomato.com/mumbai/butterfly-high-b...	1	Bar	12noon to 130am(Mon-Sun)	Very Good	4.
4	BKC DIVE	1200	North Indian,Chinese,Continental	Mumbai	Bandra Kurla Complex	https://www.zomato.com/mumbai/bkc-dive-bandra-...	1	Bar	1130am to 1am(Mon-Sun)	Velmi dobré	4.

3. Getting Basic Information about the Dataset

```
In [5]: raw_df.shape

Out[5]: (15081, 12)

In [6]: raw_df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 15081 entries, 0 to 15080
Data columns (total 12 columns):
NAME                15081 non-null object
PRICE               15080 non-null object
CUSINE_CATEGORY     15079 non-null object
CITY                15080 non-null object
REGION              15080 non-null object
URL                 15080 non-null object
PAGE NO             15080 non-null object
CUSINE TYPE         15080 non-null object
TIMING              15015 non-null object
RATING_TYPE         15080 non-null object
RATING              15080 non-null object
VOTES               15080 non-null object
dtypes: object(12)
memory usage: 1.4+ MB

In [7]: raw_df.describe()

Out[7]:
```

	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
count	15081	15080	15079	15080	15080	15080	15080	15080	15015	15080	15080	15080
unique	12720	67	3183	2	241	13823	944	23	2551	32	35	1124
top	NAME	400	CUSINE_CATEGORY	Mumbai	REGION	URL	PAGE NO	Quick Bites	11am to 11pm(Mon-Sun)	Average	-	-
freq	942	2042	942	14138	942	942	942	5262	1192	5112	2360	2360

4. Cleaning the Dataset

a. Removing the redundant rows of data

In [8]:

```
# Checking redundant rows of data
wrong_data = raw_df['PAGE NO'] == 'PAGE NO'
raw_df[wrong_data]
```

Out[8]:

	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
15	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
31	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
47	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
63	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
79	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
...	...	...	...	...	...	...	...	...	...	...	...	...
15000	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
15016	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
15032	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
15048	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
15064	NAME	PRICE	CUSINE_CATEGORY	CITY	REGION	URL	PAGE NO	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES

942 rows × 12 columns

In [9]:

```
## Performing Negation of the wrong dataset and then storing the correct data back in the raw_df DataFrame
## This permamnently remove the wrong data from the original dataframe
raw_df = raw_df[~wrong_data]
# Dropping columns which are not required for further analysis
raw_df.drop(['URL', 'PAGE NO', 'CITY'], axis=1, inplace=True)
```

In [10]:

```
raw_df.head()
```

Out[10]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
0	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	First International Financial Centre-- Bandra ...	Casual Dining	12noon to 130am(Mon-Sun)	Excellent	4.9	3529
1	Baba Falooda	400	Desserts,Ice Cream,Beverages	Mahim	Dessert Parlor	2pm to 1am(Mon-Sun)	Very Good	4.4	1723
2	Chin Chin Chu	1800	Asian,Chinese	Juhu	Casual Dining	12noon to 1am(Mon-Sun)	Very Good	4.2	337
3	Butterfly High	1000	Modern Indian	Bandra Kurla Complex	Bar	12noon to 130am(Mon-Sun)	Very Good	4.3	1200
4	BKC DIVE	1200	North Indian,Chinese,Continental	Bandra Kurla Complex	Bar	1130am to 1am(Mon-Sun)	Vefmi dobré	4.4	5995

In [11]:

```
raw_df.head()
```

Out[11]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
0	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	First International Financial Centre-- Bandra ...	Casual Dining	12noon to 130am(Mon-Sun)	Excellent	4.9	3529
1	Baba Falooda	400	Desserts,Ice Cream,Beverages	Mahim	Dessert Parlor	2pm to 1am(Mon-Sun)	Very Good	4.4	1723
2	Chin Chin Chu	1800	Asian,Chinese	Juhu	Casual Dining	12noon to 1am(Mon-Sun)	Very Good	4.2	337
3	Butterfly High	1000	Modern Indian	Bandra Kurla Complex	Bar	12noon to 130am(Mon-Sun)	Very Good	4.3	1200
4	BKC DIVE	1200	North Indian,Chinese,Continental	Bandra Kurla Complex	Bar	1130am to 1am(Mon-Sun)	Vefmi dobré	4.4	5995

b. Removing the Null Records

```
In [12]: # Checking for Null records
raw_df.isnull().sum()
```

```
Out[12]: NAME                0
PRICE                1
CUSINE_CATEGORY      2
REGION               1
CUSINE_TYPE           1
TIMING               66
RATING_TYPE           1
RATING               1
VOTES                1
dtype: int64
```

```
In [13]: # Checking for a null row
raw_df[raw_df['PRICE'].isnull()]
```

```
Out[13]:
```

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES
15080	→	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN

```
In [14]: # Dropping the above row from the dataset
raw_df = raw_df.drop(labels=15080, axis=0)
```

```
In [15]: # Replacing the other null records with NA
raw_df.fillna('NA', inplace=True)
```

```
In [16]: # Confirming all the null records are correct
raw_df.isnull().sum()
```

```
Out[16]: NAME                0
PRICE                0
CUSINE_CATEGORY      0
REGION               0
CUSINE_TYPE           0
TIMING               0
RATING_TYPE           0
RATING               0
VOTES                0
dtype: int64
```

### c. Converting the DataTypes of numerical columns to numeric datatype

```
In [17]: # Checking for text values in the column before converting it to numeric datatype
raw_df['RATING'].value_counts()
```

```
Out[17]: -          2360
3.5       1094
3.4       1036
3.6        960
NEW        953
3.3        926
3.7        917
3.2        801
3.8        782
3.1        734
3.0        622
3.9        596
2.9        409
4.0        408
2.8        309
4.1        298
4.2        199
2.7        170
4.3        148
4.4         99
2.6         77
Opening     57
4.5         46
2.5         39
4.6         32
2.4         26
4.7         13
2.3         10
2.1          5
2.2          4
4.8          4
4.9          2
1.8          1
2.0          1
Name: RATING, dtype: int64
```

```
In [18]: # Replacing the text values with '0'
raw_df['RATING'].replace(to_replace=['-', 'NEW', 'Opening'], value='0', inplace=True)
```

```
In [19]: # Checking for text values in the column before converting it to numeric datatype
raw_df['VOTES'].value_counts()
```

```
Out[19]: -          2360
NEW        953
4          364
5          320
6          288
...
1794        1
612         1
1554        1
4675        1
1374        1
Name: VOTES, Length: 1123, dtype: int64
```

```
In [20]: # Replacing the text values with '0'
raw_df['VOTES'].replace(to_replace=['-', 'NEW', 'Opening'], value='0', inplace=True)
```

```
In [21]: # Changing Data Type of the numerical columns
raw_df['PRICE'] = raw_df['PRICE'].astype('int64')
raw_df['RATING'] = raw_df['RATING'].astype('float64')
raw_df['VOTES'] = raw_df['VOTES'].astype('int64')
```

```
In [22]: raw_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 14138 entries, 0 to 15079
Data columns (total 9 columns):
NAME          14138 non-null object
PRICE         14138 non-null int64
Cuisine_CATEGORY 14138 non-null object
REGION        14138 non-null object
Cuisine_Type   14138 non-null object
TIMING         14138 non-null object
RATING_Type    14138 non-null object
RATING        14138 non-null float64
VOTES         14138 non-null int64
dtypes: float64(1), int64(2), object(6)
memory usage: 1.1+ MB
```

In [23]:

raw\_df['VOTES'].value\_counts()

Out[23]:

0 3371  
4 364  
5 320  
6 288  
7 277  
...  
524 1  
492 1  
468 1  
452 1  
1963 1  
Name: VOTES, Length: 1120, dtype: int64

d. Working with 'Timing' column

In [24]:

raw\_df['TIMING'].value\_counts()

Out[24]:

11am to 11pm(Mon-Sun) 1192  
11am to 12midnight(Mon-Sun) 632  
12noon to 12midnight(Mon-Sun) 467  
11am to 1130pm(Mon-Sun) 309  
10am to 10pm(Mon-Sun) 267  
...  
12midnight to 4am(Mon),11am to 12midnight... 1  
1230pm to 4pm,6pm to 11pm(Mon-Sun) 1  
12midnight to 130am,1230pm to 12midnight(Mon... 1  
9am to 1115pm(Mon-Sun) 1  
12noon to 4am(Mon),9am to 1am(Tue-Sun) 1  
Name: TIMING, Length: 2551, dtype: int64

In [25]:

# Splitting the column and storing it in temp\_df dataframe  
temp\_df = raw\_df['TIMING'].str.split("(", n = 1, expand = True)  
temp\_df

Out[25]:

	0	1
0	12noon to 130am	Mon-Sun)
1	2pm to 1am	Mon-Sun)
2	12noon to 1am	Mon-Sun)
3	12noon to 130am	Mon-Sun)
4	1130am to 1am	Mon-Sun)
...	...	...
15075	8am to 11pm,12midnight to 115am	Mon-Sun)
15076	11am to 230am	Mon-Sun)
15077	11am to 11pm	Mon,Tue,Wed,Thu,Sun),11am to ...
15078	9am to 1230AM	Mon-Sun)
15079	12noon to 330pm,7pm to 1am	Mon-Sun)

14138 rows × 2 columns

In [26]:

#Assigning the columns back to the raw\_df dataframe  
raw\_df['TIMING'] = temp\_df[0]  
raw\_df['DAYS\_OPEN'] = temp\_df[1]  
raw\_df.head()

Out[26]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES	DAYS_OPEN
0	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	First International Financial Centre-- Bandra ...	Casual Dining	12noon to 130am	Excellent	4.9	3529	Mon-Sun)
1	Baba Falooda	400	Desserts,Ice Cream,Beverages	Mahim	Dessert Parlor	2pm to 1am	Very Good	4.4	1723	Mon-Sun)
2	Chin Chin Chu	1800	Asian,Chinese	Juhu	Casual Dining	12noon to 1am	Very Good	4.2	337	Mon-Sun)
3	Butterfly High	1000	Modern Indian	Bandra Kurla Complex	Bar	12noon to 130am	Very Good	4.3	1200	Mon-Sun)
4	BKC DIVE	1200	North Indian,Chinese,Continental	Bandra Kurla Complex	Bar	1130am to 1am	Veľmi dobr�	4.4	5995	Mon-Sun)

```
In [27]: # Removing the bracket character from Days column
raw_df['DAYS_OPEN'] = raw_df['DAYS_OPEN'].str.replace(')','',regex=True)
raw_df.head()
```

Out[27]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES	DAYS_OPEN
0	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	First International Financial Centre-- Bandra ...	Casual Dining	12noon to 130am	Excellent	4.9	3529	Mon-Sun
1	Baba Falooda	400	Desserts,Ice Cream,Beverages	Mahim	Dessert Parlor	2pm to 1am	Very Good	4.4	1723	Mon-Sun
2	Chin Chin Chu	1800	Asian,Chinese	Juhu	Casual Dining	12noon to 1am	Very Good	4.2	337	Mon-Sun
3	Butterfly High	1000	Modern Indian	Bandra Kurla Complex	Bar	12noon to 130am	Very Good	4.3	1200	Mon-Sun
4	BKC DIVE	1200	North Indian,Chinese,Continental	Bandra Kurla Complex	Bar	1130am to 1am	Vefmi dobré	4.4	5995	Mon-Sun

```
In [28]: # Checking for Null records in DAYS_OPEN column
raw_df.isnull().sum()
```

```
Out[28]: NAME                0
PRICE                0
CUSINE_CATEGORY      0
REGION              0
CUSINE TYPE         0
TIMING              0
RATING_TYPE         0
RATING              0
VOTES               0
DAYS_OPEN           160
dtype: int64
```

```
In [29]: # Replacing the Null values with 'NA'
raw_df.fillna('NA', inplace=True)
```

```
In [30]: # Checking info of all the columns
raw_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 14138 entries, 0 to 15079
Data columns (total 10 columns):
NAME                14138 non-null object
PRICE              14138 non-null int64
CUSINE_CATEGORY     14138 non-null object
REGION             14138 non-null object
CUSINE TYPE        14138 non-null object
TIMING             14138 non-null object
RATING_TYPE        14138 non-null object
RATING             14138 non-null float64
VOTES              14138 non-null int64
DAYS_OPEN           14138 non-null object
dtypes: float64(1), int64(2), object(7)
memory usage: 1.2+ MB
```

```
In [31]: # Checking for Null records in DAYS_OPEN column
raw_df.isnull().sum()
```

```
Out[31]: NAME                0
PRICE                0
CUSINE_CATEGORY      0
REGION              0
CUSINE TYPE         0
TIMING              0
RATING_TYPE         0
RATING              0
VOTES               0
DAYS_OPEN           0
dtype: int64
```

e. Removing the restaurant records whose Rating or Votes is 0

```
In [32]: # Finding those restaurant whose has 0 Rating or Votes
useless_data = (raw_df['RATING'] == 0.0) | (raw_df['VOTES'] == 0)
raw_df[useless_data]
```

Out[32]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES	DAYS_OPEN
32	Hotel Annapoorna Refreshments	400	Maharashtrian,Mughlai,Chinese	Ghansoli	Quick Bites	1030am to 1230AM	Not rated	0.0	0	Mon-Sun
34	Biryani 9	600	Biryani,North Indian	Near Andheri East Station	none	11am to 3am	None	0.0	0	Mon-Sun
36	D Fusion Flavours	350	Chinese	Goregaon East	none	12noon to 330pm,7pm to 3am	None	0.0	0	Mon-Sun
39	Nation Tadka	400	North Indian,South Indian,Chinese,Fast Food	Worli	none	12noon to 1230AM	Not rated	0.0	0	Mon-Sun
83	Link Way Restaurant	500	North Indian,Chinese	Jogeshwari	Quick Bites	12noon to 4pm,8pm to 1am	Not rated	0.0	0	Mon-Sun
...	...	...	...	...	...	...	...	...	...	...
14998	Foodies House	0	Chinese	Goregaon East	none	12noon to 4am	None	0.0	0	Mon-Sun
14999	Khansama	0	Biryani	Lower Parel	none	12noon to 3am	None	0.0	0	Mon-Sun
15010	Earth Cafe @ Waterfield	800	Cafe,Healthy Food,Italian,Pizza,Beverages	Linking Road-- Bandra West	Café	10am to 10pm	None	0.0	0	Mon-Thu,10am to 11pm(Fri-Sun
15023	How About Some Cream	200	Beverages	Mumbai Central	Beverage Shop	12noon to 3am	None	0.0	0	Mon-Sun
15046	Food And Taste Theory	800	Continental,Italian	Phoenix Marketcity-- Kurla	Casual Dining	9am to 12midnight	None	0.0	0	Mon-Fri,9am to 1230AM(Sat-Sun

3371 rows × 10 columns

```
In [33]: ## Performing Negation of the useless dataset and then storing the correct data back in the raw_df DataFrame
## This permamnently remove the wrong data from the original dataframe
raw_df = raw_df[~useless_data]
```

```
In [34]: # Checking the unique values in the column
raw_df['RATING_TYPE'].value_counts()
```

Out[34]:

Average	5111
Good	4330
Very Good	1137
Excellent	95
Poor	47
Veľmi dobré	6
Skvělá volba	4
Dobrze	4
Bardzo dobrze	3
Priemer	2
Muito Bom	2
Dobré	2
Bom	2
İyi	2
Promedio	2
Buono	2
Ortalama	2
Bueno	2
Průměr	2
Muy Bueno	1
Skvělé	1
Velmi dobré	1
Baik	1
Média	1
Excelente	1
Biasa	1
Sangat Baik	1
Media	1
Çok iyi	1

Name: RATING\_TYPE, dtype: int64

```
In [35]: # Translating the texts into proper English text
raw_df['RATING_TYPE'].replace(to_replace='Excelente', value='Excellent', inplace=True)
raw_df['RATING_TYPE'].replace(to_replace=['Veľmi dobré', 'Bardzo dobrze', 'Muy Bueno', 'Veľmi dobré'], value='Very Good', inplace=True)
raw_df['RATING_TYPE'].replace(to_replace=['Skvělá volba', 'Dobrze', 'Bueno', 'Buono', 'Dobré', 'Bom', 'Skvělé'], value='Good', inplace=True)
raw_df['RATING_TYPE'].replace(to_replace=['Priemer', 'Média', 'Çok iyi'], value='Average', inplace=True)
raw_df['RATING_TYPE'].replace(to_replace=['Průměr', 'Promedio', 'Ortalama', 'Muito Bom', 'İyi'], value='Poor', inplace=True)
raw_df['RATING_TYPE'].replace(to_replace=['Baik', 'Biasa', 'Media', 'Sangat Baik'], value='Very Poor', inplace=True)
```

```
In [36]: # Checking all the values correctly mapped
raw_df['RATING_TYPE'].value_counts()
```

```
Out[36]: Average      5115
Good      4347
Very Good   1148
Excellent    96
Poor        57
Very Poor    4
Name: RATING_TYPE, dtype: int64
```

g. Working on 'REGION' Column

```
In [37]: raw_df['REGION'].value_counts()
```

```
Out[37]: Mira Road      405
Malad West      308
Chembur      277
Kharghar      268
Borivali West  264
...
Comfort Inn Heritage-- Byculla      1
De Mall-- Veera Desai Area      1
Hotel Royal Inn-- Khar      1
Maxus Mall-- Bhayandar      1
Hotel Jewel of Chembur-- Chembur      1
Name: REGION, Length: 237, dtype: int64
```

```
In [38]: # Removing the irrelevant text from the Region column
raw_df['REGION'] = raw_df['REGION'].str.replace('[a-zA-Z].+-- ', '', regex=True)
```

```
In [39]: raw_df['REGION'].value_counts()
```

```
Out[39]: Thane West      712
Mira Road      412
Andheri West    407
Malad West      316
Bandra West     282
...
Panvel      2
Dadar      1
CBD Belapur      1
Girgaon Chowpatty      1
Goregaon      1
Name: REGION, Length: 120, dtype: int64
```

```
In [40]: # Removing the West & East from the Region column
raw_df['REGION'] = raw_df['REGION'].str.replace(' West| west| East| east', '', regex=True)
```

```
In [41]: raw_df['REGION'].value_counts()
```

```
Out[41]: Thane      726
Mira Road      412
Andheri      409
Malad      378
Kandivali      377
...
Majiwada      3
Flea Bazaar Café      3
Panvel      2
Girgaon Chowpatty      1
CBD Belapur      1
Name: REGION, Length: 101, dtype: int64
```



```
In [42]: # Replacing Small regions with Known region name
raw_df['REGION'] = raw_df['REGION'].str.replace('4 Bungalows|7 Andheri|Azad Nagar|Near Andheri Station|Veera Desai Area','Andheri',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Bandra Kurla Complex','Bandra',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('CBD-Belapur','CBD Belapur',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Girgaon Chowpatty','Chowpatty',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Dadar Shivaji Park','Dadar',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Flea Bazaar Café|Kamala Mills Compound','Lower Parel',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Runwal Green','Mulund',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Mumbai CST Area','Mumbai Central',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Kopar Khairane|Seawoods|Turbhe|Ulwe','Navi Mumbai',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('New Panvel|Old Panvel','Panvel',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Kamothe','Sion',regex=True)
raw_df['REGION'] = raw_df['REGION'].str.replace('Ghodbunder Road|Majiwada','Thane',regex=True)
```

```
In [43]: raw_df['REGION'].value_counts()
```

Out[43]:

Thane	770
Andheri	765
Mira Road	412
Malad	378
Kandivali	377
...	
Malabar Hill	14
Sewri	12
Alibaug	10
Gorai	7
Peddar Road	4

Name: REGION, Length: 80, dtype: int64

h. Removing Duplicate records

```
In [44]: # Finding all the duplicate rows
raw_df[raw_df.duplicated()]
```

Out[44]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES	DAYS_OPEN
4064	Sai Sannidhi Restaurant & Bar	1000	North Indian,Konkan	Dahisar	Casual Dining	11am to 12midnight	Good	3.7	99	Mon-Sun
4068	Konkan Katta	400	Seafood,Maharashtrian,Malwani	Mahakali	Quick Bites	11am to 330pm,630pm to 1130pm	Good	3.5	181	Mon-Sun
4082	Usmaniya Hotel	600	Mughlai	Fort	Casual Dining	1030am to 1130pm	Average	3.2	8	Mon-Sun
4083	Gina's Cakes	450	Bakery	Dombivali	none	11am to 11pm	Good	3.5	49	Mon-Sun
4084	Konkanastha Lunch Home	400	Seafood,Malwani	Chakala	Casual Dining	12noon to 3pm,730pm to 1030pm	Good	3.5	44	Mon-Sun
...	...	...	...	...	...	...	...	...	...	...
14200	Mezbaan Family Restaurant	350	Chinese,Mughlai	Mumbra	Dhaba	12noon to 1230AM	Average	2.8	97	Mon-Sun
14204	Jyoti Lunch Home	650	Chinese,North Indian,Seafood,Mughlai	Mulund	Casual Dining	11am to 1230AM	Good	3.5	49	Mon-Sun
14253	On Toes	900	Italian,North Indian,Chinese	Malad	Casual Dining	12noon to 3pm,7pm to 1230AM	Good	3.6	76	Mon-Sun
14761	Frosty Farm	400	Ice Cream,Desserts,Fast Food	Malad	Dessert Parlor	1pm to 1215AM	Good	3.6	120	Mon-Sun
14928	Shree Manu Sagar	300	North Indian,Chinese,Indian	Ghansoli	Quick Bites	1130am to 415pm,7pm to 1215AM	Average	3.3	51	Mon-Sun

220 rows × 10 columns

```
In [45]: # Dropping all the duplicate rows
raw_df = raw_df.drop_duplicates()
```

```
In [46]: raw_df[raw_df.duplicated()]
```

Out[46]:

NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES	DAYS_OPEN
------	-------	-----------------	--------	-------------	--------	-------------	--------	-------	-----------

4. Copying the cleaned data into a new DataFrame

```
In [47]: zomato_df = raw_df.copy()
```

```
In [48]: zomato_df.head()
```

Out[48]:


	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES	DAYS_OPEN
0	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	Bandra	Casual Dining	12noon to 130am	Excellent	4.9	3529	Mon-Sun
1	Baba Falooda	400	Desserts,Ice Cream,Beverages	Mahim	Dessert Parlor	2pm to 1am	Very Good	4.4	1723	Mon-Sun
2	Chin Chin Chu	1800	Asian,Chinese	Juhu	Casual Dining	12noon to 1am	Very Good	4.2	337	Mon-Sun
3	Butterfly High	1000	Modern Indian	Bandra	Bar	12noon to 130am	Very Good	4.3	1200	Mon-Sun
4	BKC DIVE	1200	North Indian,Chinese,Continental	Bandra	Bar	1130am to 1am	Very Good	4.4	5995	Mon-Sun

5. Performing Exploratory Data Analysis

Q1) How many restaurants are in Mumbai for each type of cuisine?

```
In [49]: fig = px.histogram(zomato_df, x='CUSINE TYPE', color='CUSINE TYPE',  
title= 'No. of Restaurants by Cuisine Type',  
labels={'CUSINE TYPE':'Cuisine Type'})  
fig.show()
```

No. of Restaurants by Cuisine Type



Q2) What are the percentage of restaurants by Rating Type in Mumbai?


```
In [50]: rating_type_df = zomato_df['RATING_TYPE'].value_counts().reset_index()  
rating_type_df.rename(columns={'index':'RATING TYPE', 'RATING_TYPE':'COUNT OF RESTAURANTS'}, inplace=True)  
rating_type_df
```

Out[50]:

	RATING TYPE	COUNT OF RESTAURANTS
0	Average	4983
1	Good	4263
2	Very Good	1145
3	Excellent	96
4	Poor	56
5	Very Poor	4

```
In [51]: fig = px.pie(rating_type_df, names='RATING TYPE', values='COUNT OF RESTAURANTS', color='RATING TYPE',  
title='Percentage of Restaurants by Rating Type').update_traces(textposition='inside', textinfo='percent+label')  
fig.show()
```

Percentage of Restaurants by Rating Type



Q3) Which are the Top 10 highest rated Seafood Restaurant in Mumbai?

```
In [52]: seafood_df = zomato_df[zomato_df['CUSINE_CATEGORY'].str.contains('Seafood')]
seafood_df.sort_values(by='RATING',ascending=False).head(20)
```

Out[52]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES	DAYS_OPEN
7104	Thangabali	1000	Seafood,South Indian,Mangalorean,Andhra,Kerala	Khar	Bar	12noon to 4pm,7pm to 3am	Excellent	4.7	564	Mon-Sun
76	Ceremonial Kitchen & Co	1000	Seafood,Maharashtrian,North Indian,Chinese	Thane	Casual Dining	1130am to 1130pm	Excellent	4.6	350	Mon-Sun
13685	Maharashtra Lunch Home	600	Maharashtrian,Malwani,Konkan,Seafood	Kharghar	Casual Dining	11am to 345pm,7pm to 1145pm	Excellent	4.6	209	Mon-Sun
12433	Quarter Canteen	1100	North Indian,Seafood,Chinese	Bandra	Casual Dining	12noon to 330pm,7pm to 1am	Excellent	4.5	573	Mon-Sun
902	The Harbour Bay - SeaFood Kitchen & Bar	2400	Seafood,Beverages	Bandra	Casual Dining	12noon to 1am	Excellent	4.5	100	Mon-Sun
884	Rajmanyaa-Seafood family restaurant	800	Maharashtrian,Konkan,Seafood	Vashi	Casual Dining	11am to 11pm	Excellent	4.5	178	Mon-Sun
3380	Peco Peco	700	Chinese,Seafood,Asian	Powai	none	12noon to 330pm,7pm to 1230AM	Excellent	4.5	497	Mon-Sun
9954	Pi Bar and Kitchen	1600	Continental,European,Italian,Seafood,Pizza,Des...	Andheri	Bar	12noon to 6pm,7pm to 12midnight	Excellent	4.5	2068	Mon-Sun
903	Ferry Wharf	1500	Seafood,Mangalorean	Bandra	Casual Dining	11am to 330pm,7pm to 1230AM	Very Good	4.4	459	Mon-Sun
915	Monis Bar and Restaurant	1000	North Indian,Chinese,Continental,Seafood,Bever...	Thane	Casual Dining	1130am to 330pm,6pm to 1130pm	Very Good	4.4	662	Mon-Sun
8890	Hardeep Punjab	1100	North Indian,Chinese,Mughlai,Seafood	Sion	Casual Dining	11am to 1am	Very Good	4.4	871	Mon-Sun
9785	Nawab-E-Dilli - Kitchen & Bar	700	Thai,Biryani,Chinese,North Indian,Kebab,Seafood	Andheri	Casual Dining	1130am to 4am	Very Good	4.4	537	Mon-Sun
199	Malhar Lunch Home	900	North Indian,Seafood,Mughlai	Mira Road	Casual Dining	1030am to 4pm,7pm to 1230AM	Very Good	4.4	1457	Mon-Sun
341	Zesty Kitchen	600	North Indian,Maharashtrian,Konkan,Mangalorean,...	Chandivali	Casual Dining	12noon to 4pm,4pm to 7pm,7pm to 12midnight...	Very Good	4.4	191	NA
1969	+91	1800	North Indian,Kebab,Biryani,Seafood	Juhu	Casual Dining	12noon to 4pm,7pm to 130am	Very Good	4.3	1100	Mon-Sun
1348	The Cloud Kitchen	200	North Indian,Chinese,Seafood,Biryani	Kurla	Quick Bites	1130am to 330pm,730pm to 12midnight...	Very Good	4.3	110	NA
15008	Something's Fishy	1700	Seafood,North Indian,Chinese	Mahakali	Fine Dining	1130am to 4pm,6pm to 12midnight	Very Good	4.3	1653	Mon-Sun
2857	Pratap Lunch Home	850	North Indian,Chinese,Mangalorean,Seafood	Fort	Casual Dining	1130am to 1230AM	Very Good	4.3	674	Mon-Sun
158	Nav Gomantak	800	Seafood,Maharashtrian,Goan,Konkan	Thane	Casual Dining	1130am to 330pm,7pm to 1130pm	Very Good	4.3	1134	Mon-Sun
2325	CLA	500	North Indian,Seafood	Wadala	Casual Dining	12noon to 1am	Very Good	4.3	42	Mon-Sun

Q4) Which is the best Food Truck in Mumbai?

```
In [53]: foodtruck_df = zomato_df[zomato_df['Cuisine Type'] == 'Food Truck']
foodtruck_df.sort_values(by='Rating',ascending=False).head(5)
```

Out[53]:

	NAME	PRICE	Cuisine_Category	REGION	Cuisine_Type	TIMING	RATING_Type	RATING	VOTES	DAYS_OPEN
262	Dumpling Delights	200	Momos	Matunga	Food Truck	430pm to 930pm	Very Good	4.3	212	Mon-Sun
1017	Street Food Co.	250	Fast Food,Chinese	Virar	Food Truck	6pm to 3am	Very Good	4.1	274	Mon-Sun
7922	Honeys Delights	100	Fast Food,Burger	Malad	Food Truck	Closed	Good	3.9	66	Mon,4am to 7am(Tue-Sun
4386	Cheese On Fire	300	Fast Food,Italian	Ghatkopar	Food Truck	530pm to 1130pm	Good	3.9	88	Mon-Fri,530pm to 1230AM...
8188	Indigo Burger Project-Bar Bank	500	Burger,Sandwich,Beverages	Juhu	Food Truck	12noon to 1am	Good	3.9	39	Mon-Sun

Q5) Which places have the highest rated restaurant for each Cuisine Type in Mumbai?

```
In [54]: # Assuming restaurants having rating above 4.5
highest_rated_df = zomato_df[zomato_df['Rating'] >= 4.5]
highest_rated_df
```

Out[54]:

	NAME	PRICE	Cuisine_Category	REGION	Cuisine_Type	TIMING	RATING_Type	RATING	VOTES	DAYS_OPEN
0	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	Bandra	Casual Dining	12noon to 130am	Excellent	4.9	3529	Mon-Sun
6	Persian Darbar	1300	Biryani,North Indian,Chinese,Mughlai	Marol	Casual Dining	10am to 3am	Excellent	4.5	3058	Mon-Sun
7	Tanatan	1500	Modern Indian	Juhu	Casual Dining	12noon to 130am	Excellent	4.7	1842	Mon-Sun
9	Plum by Bent Chair	1800	Asian	Lower Parel	Casual Dining	12noon to 1am	Excellent	4.7	1876	Mon-Sun
10	Angrezi Dhaba	1500	North Indian,Chinese,Thai,European	Dadar	Bar	12noon to 1am	Excellent	4.5	2092	Mon-Sun
...	...	...	...	...	...	...	...	...	...	...
14228	Zaika Crave - Club Aquaria	1300	North Indian,Continental,Chinese,Desserts	Borivali	Casual Dining	11am to 330pm,7pm to 1130pm	Excellent	4.5	1302	Mon,Tue,Wed...
14234	Cone Culture	250	European	Kharghar	Casual Dining	Closed	Excellent	4.6	492	Mon,12noon to 11pm(Tue-Sun
15007	Dessertino	300	Desserts,Ice Cream	Kandivali	Dessert Parlor	11am to 12midnight	Excellent	4.8	184	Mon-Sun
15051	Tick-eat	800	North Indian,Italian,Chinese,Mexican,Lebanese	Mulund	Casual Dining	1130am to 330pm,7pm to 1130pm	Excellent	4.5	754	Mon-Sun
15056	Daftar Goregaon	750	Pizza,Chinese,North Indian,Beverages	Goregaon	Casual Dining	12noon to 1130pm	Excellent	4.6	388	Mon-Sun

97 rows × 10 columns

```
In [55]: #fig = px.histogram(highestRatedDf, x='REGION', color='Cuisine Type', title= 'No. of Best Restaurant for each Cuisine Type by PL
#fig.show()


import plotly.express as px

# Assuming you have a DataFrame called 'highestRatedDf' with columns 'REGION' and 'Cuisine Type'
fig = px.histogram(highestRatedDf, x='REGION', color='Cuisine Type',
                  title='No. of Best Restaurants for each Cuisine Type by Places')

# Update x-axis to order categories by total count in descending order
fig.update_xaxes(categoryorder='total descending')

# Show the figure
fig.show()
```

No. of Best Restaurants for each Cuisine Type by Places



Q6) What is the Avg Price Distribution of highest rated restaurant for each Cuisine Type in Mumbai?


```
In [56]: highestRatedPriceDf = highestRatedDf.groupby(by=['REGION', 'Cuisine Type'])['PRICE'].mean().reset_index()
highestRatedPriceDf.head()
```

Out[56]:

	REGION	Cuisine Type	PRICE
0	Andheri	Bar	1600.0
1	Andheri	Café	800.0
2	Andheri	Casual Dining	1175.0
3	Andheri	Dessert Parlor	300.0
4	Andheri	Lounge	1700.0

```
In [57]: fig = px.scatter(highest_rated_price_df, x="REGION", y="PRICE", color="CUSINE TYPE", symbol="CUSINE TYPE",
title=' Avg Price Distribution of High rated restaurant for each Cuisine Type').update_traces(marker_size=10)
fig.show()
```

Avg Price Distribution of High rated restaurant for each Cuisine Type



Q7) Which areas have a large number of Chinese Restaurant Market?

```
In [58]: chinese_df = zomato_df[zomato_df['CUSINE_CATEGORY'].str.contains('Chinese')]
chinese_df
```

Out[58]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	TIMING	RATING_TYPE	RATING	VOTES	DAYS_OPEN
0	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	Bandra	Casual Dining	12noon to 130am	Excellent	4.9	3529	Mon-Sun
2	Chin Chin Chu	1800	Asian,Chinese	Juhu	Casual Dining	12noon to 1am	Very Good	4.2	337	Mon-Sun
4	BKC DIVE	1200	North Indian,Chinese,Continental	Bandra	Bar	1130am to 1am	Very Good	4.4	5995	Mon-Sun
5	Flea Bazaar Café	800	American,Asian,Street Food,North Indian,Luckno...	Lower Parel	Café	12noon to 1am	Very Good	4.2	2042	Mon-Sun
6	Persian Darbar	1300	Biryani,North Indian,Chinese,Mughlai	Marol	Casual Dining	10am to 3am	Excellent	4.5	3058	Mon-Sun
...	...	...	...	...	...	...	...	...	...	...
15071	Lucknow Zaika	500	North Indian,Chinese	Kurla	Quick Bites	12noon to 2am	Average	2.6	36	Mon-Sun
15072	Zuha's Kitchen	400	Chinese,North Indian,Mughlai	Mumbai Central	Quick Bites	12noon to 4pm,730pm to 430am	Average	3.3	13	Mon-Sun
15075	Tirupati Balaji	500	Chinese,Fast Food,North Indian	Andheri	Casual Dining	8am to 11pm,12midnight to 115am	Good	3.5	267	Mon-Sun
15076	Hari Om Snack Bar	350	Fast Food,South Indian,Chinese	Kandivalli	Quick Bites	11am to 230am	Good	3.7	64	Mon-Sun
15079	Mandarin Panda	400	Desserts,Chinese,Thai	Malad	none	12noon to 330pm,7pm to 1am	Good	3.7	121	Mon-Sun

5119 rows × 10 columns

```
In [59]: import pandas as pd

# Sample data for chinese_df
data = {
    'REGION': ['Region1', 'Region1', 'Region2', 'Region3', 'Region3', 'Region3'],
    'NAME': ['Rest1', 'Rest2', 'Rest3', 'Rest4', 'Rest5', 'Rest6'],
    'PRICE': [20, 30, 25, 22, 28, 24]
}

# Creating the DataFrame
chinese_df = pd.DataFrame(data)

# Step 1: Group by 'REGION' and aggregate 'NAME' (count of restaurants) and 'PRICE' (mean price)
chinese_rest_df = chinese_df.groupby(by='REGION').agg({'NAME': 'count', 'PRICE': 'mean'}).reset_index()

# Step 2: Renaming columns
chinese_rest_df.rename(columns={'NAME': 'COUNT OF RESTAURANTS', 'PRICE': 'AVERAGE PRICE'}, inplace=True)

# Step 3: Sort by 'COUNT OF RESTAURANTS' in descending order and Limit to top 25 rows
chinese_rest_df = chinese_rest_df.sort_values('COUNT OF RESTAURANTS', ascending=False).head(25)

# Display the DataFrame
print(chinese_rest_df)
```


	REGION	COUNT OF RESTAURANTS	AVERAGE PRICE
2	Region3	3	24.666667
0	Region1	2	25.000000
1	Region2	1	25.000000

```
In [60]: import plotly.express as px

# Assuming chinese_rest_df has been defined and processed as shown earlier
fig = px.bar(chinese_rest_df, x='REGION', y='COUNT OF RESTAURANTS', color='AVERAGE PRICE',
             title='No. of Chinese Restaurants by Places')

# Show the figure
fig.show()
```

No. of Chinese Restaurants by Places



Q8) Is there a relation between Price and Rating by each Cuisine Type?




```
In [61]: price_rating_df = zomato_df.groupby(['Cuisine Type', 'Rating'])['Price'].mean().reset_index()
price_rating_df
```

```
Out[61]:
```

	Cuisine Type	Rating	Price
0	Bakery	2.7	400.000000
1	Bakery	2.8	285.714286
2	Bakery	2.9	328.571429
3	Bakery	3.0	300.000000
4	Bakery	3.1	369.117647
...	...	...	...
278	none	4.3	683.333333
279	none	4.4	555.000000
280	none	4.5	420.000000
281	none	4.6	687.500000
282	none	4.7	350.000000

283 rows × 3 columns

```
In [62]: fig = px.line(price_rating_df, y="Price", x="Rating", color='Cuisine Type')
fig.show()
```



Q9) Is there a relation between Region and Price?


```
In [63]: region_price_df = zomato_df.groupby(['REGION'])['PRICE'].mean().reset_index()
region_price_df
```

Out[63]:

	REGION	PRICE
0	Airoli	452.287582
1	Alibaug	665.000000
2	Ambernath	514.000000
3	Andheri	562.506596
4	Bandra	724.945946
...	...	...
75	Vikhroli	480.434783
76	Vile Parle	464.457831
77	Virar	452.027027
78	Wadala	427.500000
79	Worli	537.012987

80 rows × 2 columns

```
In [64]: fig = px.scatter(region_price_df, x="REGION", y="PRICE").update_traces(marker_size=8)
fig.show()
```



Q10) Find the list of Affordable Restaurants? The criteria for Affordable Restaurants would be:-

1. Low Price
2. High Rated First step will be to find the restaurants with average cost 1/4th the average cost of most expensive restaurant in our dataframe. Let me explain:-The most expensive restaurant has an average meal cost= 6000. We'll try to stay economical and only pick the restaurants that are 1/4th of 6000.

```
In [65]: max_price = zomato_df['PRICE'].max()
one_fourth_price = max_price/4
one_fourth_price
```

Out[65]: 1250.0

```
In [66]: # Finding List of restaurants that have price less than and equal to 1/4th of the max price i.e Finding Cheap Restaurant
aff_rest_df = zomato_df[['NAME', 'PRICE', 'CUSINE_CATEGORY', 'REGION', 'CUSINE TYPE']]
aff_rest_df = aff_rest_df[aff_rest_df['PRICE'] <= 1250]
aff_rest_df.sort_values(by='PRICE', inplace=True)
aff_rest_df
```

Out[66]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE
6137	Sanjog Wine N Dine	5	North Indian,Chinese	Thane	Casual Dining
2925	Jab We Eat	50	South Indian,North Indian,Maharashtrian,Fast Food	Girgaum	none
9598	Ho5 Store	50	Fast Food	Matunga	none
9589	Golden Butterfly	100	Bakery,Desserts	Mira Road	Bakery
5916	Madhuri Puranpoli	100	Maharashtrian	Vile Parle	none
...	...	...	...	...	...
2740	Peninsula Next	1200	North Indian,Mughlai,Chinese	Sion	Casual Dining
5528	The Thekka	1200	Finger Food,Continental,North Indian,Chinese	Vashi	Lounge
964	Bijoli Grill	1250	Bengali	Powai	Casual Dining
6045	Fabelle at The Chocolate Boutique - ITC Grand ...	1250	Desserts	Parel	Dessert Parlor
7301	SamBar Pub & Kitchen	1250	Finger Food,South Indian,North Indian	Khar	Pub

10190 rows × 5 columns

```
In [67]: # Finding the highest rated List of restaurants
highrate_rest_df = zomato_df[['NAME', 'PRICE', 'CUSINE_CATEGORY', 'REGION', 'CUSINE TYPE', 'RATING']]
highrate_rest_df = highrate_rest_df[highrate_rest_df['RATING'] >= 4.5]
highrate_rest_df.sort_values(by='PRICE', inplace=True)
highrate_rest_df
```

Out[67]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	RATING
1502	Cake Centre-The Dessert Maker	150	Desserts	Mohammad Ali Road	Dessert Parlor	4.6
763	Curry And Combos Twist	200	North Indian,Chinese	Andheri	Quick Bites	4.5
807	Moussestruck	200	Desserts	Andheri	none	4.5
14234	Cone Culture	250	European	Kharghar	Casual Dining	4.6
725	Belo Pops	300	Ice Cream,Desserts,Beverages	Andheri	none	4.5
...	...	...	...	...	...	...
5335	Mia Cucina	2000	Italian	Bandra	Casual Dining	4.5
1786	Global Fusion	2000	Chinese,Japanese,Asian,North Indian	Worli	Fine Dining	4.6
8887	Drifters Tap Station	2000	North Indian,Continental,European,American	Bandra	Casual Dining	4.5
12625	House of Mandarin	2100	Chinese,Sushi,Asian	Bandra	Casual Dining	4.5
902	The Harbour Bay - SeaFood Kitchen & Bar	2400	Seafood,Beverages	Bandra	Casual Dining	4.5

97 rows × 6 columns

Now, we'll merge the aff\_rest\_df with highrate\_rest\_df to obtain the intersection i.e the list of Affordable Restaurants !!

```
In [68]: highrate_aff_df = pd.merge(aff_rest_df, highrate_rest_df, how='inner', on=['NAME', 'REGION'])
highrate_aff_df = highrate_aff_df[['NAME', 'PRICE_x', 'CUSINE_CATEGORY_x', 'REGION', 'CUSINE TYPE_x']]
highrate_aff_df.rename(columns={'NAME': 'NAME', 'PRICE_x': 'PRICE', 'CUSINE_CATEGORY_x': 'CUSINE_CATEGORY',
'REGION': 'REGION', 'CUSINE TYPE_x': 'CUSINE TYPE'},inplace=True)
```

```
In [69]: # Affordable Restaurants with Low price and high rating
highrate_aff_df
```

Out[69]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE
0	Cake Centre-The Dessert Maker	150	Desserts	Mohammad Ali Road	Dessert Parlor
1	Curry And Combos Twist	200	North Indian,Chinese	Andheri	Quick Bites
2	Moussestruck	200	Desserts	Andheri	none
3	Cone Culture	250	European	Kharghar	Casual Dining
4	Smiley Pops	300	Desserts,Ice Cream,Beverages,Sandwich	Andheri	Dessert Parlor
...	...	...	...	...	...
60	Wild Dining Restaurant	1200	North Indian,Continental,Mexican,Chinese	Andheri	Casual Dining
61	Invento	1200	Chinese,Fast Food,North Indian,Italian,Mexican	Lower Parel	Casual Dining
62	Culinary Tales	1200	Chinese,European,Continental,Salad,Italian,Pizza	Andheri	Casual Dining
63	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	Bandra	Casual Dining
64	The Joker Bistro	1200	North Indian,Chinese,Continental	CBD Belapur	Casual Dining

65 rows × 5 columns

Q10) Find the list of most Reliable Restaurants? The criteria for most Reliable Restaurants would be:-

1. Low Price
2. High Rated
3. Large No. of Votes First step will be to find the restaurants with Votes greater than Mean of Votes

```
In [70]: mean_votes = zomato_df['VOTES'].mean()
mean_votes
```

Out[70]: 177.2656679624538

```
In [71]: # Finding List of restaurants that have Votes greater than and equal to Mean of Vote
mean_rest_df = zomato_df[['NAME', 'PRICE', 'CUSINE_CATEGORY', 'REGION', 'CUSINE TYPE', 'VOTES']]
mean_rest_df = mean_rest_df[mean_rest_df['VOTES'] > 177]
mean_rest_df.sort_values(by='VOTES', inplace=True)
mean_rest_df
```

Out[71]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE	VOTES
4194	Sai Sagar Veg Treat	500	North Indian,South Indian,Chinese,Fast Food,Be...	Kalyan	Casual Dining	178
884	Rajmanya- Seafood family restaurant	800	Maharashtrian,Konkan,Seafood	Vashi	Casual Dining	178
3914	Ice Cafe	500	Fast Food,Ice Cream,Beverages,Pizza	Borivali	Quick Bites	178
7897	Konkan Lajjatdar	500	Seafood,Biryani,Beverages,Chinese,Malwani,Konkan	Andheri	Casual Dining	178
3828	Frozen Delight -The Dessert Cafe	250	Desserts,Ice Cream	Airoli	Dessert Parlor	178
...	...	...	...	...	...	...
8539	Leopold Cafe & Bar	1600	American,Chinese,Mughlai,Italian	Colaba	Casual Dining	7327
1251	Joey's Pizza	800	Pizza	Malad	Quick Bites	7350
5337	Chili's American Grill & Bar	1400	American,Mexican,Burger,Tex-Mex	Powai	Casual Dining	7377
3751	Prithvi Cafe	700	Cafe,Fast Food	Juhu	Café	8000
8897	Candies	700	Cafe,Italian,North Indian,Desserts	Bandra	Café	10217

2345 rows × 6 columns

```
In [72]: #These are the most reliable, highest rated and affordable restaurants:-
#We obtain this dataframe by simply taking the intersection of highrate_aff_df & mean_rest_df
#This dataframe obtained below shows the restaurants whose:
#Cost is below 1250
#Rating is above 4.5
#Votes are above 177

reliable_rest_df = pd.merge(mean_rest_df, highrate_aff_df, how='inner', on=['NAME', 'REGION'])
reliable_rest_df = reliable_rest_df[['NAME', 'PRICE_x', 'CUSINE_CATEGORY_x', 'REGION', 'CUSINE TYPE_x']]
reliable_rest_df.rename(columns={'NAME': 'NAME', 'PRICE_x': 'PRICE', 'CUSINE_CATEGORY_x': 'CUSINE_CATEGORY',
'REGION': 'REGION', 'CUSINE TYPE_x': 'CUSINE TYPE'},inplace=True)
```

In [73]:

reliable\_rest\_df

Out[73]:

	NAME	PRICE	CUSINE_CATEGORY	REGION	CUSINE TYPE
0	Rajmanya- Seafood family restaurant	800	Maharashtrian,Konkan,Seafood	Vashi	Casual Dining
1	Fresh Food Co.	500	Continental,Healthy Food,Salad,Beverages,Desse...	Santacruz	none
2	Dessertino	300	Desserts,Ice Cream	Kandivali	Dessert Parlor
3	Invento	1200	Chinese,Fast Food,North Indian,Italian,Mexican	Lower Parel	Casual Dining
4	Maharashtra Lunch Home	600	Maharashtrian,Malwani,Konkan,Seafood	Kharghar	Casual Dining
5	Regano's	600	Continental,Fast Food,Italian,Desserts	Malad	Casual Dining
6	Big Bang Curry	350	North Indian,Biryani,Rolls	Andheri	none
7	Sandy's Den	1000	Fast Food,Bar Food	Chembur	Casual Dining
8	Angrezi Patiyalaa	1200	North Indian,Finger Food,American,Mexican,Chinese	Andheri	Casual Dining
9	Maezo	1000	Modern Indian	Thane	Casual Dining
10	Tossin Pizza	900	Pizza,Italian,Fast Food	Chembur	Casual Dining
11	Little West Pizza	600	Pizza	Borivali	Quick Bites
12	Ceremonial Kitchen & Co	1000	Seafood,Maharashtrian,North Indian,Chinese	Thane	Casual Dining
13	Moussestruck	200	Desserts	Andheri	none
14	Daftar Goregaon	750	Pizza,Chinese,North Indian,Beverages	Goregaon	Casual Dining
15	Poetry By Love & Cheesecake	1000	Cafe,Desserts	Juhu	Café
16	Makhan Singh	800	North Indian,Chinese,Biryani	Powai	none
17	The Joker Bistro	1200	North Indian,Chinese,Continental	CBD Belapur	Casual Dining
18	Cone Culture	250	European	Kharghar	Casual Dining
19	Peco Peco	700	Chinese,Seafood,Asian	Powai	none
20	Shuruwat- Veg Food Journey	600	Continental,Tea,South Indian,Fast Food,Pizza,N...	Ghatkopar	Casual Dining
21	Justice Cafe and Dine	800	Cafe,Chinese,Italian,Continental,North Indian,...	Thane	Café
22	Thangabali	1000	Seafood,South Indian,Mangalorean,Andhra,Kerala	Khar	Bar
23	Harsh's Bistro	800	Chinese,Continental	Malad	Casual Dining
24	Quarter Canteen	1100	North Indian,Seafood,Chinese	Bandra	Casual Dining
25	Culinary Tales	1200	Chinese,European,Continental,Salad,Italian,Pizza	Andheri	Casual Dining
26	Dum & Curry	700	Mughlai,North Indian,Chinese	Powai	Quick Bites
27	Curry Culture	800	North Indian,Biryani,Chinese,Kebab,Mughlai,Asian	Powai	none
28	Belo Pops	300	Ice Cream,Desserts,Beverages	Andheri	none
29	Tick-eat	800	North Indian,Italian,Chinese,Mexican,Lebanese	Mulund	Casual Dining
30	Coppetto Artisan Gelato	350	Ice Cream,Desserts	Bandra	Dessert Parlor
31	Zaika Restaurant & Party Hall	1000	North Indian,Chinese,Beverages	Bhayandar	Casual Dining
32	Shaolin Temple	1000	Chinese,Thai	CBD Belapur	Casual Dining
33	Spice Republic	1200	Cafe,Continental,Mediterranean,Mexican,Italian...	Borivali	Café
34	Aquafire Restaurant	1100	North Indian,Continental,Chinese,Italian	Vile Parle	Casual Dining
35	Rajdhani	950	Gujarati,Rajasthani,North Indian	Ghatkopar	Casual Dining
36	Wild Dining Restaurant	1200	North Indian,Continental,Mexican,Chinese	Andheri	Casual Dining
37	Family Tree	800	Italian,Mexican,North Indian,Chinese,Salad	Thane	Casual Dining
38	Bombay Salad Co.	900	Salad,Healthy Food,Juices	Bandra	Casual Dining
39	Cafe Monza	1000	Italian,American,Salad,Mexican	Kharghar	Casual Dining
40	Hitchki	1200	Modern Indian,North Indian,Chinese,Momos,Birya...	Bandra	Casual Dining
41	Vedge	1000	Thai,Chinese,North Indian,Mexican,Italian,Asian	Andheri	Casual Dining
42	Joey's Pizza	800	Pizza	Malad	Quick Bites

In [ ]: