

Topic 1: Introduction to Analytics

Instructor: Dr. Akash Gupta

Table of contents

1	What is Analytics	2
1.1	Definition of Analytics	2
1.2	Importance of Analytics in Decision Making	2
1.3	Applications of Analytics	3
2	Types of Analytics	6
2.1	Descriptive Analytics	7
2.2	Predictive Analytics	8
2.3	Prescriptive Analytics	8
3	Overview of Different Model Learning Types	9
3.1	Supervised Learning	9
3.2	Unsupervised Learning	10
3.3	Semi-Supervised and Reinforcement Learning	10
4	How Predictive Analytics Works	11
5	Data Types in Predictive Analytics	12
5.1	Numerical Data	12
5.2	Categorical Data	13
5.3	Textual Data	13
6	Target Variables	13
6.1	Definition of Target Variables	13
6.2	Types of Target Variables (Continuous vs. Categorical)	13
6.3	Role of Target Variables in Predictive Modeling	14

1 What is Analytics

1.1 Definition of Analytics

Analytics refers to examining data sets to uncover patterns, draw conclusions, and inform decision-making using data.

In a mathematical context, analytics can be understood as the application of statistical methods and algorithms to interpret complex datasets:

$$A = f(D)$$

Where:

- A is the output of analytic processes,
- f represents the analytic function or model,
- D is the input data, comprising various observed features.

1.2 Importance of Analytics in Decision Making

Analytics plays a critical role in modern decision-making processes across various sectors. The integration of analytical methods leads to more informed, data-driven decisions, which can significantly decrease uncertainty and improve outcomes.

1.2.1 Key Reasons for the Importance of Analytics:

1. **Data-Driven Insights:** Analytics provides empirical evidence that can support or refute assumptions, enhancing the quality of decisions.
2. **Risk Management:** Analytical techniques help identify, assess, and mitigate risks involved in various strategies, making organizations more resilient.
3. **Performance Optimization:** By analyzing key performance indicators (KPIs), organizations can identify areas for improvement, enhancing overall efficiency and effectiveness.
4. **Forecasting and Planning:** Predictive analytics enables businesses to anticipate market trends and consumer behavior, leading to better resource allocation.

1.2.2 Numerical Example:

Consider a retail company utilizing descriptive analytics to assess sales performance over the past year. Suppose the company collected monthly sales data as follows (in \$):

Month	Sales
January	100,000
February	150,000
March	120,000
April	170,000
May	130,000

To calculate the average monthly sales over this period, we can use the formula:

$$\text{Average Sales} = \frac{\sum_{i=1}^n S_i}{n}$$

Where:

- S_i is the sales in month i
- n is the number of months

Calculating:

$$\text{Average Sales} = \frac{100,000 + 150,000 + 120,000 + 170,000 + 130,000}{5} = \frac{670,000}{5} = 134,000$$

This simple analysis allows decision-makers to evaluate sales performance more effectively.

1.3 Applications of Analytics

Analytics has widespread applications across various fields, including finance, healthcare, marketing, and sports.

1.3.1 Healthcare

In the healthcare industry, predictive analytics is utilized to forecast patient admissions, manage resources, and improve patient outcomes.

1.3.1.1 Numerical Example:

Consider a hospital using historical data to predict the number of patient admissions during flu season. If the hospital has data for the past five years about admissions during January:

Year	Admissions
2019	200
2020	240
2021	220
2022	250
2023	230

Using a simple average to forecast for the upcoming January:

$$\text{Projected Admissions} = \frac{200 + 240 + 220 + 250 + 230}{5} = \frac{1140}{5} = 228$$

1.3.2 Marketing

In marketing, analytics assists in customer segmentation, campaign optimization, and ROI measurement.

1.3.2.1 Numerical Example:

Suppose a company ran two advertising campaigns with the following results:

Campaign	Cost	Leads Generated
Campaign A	\$10,000	1000
Campaign B	\$15,000	1800

To analyze cost efficiency, we calculate the cost per lead for each campaign:

$$\text{Cost per Lead for Campaign A} = \frac{10,000}{1000} = 10$$

$$\text{Cost per Lead for Campaign B} = \frac{15,000}{1800} \approx 8.33$$

From this analysis, Campaign B is more efficient in generating leads.

1.3.3 Sports Analytics

In sports, analytics is used to enhance player performance and game strategy.

1.3.3.1 Numerical Example:

Suppose a basketball player has the following shooting records over 8 games:

Game	Shots Made	Total Shots
1	5	10
2	7	12
3	3	8
4	8	10
5	6	11
6	5	7
7	4	9
8	9	11

To calculate the shooting percentage:

$$\text{Shooting Percentage} = \frac{\sum \text{Shots Made}}{\sum \text{Total Shots}} \times 100\%$$

Calculating:

$$\text{Total Shots Made} = 5 + 7 + 3 + 8 + 6 + 5 + 4 + 9 = 47$$

$$\text{Total Shots} = 10 + 12 + 8 + 10 + 11 + 7 + 9 + 11 = 88$$


$$\text{Shooting Percentage} = \frac{47}{88} \times 100\% \approx 53.41\%$$

This statistic can guide coaching decisions and player evaluations.

2 Types of Analytics

Analytics can be categorized into three types:

1. **Descriptive Analytics:** Describes what has happened in the past using historical data.
2. **Predictive Analytics:** Utilizes statistical models and machine learning techniques to forecast future outcomes.
3. **Prescriptive Analytics:** Recommends actions based on predictive analyses.



2.1 Descriptive Analytics

2.1.1 Definition and Purpose

Descriptive analytics refers to the interpretation and analysis of historical data to understand past behaviors and outcomes. It provides insights into what has happened, helping organizations to comprehend their past performance and identify trends.

Mathematically, descriptive statistics can be represented using measures such as mean, median, mode, variance, and standard deviation:

1. **Mean:**

$$\bar{x} = \frac{1}{n} \sum_{i=1}^n x_i$$

2. **Variance:**

$$\sigma^2 = \frac{1}{n} \sum_{i=1}^n (x_i - \bar{x})^2$$

3. **Standard Deviation:**

$$\sigma = \sqrt{\sigma^2}$$

2.1.2 Examples of Descriptive Analytics

1. **Sales Reports:** A company analyzes its quarterly sales data to identify the total sales, average sales per month, and compare them to previous quarters.
2. **Customer Demographics:** A retailer uses descriptive statistics to summarize customer demographics like age, gender, and location to understand their target market.
3. **Website Traffic:** An online business examines web analytics to report on unique visitors, bounce rates, and average session durations, presenting trends over time.
4. **Financial Performance:** A firm summarizes its annual financial statements to calculate total revenue, average net income, and year-over-year revenue growth.
5. **Health Statistics:** A healthcare organization evaluates patient admission rates, average patient stays, and demographics to assess the health facility's performance.

2.2 Predictive Analytics

2.2.1 Definition and Purpose

Predictive analytics utilizes historical data, machine learning, and statistical techniques to forecast future outcomes. It aids organizations in anticipating trends or behaviors and preparing accordingly.

The predictive model can be represented using regression analysis:

Simple Linear Regression:

$$y = \beta_0 + \beta_1 x + \epsilon$$

Where (y) is the dependent variable, (x) is the independent variable, (β_0) is the intercept, (β_1) is the coefficient, and (ϵ called epsilon) represents the error term.

2.2.2 Examples of Predictive Analytics

1. **Sales Forecasting:** A company uses past sales data to predict next quarter's sales using regression models.
2. **Credit Scoring:** A bank assesses the likelihood of loan default by predicting based on historical customer data, using logistic regression.
3. **Customer Behavior:** E-commerce platforms use visitor data to predict which products a customer is likely to purchase next, increasing personalization.

2.3 Prescriptive Analytics

2.3.1 Definition and Purpose

Prescriptive analytics focuses on recommending actions based on data-driven insights. It combines data analytics techniques with optimization and simulation algorithms to provide decision-making guidance.

Optimization problems can be represented mathematically:

Linear Programming:

$$\text{Maximize } Z = \beta^T x$$

Subject to:

$$Ax \leq b$$

$$x \geq 0$$

Where (Z) is the objective function, (β) are the coefficients, (x) is the vector of decision variables, and (A) and (b) represent constraint coefficients.

2.3.2 Examples of Prescriptive Analytics

1. **Supply Chain Optimization:** A logistics company utilizes prescriptive analytics to determine the most efficient routing of delivery vehicles while minimizing costs and meeting delivery windows.
2. **Portfolio Management:** Investment firms apply algorithms to suggest optimal asset allocations based on risk tolerance and projected returns.
3. **Healthcare Treatment Plans:** Algorithms suggest personalized treatment plans for patients by analyzing historical treatment outcomes and individual patient data.
4. **Marketing Channel Selection:** Businesses analyze data from past marketing campaigns to prescribe the most effective channels for future promotions.

3 Overview of Different Model Learning Types

3.1 Supervised Learning

Supervised learning involves training a model on labeled data, where the output variable is known. The goal is to learn a mapping from inputs to outputs that can predict outcomes for unseen data.

Common Algorithms:

- Linear Regression
- Logistic Regression
- Decision Trees
- Support Vector Machines
- Neural Networks

Example: Let's consider predicting house prices based on features such as size, location, and number of bedrooms using linear regression. The model learns to find the line that best fits the known price data.

3.2 Unsupervised Learning

In unsupervised learning, the model tries to learn patterns from unlabelled data. There are no predetermined outputs, and the goal is to explore the underlying structure.

Common Algorithms:

- K-means Clustering
- Hierarchical Clustering
- Principal Component Analysis (PCA)

Example: A company wants to segment customers based on purchasing behavior. The algorithm groups customers into clusters with similar purchasing habits without pre-labeled outcomes.

3.3 Semi-Supervised and Reinforcement Learning

- Semi-supervised learning combines both labeled and unlabeled data to improve learning accuracy.
- Reinforcement learning focuses on training agents to make decisions based on rewards or punishments.

Example Semi-supervised: Classifying images where only a fraction of images are labeled can enhance learning by integrating a small amount of labeled data with a large amount of unlabeled data, potentially improving accuracy significantly.

Example Reinforcement: A robotic agent learning to navigate a maze based on rewards for reaching the goal and penalties for hitting walls.

4 How Predictive Analytics Works



Figure 1: Predictive Analytics Process

The predictive analytics process consists of several stages, including problem definition, data preparation, model selection, and model evaluation. These stages

form a cyclic process that allows for continuous improvement of predictive models.

1. **Problem Definition:** Understand the objective of the predictive analytics task. Clearly define the outcome variable (what you want to predict) and the predictor variables (features used for prediction).
2. **Data Collection:** Gather historical data relevant to the outcome. This data can come from various sources like databases, APIs, or third-party data providers.
3. **Data Preparation:** Clean and preprocess the data to ensure high quality. This includes handling missing values, scaling features, and one-hot encoding categorical variables.
4. **Model Selection:** Choose appropriate algorithms based on the problem type (regression, classification, etc.). Common models include linear regression, decision trees, and neural networks.
5. **Model Development:** Train the selected model on the prepared dataset. Adjust hyperparameters to optimize model performance.
6. **Model Evaluation:** Assess the developed model using metrics like accuracy, precision, recall, or mean squared error (depending on whether the task is classification or regression).
7. **Deployment and Monitoring:** After evaluating the model, deploy it for real-time predictions. Continuously monitor the model's performance and retrain it as needed.

5 Data Types in Predictive Analytics

Understanding the different data types is crucial for building effective models. In this section, we will explore numerical, categorical, and textual data types and their significance in predictive analytics.

5.1 Numerical Data

Numerical data represents quantifiable values that allow arithmetic operations. It can be further classified into two sub-types:

1. **Continuous Data:** Can take any value within a given range (e.g., height, weight, temperature).

2. **Discrete Data:** Can only take specific, distinct values (e.g., number of students in a class, count of defective items).

5.2 Categorical Data

Categorical data represents discrete groups or categories without any intrinsic ordering. It can further be categorized into:

1. **Nominal Data:** Categories without order (e.g., colors, brands).
2. **Ordinal Data:** Categories with a defined order but no consistent difference between values (e.g., education level).

5.3 Textual Data

Textual data consists of unstructured or semi-structured text, which may include social media posts, articles, reviews, etc. Analyzing textual data often involves Natural Language Processing (NLP) methods to extract meaning and insights.

6 Target Variables

6.1 Definition of Target Variables

In the context of statistical modeling and machine learning, a target variable (also known as the dependent variable or response variable) is the main variable that we aim to predict or explain. Essentially, it represents the output of a model which is determined based on one or more predictor variables (independent variables).

6.2 Types of Target Variables (Continuous vs. Categorical)

Target variables can be classified into two primary types: continuous and categorical. Understanding these categories is fundamental as they determine the type of predictive modeling techniques that can be employed.

6.2.1 Continuous Target Variables

Continuous target variables can take any value within a given range and are often associated with measurements. Examples include height, weight, temperature, and financial figures.

Example 1: Predicting house prices based on square footage, number of bedrooms, and location. Here, house price is a continuous variable.

Example 2: Forecasting daily sales revenue for a retail store. The target variable, daily sales, can take a wide range of values depending on various factors.

Example 3: Estimating the time taken for a user to complete an online quiz. The completion time is a continuous variable measured in seconds or minutes.

Example 4: Predicting the blood pressure of a patient using various health indicators. Blood pressure readings represent a continuous range of values.

6.2.2 Categorical Target Variables

Categorical target variables, on the other hand, represent distinct groups or categories. They can be nominal (no intrinsic ordering) or ordinal (with a clear ordering). For instance, types of fruit (apple, orange, banana) or classifying emails as spam or not spam.

Example 1: Predicting whether a customer will buy a product (Yes/No). The target variable is categorical with two classes.

Example 2: Classifying different species of flowers based on their petal size and sepal length. Here, the species represent distinct categories.

Example 3: Deciding on customer satisfaction levels (Very Satisfied, Satisfied, Unsatisfied). This is an ordinal categorical variable because it has a meaningful order.

Example 4: Identifying the type of vehicle (car, truck, motorcycle) based on its features. Each type represents a distinct category.

6.3 Role of Target Variables in Predictive Modeling

Target variables play a pivotal role in predictive modeling as they define the model's objective. The choice and characteristics of the target variable determine the approach and algorithms best suited for the predictive analysis.

6.3.1 Implications of Target Variables

1. **Model Selection:** The type of target variable directly affects the method of analysis. For continuous variables, regression techniques (like linear regression, polynomial regression) are commonly used, while for categorical variables, classification algorithms (like logistic regression, decision trees, and random forests) are preferred.
2. **Evaluation Metrics:** Different target variables necessitate different evaluation metrics. Continuous target variables often utilize metrics like Mean Absolute Error (MAE) or Root Mean Square Error (RMSE), whereas categorical target variables may be evaluated using accuracy, precision, recall, and F1-score.