1 ☆ QUESTION: 1 GROUP: **Aptitude** SECTION: **Data Analysis** Mark(s): 1

2
3
4
5
6
7
8
9
10
11
12

**Direction:** Study the information given below and answer the question that follows.

Walter, who is a fermenter, arrives in India on a flight with his 20 barrels of cedar to sell. Each barrel consists of 1500L and he wants to distribute 26.66% of his total liters to five dealers for a sample sale, where they mix water with the cedar. The following table shows the percentage of distribution among them and their respective concentration of cedar after mixing with water.

| DEALER | % CEDAR | PERCENTAGE DISTRIBUTION OF CEDAR AMONG FIVE DEALERS |
|---|---|---|
| JESSE | 80 | 29 |
| JANE | 95 | 19 |
| JACOB | 92 | 23 |
| JASON | 85 | 17 |
| JOHN | 96 | 12 |

**Question:** If Jane, Jacob and John mix their solutions into one, then what will be the concentration (approx.) of cedar from the new solution?

89%

Previous Question Next Question

| | | |
|---|---|---|
| JESSE | 80 | 29 |
| JANE | 95 | 19 |
| JACOB | 92 | 23 |
| JASON | 85 | 17 |
| JOHN | 96 | 12 |



qualcomm 166539-10496083

**Question:** If Jane, Jacob and John mix their solutions into one, then what will be the concentration (approx.) of cedar from the new solution?

- 89%
- 94%
- 95%
- 79%

1 QUESTION: 2 GROUP: Aptitude SECTION: Data Analysis Mark(s): 1

2

**Direction:** Study the information given below and answer the question that follows.

3

Walter, who is a fermenter, arrives in India on a flight with his 20 barrels of cedar to sell. Each barrel consists of 1500 L and he wants to distribute 26.66% of his total liters to five dealers for a sample sale, where they mix water with the cedar. The following table shows the percentage of distribution among them and their respective concentration of cedar after mixing with water.

4

5

6

| DEALER | % CEDAR | PERCENTAGE DISTRIBUTION OF CEDAR AMONG FIVE DEALERS |
|---|---|---|
| JESSE | 80 | 29 |
| JANE | 95 | 19 |
| JACOB | 92 | 23 |
| JASON | 85 | 17 |
| JOHN | 96 | 12 |

7

8

9

10

11

**Question:** Find out the difference between the quantity (in liters) of water added by Jesse and that of John.

12

320

| | | DISTRIBUTION OF CEDAR AMONG FIVE DEALERS |
|---|---|---|
| JESSE | 80 | 29 |
| JANE | 95 | 19 |
| JACOB | 92 | 23 |
| JASON | 85 | 17 |
| JOHN | 96 | 12 |

**Question:** Find out the difference between the quantity (in liters) of water added by Jesse and that of John.

- 320
- 540
- 480
- 160

2

**Direction:** Study the information given below and answer the question that follows.

3 ☆

Walter, who is a fermenter, arrives in India on a flight with his 20 barrels of cedar to sell. Each barrel consists of 1500 L and he wants to distribute 26.66% of his total liters to five dealers for a sample sale, where they mix water with the cedar. The following table shows the percentage of distribution among them and their respective concentration of cedar after mixing with water.

4

5

6

| DEALER | % CEDAR | PERCENTAGE DISTRIBUTION OF CEDAR AMONG FIVE DEALERS |
|---|---|---|
| JESSE | 80 | 29 |
| JANE | 95 | 19 |
| JACOB | 92 | 23 |
| JASON | 85 | 17 |
| JOHN | 96 | 12 |

7

8

9

10

11

**Question:** There are two dealers whose final quantity is the same. Find the ratio of cedar to water when both their solutions are mixed.

12

1:9

| | | |
|---|---|---|
| JANE | 95 | 19 |
| JACOB | 92 | 23 |
| JASON | 85 | 17 |
| JOHN | 96 | 12 |

**Question:** There are two dealers whose final quantity is the same. Find the ratio of cedar to water when both their solutions are mixed.

- 1:9
- 1:18
- 9:1 ✓
- 18:1

2
**Direction:** Study the information given below and answer the question that follows.

3
Walter, who is a fermenter, arrives in India on a flight with his 20 barrels of cedar to sell. Each barrel consists of 1500 L and he wants to distribute 26.66% of his total liters to five dealers for a sample sale, where they mix water with the cedar. The following table shows the percentage of distribution among them and their respective concentration of cedar after mixing with water.

4 ☆

| DEALER | % CEDAR | PERCENTAGE DISTRIBUTION OF CEDAR AMONG FIVE DEALERS |
|---|---|---|
| JESSE | 80 | 29 |
| JANE | 95 | 19 |
| JACOB | 92 | 23 |
| JASON | 85 | 17 |
| JOHN | 96 | 12 |

5
6
7
8
9
10
11
**Question:** Who among the following added the least quantity (In liters) of water in cedar?

12
Jesse

10 11 12 13 14 15 16 17 18 19

| | | |
|---|---|---|
| JESSE | 80 | 29 |
| JANE | 95 | 19 |
| JACOB | 92 | 23 |
| JASON | 85 | 17 |
| JOHN | 96 | 12 |



**Question:** Who among the following added the least quantity (In liters) of water in cedar?

- Jesse
- Jason
- Jacob
- John ✓

Next Question

QUESTION: 6 GROUP: **Aptitude** SECTION: **Puzzles** Mark(s): 1

If CLIMB is coded as FOFJE, then which of thee following terms will be coded as VDCBU?

- SWEAR
- None of these
- SAFER
- SADLY

QUESTION: **7** GROUP: **Aptitude** SECTION: **Problem Solving** Mark(s): 1

It is known that Painter X is twice as efficient as Painter Y, and Painter Z takes thrice as many days as Painter X. A painting job can be performed by Painter Y and Painter Z alternatively in 80 days. How many days will Painters Z and X together take to finish the same painting job?

- 25 days
- 32 days
- 20 days
- 40 days

Previous Question | Next Question

TIME LEFT: 00:23:58

QUESTION: **8** GROUP: **Aptitude** SECTION: **Problem Solving** Mark(s): 1

25 members went to a cricket stadium, in which seats are numbered from 1 – 25. Find the probability that the seat number and the roll number of 25 members is the same. (Assume 25 members have their roll number from 1 to 25).

- 2/45!
- 1/25!
- 1/22!
- 4/30!

Previous Question Next Question

QUESTION: **9** GROUP: **Aptitude** SECTION: **Problem Solving** Mark(s): 1

Beaker A contains milk solution in which milk: water is 17:11. Some liter of this milk solution is kept out and put it into another beaker B. Now in beaker B 6.5 liter of milk and 4.5 liter of water is added so the ratio of milk: water becomes 3:2. Find how much amount of milk solution is kept out from beaker A.

- 12 liter
- 14 liter ✓
- 13 liter
- 10 liter

HirePro

Instructions

TIME LEFT: 00:23:48

5
6
7
8
9
10 ☆

QUESTION: **10** GROUP: **Aptitude** SECTION: **Puzzles** Mark(s): 1

How many such pairs of letters are there in the word **"IRREPLACEABLE"** which has as many letters between them (from both the sides) as in the alphabets from A to Z?

- Four
- Three
- One
- Zero

Previous Question Next Question

QUESTION: **11** GROUP: **Aptitude** SECTION: **Problem Solving** Mark(s): 1

A rectangle is made by tying the ends of four broken copper wire to each other. one copper wire is stretched along the same line from one end(three vertices remain the same place), so that length increase by 20%. By what percentage does the area of quadrilateral increases if the three vertices remain in the same place?

- 44%
- Cannot be determined
- 10% ✓
- 20%

QUESTION: **12** GROUP: **Aptitude** SECTION: **Logical Reasoning** Mark(s): 1

**Direction**: Study the information given below and answer the question that follows:

Five smartphones were launched in the month of March on dates 1, 8, 15, 22 and 29 in 2015, 2016, 2017, 2018 and 2019 respectively. X, P, G, M, F were the models that were launched on the five given dates not necessarily in the given order.

i) P was neither launched on Sunday nor 2018.

ii) F was launched on 29th March 2019, Friday.

iii) G was launched before P, but not before M.

**Question:** Which model was launched on 15th March?

- X
- P ✓
- M

Previous Question Next Question

QUESTION: **13** GROUP: **Aptitude** SECTION: **Logical Reasoning** Mark(s): 1

**Direction**: Study the information given below and answer the question that follows:

Five smartphones were launched in the month of March on dates 1, 8, 15, 22 and 29 in 2015, 2016, 2017, 2018 and 2019 respectively. X, P, G, M, F were the models that were launched on the five given dates not necessarily in the given order.

i) P was neither launched on Sunday nor 2018.

ii) F was launched on 29th March 2019, Friday.

iii) G was launched before P, but not before M.

**Question:** How many days were there between the launch of model G and model M?

- 372
- 360
- 361
- 371

Previous Question Next Question

QUESTION: **14** GROUP: **Aptitude** SECTION: **Logical Reasoning** Mark(s): 1

9
10
11
12
13
14
15
16
17
18
19

**Direction**: Study the information given below and answer the question that follows:

Five smartphones were launched in the month of March on dates 1, 8, 15, 22 and 29 in 2015, 2016, 2017, 2018 and 2019 respectively. X, P, G, M, F were the models that were launched on the five given dates not necessarily in the given order.

i) P was neither launched on Sunday nor 2018.

ii) F was launched on 29th March 2019, Friday.

iii) G was launched before P, but not before M.

**Question:** The model that was launched in the leap year was:

- G
- F
- X
- P

Previous Question Next Question

**Direction**: Study the information given below and answer the question that follows:

Five smartphones were launched in the month of March on dates 1, 8, 15, 22 and 29 in 2015, 2016, 2017, 2018 and 2019 respectively. X, P, G, M, F were the models that were launched on the five given dates not necessarily in the given order.

i) P was neither launched on Sunday nor 2018.

ii) F was launched on 29th March 2019, Friday.

iii) G was launched before P, but not before M.

**Question:** Model X was launched on:

- Tuesday
- 22nd March 2018 ✓
- Saturday
- 15th March 2017

Previous Question | Next Question

QUESTION: **16** GROUP: **Aptitude** SECTION: **Logical Reasoning** Mark(s): 1

9
10
11
12
13
14
15
16
17
18
19
20

**Direction**: Study the information given below and answer the question that follows:

Five smartphones were launched in the month of March on dates 1, 8, 15, 22 and 29 in 2015, 2016, 2017, 2018 and 2019 respectively. X, P, G, M, F were the models that were launched on the five given dates not necessarily in the given order.

i) P was neither launched on Sunday nor 2018.

ii) F was launched on 29th March 2019, Friday.

iii) G was launched before P, but not before M.

**Question:** Which model was launched on Sunday?

- X
- G
- P
- M ✓

Previous Question Next Question

DELL

9
10
11
2
3

QUESTION: **17** GROUP: **Aptitude** SECTION: **Problem Solving** Mark(s): 1

Without stoppage a person travels a certain distance at an average speed of 15 km / h, and with the stoppage he covers the same distance at an average speed of 12 km / h. How many minutes per hour does he stop?

- 16 min
- 15 min
- 18 min
- 12 min

Previous Question Next Question

QUESTION: **18** GROUP: **Aptitude** SECTION: **Problem Solving** Mark(s): 1

Rahul wants to purchase a gadget with a marked price of ₹14000. The shopkeeper gives him two successive discounts of 15% and 20%. However, Rahul wants to buy it with an approximate discount of 42%. How much is the approximate third successive discount that Rahul has to ask for?

- 14.70%
- 9.25%
- 18.00%
- 12.25%

Previous Question Next Question

In how many ways, can the letters of the word TAMANNA be arranged?

- 120
- 420
- 360
- 840

00:22:52

QUESTION: **20** GROUP: **Aptitude** SECTION: **Problem Solving** Mark(s): 1

Mr. Y mixes four varieties of rice costing Rs. 30, Rs. 40, Rs. 50 and Rs. 20 per kg respectively in the ratio of 4 : 3 : 2 : 5 in terms of weight. He sells the mixture at Rs. 45 per kg. What is the percentage of profit made by Mr. Y?

- 52.66%
- 48.74%
- 43.18%
- 40.99%

Previous Question Next Question

ePro

QUESTION: 21 GROUP: **Programming Basics** SE

What will be the output of the program given below?

```
#include <stdio.h>
int main()
{
    int x = 25;
    printf("%d  %d  %d\n", x, x << 2, x >> 2);
    return 0;
}
```

25 27 24

25 50 100

25 100 6

25 75 15

Instructions

21

QUESTION: 22 GROUP: **Programming Basics** SECTION: **Operating System Fundamentals** Mark(s): 1

22

What is the average waiting time for each process if at a time the scheduling queue consists of 34 processes with 9 processes arriving every second?

23

- 9 units
- 4 units
- 3.7 units
- 2.9 units

21

22

23 ☆

24

25

26

27

28

29

30

31

QUESTION: 23 GROUP: **Programming Basics** SECTION: **Operating System Fundamentals** Mark(s): 1

When the request is granted in deadlock avoidance algorithm, whenever a process requests a resource that is currently available?

I) The request is granted only if the allocation leaves the system in a safe state.

II) The request is granted either if the allocation leaves the system in a safe state or unsafe state.

- Neither (I) nor (II)
- Only (II)
- Both (I) and (II)
- Only (I)

QUESTION: **24** GROUP: **Programming Basics** SECTION: **Error Finding** Mark(s): 1

The given code attempts to print the product of 3 and 5, but there may be an error. Identify and fix the error (if any) in the code.

```
#include <stdio.h>     // Line 1
int main() {    // Line 2
    printf("The product of 3 and 5 is: %d\n", 3 * 5);   // Line 3
    return 0;
}
```



- Line 3
- Line 2
- No Error ✓
- Line 1

21

22

3

QUESTION: 25 GROUP: **Programming Basics** SECTION: **Operating System Fundamentals** Mark(s): 1

Which of the memory layout section given in options is also called as the 'bss' segment ?

- Code segment
- Uninitialized data segment
- Stack
- Initialized data segment

QUESTION: 26 GROUP: **Programming Basics** SECTION: **Data Structures Basics** Mark(s): 1

What is the memory location of item ARR[11][23] when the array is stored in row major and column major respectively?

Given array ARR[35][45] requires 4 byte for every element and base memory location is 3280.
[**Note**: **row-major order** storage, a multidimensional array in linear memory is organized such that rows are stored one after the other. **column-major order** is a similar method of flattening arrays onto linear memory, but the columns are listed in sequence.]

- 6244 and 7152
- 4912 and 7464
- 5352 and 6544
- 4292 and 4292

22

23

24

25

26

27 ☆

28

29

QUESTION: **27** GROUP: **Programming Basics** SECTION: **Computer Architecture** Mark(

Which one of the given options is the second level of memory?

- Secondary memory
- Register
- Cache memory
- Main memory

23 QUESTION: 28 GROUP

24

Which of the following statement given in the

25

```c
#include "stdio.h"
int main( )
{
    int *p1, i=25;
    void *p2 ;
    p1 =&i;
    p2=&i;
    p1 =p2 ;
    p2 =p1 ;
}
```

26

27

28

29

30

31

32 It will not show any error ✓

33 It will give the output: 25

34 It will show compile time error

35

25
26
27
28
29 ☆
30
31
32
33
34
35

```c
#include <stdio.h>
int main()
{
    register int m = 4, n = 5;
    if (m ^ n)
        printf("oops(m - 1)", "%d");      //Line 1
    else
        printf("%d", oops(n));
    return 0;
}

int oops(int t)
{
    int *p;
    *p = t + 1;                         //Line 2
    ++*p--;
    return *p + (*p = 2, 3);            //Line 3
}
```

```
}

int oops(int t)
{
    int *p;
    *p = t + 1;                    //Line 2
    ++*p--;
    return *p + (*p = 2, 3);       //Line 3
}
```

- No error
- Line 2
- Line 1
- Line 1 and Line 3

TIME LEFT 00:28:0

QUESTION: 30 GROUP: **Programming Basics** SECTION: **Data Structures Basics** Mark(s): 1

There is a stack X with capacity of 5 elements. If X initially contains R, A, P, U, V where the top points to element 'V'. If we use two more stacks of capacity 5, how many minimum POP an PUSH operations will be required to reverse the contents of stack X?

- 19 POP and 19 PUSH
- 13 POP and 13 PUSH
- 9 POP and 9 PUSH
- 11 POP and 12 PUSH

QUESTION: **31** GROUP: **Programming Basics** SECTION: **Computer**

Choose the correct option for preventing data hazards in a pipeline:

I) Increasing the latch latency

II) Decreasing the cycle time

III) Introduction of pipeline bubbles

IV) Delayed Branching and Branch Prediction

- Only (III)
- Only (IV)
- Only (I) and (II)
- (I), (II), (III) and (IV)

QUESTION: **32** GROUP: **Programming Basics** SECTION: **Error Finding** Mark(s): 1

The following C code segment attempts to print the product of 3 and 5. Identify any potential error (if exists) and choose the correct fix from the options provide

```
#include <stdio.h>

int main()   // Line 4
{
    printf("The product of 3 and 5 is: %d\n", 3 x 5);
    return 0;
}
```



- No Error
- Error: Incorrect operator usage; Fix: Replace 'x' with '*'
- Error: Missing semicolon; Fix: Add semicolon at the end of line 4
- Error: Missing argument in 'printf'; Fix: Add '%d' as the third argument in 'printf'

28

QUESTION: **33** GROUP: **Programming Basics** SECTION: **Computer Architecture** Mark(s): 1

9

In which of the condition given in options is the parity bit of the **EFLAGS** register of the X86 architecture set?

- When the most significant byte of the resultant operand contains a 1 bit even number.
- When the most significant byte of the resultant operand contains a 1 bit odd number.
- When the least significant byte of the resultant operand contains a 1 bit even number.
- When the least significant byte of the resultant operand contains a 2 bit odd number.

Given:

```
double temperature;
```

What does this line of code do?

- ◯ Declares a variable named temperature and assigns the value 0.0 to it.
- ◯ Incorrect syntax, it will result in a compilation error.
- ◯ Declares a variable named temperature without assigning a value.
- ◯ Assigns an initial value of 0.0 to the variable temperature.

30
31
32
33
34
35
36
37
38

Consider the statements given below:

```
static int ghi = 7;
printf("%d", ghi ^= 4 << sizeof(ghi));
```



After executing the statements given above, what will be the output?

- 48
- 7
- 71
- 64

29
30
31
2
3

QUESTION: **36** GROUP: **Programming Basics** SECTION: **Data Structures Basics** Mark(s): 1

How many passes are required to search **98** in the given list using binary search technique?

**90 43 98 54 21 32 56 45 67**

- 2
- 3
- 5
- 4

29
30
31
32
33
34
35
36

Convert **$(AA211)_{16}$** into Decimal.

- $(676000)_{10}$
- $(655360)_{10}$
- $(696849)_{10}$
- $(600000)_{10}$

QUESTION: **38** GROUP: **Programming Basics** SECTION: **Data Structures Basics** Mark(s): 1

How should the elements be accessed to get them in ascending order using the binary search tree?

- Elements cannot be sorted using binary search tree
- Preorder traversal
- Inorder traversal
- Postorder traversal

QUESTION: 39 GROUP: **Programming Basics** SECTION: **Computer Architecture** Mark(s): 1

29

0

Which of the below given statement(s) is/are true about the binary number 01101001 (already in two's complemented form)?

I) The given number is a positive signed number.

II) The given number is 105 in decimal.

- Only (I)
- Neither (I) nor (II)
- Both (I) and (II)
- Only (II)

```c
#include <stdio.h>

int main()
{
    static char *s[] = {"India", "Sri Lanka", "England", "Bangladesh"};
    static char**ptr[] = {s + 3, s + 2, s + 1, s};
    char ***p = ptr;
    printf("%s", **++p);
    printf("\n%s", *--*p + 4);
    return 0;
}
```

England
Lanka

HirePro

41

42

43

44

5

QUESTION: **41** GROUP: **Computer Science** SECTION: **Computer Architecture 1** Mark(s): 1

Which one of the given options is the correct description of Reorder Buffer (ROB) in branch prediction?

- ROB accommodates the result of a completed instruction before commit.
- ROB contains the address of the last taken branch instruction.
- ROB contains the address of the last taken Jump and Link instruction.
- ROB contains the address of the most recently completed instruction.

42 43 44 45 46 47 48 49 50 51

Choose the correct option about Super

I) Superscalar design executes multiple instructions in one clock cycle.

II) Super pipelined design executes multiple instructions in less than one cycle.

III) Superscalar design executes multiple instructions in less than one clock cycle.

IV) Super pipelined design executes single instruction in one clock cycle.

- Only (I)
- Only (II) and (IV)
- Only (III) and (IV)
- Only (II)

41
42
43
4

QUESTION: 43 GROUP: Computer Science SECTION: OOPS Mark(s): 1

Consider that we have a project with few modules in it. Based on the need one module collaborates with another module for complete project execution. Which of the f
module level encapsulation?

I) For each module, define a clear interface that specifies what the module does and how other modules can interact with it.
I) Use correct access specifier to each type available in the package so that only few types are accessible from other packages.

- Only (I)
- Only (II)
- Both (I) and (II)
- Neither (I) nor (II)

42 43 44 45 46 47 48 49 50 51 52 53

```
#include <stdio.h>
int main()
{
    void *ptr;                          //line4
    int mz = 9;                         //line 5
    ptr = &mz;                          //line 6
    printf("%d", *ptr);                 //line 7
}
```



Which of the statement given in the option is the correct one to be replaced in the program so that it will be error free?

- Line 7 - printf("%d",ptr);
- Line 4 - int *ptr; ✓
- Line 7 - printf("%d",&mz);
- Line 4 - void ptr;

Previous Question Next Question

41
42
43
44
45 ☆
46
47
48
49
50
51
52

QUESTION: 45 GROUP: **Computer Science** SEC

What will be the output of the program given below?

```
#include <stdio.h>
int main(void)
{
    int a, int b;
    a = 12, b = -12;
    a = a++ + a++;
    b = b-- - b--;
    printf("%d  %d  ", a, b);
    return 0;
}
```

26 0

25 1

24 0

41
42
43
44
45
46
47
48
9

QUESTION 46 GROUP Computer Science SECTION Data Structures Mark(s): 1

Identify the type of a binary tree by given property.

i) A tree where each parent node has only one associated child node.

- Full Binary Tree
- Complete Binary Tree
- Degenerate Tree
- None of the options given

QUESTION: 47 GROUP: Computer Science SECTION: C programming Mark(s): 1

To print the output as "Fri", which of the code snippet given in options should be replaced with ???

```
#include <stdio.h>
int main()
{
   char health[] = "First priority";
   ???
   return 0;
}
```



M

- ```
  printf("%c", health);
  printf("%c", *(health + 6));
  printf("%c", *(health + 10));
  ```

- ```
  printf("%c", health);
  ```

43
44
45
46
47
48 ☆
49
0

QUESTION: **48** GROUP: **Computer Science** SECTION: **Operating Systems** Mark(s): 1

What is the correct sequence of events that are required to use a resource to avoid a deadlock?

I) Release the resource

II) Use the allocated resource

III) Request for a resource



- (I), (II) and (III)
- (III), (II) and (I)
- (II), (I) and (III)

48 49 50 51 52 53 54 55

```c
#include <stdio.h>

int main() {
  int mat[2][3] = { {10, 40, 20}, {30, 60, 80} };

  int i, j;
  for (i = 0; i < 2; i++) {
    for (j = 0; j < 3; j++) {
      printf("%d ", mat[i][j]);
    }
  }
```

49

50

QUESTION: **54** GROUP: **Computer Science** SECTION: **Operating Systems** Mark(s): 1

In which of the memory management technique given in options memory is divided into different segmented blocks?

- Single contiguous allocation
- Partitioned allocation
- Paged memory allocation
- Segmented memory allocation

43
44
45
46
47
48
49
50

42 ☆ Choose the correct option about Super pipelined and Superscalar design architecture:

I) Superscalar design executes multiple instructions in one clock cycle.
II) Super pipelined design executes multiple instructions in less than one cycle.
III) Superscalar design executes multiple instructions in less than one clock cycle.
IV) Super pipelined design executes single instruction in one clock cycle.

- Only (I)
- Only (II) and (IV)
- Only (III) and (IV)
- Only (II)

Which of the below given statement(s) is/are true?

I) Overriden methods can change return types; overloaded methods cannot,except in the case of covariant returns.

II) Object reference return types can accept null as a return value.

- Only (I)
- Both (I) and (II)
- Only (II) ✓
- Neither (I) nor (II)

48
49
50
51 ☆
52
53
54
55
56

```c
#include <stdio.h>

int main() {
  int mat[2][3] = { {10, 40, 20}, {30, 60, 80} };

  int i, j;
  for (i = 0; i < 2; i++) {
    for (j = 0; j < 3; j++) {
      printf("%d ", mat[i][j]);
    }
  }

  return 0;
}
```

44
45
46
47
48
49 ☆

QUESTION: **49** GROUP: **Computer Science** SECTION: **OOPS** Mark(s): 1

Which of the below given statement(s) is/are true about "Class Modifiers"?

I) An abstract class can have both abstract and nonabstract methods.

II) The first concrete class to extend an abstract class must implement all of its abstract methods.

- Only (I)
- Only (II)
- Neither (I) nor (II)
- Both (I) and (II)

```c
#include <stdio.h>
int main()
{
    void *ptr;              //line4
    int mz = 9;             //line 5
    ptr = &mz;              //line 6
    printf("%d", *ptr);     //line 7
}
```



Which of the statement given in the option is the correct one to be replaced in the program so that it will be error free?

- Line 7 - printf("%d",ptr);
- Line 4 - int *ptr;
- Line 7 - printf("%d",&mz);

rePro

What will be the output of the below given C Program?

```c
#include <stdio.h>

int main() {
  int mat[2][3] = { {10, 40, 20}, {30, 60, 80} };

  int i, j;
  for (i = 0; i < 2; i++) {
    for (j = 0; j < 3; j++) {
      printf("%d ", mat[i][j]);
    }
  }

  return 0;
}
```

10 40 20 30 60

10 40 20

```c
#include <stdio.h>

int main() {
  int mat[2][3] = { {10, 40, 20}, {30, 60, 80} };

  int i, j;
  for (i = 0; i < 2; i++) {
    for (j = 0; j < 3; j++) {
      printf("%d ", mat[i][j]);
    }
  }

  return 0;
}
```