

Q8 /30

What is the domain name in the following URL?
(*not FQDN but domain name.)

`https://www.example.co.jp`

- A. ☐ `co.jp`
- B. ☐ `example`
- C. ☒ `example.co.jp` ✓
- D. ☐ `www.example.co.jp`

Answer >

Nikk is presenting

A

- Q2 Not Answered
- Q3 Not Answered
- Q4 Not Answered
- Q5 Not Answered
- Q6 Not Answered
- Q7 Not Answered
- Q8 Not Answered
- Q9 Not Answered
- Q10 Not Answered
- Q11 Not Answered
- Q12 Not Answered
- Q13 Not Answered
- Q14 Not Answered
- Q15 Not Answered
- Q16 Not Answered

Q11 /30

How much time will it take to search a set of size N managed by hash? You can assume that a collision has not occurred.

- A. ☒ $O(1)$ ✓
- B. ☐ $O(\log N)$
- C. ☐ $O(N)$ ~~worst~~
- D. ☐ $O(N \log N)$

Answer >

Nikk is presenting

A

- Q1
- Q2 Not Answ
- Q3 Not Answ
- Q4 Not Answ
- Q5 Not Answ
- Q6 Not Answ
- Q7 Not Answ
- Q8 Not Answ
- Q9 Not Answ
- Q10 Not Answ
- Q11 Not Answ
- Q12

Q9 /30

The below Javascript function receives an input of 3 integers a, b, c and output the median of the 3 integers.

```
function median(a, b, c) {  
  // When median is a  
  if (b <= a && a <= c) return a;  
  if (c <= a && a <= b) return a;  
  // When median is b  
  if (a <= b && b <= c) return b;  
  if (c <= b && b <= a) return b;  
  // When median is c  
  if (a <= c && c <= b) return c;  
  if (b <= c && c <= a) return c;  
}
```

Choose the correct statement below.

- A. ☒ This function works correctly. ✓
- B. ☐ If the 3 integer a, b, c have the same value, it will not work correctly, so you need to fix it.
- C. ☐ There is a case where nothing is returned, so you need to fix it.
- D. ☐ All of the above statements are incorrect.

Nikk is presenting

A

- Q2 Not Answered
- Q3 Not Answered
- Q4 Not Answered
- Q5 Not Answered
- Q6 Not Answered
- Q7 Not Answered
- Q8 Not Answered
- Q9 Not Answered
- Q10 Not Answered
- Q11 Not Answered
- Q12 Not Answered
- Q13 Not Answered
- Q14 Not Answered
- Q15 Not Answered
- Q16 Not Answered

Activities Chromium Web Browser Oct 12 10:12 AM 37.7% 27.2% en

track - Chromium

Email Accenture Japan Technol track Notes - Google Drive portalazure.com

app.tracks.run/shroad/exams/943f4a7daed748d2b46ba97e73419ee1/challenges/2981/4

Accenture Japan - 2021/2022 IIT Dhanbad Information Technology knowledge quiz 3 (2021) 18 mins 23 secs remain 2021/10/12 10:12:21 Saved

Q4 /30

The following Javascript function accept 2 32 bit integer of `number`, `i` as arguments and return a boolean value. `isSet(N, 0)` return `true` and `isSet(N, 3)` return `false` with non-negative integer `N`. Choose one correct statement below.

```
function isSet(number, i) {  
    return (number & (1 << i)) != 0;  
}
```

A. ☐ `N` is an odd number


B. ☐ `N` is not a 3 multiplier

C. ☐ `N` is 0

D. ☐ All the above statements are incorrect

Answer >

Q1
Q2 Not Answered
Q3 Not Answered
Q4 Not Answered
Q5 Not Answered
Q6 Not Answered
Q7 Not Answered
Q8 Not Answered
Q9 Not Answered
Q10 Not Answered
Q11 Not Answered
Q12 Not Answered
Q13 Not Answered
Q14 Not Answered
Q15 Not Answered
Q16 Not Answered
Q17 Not Answered
Q18 Not Answered
Q19 Not Answered
Q20 Not Answered
Q21 Not Answered
Q22 Not Answered
Q23 Not Answered



Nikk is presenting

Activities Chromium Web Browser Oct 12 10:12 AM 139% 35.3% en

track - Chromium

Email Accenture Japan Technol track Notes - Google Drive portal.azure.com

app.tracks.run/atroad/esams/943f4a7daed748d2b46ba57e73419ee1/challenges/2981/7

Accenture Japan - 2021/2022 IIT Dhanbad Information Technology knowledge quiz 3 (2021) 18 mins 4 secs remaining 2023/10/12 10:12:42 Saved

Q7 /30

Which one of the following languages is standard in Relational Databases?

A. ☐ Ruby

B. ☐ JavaScript

C. ☒ SQL

D. ☐ JQuery

Answer >

Q1 Not Answered

Q2 Not Answered

Q3 Not Answered

Q4 Not Answered

Q5 Not Answered

Q6 Not Answered

Q7 Not Answered

Q8 Not Answered

Q9 Not Answered

Q10 Not Answered

Q11 Not Answered

Q12 Not Answered

Q13 Not Answered

Q14 Not Answered

Q15 Not Answered

Q16 Not Answered

Q17 Not Answered

Q18 Not Answered


Q19 Not Answered

Q20 Not Answered

Q21 Not Answered

Q22 Not Answered

Q23 Not Answered



Nikk is presenting

Activities Chromium Web Browser Oct 12 10:12 AM 24.1MB 15.7MB en

track - Chromium

Email Accenture Japan Technol track Notes - Google Drive portalazure.com

app.tracks.run/shroad/exams/943f4a7daed748d2b46ba97e73419ee1/challenges/2981/0

Accenture Japan - 2021/2022 IIT Dhanbad Information Technology knowledge quiz 3 (2021) 18 mins 13 secs remaining 2021/10/12 10:12:34 Saved

Q6 /30

Choose the statement describing a digital signature that is wrong.

- A. ☐ It can check whether the software was tampered with or not. ✗
- B. ☐ A pair of keys is generated by the key generation algorithm. ✗
- C. ☐ It can authenticate the identity of the source messages. ✗
- D. ☐ It can detect where the tampering occurred but it cannot fix the tampering. ✓

Answer >

Q1 Not Answered
Q2 Not Answered
Q3 Not Answered
Q4 Not Answered
Q5 Not Answered
Q6 Not Answered
Q7 Not Answered
Q8 Not Answered
Q9 Not Answered
Q10 Not Answered
Q11 Not Answered
Q12 Not Answered
Q13 Not Answered
Q14 Not Answered
Q15 Not Answered
Q16 Not Answered
Q17 Not Answered
Q18 Not Answered
Q19 Not Answered
Q20 Not Answered
Q21 Not Answered
Q22 Not Answered
Q23 Not Answered

Nikk is presenting

A

Activities Chromium Web Browser Oct 12 10:12 AM 22.94% 18.94% en

track - Chromium

Email Accenture Japan Technol track Notes - Google Drive portal.azure.com

app.tracks.run/atroad/exams/943f4a7daed748d2b46ba97e73419ee1/challenges/2981/8

Accenture Japan - 2021/2022 IIT Dhanbad Information Technology knowledge quiz 3 (2021) 17 mins 54 secs remaining 2023/10/12 10:12:53 Saved

Q8 /30

What is the domain name in the following URL?
(*not FQDN but domain name.)

`https://www.example.co.jp`

A. ☐ .co.jp

B. ☐ example

C. ☒ example.co.jp ✓

D. ☐ www.example.co.jp

Answer >

Q1

Q2 Not Answered

Q3 Not Answered

Q4 Not Answered

Q5 Not Answered

Q6 Not Answered

Q7 Not Answered

Q8 Not Answered

Q9 Not Answered

Q10 Not Answered

Q11 Not Answered

Q12 Not Answered

Q13 Not Answered

Q14 Not Answered

Q15 Not Answered

Q16 Not Answered

Q17 Not Answered

Q18 Not Answered

Q19 Not Answered

Q20 Not Answered

Q21 Not Answered

Q22 Not Answered

Q23 Not Answered

Nikk is presenting

A

Activities Chromium Web Browser Oct 12 10:12 AM 45.0% 14.7% en

track - Chromium

Email Accenture Japan Technol track Notes - Google Drive portalazure.com

app.tracks.run/shroad/exams/943f4a7daed748d2b46ba57e73419ee1/challenges/2981/3

Accenture Japan - 2021/2022 IIT Dhanbad Information Technology knowledge quiz 3 (2021) 18 mins 37 secs remaining 2021/10/12 10:12:05 Saved

Q3 /30

Which one of the following is not included in the characteristics of a reliable transaction system?

A. ☐ Atomicity

B. ☐ Isolation

C. ☐ Consistency

D. ☐ Transparency ✓

Answer >

Q1 Not Answered

Q2 Not Answered

Q3 Not Answered

Q4 Not Answered

Q5 Not Answered

Q6 Not Answered

Q7 Not Answered

Q8 Not Answered

Q9 Not Answered

Q10 Not Answered

Q11 Not Answered

Q12 Not Answered

Q13 Not Answered

Q14 Not Answered

Q15 Not Answered

Q16 Not Answered

Q17 Not Answered

Q18 Not Answered

Q19 Not Answered

Q20 Not Answered

Q21 Not Answered

Q22 Not Answered

Q23 Not Answered

Nikk is presenting

Activities Chromium Web Browser Oct 12 10:12 AM 58.5% 22.4m en

track - Chromium

Email Accenture Japan Technol track Notes - Google Drive portal.azure.com

app.tracks.run/s/road/exams/943f4a7daed748d2b46ba97e73419ee1/challenges/2981/5

Accenture Japan - 2021/2022 IIT Dhanbad Information Technology knowledge quiz 3 (2021) 18 mins 19 secs remaining 2021/10/12 10:12:20 Saved

Q5 /30

Which is the explanation of directory traversal attacks?

- A. ☐ Jump directly to a page that is only allowed to be accessed after being authenticated, by estimating the directory path.
- B. ☐ Access to the server through internet and tamper/destroy data.
- C. ☐ Enter data containing malicious JavaScript code into the input field of the web application.
- D. ☐ Overflow the prepared buffer field by sending large amounts of data to the web application.

Answer >

Q1 Not Answered
Q2 Not Answered
Q3 Not Answered
Q4 Not Answered
Q5 Not Answered
Q6 Not Answered
Q7 Not Answered
Q8 Not Answered
Q9 Not Answered
Q10 Not Answered
Q11 Not Answered
Q12 Not Answered
Q13 Not Answered
Q14 Not Answered
Q15 Not Answered
Q16 Not Answered
Q17 Not Answered
Q18 Not Answered
Q19 Not Answered
Q20 Not Answered
Q21 Not Answered
Q22 Not Answered
Q23 Not Answered



Nikk is presenting

Activities Chromium Web Browser Oct 12 10:11 AM 63.1% 21.7% en

track - Chromium

Email Accenture Japan Technol track Notes - Google Drive portal.azure.com

app.tracks.run/atroad/exam/943f4a7daed748d2b46ba97e73419ee1/challenges/2981/2

Accenture Japan - 2021/2022 IIT Dhanbad Information Technology knowledge quiz 3 (2021) 19 mins 2 secs remaining 2021/10/12 10:11:35 Saved

Q2 /30

Which one of the following is an appropriate explanation of Cache?

- ☒ A mechanism that stores data such as images and icons in webpages to increase the display speed at the second and subsequent browsing of those webpages
- ☐ A method for specifying the style of a web page
- ☐ A mechanism for maintaining the login state until a certain time elapses or user decides to log out
- ☐ A download method that transfers and plays multimedia files such as voice and video

Answer >

Q1 Not Answered
Q2 Not Answered
Q3 Not Answered
Q4 Not Answered
Q5 Not Answered
Q6 Not Answered
Q7 Not Answered
Q8 Not Answered
Q9 Not Answered
Q10 Not Answered
Q11 Not Answered
Q12 Not Answered
Q13 Not Answered
Q14 Not Answered
Q15 Not Answered
Q16 Not Answered
Q17 Not Answered
Q18 Not Answered
Q19 Not Answered
Q20 Not Answered
Q21 Not Answered
Q22 Not Answered
Q23 Not Answered

Nikk is presenting

Choose the statement that correctly describes the actions of a Trojan horse.

- A. ☐ The attacker terminates a network connection by sending numerous connection requests to a computer.
- B. ☒ The attacker takes over control of a computer or steals secure information of a user through malware that was disguised to be unsuspecting and was installed by the user.
- C. ☐ The attacker exploits a vulnerability of a website to execute malicious code in the user's browser by injecting the script into the vulnerable website.
- D. ☐ The attacker calls the OS command of the website and tampers with the user's files.



- Q16 Not Answ
- Q17 Not Answ
- Q18 Not Answ
- Q19 Not Answ
- Q20 Not Answ
- Q21 Not Answ
- Q22 Not Answ
- Q23 Not Answ
- Q24 Not Answ
- Q25 Not Answ
- Q26 Not Answ

Choose the statement that is **NOT** true about symmetric-key encryption.

- A. ☐ The sender and the recipient use the same key.
- B. ☐ The computation is faster than public-key encryption.
- C. ☒ It uses a method called RSA, which is based on the difficulty of factoring large numbers.
- D. ☐ The key must be sent to the recipient.

Answer >

Nikk is presenting

A

Q16 Not Answ
Q17 Not Answ
Q18 Not Answ
Q19 Not Answ
Q20 Not Answ
Q21 Not Answ
Q22 Not Answ
Q23 Not Answ
Q24 Not Answ
Q25 Not Answ
Q26 Not Answ

You are trying to plant a lawn on a long narrow road. Your goal is to plant grass for all of the 1 [m] sections along an n [m] road. There may be some sections where grass has already been planted. You have a turf planter that you can use to plant grass continuously for k [m].

Please calculate the minimum number of times the turf planter must be used to plant grass along the entire length of the road. The turf planter can go over sections where turf has already been planted without doing any harm.

You want to plant a lawn along a road with the existing configuration of `W..W..W` in a case in which ($n = 7, k = 3$). `W` Indicates A Section Where Grass Has Been Already Planted `.` Indicates A Section Where Grass Has Not Been Planted Yet In This Case, You Can Plant Grass For All Of The Sections Along The Road By Using The Turf Planter Twice:

- Plant grass in the sections from 2 [m] to Four[m] from the left. This results in `WWW..W`.
- Plant grass the sections from Five [m] to 7[m] from the left. This results in `WWWWW..`.

You are given n, k Create a program to calculate the minimum number of times the turf planter must be used to plant grass in all of the sections.

Implementation details


CLI

Input rules


A standard input that satisfies the following format is given.

```
n k
string
```

Type here to search



TAKING YOU TO A
NEW REALITY
www.acer.com/moodreality



A standard input that satisfies the following format is given.

```
n k
string
```

The common conditions are as follows:

- $2 \leq n \leq 100000$, Integer
- $1 \leq k \leq n$, Integer
- The `string` is an n -length string that consists of only `.` or `W`.

25 % of the test cases satisfy the following additional condition:

- The `string` is an n -length string that consists of only `.`.

Output rules

Please display a standard output that satisfies the following format.

```
answer
```

- Print the minimum number in the first line.

Examples

Example 1

```
$ ./myApp < 00_sample1.in
```

00_sample1.in

```
7 3
W..W..W
```

Type here to search

1080

TAKING YOU TO A
NEW REALITY
www.acer.com/needreality

intel OPTANE
MEMORY

Accenture Japan --2021/2022 IIT Dhanbad



Turfing



Standard output

2



This is the example in the problem statement.



Example 2



```
$ ./myApp < 00_sample2.in
```

00_sample2.in

```
7 5
W..W..W
```

Standard output

1

You can achieve full coverage of the road by using the turf planter from 2 [m] to 6 [m] from the left.

Example 3

```
$ ./myApp < 00_sample3.in
```


00_sample3.in

```
7 5
.....
```

Standard output



Type here to search



For the two variables x and y, execute the following procedure from 1 to 4.
What is the value of x when processing is over?

1. Assign 2 to x and assign 3 to y.
2. Assign y by y minus 1.
3. Assign the sum of the value of x and the value of y into x.
4. If $y \neq 0$, return to step 2. If $y = 0$, the process is terminated.

Fill in the blanks of the following sentences with half-width numbers:

When processing is finished, the value of x becomes .

5

Answer >

Nikk is presenting

A

- Q16 Not Answ
Q17 Not Answ
Q18 Not Answ
Q19 Not Answ
Q20 Not Answ
Q21 Not Answ
Q22 Not Answ
Q23 Not Answ
Q24 Not Answ
Q25 Not Answ
Q26 Not Answ



Q26 /30



A binary program failed to run because it crashed due to lack of memory. Which of the following is **NOT** an appropriate action to solve this issue?

- A. ☐ Use garbage collection to prevent certain kinds of memory leaks.
- B. ☐ Terminate other processes running at the same time.
- C. ☐ Shorten the binary filename to save memory usage. ✓
- D. ☐ Consider running the program on a device with more RAM capacity.

Answer >

Nikk is presenting

A

Q16 Not Answ

Q17 Not Answ

Q18 Not Answ

Q19 Not Answ

Q20 Not Answ

Q21 Not Answ

Q22 Not Answ

Q23 Not Answ

Q24 Not Answ

Q25 Not Answ

Q26 Not Answ

a, b are integers larger than 1. The following python function must return the round-up value of $\frac{a}{b}$.

```
def ceil(a, b):
    return [ ① ]
```

Choose one **incorrect** choice for the syntax in [①].

In python, the expression `x // y` is the quotient obtained from dividing integers x by y (the remainder is truncated.)

- A. ☐ `(a - 1) // b + 1`
- B. ☐ `(a + b - 1) // b`
- C. ☐ `a // b + (a % b != 0)`
- D. ☐ `a // b + 1`

Nikk is presenting



A

- Q16 Not Answ
- Q17 Not Answ
- Q18 Not Answ
- Q19 Not Answ
- Q20 Not Answ
- Q21 Not Answ
- Q22 Not Answ
- Q23 Not Answ
- Q24 Not Answ
- Q25 Not Answ
- Q26 Not Answ

What is the technical term for manipulating a server-side database maliciously by sending a specific string of characters to the server via web page input?

- A. ☐ DoS attack
- B. ☐ Directory traversal attack
- C. ☐ Brute force attack
- ☒ D. SQL injection

Answer >

Nikk is presenting

A

- Q16 Not Answ
- Q17 Not Answ
- Q18 Not Answ
- Q19 Not Answ
- Q20 Not Answ
- Q21 Not Answ
- Q22 Not Answ
- Q23 Not Answ
- 📍 Q24 Not Answ
- Q25 Not Answ
- Q26 Not Answ

Which of the following is **NOT** a security measure against XSS (cross-site scripting) attacks?

- A. ☐ Encoding the URL when sending a dynamic string to the JavaScript.
- B. ☐ Detecting the attack by implementing an SNMP program in the web server.
- C. ☐ Checking whether a JavaScript code is embedded inside the "href" or "src" attribute of the "a" tag.
- D. ☐ Disabling the script when the input data is reloaded on the client in the web application.

A

1

30

plet

Ans

Q15 Not Ans

Q16 Not Ans

Q17 Not Ans

Q18 Not Ans

Q19 Not Ans

Q20 Not Ans

Q21 Not Ans

Q22 Not Ans

Q23 Not Ans

Q24 Not Ans

Q25 Not Ans

In UNIX-like OS, when trying to execute a command called foo in the /home/bar directory, the error `bash: foo: command not found` was displayed. Which command is used to solve this error?

- A. ☒ export PATH=/home/bar:\$PATH ✓
- B. ☐ export PWD=/home/bar
- C. ☐ export MANPATH=/home/bar:\$MANPATH
- D. ☐ export SHLVL=2

A


- Q15 Not Ans
- Q16 Not Ans
- Q17 Not Ans
- Q18 Not Ans
- Q19 Not Ans
- Q20 Not Ans
- Q21 Not Ans
- 📍 Q22 Not Ans
- Q23 Not Ans
- Q24 Not Ans
- Q25 Not Ans

Which of the following would most likely happen to you in the event of a DNS cache poisoning attack?

- A. ☐ Your password stored as a text file on your laptop would be leaked.
- B. ☐ Your desktop computer would be infected by a computer virus when executing a binary file attached to an email.
- C. ☒ If you were attempting to navigate to a favorite shopping website you would be redirected to a malicious site that looks very similar to the original one.
- D. ☐ Excessive requests would be sent to your website, causing the website to be unavailable.

Nikk is presenting

Answer >



Q16 Not Answ
Q17 Not Answ
Q18 Not Answ
Q19 Not Answ
Q20 Not Answ
Q21 Not Answ
Q22 Not Answ
Q23 Not Answ
Q24 Not Answ
Q25 Not Answ
Q26 Not Answ

There is a device connected to a network. The IP address of the device is 192.168.1.129 and the network uses a subnet mask of 255.255.255.192. Which is the correct network address for the network?

- A. ☐ 192.168.1.192
- B. ☒ 192.168.1.128
- C. ☐ 192.168.1.129
- D. ☐ 192.168.1.1

Answer >

Nikk is presenting

A

- Q17 Not Answ
- Q18 Not Answ
- Q19 Not Answ
- Q20 Not Answ
- Q21 Not Answ
- Q22 Not Answ
- Q23 Not Answ
- Q24 Not Answ
- Q25 Not Answ
- Q26 Not Answ
- Q27 Not Answ
- Q28 Not Answ

This python function receives an input an array `a` and returns the array sorted in ascending order.

```
def sort(a):  
    for i in range(len(a)):  
        for j in range(len(a)):  
            if a[i] < a[j]:  
                [ 7 ]  
    return a
```

Choose the appropriate formula to enter into [7].

- A. ☐ `a[i] = a[j]`
- B. ☐ `a[j] = a[i]`
- C. ☒ `a[i], a[j] = a[j], a[i]`
- D. ☐ `a[i] = a[i] + a[j]`

Nikk is presenting



- Q16 Not A
- Q17 Not A
- Q18 Not A
- Q19 Not A
- Q20 Not A
- Q21 Not A
- Q22 Not A
- Q23 Not A
- Q24 Not A
- Q25 Not A
- Q26 Not A
- Q27 Not A

Choose the networking protocol that provides secure file transfer between different computers.

- A. ☐ SSH
- B. ☒ SFTP
- C. ☐ SMTP
- D. ☐ HTTP

Answer >

Nikk is presenting

A

- Q16 Not A
- Q17 Not A
- Q18 Not A
- Q19 Not A
- Q20 Not A
- Q21 Not A
- Q22 Not A
- Q23 Not A
- Q24 Not A
- Q25 Not A
- Q26 A
- Q27 Not A

The below Java function receives an input of integer n and outputs the sum of $1 + 2 + \dots + n$.

```
static int sum(int n) {  
    int answer = 0;  
    for (int i = 0; i < n; i++) {  
        answer += i + 1;  
    }  
    return answer;  
}
```

Choose the **incorrect** statement from below.

`int` is a signed 32 bit integer.

- A. ☒ If this function is given an input of negative n , it will loop infinitely. ✓ A
- B. ☐ `int` is not a multi-precision integer type, so an overflow will occur if you enter a large value.
- C. ☐ `sum (0)` will return `0`.
- D. ☐ All of the above is correct.

A

- Q3 Not Answered
- Q4 Not Answered
- Q5 Not Answered
- Q6 Not Answered
- Q7 Not Answered
- Q8 Not Answered
- Q9 Not Answered
- Q10 Not Answered
- Q11 Not Answered
- Q12 Not Answered
- Q13 Not Answered
- Q14 Not Answered

Which feature has improved in IPv6 compare to IPv4?

- A. ☐ An IP address is represented by a pair of network address and subnet mask.
- B. ☐ Subnet mask was introduced to effectively utilize the address space.
- C. ☐ We tried to make effective use of IP address by introducing private address.
- D. ☒ Assigned 128 bits as address space.

Answer >

Nikk is presenting

A

- Q17 Not Answered
- Q18 Not Answered
- Q19 Not Answered
- Q20 Not Answered
- Q21 Not Answered
- Q22 Not Answered
- Q23 Not Answered
- Q24 Not Answered
- Q25 Not Answered
- Q26 Not Answered
- Q27 Not Answered
- Q28 Not Answered

< Q15 /30 >

Which is **NOT** an appropriate sentence to describe RESTful APIs?

- A. ☐ A URL identifies a unique resource.
- B. ☐ Requests from a client to the server cannot take advantage of any stored context on the server under the REST principles of statelessness.
- C. ☐ A URI in each request needs to have predefined tags such as **GET** and **POST** in accordance with the type of each operation.
- D. ☐ A REST API server normally provides information about whether a specific request has been successfully completed via HTTP status codes such as **200** and **404**.

Nikk is presenting

Answer >



Q1

Q2 Not Answered

Q3 Not Answered

Q4 Not Answered

Q5 Not Answered

Q6 Not Answered

Q7 Not Answered

Q8 Not Answered

Q9 Not Answered

Q10 Not Answered

Q11 Not Answered

Q12 Not Answered



Choose the statement that correctly describes a checksum

- A. ☐ Monitor the behavior of target inputs by executing them in the virtual environment of a memory.
- B. ☐ Compare the hash value of target data with the hash value of a known virus file.
- C. ☒ Compare target data with original data stored in a safe place.
- D. ☐ Add information to target data in advance and enables users to check if the target is not unintentionally changed by calculating it again.

Answer >

Nikk is presenting

A

Q1

Q2 Not Answered

Q3 Not Answered

Q4 Not Answered

Q5 Not Answered

Q6 Not Answered

Q7 Not Answered

Q8 Not Answered

Q9 Not Answered

Q10 Not Answered

Q11 Not Answered

Q12 Not Answered

What is the hostname in the following URL?

`https://www.example.co.jp`

- A. ☐ co.jp
- B. ☒ example
- C. ☐ www
- D. ☐ https

Answer >

Nikk is presenting

1
A

- Q2 Not Answered
- Q3 Not Answered
- Q4 Not Answered
- Q5 Not Answered
- Q6 Not Answered
- Q7 Not Answered
- Q8 Not Answered
- Q9 Not Answered
- 📍 Q10 Not Answered
- Q11 Not Answered
- Q12 Not Answered
- Q13 Not Answered
- Q14 Not Answered
- Q15 Not Answered

Which one of the following passwords has the highest probability of not getting exposed to a third party?

- A. ☐ tokyo2018
- B. ☒ DaBg@X1y3
- C. ☐ 201801211
- D. ☐ TQ12a01bf

Answer >

Nikk is presenting

A

Q1

Q2 Not Answered

Q3 Not Answered

Q4 Not Answered

Q5 Not Answered

Q6 Not Answered

Q7 Not Answered

Q8 Not Answered

Q9 Not Answered

Q10 Not Answered

Q11 Not Answered

Q12 Not Answered