


Aptitude ends in
00:07:30

Aptitude



Software

Starts in 00:07:30

[Go to Software >](#)

2. A fair white die


[< Previous](#)

[Next >](#)

The given bar graph shows the results from rolling one white and one red dice.

Assume that the white die is fair (has an equal chance of landing on each of its faces). What is the probability that the mean score will increase after one more roll?

Red die and White die



Answer Options

Select any one option


[Clear Answer](#)

☐ 1/6

☐ 1/3

☒ 2/3


☐ 5/6



[Submit test](#)

Aptitude ends in
00:07:29

Aptitude



Software

Starts in 00:07:29

[Go to Software >](#)



[Submit test](#)

3. A luxury shoe store

[< Previous](#)

[Next >](#)

A luxury shoe store wants to open a new franchise in a city. The store owner decides to install display units on all four walls of the store by hiring a fixture maker. However, on completion of the installation, the store owner complained saying that a portion of a high wall was missing display units.

The manager of the fixture company asked the workers as to whose fault it was but the workers refused to say anything. Hence, the manager decides to question the workers and the following facts are ascertained:

- (1) No one other than W1, W2, W3 was involved in installing displays.
- (2) W3 never does a job without the help of W1 (and possibly others) as an accomplice.
- (3) W2 does not know how to install fixture on high walls.

Is W1 innocent or guilty?

Answer Options

Select any one option

[Clear Answer](#)


☐ No, W1 is innocent.

☒ Yes, W1 is guilty.

☐ Insufficient information

☐ Cannot be determined

Answer Saved



Aptitude ends in
00:07:31

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 00:07:31

[Go to Software >](#)



[Submit test](#)

1. A parking lot

[< Previous](#)

[Next >](#)

A parking lot has several vehicles facing North. In a particular row, V1 is 20th from the left of V2, who is 27th from the right end. Another vehicle V3 is 19th from the left end and 11th from the right of V1.

How many vehicles are there in this row?

Answer Options

Select any one option

[Clear Answer](#)


☐ 44

☒ 54

☐ 50

☐ 40

Answer Saved



Aptitude ends in
00:07:24

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 00:07:24

[Go to Software >](#)



[Submit test](#)

5. The Christmas carols

[< Previous](#)

[Next >](#)

You are organizing a program for Christmas and want to form a choir group. You want the choir group to consist of 3 boys and 2 girls from a group of 7 boys and 10 girls.

In how many ways can you form the choir group if one boy and one girl refuse to sing together?

Answer Options

Select any one option

[Clear Answer](#)


☐ 1460 ways

☐ 1540 ways

☒ 1440 ways


☐ 1600 ways

Answer Saved



Aptitude ends in
00:07:22

Aptitude



Software

Starts in 00:07:22

[Go to Software >](#)



[Submit test](#)

6. Profits made by Mrs. Lindsay ✓


[< Previous](#)

[Next >](#)


The given line graphs show the exchange rate dynamics during one week.

On Tuesday, Mrs. Lindsay bought 200 British Pounds using US Dollars. On Wednesday, she exchanged these 200 British Pounds back into US Dollars. What profit did Mrs. Lindsay make?

Note: Assume that there was zero transaction cost.




Euros per 1 British Pound



Aptitude ends in
00:07:26

Aptitude



Software

Starts in 00:07:26

[Go to Software >](#)



[Submit test](#)

4. Determine value of X

[< Previous](#)

[Next >](#)

What can be used in place of X to complete the given series?

17, 24, 33, 44, X

Answer Options

Select any one option

[Clear Answer](#)


☐ 55

☒ 57

☐ 66

☐ 65

Answer Saved



Aptitude ends in
00:07:19

Aptitude



Software

Starts in 00:07:19

[Go to Software >](#)

8. Drip irrigation for lawns

[< Previous](#)

[Next >](#)

Gardener: When adding lawns for the new house, we should install drip irrigation system in addition to the sprinklers. This will ensure that the lawns don't dry out in case someone forgets to water the lawn and reduce damage in the garden. The cost of installing drip irrigation system is relatively lower when compared to redoing the lawns due to the damage caused by under watering.

House owner: Installing drip irrigation systems are very expensive and unnecessary and seem like a wasteful expense.

Which of these choices, if true, could best be used to support the Gardener's proposal in the face of the House owner's objection?

Answer Options

Select any one option

[Clear Answer](#)

☒ The use of sprinklers can still reduce the longevity of the lawns due to underwatering.

☐ Severe rains can cause the lawns to rot


☐ During a snow storms, all the lawn gets slightly damaged.

☐ Drip irrigation system can save the lawns when nobody is there to water it.

Answer Saved




[Submit test](#)



Aptitude ends in
00:07:20

Aptitude



Software

Starts in 00:07:20

[Go to Software >](#)



[Submit test](#)

7. Bob's shop

[< Previous](#)

[Next >](#)

Bob is a retailer selling rice in his shop. He mixes two varieties of rice R1 and R2 together in the ratio 4:7 and sells this mixture at a price of Rs. 17 per kg. Due to this, he incurs a loss of 15%.

In the given context, what is the cost price per kg of R1 if the cost price of R2 is Rs. 22 per kg?

Answer Options

Select any one option

[Clear Answer](#)


☐ Rs. 15

☒ Rs. 16.5

☐ Rs. 17

☐ Rs. 17.5

Answer Saved



Aptitude ends in
00:07:10

Aptitude



Software

Starts in 00:07:10

[Go to Software >](#)

12. Grids A and B

[< Previous](#)

[Next >](#)

The two grids **A** and **B** given below follow a certain pattern. Analyse **A** and determine the correct value of '?' in **B**.

3	9	4
8	2	14
3	12	6

A

4	13	5
?	4	15
2	12	6

B

Answer Options

Select any one option

[Clear Answer](#)


☐ 10

☒ 11

☐ 12

☐ 14

Answer Saved



[Submit test](#)

Aptitude ends in
00:07:16

9. Jill goes on vacation

[< Previous](#)[Next >](#)

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 00:07:16

[Go to Software >](#)

Jill is on a vacation and decides to go fishing one day. She goes 8 km against the current of the stream in 4 hours and goes 3 km along the current in 40 minutes.

How long will it take for her to go 10 km in still water?

Note: Select the accurate time in hours and minutes.

Answer Options

Select any one option

[Clear Answer](#)

☐ 3 hrs 30 mins


☐ 4 hrs

☐ 2 hrs

☐ 2 hrs 30 mins



Submit test



Aptitude ends in
00:07:12

Aptitude



Software

Starts in 00:07:12

[Go to Software >](#)



[Submit test](#)

11. Jia's pocket money

[< Previous](#)

[Next >](#)

Jia receives an amount X as pocket money every month. Of the total amount received, Jia spends 20% on necessary purchases and 5% of the remaining amount on transportation.

If she is left with Rs. 1520, the what is X in the given context?

Answer Options

Select any one option

[Clear Answer](#)


☒ Rs. 2000

☐ Rs. 5500

☐ Rs. 2500

☐ Rs. 6080

Answer Saved



Aptitude ends in
00:07:09

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 00:07:09

[Go to Software >](#)

13. Disappointed customers

[< Previous](#)

[Next >](#)

Jake is a butcher. Given below is his selling procedure:

1. Get the order from the customer
2. Weigh the meat on the goods pan against the weights put on the weighing pan
3. Give it to the customer.

However, certain criteria need to be met.

1. The order can be anything in kilograms as long as it is a whole number.
2. The weight cannot be placed in the goods pan in the weighing machine.
3. Jake has to weigh the meat at one go and can't do it in parts.
4. If Jake can't measure the weight, he sends them back.

Jake has weights of 1, 2, 4, 8, 16, 32, 64 kilograms. Customers start coming to Jake's shop right from the morning. A customer buys the same weight of meat as his number. For instance, customer number 32 buys 32 kilograms of meat. A total of 128 customers come to Jake's shop on Wednesday.

How many customers went away disappointed that day?

Answer Options

Select any one option

[Clear Answer](#)


☐ 0

☒ 1

☐ 2

☐ 3

Answer Saved



Submit test

Aptitude ends in
00:07:15

Aptitude



Software

Starts in 00:07:15

[Go to Software >](#)



[Submit test](#)

10. The profession of E

[< Previous](#)

[Next >](#)

There are six people A, B, C, D, E, and F in a family. They are an Engineer, Manager, Painter, Jeweler, Doctor, and Lawyer by profession.

1. The doctor is the grandfather of F, who is an Engineer.
2. The manager D is married to A.
3. C, the jeweler, is married to the Painter.
4. B is the mother of E and F.
5. E is a bachelor.

Using the given information, determine the profession of E?

Note: It is given that no person other than A, B, C, D, E, and F is involved in the relationships described above.

Answer Options

Select any one option

[Clear Answer](#)


☐ Engineer

☐ Jeweler

☐ Manager

☒ Lawyer

Answer Saved



Aptitude ends in
00:07:05

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 00:07:05

[Go to Software >](#)

16. Missing value in B

[< Previous](#)

[Next >](#)

The two grids **A** and **B** given below follow a certain pattern. Analyse **A** and determine the correct value of '?' in **B**.

35	3	26
45	17	31
39	21	32

A

57	30	51
62	?	21
36	10	42

B

Answer Options

Select any one option

[Clear Answer](#)


☐ 11

☒ 10

☐ 9

☐ 8


Answer Saved



Submit test

Aptitude ends in
00:07:08

Aptitude



Software

Starts in 00:07:08

[Go to Software >](#)



[Submit test](#)

14. Selling Ras Malai

[< Previous](#)

[Next >](#)

The given table shows the ratio of the marked price and cost price of the items and the discount % and the profit earned by Martin.

It is given that the cost price of Rasmalai is as same as the cost price of Rasgulla. The marked price of Rasgulla is 25% more than the cost price.

Find the profit earned by Martin after selling the Ras Malai if the marked price of Ras Malai is 56.25% more than the cost price of Rasmalai.

Items	Marked Price: Cost Price	Discount %	Profit (in Rs)
Gulab Jamun	25:18	-	63
Rasgullah	-	8%	48
Ras Malai	-	20%	-
Kaaju Katli	6:5	-	-
Laddu	25:18	-	45

Answer Options

Select any one option

[Clear Answer](#)


☐ Rs. 60

☒ Rs. 80

☐ Rs. 100

☐ Rs. 120

Answer Saved



Aptitude ends in
00:07:36

20. A staff quarters

< Previous

Next >

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 00:07:36

[Go to Software >](#)

In a staff quarters of a research facility, there are 8 houses in a row and one family belonging to each scientist lives with the below given conditions.

1. Scientist B is not the neighbour of Scientist A.
2. Scientist C lives next to the left of Scientist D.
3. There is at least one house to the left of Scientist D's house.
4. Scientist E lives in one of the two middle houses.
5. Scientist F lives in a house that is between Scientist E and Scientist D's house.
6. At least one house is to the right of Scientist G
7. Scientist C does not live between Scientist H and Scientist D.

Which of these conclusions derived from the above given information are incorrect?

Conclusions:

1. Scientist G lives in the house that is in between Scientist B and H's houses.
2. Scientist H lives in the house that is in between Scientist E and A's houses.

Answer Options

Select any one option

[Clear Answer](#)


☐ Only (1) conclusion is incorrect

☐ Only (2) conclusion is incorrect

☒ Either (1) or (2) is incorrect

☐ Both (1) and (2) are incorrect


Answer Saved



[Submit test](#)

Aptitude ends in
00:07:00

Aptitude



Software

Starts in 00:07:00

[Go to Software >](#)



[Submit test](#)

19. Travelling from city A to B

[< Previous](#)

[Next >](#)

Analyze the given assumptions and the conclusion and choose the assumption **X** that makes the conclusion valid

Assumption 1: All people travelling by a bike from city A to city B get mud on their sleeves

Assumption 2: X

Conclusion: Keith travelled from city A to city B.

Answer Options

Select any one option

[Clear Answer](#)


☒ Keith has mud on his sleeve

☐ Keith travelled from city A

☐ Keith travelled to city B


☒ None of these

Answer Saved



Aptitude ends in
00:07:06

Aptitude



Software

Starts in 00:07:06

[Go to Software >](#)



[Submit test](#)

15. Ratio of milk and water

[< Previous](#)

[Next >](#)

In what ratio must water be mixed with milk to gain $14\frac{2}{3}\%$ on selling the mixture at cost price?

Answer Options

Select any one option

[Clear Answer](#)


☐ 7:25

☐ 3:25

☐ 6:25


☒ 11:75

Answer Saved



Aptitude ends in
00:06:59

Aptitude



Software

Starts in 00:06:59

[Go to Software >](#)

20. A staff quarters

[< Previous](#)

[Next >](#)

In a staff quarters of a research facility, there are 8 houses in a row and one family belonging to each scientist lives with the below given conditions.

1. Scientist B is not the neighbour of Scientist A.
2. Scientist C lives next to the left of Scientist D.
3. There is at least one house to the left of Scientist D's house.
4. Scientist E lives in one of the two middle houses.
5. Scientist F lives in a house that is between Scientist E and Scientist D's house.
6. At least one house is to the right of Scientist G
7. Scientist C does not live between Scientist H and Scientist D.

Which of these conclusions derived from the above given information are incorrect?

Conclusions:

1. Scientist G lives in the house that is in between Scientist B and H's houses.
2. Scientist H lives in the house that is in between Scientist E and A's houses.

Answer Options

Select any one option

[Clear Answer](#)


☐ Only (1) conclusion is incorrect

☐ Only (2) conclusion is incorrect

☒ Either (1) or (2) is incorrect

☐ Both (1) and (2) are incorrect


Answer Saved



[Submit test](#)

Aptitude ends in
00:07:02

Aptitude



Software

Starts in 00:07:02

[Go to Software >](#)



[Submit test](#)

18. New clock in a library ✓

[< Previous](#)

[Next >](#)

On a particular day, a library installed a new clock which gains time uniformly. The librarian observes the clock on a Monday morning and notices that the clock is 10 mins slow at 10:00 AM.

She then observes the clock again on the following Monday and notices that the clock is 10 mins 50 seconds fast at 10:00 PM.

Analyse the given scenario and determine when this clock will show the correct time.

Note: Select the accurate time in hours and minutes.

Answer Options

Select any one option

[Clear Answer](#)


☒ 12:25 pm on Thursday

☐ 12:25 am on Thursday

☐ 10:00 pm on Thursday

☐ 10:25 pm on Wednesday

Answer Saved



Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

2. Conditional jumps in 8051

< Previous

Next >

Which of these conditional jumps can be used in the 8051 microcontroller to jump if a specific bit is set to one?

Answer Options

Select any one option


Clear Answer

☐ JC (Jump if Carry)

☐ JZ (Jump if Zero)

☒ JB (Jump if Bit is Set)

☐ JNZ (Jump if Not Zero)



Submit test

Aptitude ends in
00:07:04

17. Result of 89×73

[< Previous](#)[Next >](#)

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 00:07:04

[Go to Software >](#)

In a certain system, two positive integers are multiplied in a certain way. Given below are some examples:

$$1. 55 \times 53 = 2$$

$$2. 45 \times 60 = 5$$

$$3. 65 \times 55 = 1$$

Analyse the given expressions and determine the result of the expression 89×73 .

Answer Options

Select any one option

[Clear Answer](#)

☐ 0

☐ 1


☐ 2

☒ 3

Answer Saved



Submit test



Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

5. Implementing a binary search algorithm ✓

< Previous

Next >

When implementing a binary search algorithm in an array, you observe that the input element x is less than the middle element m .

What does the algorithm do in this scenario?

Answer Options

Select any one option

Clear Answer


☐ The algorithm recurs for indices higher than the index of m .

☒ The algorithm recurs for indices lower than the index of m . ✓

☐ Either Choice 1 or 2.

☐ Neither Choice 1 nor 2.

Answer Saved



Submit test

Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

3. Binary search on an array

< Previous

Next >

The following pseudocode is used to perform a binary search on an array:

```
binarySearch(A[0..N-1], value, low, high) {  
  if (low > high)  
    return -1
```

```
  mid = low + (high - low) / 2
```

```
  if (A[mid] == value)
```

```
    return mid
```

```
  else if (A[mid] > value)
```

```
    XXX
```

```
  else
```

```
    return binarySearch(A, value, mid+1, high)
```

```
}
```

What should replace XXX to complete the code?

Answer Options

Select any one option

[Clear Answer](#)


☐ return mid - 1

☒ return binarySearch(A, value, low, mid-1) 

☐ return binarySearch(A, value, low+1, mi

☐ return binarySearch(A, value, mid, high)

Answer Saved



Submit test

Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

6. A dynamic memory allocation

< Previous

Next >

Consider a dynamic memory allocation scenario in a system that uses a first-fit memory allocation strategy. Initially, the memory is divided into the following blocks:

Block 1: 120KB

Block 2: 80KB

Block 3: 200KB

Block 4: 60KB

Processes request the following memory allocations in sequence:

Process A requests 70KB

Process B requests 90KB

Process C requests 50KB

Process D requests 130KB

After these allocations, what type of fragmentation, if any, is present in the memory?

Answer Options

Select any one option

Clear Answer


☐ Internal Fragmentation 

☐ External Fragmentation

☒ Both Internal and External Fragmentation

☐ No Fragmentation

Answer Saved



Submit test

Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

4. Types of fragmentation

< Previous

Next >

In a memory management scheme using variable-sized partitions, a system allocates memory blocks of sizes 100KB, 200KB, and 300KB to various processes. After some processes terminate, the free memory blocks are as follows:

50KB

150KB

250KB

What type of fragmentation is occurring in this scenario?

Answer Options

Select any one option

Clear Answer

☐ Internal Fragmentation

☒ External Fragmentation


☐ Both Internal and External Fragmentation

☐ No Fragmentation

Answer Saved



Submit test



Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

8. A singly linked list

< Previous

Next >

You are given a singly linked list and need to determine if it contains a cycle. You can use the following node structure:

```
struct Node {  
    int data;  
    struct Node* next;  
};
```

Which of the following approaches correctly detects a cycle in the linked list?


Answer Options

Select any one option

Clear Answer

- ☐ Use a hash table to keep track of the nodes you have visited and check if you encounter a node more than once.
- ☒ Implement Floyd's Cycle Detection algorithm (Tortoise and Hare algorithm) by using two pointers that traverse the list at different speeds. 
- ☐ Traverse the list and count the number of nodes, then check if the last node points back to any of the previous nodes.
- ☐ Reverse the linked list while traversing and check if you encounter any node that points back to itself.

Answer Saved




Submit test

Software ends in 29 min

Aptitude

Submitted

Software



9. Using the sliding window approach ✓

< Previous

Next >

Given an array of n integers and an integer k , the task is to find the maximum sum of any k consecutive elements. The following pseudocode uses a sliding window approach to solve this:

Procedure maxSumOfKConsecutive(arr, n , k)

max_sum = 0

current_sum = 0

For $i = 0$ to $k - 1$ do

current_sum = current_sum + arr[i]

max_sum = current_sum

For $i = k$ to $n - 1$ do

current_sum = current_sum + arr[i] - arr[i - k]

If current_sum > max_sum do

max_sum = current_sum

Return max_sum

What is the time complexity of finding the maximum sum of k consecutive elements using this sliding window technique?

Answer Options

Select any one option

Clear Answer


☒ $O(n)$

☐ $O(n \log n)$

☐ $O(n^2)$

☐ $O(k \log n)$

Answer Saved



Submit test

Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

7. A segmented pipeline architecture ✓

< Previous

Next >

In a segmented pipeline architecture with 4 stages (Fetch, Decode, Execute, and Write Back), each stage has the following delays:

Fetch: 2 cycles

Decode: 1 cycle

Execute: 3 cycles

Write Back: 1 cycle

If a new instruction enters the pipeline every cycle, what is the minimum number of cycles required to complete the execution of 5 instructions?

Answer Options

Select any one option

Clear Answer


☐ 10 cycles

☒ 11 cycles

☐ 12 cycles

☐ 13 cycles

Answer Saved



Submit test

Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

10. Traveling Salesman Problem

< Previous

Next >

You are implementing a solution to the Traveling Salesman Problem (TSP) using dynamic programming with memoization. The input is given as an adjacency matrix $dist$ representing the distance between n cities. The TSP algorithm begins from city 1 and aims to visit all cities exactly once before returning to city 1.

However, you observe that in your current input, one of the cities (city k) is unreachable from all other cities (i.e., all distances $dist[i][k]$ for $i \neq k$ are infinity).

What will happen to the TSP algorithm in this scenario?

Answer Options


Select any one option

Clear Answer

- ☐ The algorithm will throw an error due to infinite recursion.
- ☒ The algorithm will return infinity, indicating that no valid tour is possible. ✓
- ☐ The algorithm will still find a solution by skipping city k .
- ☐ The algorithm will return the shortest path possible, excluding city k .



Submit test



Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

1. A circular linked list

< Previous

Next >

You want to delete a specific node (referred to as cur) in a circular linked list. You have the following pointers: head pointing to the head node, prev pointing to the node before cur, and cur pointing to the node to be deleted.

Which of the following conditions should be set to successfully delete the node cur from the circular linked list?

Answer Options

Select any one option

Clear Answer


☒ prev→next = cur→next;

☐ if (cur == head) { head = cur→next; prev→next = head; }

☐ if (cur == head) { head = head→next; prev→next = head; }

☐ cur = cur→next; prev→next = cur;

Answer Saved



Submit test

Aptitude ends in
00:08:55

Aptitude

- 1 2 3
4 5 6
7 8 9
10 11 12
13 14 15
16 17 18
19 20

Analog

Starts in 00:08:55

[Go to Analog >](#)

Digital

19. Ratio of milk and water

In what ratio must water be mixed with milk to gain $14\frac{2}{3}\%$ on selling the mixture at cost price?

Answer Options

Select any one option

☐ 7:25

☐ 3:25

☐ 6:25

☒ 11:75

Aptitude

Submitted

Analog

Submitted

Digital

1 2 3

4 5 6


7 8 9

10 11 12

13 14 15

16 17 18

19 20



Submit test

9. Avoiding dangling pointers

< Previous

Next >

Which of these code snippet given in the choices helps avoid dangling pointer in C?

Answer Options

Select any one option

Clear Answer

☐ #include <stdlib.h>
#include <stdio.h>

```
int main()
{
    int *ptr = (int *)malloc(sizeof(int));
    free(ptr);
    ptr = NULL;
}
```



☐ #include <stdlib.h>
#include <stdio.h>

```
int main()
{
    int *ptr = (int *)malloc(sizeof(int));
    free(ptr);
}
```

☐ #include <stdlib.h>

☐ #include <stdlib.h>
#include <stdio.h>

```
int main()
{
    int *ptr = (int *)malloc(sizeof(int));
    ptr = NULL;
}
```

☐ #include <stdlib.h>
#include <stdio.h>

```
int main()
{
    int *ptr = (int *)malloc(sizeof(int));
    fflush(ptr);
    ptr = NULL;
}
```



2. Weight of five friends

< Previous

Next >

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

alog

ts in 29 min

o Analog >

Five friends Adam, Bob, Cathy, Daniel, Ellen and Flora go to workout together at a gym. One day, they decide to check their weights and the following is observed.

S1: Adam and Daniel are heavier than Bob, Ellen and Flora. However, none of these people is the heaviest.

S2: Adam is heavier than Daniel but lighter than Cathy.

Which of the given statements is sufficient to determine the heaviest amongst the five friends?

Answer Options

Select any one option

Clear Answer

☐ S1 alone is sufficient while S2 alone is not sufficient☐ S2 alone is sufficient while S1 alone is not sufficient☐ Neither S1 nor S2 is sufficient☒ Both S1 and S2 are sufficient

The given table shows the number of coffee cups sold daily by each of the four coffee shops for 4 days.

Determine the company for which the spread in the number of coffee cups sold during the four days is the greatest?

	Day 1	Day 2	Day 3	Day 4
Coffee shop1	55	60	55	46
Coffee shop2	100	50	50	20
Coffee shop3	80	80	40	40
Coffee shop4	50	50	50	30

Answer Options

Select any one option

[Clear Answer](#)

☐ Coffee shop1

☒ Coffee shop2

☐ Coffee shop3

☐ Coffee shop4

Aptitude ends in
00:08:28

Aptitude




Analog

Starts in
00:08:28

Go to Analog >

Digital



Submit

14. An ice-cream shop

< Previous


Next >

The given pie-chart shows the percentage distribution of the five ice-cream flavours available at the ice-cream shop.

It is given that the total ice-creams at an ice-cream parlour is 20% more than ice-creams at the ice-cream shop.

In the given context, find the total Raspberry and Caramel flavoured ice-creams sold at the ice-cream parlour if the percentage-distribution of various ice-creams flavours remains the same.

Total number of ice-creams is 550.



50%

✓ 198 is answer ✓

Answer Options

Select any one option.

Clear Answer

☐ 200



18. Production of bread loaves

< Previous

Next >

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Analog

Starts in 20 min

Go to Analog >

Digital


A small scale company produces x loaves of bread each month from November through February. It has sold $x/2$ loaves of bread at the beginning of each month from March through October. The company did not pay storage charges for the loaves from November through February, but it paid Rs. 0.10 storage charges per loaf each month from March through October for the loaves that had not been sold.

In terms of x , what was the total storage cost, in rupees, that the company paid for the loaves for the 12 months from November through October?

Answer Options

Select any one option

Clear Answer

☐ 1.4x☐ 1.6x☐ 1.8x☐ 2.2x

Submit test

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18



19 20

Analog

Starts in 20 min

[Go to Analog >](#)

Digital

[Submit test](#)

15. Pipes discharging chemicals

[< Previous](#)[Next >](#)

Three pipes P1, P2, and P3 can fill a tank from empty to full in 40 minutes, 30 minutes, and 20 minutes. When the tank is empty, all the three pipes are opened. Then, P1, P2, and P3 discharge chemical solutions C1, C2, and C3.

What is the proportion of the solution C3 in the liquid in the tank after 5 minutes?

$$46\frac{1}{5} = \frac{6}{13}$$

Answer Options

Select any one option

[Clear Answer](#)☐ 3 / 65☐ 1 / 20☐ 2 / 45☐ 3 / 95

Aptitude ends in 20 min

Aptitude

- 1 2 3
4 5 6
7 8 9
10 11 12
13 14 15
16 17 18
19 20

Analog

Starts in 20 min

[Go to Analog >](#)

Digital




Submit
test

20. Find the triangles present in the image

[< Previous](#)

[Next >](#)

How many triangles are present in the given image?



Answer Options

Select any one option

[Clear Answer](#)

☐ 10

☐ 11

☐ 12


☐ 13

✓ 14

9. The number of squares

< Previous

How many squares are present in the image given below?



I



Answer Options

Select any one option

☐ 13

☐ 14

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Analog

Starts in 26 min

[Go to Analog >](#)

Digital

19. Setting questions for an exam

< Previous

Next >

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18



19 20

Analog

Starts in 20 min

Go to Analog >

Digital



Submit test

Brian is appointed as a question setter for a physics examination paper. He is paid a daily fee of \$20.00 for each additional question that he makes that day and \$10.00 per question for the first 60 questions.

If Brian is paid a total of \$1600.00 for two consecutive days, what is the highest possible number of questions that he could have made in a day during this period?

Note: It is given that Brain makes at least 50 questions on each of the two days.

Answer Options

Select any one option

Clear Answer

☐ 105☒ 85☐ 95☐ 75

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Analog

Starts in 29 min

[Go to Analog >](#)

Digital

4. An encrypted message

< Previous


Next >

An encrypted message HLOE ELBN is decoded as "Hello Ben."

How can you encode the message "How are you Simon" be encoded as?

Answer Options

Select any one option

[Clear Answer](#)☐ HWSRYUIO OEOAMN☐ HWRYUIO OAEOSMN☒ HWRYUIOS OAEOMN☐ None of these[Submit test](#)

Aptitude ends in 28 min

Aptitude



2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

Analog

Starts in 28 min

[Go to Analog >](#)

1. Missing number

Consider the given series of numbers:
4, 44, 6, 41, 8, 38, 10, 35, ?

Identify the missing number(?) to complete the respective series.

Answer Options

Select any one option

☐ 14

☒ 12

☐ 16

Aptitude ends in 29 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18



19 20

Analog

Starts in 29 min

[Go to Analog >](#)

Digital



Submit test

6. Ratio of speeds of X and Y

[< Previous](#)

[Next >](#)

Two trains X and Y start at the same time from points A and B towards each other, and after crossing, they take 12 seconds and 3 seconds to reach B and A, respectively.

What is the ratio of the speed of X to Y?

Answer Options

Select any one option

[Clear Answer](#)

☐ 1:2

☒ 1:4

☐ 1:8

☐ Can not be determined

Aptitude ends in 25 min

Aptitude

1

2

3

4

5

6

7

8

9



11

12

13

14

15

16

17

18

19

20

Analog

Starts in 25 min

[Go to Analog >](#)

Digital

10. Missing number

[< Previous](#)

[Next >](#)

Consider the given series of numbers:
4, 44, 6, 41, 8, 38, 10, 35, ?

Identify the missing number(?) to complete the respective series.

Answer Options

Select any one option


[Clear Answer](#)

☐ 14

☒ 12

☐ 16

☐ 11



5. Correct value of X and Y

< Previous

Next >

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Analog

Starts in 29 min

[Go to Analog >](#)

Digital

The grid given below follows a certain pattern. Analyse the grid and determine the correct value of X and Y.

1	3	5	7
4	8	12 X	16
7	13	19	25
10	18	26 Y	34

Answer Options

Select any one option

- ☐ X: 12
Y: 26

Clear All

 Submit test

3. Boxes with stones and pebbles

< Previous

Next >

Four boxes have been numbered 1, 2, 3, 4, 5, 6, 7, 8, respectively. Each box is to be filled up either with a stone or a pebble so that at least one box contains a pebble, and the boxes containing pebbles are consecutively numbered.

What is the total number of ways in which you can do this?

Answer Options

Select any one option

Clear Answer

☐ 24☐ 22☒ 36☐ 26

Aptitude ends in
00:01:52

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Analog

Starts in
00:01:52

[Go to Analog >](#)

Digital

17. An incomplete number series

[< Previous](#)

[Next >](#)

What can be used in place of X to complete the given series?

6, 13, X, 57, 131,

Answer Options

Select any one option

[Clear Answer](#)

☐ 31

☐ 49

☐ 47

☒ 35

Aptitude ends in 20 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Analog

Starts in 20 min

[Go to Analog](#)

Digital

1. Missing number

Consider the given series of numbers:
4, 44, 6, 41, 8, 38, 10, 35, ?

Identify the missing number (?) to complete the respective series.

Answer Options

[Clear Answer](#)

Select any one option

☐ 14

☒ 12

☐ 16

☐ 11



min

Aptitude

Submitted

Analog

Submitted

Digital

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

```
#include <stdlib.h>
#include <stdio.h>
```

```
int main()
{
    int *ptr = (int *)malloc(sizeof(int));
    free(ptr);
    ptr = NULL;
}
```

```
#include <stdlib.h>
#include <stdio.h>
```



```
int main()
{
    int *ptr = (int *)malloc(sizeof(int));
    free(ptr);
}
```

```
#include <stdlib.h>
#include <stdio.h>
```


```
int main()
{
    int *ptr = (int *)malloc(sizeof(int));
    ptr = NULL;
}
```

```
#include <stdlib.h>
#include <stdio.h>
```

```
int main()
{
    int *ptr = (int *)malloc(sizeof(int));
    fflush(ptr);
    ptr = NULL;
}
```



Submit
test



Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18


19 20

Analog

Starts in 25 min

[Go to Analog >](#)

Digital

[Submit test](#)

11. Vendor with fruit baskets

[< Previous](#)[Next >](#)

A vendor has to make fruit baskets using apples and bananas. The ratio of the number of apples to the number of bananas is the same in each fruit basket.

What is the maximum number of baskets that can be made using 35 apples and 125 bananas?

Answer Options

Select any one option

[Clear Answer](#)☐ 3☒ 5☐ 8☐ 10

Aptitude ends in 23 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Analog

Starts in 23 min

[Go to Analog](#)

Digital

4. An encrypted message

An encrypted message HLOE ELBN is decoded as "Hello Ben."

How can you encode the message "How are you Simon" be encoded as?

Answer Options

Select any one option

☐ HWSRYUIO OEOAMN

☐ HWRYUIO OAEOSMN

☐ HWRYUIOS OAEOMN

☐ None of these

[Open Answer](#)

Aptitude

- 1 2 3
4 5 6
7 8 9
10 11 12
13 14 15
16 17 18
19 20

Analog

Starts in 28 min

[Go to Analog >](#)

Digital

The grid given is

1	3	5	7
4	8	X	16
7	13	19	25
10	18	Y	34

Answer Options


Select any one option

☒ X: 12
Y: 26

☐ X: 12
Y: 24

☐ X: 14
Y: 26

[Clear Answer](#)



[Submit test](#)

13. Clock from a flea market

< Previous

Next >

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18


19 20

Analog

Starts in 20 min

[Go to Analog >](#)

Digital

Submit
test

A person bought a clock from a flea market and set it at 10 AM. He notices that the watch gains 5 seconds in 3 minutes.

If it shows 7:15 in the afternoon on the same day, what is the correct time?

Answer Options

Select any one option

[Clear Answer](#)☐ 8:00 PM☐ 9:00 PM☐ 6:00 PM☒ 7:00 PM

9

```
#include <stdlib.h>
#include <stdio.h>
```

```
int main()
```


```
{
```

```
int *ptr = (int *)malloc(sizeof(int));
```

```
free(ptr);
```

```
ptr = NULL;
```

```
}
```



12

15

18

```
#include <stdlib.h>
#include <stdio.h>
```

```
int main()
```

```
{
```

```
int *ptr = (int *)malloc(sizeof(int));
```

```
free(ptr);
```

```
}
```