

Aptitude ends in 30 min

1. Bella arranging books

< Previous

Next >

Bella is arranging her books on a new bookshelf. She has placed B1 in the 24th position from the left and B2 in the 27th position from the right.

What is the **minimum number of books** that Bella owns if only B3 is exactly in between B1 and B2?

Note: Bella is placing all her books on the bookshelf.

Answer Options

Select any one option

Clear Answer

☐ 58

☐ 55

☐ 48

☐ 50

Aptitude

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

Software

Starts in 30 min

Go to Software >



Submit test

Aptitude ends in 30 min

2. Value of message Blande

< Previous

Next >

Aptitude

1 2 3
4 5 6
7 8 9
10 11 12
13 14 15
16 17 18
19 20

The message **Barter** is encoded as EDUWHU, **Virus**, is encoded similarly and has the value 104.

What is the value of the message **Blande**?

Answer Options

Select any one option

Clear Answer

☐ 53

☐ 45

☒ 56

☐ 58



Submit test

Aptitude ends in 30 min

Aptitude



Software

Starts in 30 min

[Go to Software >](#)



[Submit test](#)

3. A company's earnings

[< Previous](#)


[Next >](#)

The graph on the left shows a company's earnings for each month between April and August. The graph on the right shows the number of outstanding shares.

The Company Management predicts that the earnings will decline by 5% from August to September.

How many shares does the company need to buy back so that the earnings per share ratio does not change?

Earnings



Aptitude ends in 30 min

4. Homes with exactly two amenities

< Previous

Next >

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

There are 250 houses in a locality, out of which 50 percent have a fridge, 60 percent have a washing machine, and 30 percent have a swimming pool.

If four of the houses have all three amenities and four have none, how many homes have exactly two of these amenities?



Answer Options

Select any one option

Clear Answer

☐ 96



☐ 90

☐ 85

☐ 95

Software

Starts in 30 min

[Go to Software >](#)



[Submit test](#)

Aptitude ends in 29 min

Aptitude



Software

Starts in 29 min

[Go to Software >](#)



 Submit test

5. Complete a task

[< Previous](#)

[Next >](#)

Machine A and Machine B can complete a task in 20 and 30 days, respectively. Both machines are started together. However, after 6 days machine B stops working and machine A has to work alone. Four days later, machine B is fixed, and resumes the remaining work alone.

In how many days will machine B complete the remaining work?

Answer Options

Select any one option

[Clear Answer](#)

☐ 10 days

☒ 9 days

☐ 12 days

☐ 15 days

Aptitude ends in 29 min

6. Minimum number of chests

< Previous

Next >

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

A storeroom contains several chests with wooden locks and metal locks. The wooden lock opens with two keys, and the metal lock opens with three keys. You have a set of 635 keys.

In the given context, what is the **minimum number of chests** that can be opened using all these keys?

Answer Options

Select any one option

Clear Answer

☐ 212

☐ 211

☐ 200

☐ 210



Submit test

7. An incomplete grid

< Previous

Next >

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 29 min

[Go to Software >](#)

The grid given below follows a certain pattern. Analyse the grid and determine the correct value of ?.

11^2	1	2	1	$= 1$
12^2	1	4	4	$= 9$
13^2	1	6	?	$= 16$

Answer Options

Select any one option

[Clear Answer](#)

☐ 7

☒ 9

☐ 12

☐ 14



[Submit test](#)

Aptitude ends in 29 min

8. How is 'dancing' written

< Previous

Next >

Aptitude

- 1 2 3
4 5 6
7 8 9
10 11 12
13 14 15
16 17 18
19 20

You are told that in a certain language,

'dogs' is written as 'E4S'

'donuts' is written as 'E6S'

'yoga' is written as 'A4A'

'tennis' is written as 'U6S'

How is 'dancing' written in this language?

Answer Options

Select any one option

Clear Answer

- ☐ E5S
- ☒ E7G
- ☐ A7G
- ☐ None of these



Submit test

Aptitude ends in 29 min

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 29 min

[Go to Software >](#)



[Submit test](#)

9. The profession of E

[< Previous](#)

[Next >](#)

There are six people A, B, C, D, E, and F in a family. They are an Engineer, Manager, Painter, Jeweler, Doctor, and Lawyer by profession.

1. The doctor is the grandfather of F, who is an Engineer.
2. The manager D is married to A.
3. C, the jeweler, is married to the Painter.
4. B is the mother of E and F.
5. E is a bachelor.

Using the given information, determine the profession of E?

Note: It is given that no person other than A, B, C, D, E, and F is involved in the relationships described above.

Answer Options

Select any one option

[Clear Answer](#)

☐ Engineer

☐ Jeweler

☐ Manager

☐ Lawyer

Aptitude ends in 29 min

Aptitude



Software

Starts in 29 min

[Go to Software >](#)



 Submit test

10. A box of glassware

[< Previous](#)

[Next >](#)

A box of glassware has 19 glass plates and one ceramic plate. One of the 20 plates is to be chosen at random to be the fancy plate, one of the remaining 19 plates is to be selected at random to be the second fancy plate, and one of the remaining 18 plates is to be chosen at random to be an everyday use plate.

What is the probability that the ceramic plate will either be the plate chosen to be a second fancy plate or an everyday use plate?



Answer Options

Select any one option

[Clear Answer](#)

☐ 1/5

☐ 2/5

☒ 1/10



☐ 1/2

Aptitude ends in 29 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Software

Starts in 29 min

[Go to Software >](#)



[Submit test](#)


11. Displacement between John and his friend

[< Previous](#)

[Next >](#)

John is looking for his friend. He walks 80 metres in the East direction before turning to his right. He then walks 40 metres before turning to his right again to look for his friend at the library 20 meters from this point. He could not find his friend there, so he walked 100 metres to the North direction before meeting his friend in the street.

What is the displacement between John's starting point and his friend's position?



Answer Options

Select any one option

[Clear Answer](#)

☐ 80 meters

☐ 92.19 meters

☒ 84.8 meters

☐ 260 meters

Aptitude ends in 29 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Software

Starts in 29 min

[Go to Software >](#)

12. A luxury shoe store

[< Previous](#)

[Next >](#)

A luxury shoe store wants to open a new franchise in a city. The store owner decides to install display units on all four walls of the store by hiring a fixture maker. However, on completion of the installation, the store owner complained saying that a portion of a high wall was missing display units.

The manager of the fixture company asked the workers as to whose fault it was but the workers refused to say anything. Hence, the manager decides to question the workers and the following facts are ascertained:

- (1) No one other than W1, W2, W3 was involved in installing displays.
- (2) W3 never does a job without the help of W1 (and possibly others) as an accomplice.
- (3) W2 does not know how to install fixture on high walls.

Is W1 innocent or guilty?

Answer Options

Select any one option

[Clear Answer](#)

☐ No, W1 is innocent.

☒ Yes, W1 is guilty.

☐ Insufficient information

☐ Cannot be determined



Submit test

Aptitude ends in 29 min

13. A staff quarters

< Previous

Next >

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

In a staff quarters of a research facility, there are 8 houses in a row and one family belonging to each scientist lives with the below given conditions.

1. Scientist B is not the neighbour of Scientist A.
2. Scientist C lives next to the left of Scientist D.
3. There is at least one house to the left of Scientist D's house.
4. Scientist E lives in one of the two middle houses.
5. Scientist F lives in a house that is between Scientist E and Scientist D's house.
6. At least one house is to the right of Scientist G
7. Scientist C does not live between Scientist H and Scientist D.

Which of these conclusions derived from the above given information are incorrect?

Conclusions:

1. Scientist G lives in the house that is in between Scientist B and H's houses.
2. Scientist H lives in the house that is in between Scientist E and A's houses.

Answer Options

Select any one option

Clear Answer

☒ Only (1) conclusion is incorrect

☐ Only (2) conclusion is incorrect

☐ Either (1) or (2) is incorrect

☐ Both (1) and (2) are incorrect



Submit test

Aptitude ends in 29 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Software

Starts in 29 min

[Go to Software >](#)



[Submit test](#)

14. When will the tank overflow

[< Previous](#)

[Next >](#)

Pipe A can fill a tank in 10 hours, pipe B can fill it in 20 hours, and an outlet pipe, C, can empty the tank in 30 hours. Each tap is opened, one by one, for exactly one hour and then closed.

If the tank is $\frac{1}{4}$ th full, and the pipes start working in alphabetic order (A, B, and then C), after how long will the tank begin to overflow?

Answer Options

Select any one option

[Clear Answer](#)

☒ 18hrs 30 mins

☐ 15hrs 30 mins

☐ 18hrs 20 mins

☐ 17hrs 30 mins

Aptitude ends in 29 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Software

Starts in 29 min

[Go to Software >](#)



[Submit test](#)

15. Running on a race course

[< Previous](#)

[Next >](#)

Three people A, B and C are running on a race course. The following information is known to you:

1. A is 20 meters behind B who is running at 5 km/hr.
2. C is running in the opposite direction at 3 km/hr.
3. C is at a distance of 100 meters from B.

A wants to run ahead of B before B and C cross each other. What is the **minimum speed** at which A should be running to achieve this objective?

Answer Options

Select any one option

[Clear Answer](#)

☐ 6.6 km/hr

☐ 5.5 km/hr

☐ 10.2 km/hr

☐ 9.5 km/hr

Aptitude ends in 29 min

16. Jill and Adam in an airport

< Previous

Next >

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Two people, Jill and Adam are running towards each other on a moving walkway of length 4500m in an airport. Jill is running at a speed of 10 m/s and Adam is running at a speed of 5 m/s.

What is the time taken for Jill and Adam to meet if the speed of the moving walkway is 40 m/s?

Answer Options

Select any one option

Clear Answer

☐ 55 sec

☒ 53 sec

☐ 62 sec

☐ 65 sec



Submit test

Aptitude ends in 29 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Software

Starts in 29 min

[Go to Software >](#)



[Submit test](#)

17. John's new purchase

[< Previous](#)

[Next >](#)

John bought a TV from an amazon sale for 15,000 INR. He then sold the same TV to his friend Jamie. Which of the following statements is sufficient to determine if John gained a profit or not?

Statement I: Jamie sold the TV to his friend Jake for 20,000 INR.

Statement II: Jamie was given a discount of 20% on the marked price.

Statement III: John pasted a price tag of 25,000 INR on the TV.

Answer Options

Select any one option

[Clear Answer](#)

☒ Statement II and Statement III TOGETHER are sufficient

☐ Statement I and Statement II TOGETHER are sufficient

☐ Statement I and Statement III TOGETHER are sufficient

☐ All the statements, Statement I, Statement II, Statement III TOGETHER are necessary to answer.

Aptitude ends in 29 min

Aptitude

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

Software

Starts in 29 min

[Go to Software >](#)



[Submit test](#)

18. The exchange rate dynamics

[< Previous](#)


[Next >](#)

The given line graphs show the exchange rate dynamics during one week.

On the basis of the line graphs, how much did the dollar depreciate against the euro during this seven-day period?

6.25

if Profit = 10



Aptitude ends in 29 min

Aptitude

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20

Software

Starts in 29 min

[Go to Software >](#)



Submit test

19. Assorted coffee box

[< Previous](#)

[Next >](#)

A newly launched coffee company wants to conduct a survey for its assorted pack containing three flavours hazelnut, Irish cream and caramel. To do this, 40 people were asked to rank the three flavours from 1 - 3, 1 being the most preferred and 3 being the least preferred.

All 40 responses were gathered and it was observed that no two flavours were ranked equally by any people that attended the survey. It was also observed that $\frac{1}{5}$ people ranked Irish cream last, $\frac{2}{5}$ people ranked Irish cream before hazelnut and $\frac{1}{4}$ people ranked Irish cream before caramel.

Analyse the given scenario and determine the number of people that ranked Irish cream first.

Answer Options

Select any one option

[Clear Answer](#)

☒ 6

☐ 5

☐ 2

☐ 4

Aptitude ends in 29 min

20. Analysing the grid

< Previous

Next >

Aptitude

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	

Software

Starts in 29 min

[Go to Software >](#)

The grid given below follows a certain pattern. Analyse the grid and determine the correct value of '?'.

5 ³	1	2	5	= 8
6 ³	2	1	6	= 9
7 ³	3	?	3	= 10

Answer Options

Select any one option

[Clear Answer](#)

☐ 3

☒ 4

☐ 5

☐ 6



[Submit test](#)

Software ends in 30 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

1. Allocating memory

< Previous

Next >

When allocating memory, a programmer notices that the data stored in this space is accessible to all threads and can lead to memory leaks.

Which of these did the programmer use to allocate memory in the given scenario?

Answer Options

Select any one option

Clear Answer

☐ Stack memory allocation

☒ Heap memory allocation

☐ Either Choice 1 or 2

☐ Neither Choice 1 nor 2

A memory leak occurs when a computer program incorrectly manages memory allocations, resulting in some allocated memory not being freed or released back to the system after it's no longer needed. Over time, this can lead to a gradual depletion of available memory, causing the program or even the entire system to slow down or crash.

Key Characteristics of a Memory Leak:

Unused Memory Not Released: When a program allocates memory dynamically (usually on the heap) and fails to deallocate it after use, that memory remains occupied.

Gradual Resource Consumption: The longer the program runs, the more memory is occupied without being released, which eventually can lead to exhaustion of available memory.

Not Immediately Apparent: Memory leaks often do not produce errors or crashes immediately. Instead, they manifest over time as the program or system runs out of memory.



Submit test

Software ends in 30 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

2. Page replacement algorithms

< Previous

Next >

Which of these page replacement algorithms is difficult to implement and has the least number of page faults?

Answer Options

Select any one option

Clear Answer

☒ Optimal Algorithm

☐ LRU Algorithm

☐ FIFO Algorithms

☐ None of these



Submit test

Software ends in 30 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

3. Memory scheduling algorithms

< Previous

Next >

Given below is a list of memory scheduling algorithm.

1. Best Fit
2. Worst Fit
3. First Fit

Arrange them in ascending order of efficiency for memory usage.

Answer Options

Select any one option

Clear Answer

☐ 1 → 2 → 3

☐ 3 → 1 → 2

☐ 1 → 3 → 2

☒ 2 → 3 → 1



Submit test

Software ends in 30 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

4. Sorting array of n elements

< Previous

Next >

You are using the binary search algorithm to search for an element in a sorted array of n elements.

What will be the time complexity of this operation?

Answer Options

Select any one option

Clear Answer

☐ $T(n) = O(n)$

☐ $T(n) = O(n \log n)$

☐ $T(n) = O(1)$

☐ None of these



Submit test

Software ends in 30 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

5. The printf statement

< Previous

Next >

Predict the output returned by the code snippet.

```
#include <stdio.h>
int main()
{
    int var=200;
    {
        int var=300;
        printf("%d...",var);
    }
    printf("%d",var);
    return 0;
}
```

Answer Options

Select any one option

Clear Answer

☐ 200...200

☐ 100...100

☒ 300...200

☐ 200...100



Submit test

Software ends in 30 min

6. An 8086 program

< Previous

Next >

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

Predict the output of the following 8086 program.

```
.MODEL SMALL
.STACK 100H
.DATA
```

```
STRING DB 'Hello! Good morning.', '$'
```

```
.CODE
```

```
MAIN PROC FAR
MOV AX,@DATA
MOV DS,AX
```

```
LEA DX,STRING
MOV AH,09H
INT 21H
```

```
MOV AH,4CH
INT 21H
```

```
MAIN ENDP
END MAIN
```

Answer Options

Select any one option

Clear Answer

☒ Hello! Good morning.

☐ It is print the ASCII code of the string.

☐ It will not produce any output.

☐ It will not run.



Submit test

7. A doubly linked list

< Previous

Next >

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

You have constructed a doubly linked list of characters and called the following function on it.

```
bool sample(struct Node *left)
```

```
{  
    if (left == NULL)
```

```
        return true;
```

```
    struct Node *right = left;
```

```
    while (right->next != NULL)
```

```
        right = right->next;
```

```
    while (left != right)
```

```
    {  
        if (left->data != right->data)
```

```
            return false;
```

```
        left = left->next;
```

```
        right = right->prev;
```

```
    }  
  
    return true;  
}
```

What is the result of doing this?

Answer Options

Select any one option

Clear Answer

☐ You can check if the list of characters is a palindrome or not.

☐ You can reverse the list of characters

☐ You can rotate the list of characters

☐ None of these



Submit test

Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

Mouse cursor icon

8. Working with functions

< Previous

Next >

You have defined a function **WHATISIT** as shown below.

```
double WHATISIT(double a, int n) {  
    return (n==0)? 1: (1/(double)a)*WHATISIT(a,n+1);  
}
```

In the given context, what will the following line of code print?

```
printf("%lf\n", WHATISIT(2,-5));
```

Answer Options

Select any one option

Clear Answer

☐ The program will terminate with a run-time error.

☐ The program will not even compile due to syntax errors.

☐ The program will go into an infinite loop.

☒ None of these



Submit test

Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

9. Completing the Execute cycle

< Previous

Next >

Assume that the Execute Cycle is complete and a test is made to determine whether any enabled interrupt has occurred or not. If any enabled interrupt has occurred, the following sequence of micro-operation is executed.

1: $MBR \leftarrow (PC)$

2: $MAR \leftarrow \text{---SAVE_ADDRESS}$

$PC \leftarrow \text{---ROUTINE_ADDRESS}$

3: $MEMORY \leftarrow (MBR)$

Which of the following deductions are valid?

Answer Options

Select any one option

Clear Answer

☐ In 2, two actions are implemented as one micro-operation.

☐ In 1, two actions are implemented as one micro-operation.

☐ It may take one or more micro-operation to obtain the save_address and the routine_address before they are transferred to the MAR and PC respectively.

☐ Both Choice 1 and 3

☐ Both Choice 2 and 3



Submit test

Software ends in 29 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

10. Implementing a recursive code

< Previous

Next >

You are given three rods A, B, and C and n disks. Initially, all the disks are stacked in decreasing value of diameter i.e., the smallest disk is placed on the top and they are on rod A. Your objective is to move the entire stack of disks from A to C by following the given rules:

1. Only one disk can be moved at a time.
2. Each move consists of taking the upper disk from one of the stacks and placing it on top of another stack i.e. a disk can only be moved if it is the uppermost disk on a stack.
3. No disk may be placed on top of a smaller disk.

Which of these code snippet can help you recursively implement this?

Answer Options

Select any one option

Clear Answer

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 solve(n - 1, A, C, B);
 print(A + " → " + C);
 solve(n - 1, B, A, C);
 }
}

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 solve(n - 1, B, A, C);
 print(A + " → " + C);
 }
}



Submit test

10. Implementing a recursive code

< Previous

Next >

You are given three rods A, B, and C and n disks. Initially, all the disks are stacked in decreasing value of diameter i.e., the smallest disk is placed on the top and they are on rod A. Your objective is to move the entire stack of disks from A to C by following the given rules:

1. Only one disk can be moved at a time.
2. Each move consists of taking the upper disk from one of the stacks and placing it on top of another stack i.e. a disk can only be moved if it is the uppermost disk on a stack.
3. No disk may be placed on top of a smaller disk.

Which of these code snippet can help you recursively implement this?

Answer Options

Select any one option

Clear Answer

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 solve(n - 1, A, C, B);
 print(A + " → " + C);
 solve(n - 1, B, A, C);
 }
}

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 solve(n - 1, B, A, C);
 print(A + " → " + C);
 }
}



Submit test

Software ends in 21 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10



 Submit test

Answer Options

Select any one option

[Clear Answer](#)

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 solve(n - 1, A, C, B);
 print(A + " → " + C);
 solve(n - 1, B, A, C);
 }
}

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 solve(n - 1, B, A, C);
 print(A + " → " + C);
 }
}

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 print(A + " → " + C);
 solve(n - 1, B, A, C);
 }
}

☐ public void solve(int n, String A, String B, String C)
{

Software ends in 21 min

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10



Submit test

```
}  
}
```

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 solve(n - 1, B, A, C);
 print(A + " → " + C);
 }
}

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 print(A + " → " + C);
 solve(n - 1, B, A, C);
 }
}

☐ public void solve(int n, String A, String B, String C)
{
 if (n == 1)
 {
 print(A + " → " + C);
 }
 else
 {
 solve(n - 1, A, C, B);
 print(A + " → " + C);
 }
}