


## 2. Meal prep techniques for busy schedules

[< Previous](#)[Next >](#)

Aptitude



Software

Starts in 00:03:09

[Go to Software >](#)

A study tested several meal prep techniques T1, T2, T3, T4 and T5 on how it made lives easier for college students and working individuals and the following statements were made:

**Statements:**

1. T1 is twice as effective as T4 but less effective than T5.
2. T2 is thrice as effective as T5.
3. T3 is equally effective as T4.

Which of the following choices are true regarding the following conclusions that are drawn?

**Conclusions:**

1. T5 has the highest efficacy.
2. T4 and T5 have the least efficacy.
3. T2 has the highest efficacy.

### Answer Options

Select any one option

[Clear Answer](#)

☐ Only 1 follows

☐ Only 2 follows

☒ Only 3 follows



☐ Both 1 and 3 follows

Answer Saved




 Submit test

### 3. A box of glassware

[< Previous](#)[Next >](#)

Aptitude



Software

Starts in 00:03:08

[Go to Software >](#)

A box of glassware has 19 glass plates and one ceramic plate. One of the 20 plates is to be chosen at random to be the fancy plate, one of the remaining 19 plates is to be selected at random to be the second fancy plate, and one of the remaining 18 plates is to be chosen at random to be an everyday use plate.

What is the probability that the ceramic plate will either be the plate chosen to be a second fancy plate or an everyday use plate?



#### Answer Options

Select any one option

[Clear Answer](#)

☐ 1/5

☐ 2/5

☒ 1/10



☐ 1/2

Answer Saved



Submit test

#### 4. Row of athletes

[< Previous](#)[Next >](#)

Aptitude

|    |    |    |
|----|----|----|
| 1  | 2  | 3  |
| 4  | 5  | 6  |
| 7  | 8  | 9  |
| 10 | 11 | 12 |
| 13 | 14 | 15 |
| 16 | 17 | 18 |
| 19 | 20 |    |

Software

Starts in 00:03:07

[Go to Software >](#)

In a row of 30 athletes facing North, A1 is 13th from the left end and 6th to the right of A2.

What is the position of **A2** from the **right end** of the row?

#### Answer Options

Select any one option

[Clear Answer](#)

☒ 24th



☐ 7th

☐ 15th

☐ 20th

Answer Saved




Submit test

5. Trains A and B 

&lt; Previous

Next &gt;

Aptitude



Software

Starts in 00:03:06

[Go to Software >](#)

Two trains A and B are running on parallel tracks in the same direction. The length of A is 65 m and it is running at a speed of 34km/hr. The length of B is 70 m and it is running at a speed of 25 km/hr.

How long will it take for both the trains to pass each other completely from the moment they met?

## Answer Options

Select any one option

[Clear Answer](#)☒ 54 seconds ☐ 56 seconds☐ 50 seconds☐ None of these

Answer Saved

 Submit test



6. Effects of smoking on respiratory health 

&lt; Previous

Next &gt;

Aptitude

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

Software

Starts in 00:03:05

[Go to Software >](#)

Consider the following five statements followed by options consisting of three statements put together in a specific order. Choose the most appropriate option which indicates a valid argument, such that, the third statement is a conclusion drawn from the preceding two statements.

- A. Smoking increases risk of asthma in people.
- B. Increase in asthma is harmful to respiratory health.
- C. Smoking is harmful to respiratory health.
- D. Smoking does not always increase risk of asthma.
- E. Some smokers are not prone to asthma.

## Answer Options

Select any one option

[Clear Answer](#)☐ C, B, A☐ B, D, E☐ C, D, E☒ B, A, C

Answer Saved



Submit test

## 7. Bob's shop

[< Previous](#)[Next >](#)

Aptitude



Software

Starts in 00:03:03

[Go to Software >](#)

Bob is a retailer selling rice in his shop. He mixes two varieties of rice R1 and R2 together in the ratio 4:7 and sells this mixture at a price of Rs. 17 per kg. Due to this, he incurs a loss of 15%.

In the given context, what is the cost price per kg of R1 if the cost price of R2 is Rs. 22 per kg?

### Answer Options

Select any one option

[Clear Answer](#)

☐ Rs. 15

☒ Rs. 16.5

☐ Rs. 17

☐ Rs. 17.5



Submit test

## 8. A fair white die ✓

&lt; Previous

Next &gt;

Aptitude



Software


Starts in 00:03:02

[Go to Software >](#)

The given bar graph shows the results from rolling one white and one red dice.

Assume that the white die is fair (has an equal chance of landing on each of its faces). What is the probability that the mean score will increase after one more roll?

## Red die and White die



Red  
2.25



## Answer Options

Select any one option

[Clear Answer](#)☐ 1/6☐ 1/3☒ 2/3 ✓☐ 5/6[Submit test](#)

### 9. A parking lot

[< Previous](#)[Next >](#)

Aptitude

|    |    |    |
|----|----|----|
| 1  | 2  | 3  |
| 4  | 5  | 6  |
| 7  | 8  | 9  |
| 10 | 11 | 12 |
| 13 | 14 | 15 |
| 16 | 17 | 18 |
| 19 | 20 |    |

Software

Starts in 00:03:00

[Go to Software >](#)

A parking lot has several vehicles facing North. In a particular row, V1 is 20th from the left of V2, who is 27th from the right end. Another vehicle V3 is 19th from the left end and 11th from the right of V1.

How many vehicles are there in this row?

#### Answer Options

Select any one option

[Clear Answer](#)

☐ 44

☒ 54 

☐ 50

☐ 40

Answer Saved



Submit test



## 10. Zoey's age

[< Previous](#)[Next >](#)

Aptitude

|    |    |    |
|----|----|----|
| 1  | 2  | 3  |
| 4  | 5  | 6  |
| 7  | 8  | 9  |
| 10 | 11 | 12 |
| 13 | 14 | 15 |
| 16 | 17 | 18 |
| 19 | 20 |    |

Software

Starts in 00:02:59

[Go to Software >](#)

Which of these statements is sufficient to determine the age of Zoey in 2050?

**Statement I:** When Zoey was born her father was 32 years old, who is 4 years older than Zoey's mother.

**Statement II:** Zoey's mother was born in the first leap year that came after 1970.

### Answer Options

Select any one option

[Clear Answer](#)

- ☐ Statement I ALONE is sufficient, but Statement II ALONE is not sufficient. the question
- ☐ Statement II ALONE is sufficient, but Statement I ALONE is not sufficient. the question
- ☒ BOTH statements TOGETHER are sufficient, but EITHER statement ALONE is insufficient. 
- ☐ EACH statement ALONE is sufficient.

Answer Saved



Submit test

## 11. The Christmas carols

< Previous

Next >

Aptitude



Software

Starts in 00:02:57

[Go to Software >](#)

You are organizing a program for Christmas and want to form a choir group. You want the choir group to consist of 3 boys and 2 girls from a group of 7 boys and 10 girls.

In how many ways can you form the choir group if one boy and one girl refuse to sing together?

★ WAIT

Answer Options

Select any one option

[Clear Answer](#)

☐ 1460 ways

☒ 1540 ways

☐ 1440 ways



☐ 1600 ways

Answer Saved



 Submit test

Aptitude ends in  
00:02:55

## 12. Determine value of X

< Previous

Next >

Aptitude

What can be used in place of **X** to complete the given series?

17, 24, 33, 44, **X**

### Answer Options

Select any one option

[Clear Answer](#)

☐ 55

☒ 57 

☐ 66

☐ 65

Answer Saved




Submit test

## 13. New clock in a library ✓

&lt; Previous

Next &gt;

Aptitude



Software

Starts in 00:02:39

[Go to Software >](#)

On a particular day, a library installed a new clock which gains time uniformly. The librarian observes the clock on a Monday morning and notices that the clock is 10 mins slow at 10:00 AM.

She then observes the clock again on the following Monday and notices that the clock is 10 mins 50 seconds fast at 10:00 PM.

Analyse the given scenario and determine when this clock will show the correct time.

**Note:** Select the accurate time in hours and minutes.

## Answer Options

Select any one option

[Clear Answer](#)☒ 12:25 pm on Thursday ✓☐ 12:25 am on Thursday☐ 10:00 pm on Thursday☐ 10:25 pm on Wednesday

Answer Saved

[Submit test](#)



## 14. An online learning platform

&lt; Previous

Next &gt;

Aptitude



Software

Starts in 00:02:37

[Go to Software >](#)

An online learning platform provided less amenities and offers to people who had a monthly membership. Market research is conducted and it is found that the learning platform users are willing to pay a higher price for better amenities and offers. It has also been found that the higher price would cover the cost for these improvements. However, the implementation of this scheme has not been decided yet even though the learning platform is trying to make more profits.

Which of these choices, if true, would most help to explain the learning platform's decision in light of its objectives?

## Answer Options

Select any one option

[Clear Answer](#)

- ☐ None of the learning platform's competitors offer significantly better amenities and offers to its monthly membership users.
- ☒ The number of people who would be willing to pay the high fares to be a 6 month and 12 month user would decrease. ✓
- ☐ A few of the learning platform's users are satisfied with the service they receive, given the low price they pay.
- ☐ Very few users avoid using the learning platform because of less amenities and offers given by the platform to its monthly members hip users.




Submit test

### 15. John's new purchase

[< Previous](#)[Next >](#)

Aptitude



Software

Starts in 00:02:37

[Go to Software >](#)

John bought a TV from an amazon sale for 15,000 INR. He then sold the same TV to his friend Jamie. Which of the following statements is sufficient to determine if John gained a profit or not?

**Statement I:** Jamie sold the TV to his friend Jake for 20,000 INR.

**Statement II:** Jamie was given a discount of 20% on the marked price.

**Statement III:** John pasted a price tag of 25,000 INR on the TV.

#### Answer Options

Select any one option

[Clear Answer](#)

- ☒ Statement II and Statement III TOGETHER are sufficient 
- ☐ Statement I and Statement II TOGETHER are sufficient
- ☐ Statement I and Statement III TOGETHER are sufficient
- ☐ All the statements, Statement I, Statement II, Statement III TOGETHER are necessary to answer.

Answer Saved



 Submit test

## 16. The exchange rate dynamics

< Previous

Next >

Aptitude

- 1 2 3  
4 5 6  
7 8 9  
10 11 12  
13 14 15  
16 17 18  
19 20

Software

Starts in 00:02:36


[Go to Software >](#)

The given line graphs show the exchange rate dynamics during one week.

On the basis of the line graphs, how much did the dollar depreciate against the euro during this seven-day period?

6.25

LINDA R. Jit  
10




[Submit test](#)

## 17. Two grids

< Previous

Next >

Aptitude



Software

Starts in 00:02:34

[Go to Software >](#)

The two grids **A** and **B** given below follow a certain pattern. Analyse **A** and determine the correct value of '?' in **B**.

|    |     |   |
|----|-----|---|
| 6  | 3   | 2 |
| 2  | 144 | 4 |
| 12 | 6   | 1 |

**A**

|   |     |   |
|---|-----|---|
| 9 | 3   | 2 |
| 3 | 270 | 6 |
| ? | 5   | 1 |

**B**

Answer Options

Select any one option

[Clear Answer](#)

☐ 10

☐ 12

☐ 15

☐ 20



Submit test




## 18. Assorted coffee box

&lt; Previous

Next &gt;

Aptitude



Software

Starts in 00:02:33

[Go to Software >](#)

A newly launched coffee company wants to conduct a survey for its assorted pack containing three flavours hazelnut, Irish cream and caramel. To do this, 40 people were asked to rank the three flavours from 1 - 3, 1 being the most preferred and 3 being the least preferred.

All 40 responses were gathered and it was observed that no two flavours were ranked equally by any people that attended the survey. It was also observed that  $\frac{1}{5}$  people ranked Irish cream last,  $\frac{2}{5}$  people ranked Irish cream before hazelnut and  $\frac{1}{4}$  people ranked Irish cream before caramel.

Analyse the given scenario and determine the number of people that ranked Irish cream first.

## Answer Options

Select any one option

[Clear Answer](#)☒ 6 ✓☐ 5☐ 2☐ 4

Submit test


## 19. A start-up venture

The given pie-chart shows the investment (in percentage) of five friends, Hemant, Dharam, Bhanu, Abir and Chandru.

Abir and Dharam initiated a start-up venture together. After 6 months, Hemant replaces Abir. Dharam leaves the business 2 months after Abir while Hemant works for total of  $z$  months. Out of a total profit of Rs. 13,050, Abir got Rs. 6,750.

Find the value of  $z$ .

Total Investment = Rs. 160,000



50%

## Answer Options

Select any one option

Clear Answer

☐ 5

☒ 4

☐ 3

☐ 2




Submit test

## 20. Analysing the grid

< Previous

Next >

Aptitude



Software

Starts in 00:02:29

[Go to Software >](#)

The grid given below follows a certain pattern. Analyse the grid and determine the correct value of '?'.

|   |   |   |
|---|---|---|
| 1 | 2 | 5 |
| 2 | 1 | 6 |
| 3 | ? | 3 |

5<sup>3</sup>

6<sup>3</sup>

7<sup>3</sup>

8  
9  
10

Answer Options

Select any one option

[Clear Answer](#)

☐ 3

☒ 4



☐ 5

☐ 6

Answer Saved




[Submit test](#)

## 18. Assorted coffee box

&lt; Previous

Next &gt;

Aptitude



Software

Starts in 00:02:26

[Go to Software >](#)

A newly launched coffee company wants to conduct a survey for its assorted pack containing three flavours hazelnut, Irish cream and caramel. To do this, 40 people were asked to rank the three flavours from 1 - 3, 1 being the most preferred and 3 being the least preferred.

All 40 responses were gathered and it was observed that no two flavours were ranked equally by any people that attended the survey. It was also observed that  $\frac{1}{5}$  people ranked Irish cream last,  $\frac{2}{5}$  people ranked Irish cream before hazelnut and  $\frac{1}{4}$  people ranked Irish cream before caramel.

Analyse the given scenario and determine the number of people that ranked Irish cream first.

## Answer Options

Select any one option

[Clear Answer](#)☒ 6☐ 5☐ 2☐ 4

Submit test



1

2

3

4

5

6

7

8

9

10

## 1. Running a program ✓

< Previous

Next >

You have a program **X** running in your system. It is given that **X** tries to access a memory page that is mapped into the virtual address space but not loaded in physical memory.

How is the hardware likely to respond in the given context?

### Answer Options

Select any one option

[Clear Answer](#)

- ☒ The hardware performs paging
- ☐ The hardware performs segmentation
- ☐ The hardware loads the page in the physical memory
- ☐ The hardware raises a page fault ✓

Answer Saved



Submit test



## 2. Traversing through a binary tree

< Previous

Next >

You are traversing through a binary tree using the following code snippet.

```
public void func (Tree root)
{
    func (root.left ());
    func (root.right ());
    print(root.data ());
}
```

What type of traversal is achieved here?

### Answer Options

Select any one option

[Clear Answer](#)

☐ Preorder traversal

☐ Inorder traversal

☒ Postorder traversal



☐ Level order traversal

Answer Saved



Submit test



### 3. Code displaying the output

< Previous

Next >

Which of the given code snippets will give the output as shown in the figure below?

**P1**  
**P1 P2**  
**P1 P2 P3**  
**P1 P2 P3 P4**  
**P1 P2 P3 P4 P5**

#### Answer Options

Select any one option

[Clear Answer](#)

- ☐ #include<stdio.h>
- ```
void main()

{

int i,j;

for(i=1;i<=5;i++)

{

for(j=1;j<=5;j++)

{

printf("P%d",i);

}

printf("\n");

}

}
```



Submit test



## 7. Debugging code

< Previous

Next >

Assume that a simulator is used to debug the code in an embedded system. Which of these is monitored by the simulator in the given scenario?

1. System Response
2. Detailed information of the simulator commands

### Answer Options

Select any one option

[Clear Answer](#)

☒ Only 1



☐ Only 2

☐ Both 1 and 2

☐ Neither 1 nor 2



 Submit test



## 5. The merge sort algorithm

[< Previous](#)[Next >](#)

Aptitude

Submitted

Software



You are using a merge sort algorithm to sort a set of integers.

What can be said about the auxiliary space complexity of the sort algorithm in this context?

### Answer Options

Select any one option

[Clear Answer](#)

☒ It uses  $O(n)$  Auxiliary space 

☐ It uses  $O(1)$  Auxiliary space

☐ It uses  $O(2n)$  Auxiliary space

☐ It uses  $O(n-1)$  Auxiliary space

Answer Saved



 Submit test

## 6. Implementing a function

[< Previous](#)[Next >](#)

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

Analyse the given code snippet and determine the space complexity for the same.

```
int sum (int B[], int n)
```

```
{
```

```
    int s = 0, j;
```

```
    for (j = 0; j < n; j++)
```

```
        s = s + B[j];
```

```
    return s;
```

```
} //sizeof(int) = 2 bytes
```

### Answer Options

Select any one option

[Clear Answer](#)

☒  $2n+8$



☐  $2n+4$

☐  $2n+2$

☐  $2n$

Answer Saved



Submit test

## 7. Debugging code

< Previous

Next >

Aptitude

Submitted

Software

1

2

3

4

5

6

7

8

9

10

Assume that a simulator is used to debug the code in an embedded system. Which of these is monitored by the simulator in the given scenario?

1. System Response ✓
2. Detailed information of the simulator commands

### Answer Options

Select any one option

[Clear Answer](#)

☒ Only 1 ✓

☐ Only 2

☐ Both 1 and 2

☐ Neither 1 nor 2



Submit test



## 8. State transitions for a process

< Previous

Next >

A process in a OS goes through many states from the time it is born till the time it dies.

In the given context, which of the following state transitions is not possible?

### Answer Options

Select any one option

[Clear Answer](#)

☐ Blocked to Running

☐ Ready to Running

☒ Blocked to Ready

☐ Running to Blocked

Answer Saved



Submit test



1

2

3

4

5

6

7

8

9

10

## 9. The binary representation of a number ✓

&lt; Previous

Next &gt;

You want to output the binary representation of a number using stacks.

Which of these code snippets can help you achieve your objective?

## Answer Options

Select any one option

[Clear Answer](#)

☐ public void convertBinary(int num)  
{  
Stack<Integer> stack = new Stack<Integer>();  
while (num != 0)  
{  
int digit = num / 2;  
stack.push(digit);  
num = num % 2;  
}  
printf("\nBinary representation is:");  
while (!stack.isEmpty() )  
{  
printf(stack.pop());  
}  
}

☐ public void convertBinary(int num)  
{  
Stack<Integer> stack = new Stack<Integer>();  
while (num != 0)  
{  
int digit = num % 2;  
stack.push(digit);  
}  
printf("\nBinary representation is:");  
while (!stack.isEmpty() )  
{  
printf(stack.pop());  
}



Submit test

1

2

3

4

5

6

7

8

9

10

```
int digit = num % 2;
stack.push(digit);
}
printf("\nBinary representation is:");
while (!(stack.isEmpty() ))
{
printf(stack.pop());
}
}
```

☒ public void convertBinary(int num)

```
{
Stack<Integer> stack = new Stack<Integer>();
while (num != 0)
{
int digit = num % 2;
stack.push(digit);
num = num / 2;
}
printf("\nBinary representation is:");
while (!(stack.isEmpty() ))
{
printf(stack.pop());
}
}
```



☐ public void convertBinary(int num)

```
{
Stack<Integer> stack = new Stack<Integer>();
while (num != 0)
{
int digit = num % 2;
stack.push(digit%2);
num = num / 2;
}
printf("\nBinary representation is:");
while (!(stack.isEmpty() ))
{
printf(stack.pop());
}
}
```

Answer Saved



Submit test



## 10. Converting a Function Pointer to a Data Pointer

< Previous

Next >

You are trying to convert a Function Pointer to a Data Pointer on Machine1 (M1) and Machine2 (M2). This successfully works on M1 but fails in case of M2.

What can be said about the architecture of the machine in case of M1 and M2?



### Answer Options

Select any one option

[Clear Answer](#)

☐ M1 : Von Neumann  
M2 : Harvard



☐ M1 : Harvard  
M2 : Harvard

☒ M1 : Harvard  
M2 : Von Neumann

☐ M1 : Von Neumann  
M2 : Von Neumann

Answer Saved



Submit test