

26

27

28

29

0

☆

QUESTION: 31

GROUP: Programming Basics

SECTION: Operating System Fundamentals

Instructions

Marking: 1

Which one of the given options is also called as the release time of a CPU scheduling process?

☐ Start time

☐ Completion time

☐ Release time

☐ Response time



24

25

26

27

28

29 ☆

30

31

32

33

34

35

QUESTION 29 GROUP Programming Basics SECTION C Programming Marks: 1

[Instructions](#)

Choose the correct statement from the below given.

- I) The address that is stored in a pointer variable is always of type integer.
- II) A pointer is a variable that stores the address of another variable.

☐ Only (I)

☐ Neither (I) nor (II)

☐ Both (I) and (II)

☐ Only (II)

23 Which line(s) generates error(s) in the program given below?
24

```
25 #include <stdio.h>  
26 int main()  
27 {  
28     int array[] = {2, 4, 6, 8, 5, 7};  
29     int *ar = array + 3;  
30     ++*ar += 1;  
31     printf("%d ", --(array[1 + 3])); //Line 1  
32     printf("%d", (array[11]) + 2); //Line 2  
33     return 0; //Line 3  
34 }
```

☐ No error in the program

☐ Line 1, Line 2 and Line 3

☐ Line 2 and Line 3

☐ Line 1

25

26

27

28

29

30 ☆

31

32

33

34

35

36

QUESTION 30 GROUP: Programming Basics SECTION: Operating System Fundamentals Marks: 1

Which one of the given options is correct about page stealing?

- ☐ It cleans up all the dirty pages.
- ☐ It shows that the system is efficient.
- ☐ It takes the page frames out and makes space for the newer page.
- ☐ It takes the larger disk space for pages that are paged out.

QUESTION 27 GROUP: Programming Basics SECTION: Computer Architecture Marked: 1

The computer processor has an L1 and L2 cache. The hit rates of the L1 and the L2 caches are 0.58 and 0.76 respectively. What is the fraction of the

- ☐ 0.15
- ☐ 0.58
- ☐ 0.3036
- ☐ 0.1008

21

QUESTION 23 GROUP: Programming Basics SECTION: Computer Architecture Mark(s): 1

22

Which of the below given equation(s) is/are correct for the Intersection Law in Boolean logic?

23 ☆

I) $P \cdot 1 = 0$

II) $P \cdot 1 = P$

III) $P \cdot 0 = P$

IV) $P \cdot 0 = 0$


24

25

26

7

☐ Only (II)☐ Only (III)☐ Only (II) and (IV)☐ Only (I) and (IV)



Question: How many boys chose at least one of the subjects in the year 2012, if 25% of the students in the year 2012 were girls?


- ☐ 9600
- ☐ 9700
- ☐ 9800
- ☐ 9900

[Previous Question](#)

[Next Question](#)

Direction Study the following information and answer the question that follows:

The bar graph shows the number of students (in hundreds) of a university, who chose four different subjects over the 6 years.



24

#include <stdio.h>

int main()

{

25

int array[] = {2, 4, 6, 8, 5, 7};

int *ar = array + 3;

26 ☆

++*ar += 1;

//Line 1

27

printf("%d ", --(array[1 + 3]));

//Line 2

printf("%d", (array[11]) + 2);

//Line 3

return 0;

}

28

29

☐ No error in the program

30

☐ Line 1, Line 2 and Line 3

31

☐ Line 2 and Line 3

32

☐ Line 1

33

Which one of the given options is correct about page stealing?

- ☐ It cleans up all the dirty pages.
- ☐ It shows that the system is efficient.
- ☐ It takes the page frames out and makes space for the newer page.
- ☐ It takes the larger disk space for pages that are paged out.

24

25

The number of logic gates contained in a single LSI IC package is:

26

☐ More than 100

27

☐ 50

28 ☆

☐ 10

29

☐ Less than 100

30

31

32

33

34

Instructions

HirePro

QUESTION 7 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

Avinash is riding a boat. The boat travels at a speed of 62 kmph in still water. It goes 90 km upstream in 3 hours and 40 minutes. What distance down the stream?

☐ 58 minutes

☐ 52 minutes

☐ 50 minutes

☐ 54 minutes

Previous Question

Next Question

QUESTION: 22 GROUP: Programming Basics SECTION: Computer Architecture Mark(s): 1

What is the resultant value obtained in the decimal form for the given decimal numbers after performing the AND operation on them?

A: 23

B: 23

☐ 26

☐ 15

☐ 23

☐ 25

hit rates of the L1 and the L2 caches are 0.58 and 0.76 respectively. What is the fraction of the memory accesses that are not in the cache?

21

QUESTION 24 GROUP: Programming Basics SECTION: C Programming Mark(s): 1

22

Which one of the given options is correct regarding the code snippet given below?

23

```
register int number = 130;  
char *nu = (char*)&number; //Line 1  
printf("%d ", ++*nu++);  
nu += 1;  
nu--;  
printf("%d ", --*nu--);  
return 0;
```

24 ☆

25

26

27

☐ Compile time error at //Line 1

28

☐ 131 129

29

☐ 132 130

30

☐ 131 130

31

32

33

21 ☆ QUESTION: 21 GROUP: Programming Basics SECTION: Computer Architecture Mark(s): 1

22 What is the hexadecimal equivalent of the below given binary number?

23 11011011

24 ☐ 85Dh

5 ☐ 12h

☐ DBh

☐ 33Fh




Question: What is the average number of students who chose english over the 6 years?

- ☐ 6000
- ☐ 4000
- ☐ 2000
- ☐ 8000

Previous Question

Next Question



Question: If the total number of students in the University was 20000 in the year 2011, then what is the percentage of students who chose atleast one

- ☐ 88%
- ☐ 91%
- ☐ 97%
- ☐ 94%

[Previous Question](#)

[Next Question](#)

27

QUESTION: 32 GROUP: Programming Basics SECTION: Data Structures Basics Marks: 1

28

Which one of the given options is incorrect about stacks?

29

☐ Balancing of symbols is one of the application of stacks.

30

☐ Stack is said to be in underflow state if it is empty.

31

☐ Stacks can be implemented using both array and trees.

32 ☆

☐ TOP equal to zero implies only one element in the stack.

33

34

35

36

37

```

int main()
{
    int array[] = {2, 4, 6, 8, 5, 7};
    int *ar = array + 3;
    ++*ar += 1; //Line 1
    printf("%d ", --(array[1 + 3])); //Line 2
    printf("%d", (array[!1]) + 2); //Line 3
    return 0;
}

```

☐ No error in the program

☐ Line 1, Line 2 and Line 3

☐ Line 2 and Line 3

☐ Line 1