

1

QUESTION 2 GROUP: Aptitude SECTION: Problem Solving

2 ☆

Mark(s): 1

3

4

5

6

7

8

9

A can do a piece of work alone in a certain number of days. B will take twice the days A will take and C will take thrice the days A will take. If they work at their normal speeds, they can complete the work in $30/11$ days, but it is observed that when they all work together A and B will work at $3/4$ of their normal speed on first day and after that will work at $2/3$ of its normal speed for first two days and after that work at normal speed. In how many days they will complete the work?

☐ 2.05 days☒ 3.05 days☐ 2.5 days☐ 1.05 days

How many pairs of letters are there in the word **'ELECTROTHERAPISTS'** which have as many letters between them in the word as they have in the alphabets?

☐ 7

☐ 6

☐ 8

☒ 9

[Previous Question](#)

[Next Question](#)

Direction: Study the following information and answer the question that follows:

Language class	English		Spanish		German		Korean		Hindi		French	
	M	F	M	F	M	F	M	F	M	F	M	F
Institute												
P	70	30	100	70	130	90	150	90	220	200	240	240
Q	90	70	130	140	170	130	180	170	270	230	290	280
R	130	140	140	150	160	110	230	180	290	250	330	270
S	60	90	90	110	210	170	240	130	330	310	370	280
T	50	20	80	50	130	200	260	150	360	320	390	330
U	120	110	130	150	120	110	170	110	280	270	360	320
V	110	90	190	210	150	70	210	180	270	300	320	310

Question:

By how much do the males exceed the female students enrolled at R?

180

110

230

Previous Question

Next Question

Direction: Study the following information and answer the question that follows:

Language class	English		Spanish		German		Korean		Hindi		French	
	M	F	M	F	M	F	M	F	M	F	M	F
Institute												
P	70	30	100	70	130	90	150	90	220	200	240	240
Q	90	70	130	140	170	130	180	170	270	230	290	280
R	130	140	140	150	160	110	230	180	290	250	330	270
S	60	90	90	110	210	170	240	130	330	310	370	280
T	50	20	80	50	130	200	260	150	360	320	390	330
U	120	110	130	150	120	110	170	110	280	270	360	320
V	110	90	190	210	150	70	210	180	270	300	320	310

Question:

If x percent more students are enrolled at U than at P, what is x?

☐ 20%

☐ 65%

☐ 13%

38.03

Previous Question

Next Question

QUESTION 8 GROUP Aptitude SECTION Problem Solving

MARKED 1

Some books are distributed among all the students of four schools 'W', 'X', 'Y' and 'Z' in the ratio 3 : 3 : 2 : 2 respectively, each student received only 1 book. The total is 1377 and the total number of girls in 'W' and 'Y' is 1445. The ratios of the number of girls and boys in 'W', 'X' and 'Z' are 5 : 4, 1 : 1 and 3 : 2 respectively. What is the

☐ 765

☐ 255

☐ 450

☐ 680

$$3k:3k:2k:2k$$

$$k=486$$

QUESTION: 9 GROUP: Aptitude SECTION: Logical Reasoning

Marks: 1

Direction: Study the following information and answer the question that follows:

Seven cities viz. A, B, C, D, E, F and G will be hosting lectures on Investment banking, Finance Analysis, Retail Management, Product Management, Digital Marketing, Entrepreneurship and Revenue Forecasting, one every day in a week starting from Monday not necessarily in the same order. E did not host the lecture on Entrepreneurship. It was held immediately after Retail Management and immediately before Revenue Forecasting. Only one lecture was hosted between on Digital Marketing and Finance Analysis. The lecture on Digital Marketing was held in D on Friday. The lecture hosted on Monday was in C. The lectures on Revenue Forecasting and the one held in A have only one lecture in between them. A did not host the lecture for Retail Management. The lecture in E was held immediately after the lecture in B. The lecture on Product Management was not held on Monday. The lecture in A was not held before the lecture in G.

Question:

If a pattern is formed as C, B and Revenue Forecasting, Product Management, Which of the following would E be related to?

☐ G

☐ F

☐ C

☐ A

Previous Question

Next Question

QUESTION 10 GROUP Aptitude SECTION Logical Reasoning

Direction: Study the following information and answer the question that follows.

Seven cities viz. A, B, C, D, E, F, and G will be hosting lectures on Investment banking, Finance Analysis, Retail Management, Product Management, Digital Marketing, Entrepreneurship, Revenue Forecasting, one every day in a week starting from Monday not necessarily in the same order.

E did not host the lecture on Entrepreneurship. It was held immediately after Retail Management and immediately before Revenue Forecasting. Only one lecture was hosted between on Digital Marketing and Finance Analysis. The lecture on Digital Marketing was held in D on Friday.

The lecture hosted on Monday was in C. The lectures on Revenue Forecasting and the one held in A have only one lecture in between them. A did not host the lecture for Retail Management.

The lecture in E was held immediately after the lecture in B. The lecture on Product Management was not held on Monday. The lecture in A was not held before the lecture in G.

Question:

Which city hosted the lecture on Revenue Forecasting?

☐ A☐ E☐ G☐ C[Previous Question](#)[Next Question](#)

QUESTION: 11 GROUP: Aptitude SECTION: Logical Reasoning

Direction: Study the following information and answer the question that follows:

Seven cities viz. A, B, C, D, E, F, and G will be hosting lectures on Investment banking, Finance Analysis, Retail Management, Product Management, Digital Marketing, Entrepreneurship, Revenue Forecasting, one every day in a week starting from Monday not necessarily in the same order. E did not host the lecture on Entrepreneurship. It was held immediately after Retail Management and immediately before Revenue Forecasting. Only one lecture was hosted between on Digital Marketing and Finance Analysis. The lecture on Digital Marketing was held in D on Friday. The lecture hosted on Monday was in C. The lectures on Revenue Forecasting and the one held in A have only one lecture in between them. A did not host the lecture for Retail Management. The lecture in E was held immediately after the lecture in B. The lecture on Product Management was not held on Monday. The lecture in A was not held before the lecture in C.

Question:

What is the number of lectures that were hosted between lectures on Investment banking and Product Management?

☐ Three

☐ Zero

☐ Two

☐ Four

Previous Question

Next Question

QUESTION 12 GROUP Aptitude SECTION Logical Reasoning

Direction: Study the following information and answer the question that follows:

Seven cities viz. A, B, C, D, E, F, and G will be hosting lectures on Investment banking, Finance Analysis, Retail Management, Product Management, Digital Marketing, Entrepreneurship, and Revenue Forecasting, one every day in a week starting from Monday not necessarily in the same order.

E did not host the lecture on Entrepreneurship. It was held immediately after Retail Management and immediately before Revenue Forecasting. Only one lecture was hosted between Digital Marketing and Finance Analysis. The lecture on Digital Marketing was held in D on Friday.

The lecture hosted on Monday was in C. The lectures on Revenue Forecasting and the one held in A have only one lecture in between them. A did not host the lecture for Retail Management.

The lecture in E was held immediately after the lecture in B. The lecture on Product Management was not held on Monday. The lecture in A was not held before the lecture in B.

Question:

When was the lecture on Retail Management held?

☐ Tuesday

☐ Wednesday

☐ Thursday

☐ Monday

Previous Question

Next Question

QUESTION 13 GROUP: Aptitude SECTION: Logical Reasoning

Direction: Study the following information and answer the question that follows

Seven cities viz. A, B, C, D, E, F, and G will be hosting lectures on Investment banking, Finance Analysis, Retail Management, Product Management, Digital Marketing, Entrepreneurship, and Revenue Forecasting, one every day in a week starting from Monday not necessarily in the same order.

E did not host the lecture on Entrepreneurship. It was held immediately after Retail Management and immediately before Revenue Forecasting. Only one lecture was hosted between Digital Marketing and Finance Analysis. The lecture on Digital Marketing was held in D on Friday.

The lecture hosted on Monday was in C. The lectures on Revenue Forecasting and the one held in A have only one lecture in between them. A did not host the lecture for Retail Management.

The lecture in E was held immediately after the lecture in B. The lecture on Product Management was not held on Monday. The lecture in A was not held before the lecture in B.

Question:

Which of the lectures was held on Monday?

☐ Retail Management

☐ Investment banking

☐ Entrepreneurship

☐ Revenue Forecasting

Previous Question

Next Question

QUESTION 14 GROUP Aptitude SECTION Problem Solving

Marked 1

The price of a share increases by 50% in January, falls by 66% in February, falls again by 40% in March but finally goes up by 100% on April. Then the final price is what percent than the initial price?

☒ 40% lower

☐ 60% lower

☐ 60% higher

☐ 40% higher

Previous Question

Next Question

QUESTION: 15 GROUP: Aptitude SECTION: Puzzles

Marked 1

If in a certain code language 'BLANKET' is coded as YDZMPVG, then what will 'CODFISH' be coded as in the same code language?

☐ XLCENIV

☒ ZRCENJU

☐ ZRWENHU

☐ XLWURHS

Previous Question

Next Question

QUESTION 16 GROUP: Aptitude SECTION: Problem Solving

MARKS: 1

Three lazy friends catch the school bus from the same stop. 'X' misses the bus once in 5 days, 'Y' misses the bus once in 4 days and 'Z' misses the bus once in 3 days. What is the probability that at least two friends catch the bus on a particular day?

☐ 1/9

☐ 3/4

☐ 4/5

☒ 5/6

Previous Question

Next Question

QUESTION: 17 GROUP: Aptitude SECTION: Puzzles

Mark(s): 1

If $P + Q$ means P is to the west of Q ; $P \% Q$ means P is to the north of Q ; $P - Q$ means P is to the south of Q ; then in $A + B - C + D$, D is in which direction with respect to A ?

☐ North-West☐ South-East☐ South-West☒ North-East ✓

Previous Question

Next Question

QUESTION 18 GROUP: Aptitude SECTION: Problem Solving

Mark(s): 1

In an engineering college, the number of students in ECE and CSE is in the ratio of 3:5 and that in CSE and EEE is in the ratio of 4:7. If the total number of students in these three branches is 201, then how many students are there in ECE department?

☒ 36

☐ 48

☐ 24

☐ 64

QUESTION 19 GROUP Aptitude SECTION Problem Solving

Marks: 1

In how many ways 3 brothers and 5 sisters can be made seated in a row such that no two brothers sit together?



14400

57600

28800

23200

QUESTION 20 GROUP Aptitude SECTION Problem Solving

MARKS 1

There are three towns A, B and C. A person by walking from A to B, driving from B to C and riding from C to A makes the journey in $31\frac{1}{2}$ hours. By driving from A to B, riding from B to C and walking from C to A he completes the journey in 12 hours. On foot he completes the journey in 22 hours, on horseback in $33\frac{3}{4}$ hours and driving in 11 hours. To walk a km, he takes altogether half an hour. Find the distance between the town B and C?

☐ 40 km☐ 20 km☐ 37.5 km☒ 30 km ✓

$$X = 75 / 2 \text{ (AB)}, Y = 30 \text{ (BC)}, Z = 15 \text{ (CA)}$$

QUESTION 21 GROUP: Programming Basics SECTION: Computer Architecture

Mark(s) 1

Which one of the given options is the correct sequence of outputs to complete the truth table if A and B are inputs for an EX-OR gate?

A	B	Output
0	0	
0	1	
1	0	1
1	1	0

☐ 10

☐ 00

☐ 11

☒ 01

21

QUESTION 22 GROUP Programming Basics SECTION: Operating System Fundamentals

22 ☆

Mark(s): 1

23

Consider the below given snapshot along with processes and the burst time:

Processes	Burst time
P1	84
P2	27
P3	69
P4	35

24

25

26

What is the average waiting time for processes P2 and P4 using the Round Robin scheduling algorithm with the quantum of 10?

☐ 20 and 200☐ 162 and 225☐ 0 and 215☐ 80 and 107

Previous Question

Next Question

21

QUESTION: 23 GROUP: Programming Basics SECTION: C Programming

22

Mark(s): 1

23 ☆

What will be the output of the program given below?

24

#include <stdio.h>

25

int main()

{

26

int i = 258;

int *iPtr = &i;

27

printf("%d %d", *((char*)iPtr), *((char*)iPtr + 1));

28

return 0;

}

☒ 2 1☐ 1 1☐ Compile time error☐ 1 2[Previous Question](#)[Next Question](#)

21

QUESTION 24 GROUP: Programming Basics SECTION: C Programming

22

Mark(s): 1

23

What will be the output of the program given below?

24 ☆

```
#include <stdio.h>

int main()
{
    int cnt = 5, a;
    do
    {
        a /= cnt;
    } while (cnt --);
    printf ("%d\n", a);
    return 0;
}
```

25

26

27

28

no output no compile error no runtime error

☐ 1☐ Compile time error☐ Runtime error[Previous Question](#)[Next Question](#)

21

QUESTION 25 GROUP Programming Basics SECTION: Computer Architecture

22

Mark(s): 1

23

Which of the below given statement(s) is/are true for the two's complement representation?

24

I) If the leftmost bit is a 1, the number is positive or zero.

II) If the leftmost bit is a 0, the number is positive or zero.

III) If the leftmost bit is a 1, the number is negative.

25 ☆

☐ Only (I)

☐ Only (III)

☐ Only (I) and (III)

☒ Only (II) and (III)

[Previous Question](#)[Next Question](#)

21 QUESTION: 26 GROUP: Programming Basics SECTION: Operating System Fundamentals

22 Mark(s): 1

23 Which of the memory layout section given in options is also called as the 'bss' segment?

24 ☐ Code segment

25 ☐ Stack

26 ☆ ☒ Uninitialized data segment

27 ☐ Initialized data segment

28

29

30

1

Previous Question

Next Question

22 QUESTION 27 GROUP: Programming Basics SECTION: Data Structures Basics

23 Mark(s): 1

24 Which of the below given statement(s) is/are correct?

25 I) A doubly linked list cannot be cyclic

26 II) Each node in a doubly linked list contains two link parts.

27 ☆ ☒ Only (II)

☐ Neither (I) nor (II)

☐ Both (I) and (II)

☐ Only (I)

Previous Question

Next Question

23

QUESTION: 28 GROUP: Programming Basics SECTION: C Programming

24

Mark(s): 1

25

What will be the output of the code snippet given below if the value assigned to x and y is 3 and 6 respectively?

26

```
if (y >= x == 2)
```

27

```
    printf("%d", x - 1);
```

```
else
```

28 ☆

```
    printf("%d", y == x);
```

```
return 0;
```

29

☐ 2☐ Compile time error☐ 1☒ 0

Previous Question

Next Question

24

25

26

27

28

29 ☆

30

31

32

3

QUESTION: 29 GROUP: Programming Basics SECTION: Data Structures Basics

Mark(s): 1

Which of the statement(s) given below is/are correct?

- I) An output restricted deque is one where insertion can be made at both ends, but deletion can be made from one end only.
- II) Incase of output restricted deque even if an element is removed; the location remains unused.

☐ Neither (I) nor (II)

☐ Both (I) and (II)

☒ Only (I) ✓

☐ Only (II)

[Previous Question](#)[Next Question](#)

25

26

27

28

29

30 ☆

31

32

33

34

35

QUESTION: 30 GROUP Programming Basics SECTION: Data Structures Basics

Mark(s): 1

Which element will get searched in 2nd pass of binary search for the input list 'A'?

12 16 22 36 43 61 69

☐ 36

☒ 16 ✓

☐ 12

☐ 22

Previous Question

Next Question

26

27

28

29

30

31 ☆

32



33

34

35

36

QUESTION: 31 GROUP: Programming Basics SECTION: Computer Architecture

Mark(s): 1


Convert binary (1110 1100 0110 1001) to decimal

☐ 30521

☐ 40521

☐ 50521

☒ 60521



Previous Question

Next Question

QUESTION 32 GROUP: Programming Basics SECTION: Computer Architecture

Marks: 1

What is the decimal form for the below given binary number?

1010111011

☒ 699

☐ 1256

☐ 759

☐ 515

Previous Question

Next Question

QUESTION 33 GROUP: Programming Basics SECTION: C Programming

Mark(s) 1

What will be the output of the program given below?

```
#include <stdio.h>
#include <stdlib.h>
#define fun() main()
void fun1();
static unsigned int a = 5;

int fun()
{
    if(a == 0)
    {
        printf("in_if");
        return 0;
    }

    fun1();
    printf("%d ", a);
    return 0;
}
```

answer based on fun1 ()
because no error

Previous Question

Next Question

QUESTION: 34 GROUP: Programming Basics SECTION: C Programming

Mark(s): 1

What will be the output of the program given below?

```
#include <stdio.h>

int main(void)
{
    char a = 1;
    char b = -1;
    printf("%d %d ", ~++a || b, a || ~b-- && ~++b);
    printf("%d %d", a, b);
    return 0;
}
```

☐ 1 0 3 1

☐ 1 0 2 -1

☒ 1 1 2 -1

☐ Compile time error

Previous Question

Next Question

QUESTION 35 GROUP: Programming Basics SECTION: C Programming

Mark(s) 1

What will be the output of the program given below?

```
#include <stdio.h>
#define COMEON(S) S+k+2
int fun(int a, int *p)
{
    static int k = 15; k--;
    if(k <= (*p)++)
        return COMEON((*p)++);
    else
        return a++ + fun(k, p) + fun(k-3, p);
}

int main()
{
    int k = 2;
    int a = fun(COMEON(4), &k);
    printf("%d, %d\n", a, k);
    return 0;
}
```

222, 22

Previous Question

Next Question

QUESTION: 36 GROUP: Programming Basics SECTION: Error Finding

Mark(s): 1

Which of the line(s) generates error in the program given below?

```
#include <stdio.h>
int main()
{
    union cm
    {
        int a: 3;
        int b: 4;
    };
    union cm omm;
    omm.a = 3;
    omm.b = omm.a++;           //Line 1
    typedef union cm omm m;   //Line 2
    omm.b = m.a + m.b;
    printf("%d", omm.b);
    return 0;
}
```

line 2 has error

☐ Line 1

Previous Question

Next Question

QUESTION: 37 GROUP: Programming Basics SECTION: Data Structures Basics

Mark(s): 1

The elements given below are sorted in ascending order using quick sort. First element of the list is always chosen as Pivot.

22 81 91 31 10 38 75 69

Which element of the list is Pivot element in 3rd Pass?

☐ 81

☐ 10

☐ 91

☒ 38

Previous Question

Next Question

QUESTION: 38 GROUP: Programming Basics SECTION: Computer Architecture
Mark(s): 1

Consider the below given binary number:

$(000000000000000010010100)_2$

- I) The given number is a positive number.
- II) The equivalent decimal number is 148.
- III) The given number is a negative number.

☐ Only (II)

☐ Only (II) and (III)

☐ Only (I)

☒ Only (I) and (II)

Previous Question

Next Question

QUESTION 39 GROUP Programming Basics SECTION Error Finding

Marked: 1

After executing the below given code snippet, the user has found error at "//Line". The statement given at "//Line" can be replaced with which one of the given options?

```
#include <stdio.h>
int main()
{
    unsigned int Array[1][4][2] = {2, 3, 4, 5, 6, 7, 8, 9};
    do
    {
        printf("%d", Array[][2][1]); //Line
    }while(1);
    return 0;
}
```

☐ Array[0][2][1]

☐ Array[0][1][1]

☒ Array[0][2][1]

☐ Array[0][0][0]

Previous Question

Next Question

QUESTION: 40 GROUP: Programming Basics SECTION: Operating System Fundamentals

Mark(s): 1

Which of the solution mechanism given in options are free from deadlocks in case of a dining philosopher's problem?

☐ Solutions using monitors.

☐ Solution using semaphores with conditions.

☒ Solution using monitors with mutexes.

☐ Solution using semaphores.

Previous Question

Next Question



41 ☆

QUESTION: 41 GROUP: Computer Science SECTION: CA

42

Mark(s): 1

43

What is the result of the given expression?

44

$$(316)_8 + (16)_8 = (?)_{10}$$

45

☒ 220

46

☐ 234

47

☐ 169

48

49

☐ 193

50

51

52

3

41

QUESTION 42 GROUP Computer Science SECTION: C

42 ☆

Mark(s): 1

43

What will be the output of the program given below?

44

```
#include <stdio.h>
```

45

```
extern int a;
```

46

```
int main()
```

47

```
{
```

```
    int a = 4;
```

48

```
    static int b = 5;
```

```
    b += a ^ b--;
```

49

```
    printf("%d", printf("%d ", ++b));
```

6 2

50

```
    return 0;
```

```
}
```



7 6



Compile time error



12 11

41

QUESTION: 43 GROUP: Computer Science SECTION: Operating System

42

Mark(s): 1

43 ☆

Which of the below given feature(s) belong to the operating system?

44

I) Memory Management

45

II) Device Handling and Managing

46

III) Process Handling

47

☐ Only (I) and (II)

48

☐ Only (I)

49

☐ Only (II) and (III)

50

☒ All (I), (II) and (III)

51

52

41

QUESTION: 44 GROUP: Computer Science SECTION: C

42

Mark(s): 1

43

What will be the output of the program given below?

44 ☆

45

```
#include <stdio.h>

int main(void)
{

    int a = 10;
    int b = 20;

    a = a & b && a;
    b = b | a || b;

    printf("%d %d ", a, b);

    return 0;

}
```

46

47

48

49

50

51

2

☐ 0 0☐ Compile time error☒ 0 1

QUESTION: 45 GROUP: Computer Science SECTION: CA

Mark(s): 1

A CPU organisation has 32 general purpose registers and the Arithmetic logic unit can perform about 256 different operations. How many bits are present in

☐ 5 bits

☐ 6 bits

☐ 8 bits

☐ 2 bits

QUESTION 46 GROUP: Computer Science SECTION: C

Mark(s): 1

What will be printed by the program given below?

```
#include <stdio.h>

void f(int x)
{
    x = x + 1;
}

int main(void)
{
    int x = 5;

    f(x);

    printf("%d", x);

    return 0;
}
```

☒ 5☐ 1☐ Garbage value

42

QUESTION: 47 GROUP: Computer Science SECTION: Data Structures

Mark(s): 1

43

Which of the techniques given below are used for collision resolution in hashing?

I) Direct Chaining

II) Loading

III) Open Addressing

☒ Only (I) and (III)☐ Only (II) and (III)☐ Only (I) and (II)☐ All (I), (II) and (III)

QUESTION: 48 GROUP: Computer Science SECTION: Algorithms

Mark(s) 1

What will be the output of the algorithm given below?

Algorithm:

Step 1 : Start

Step 2 : Initialize $a = 1$, $j = 3$, $s[4] = 5, 9, 1, 8$

Step 3 : Repeat step 4 and step 5 until $j > 1$

Step 4 : Compute $a * = j$

Step 5 : Compute $j -= 1$

End loop

Step 6 : Set $a = j$

Step 7 : Repeat step 8 until $a < 4$ step by 1

Step 8 : Compute $s[a] += 2$

Step 9 : Print $s[0]$, $s[1]$, $s[2]$, $s[3]$

Step 10 : Stop

☐ 5 10 2 9

☒ 5 11 3 10

QUESTION: 50 GROUP: Computer Science SECTION: C

Mark(s): 1

What will be the output of the program given below?

```
#include <stdio.h>

#define sure(a, b, c) c -= a++ + b + c && 2

int main()
{
    register int a, b, c;

    a = b = c = 212;

    a--;

    b -= --a || c;

    a = 1;

    b += a;

    c = ((b, a), (a, b), (c, a));

    c -= c + !1;

    sure(a, b, c);

    printf("%d ", c += c + 1, ++c * b);

    return 0;
}
```

1

QUESTION: 51 GROUP: Computer Science SECTION: Data Structures

Mark(s): 1

Consider the queue of size 5 consisting of '8', '9' and '3', if one element is dequeued then how many elements has to be enqueued to the queue to make the

☐ 0

☒ 3

☐ 2

☐ 1

QUESTION: 52 GROUP: Computer Science SECTION: Operating System

Mark(s): 1

Which of the below given statement(s) is/are incorrect about the CPU execution modes?

- I) User mode can execute a subset of instructions.
- II) Supervisor mode can reference a subset of memory locations.

☐ Both (I) and (II)

☐ Neither (I) nor (II)

☐ Only (I)

☒ Only (II)

QUESTION: 53 GROUP: Computer Science SECTION: Data Structures

Mark(s): 1

Which one of the given options is a valid sequence of elements in an array representing 3-ary min heap?

☐ 5 6 10 23 8 9

☐ 5 9 8 6 10 23

☐ 5 6 23 9 10 8

☒ 5 10 6 23 8 9

QUESTION: 54 GROUP: Computer Science SECTION: OOPS

Mark(s): 1

Which of the statement(s) given below is/are false?

- I) An exception should be thrown only within a try block.
- II) A program cannot continue to execute after an exception has occurred.
- III) Two catch handlers cannot have the same type.

☐ Only (III)

☒ All (I),(II) and (III)

☐ Only (I)

☐ Only (II) and (III)

QUESTION: 55 GROUP: Computer Science SECTION: CA

Mark(s): 1

Instructions like STD, STC and CLC belong to which type of instructions given in options?

☐ Data transfer instructions

☐ Logic instructions

☒ Processor control instructions

☐ Loop control instructions

QUESTION 56 GROUP: Computer Science SECTION: C

Mark(s): 1

What will be the output of the program given below?

```
#include <stdio.h>
const char *A[] = {"CODING", "TEST", "ANALYZE", "IMPLEMENT"};
const char **AA[] = {A + 3, A + 2, A + 1, A};
const char ***AAA = AA;
```

```
int main()
{
    printf("%s ", *--*++AAA + f(3));
    printf(" %s", AAA[-1][-1] + 1);
    return 0;
}
```

```
int f(int t)
```

```
{
    int a[4][2];
    int b = 0, x;
    int i, y;
```

```
int f(int t)
```

```
{
```

```
    int a[4][2];
```

```
    int b = 0, x;
```

```
    int i, y;
```

```
    for (i = 0; i < t + 1; i++)
```

```
        for (y = 0; y < t - 1; y++)
```

```
            a[i][y] = b++;
```

```
    x = (*(a + 2) - 1);
```

```
    return x;
```

```
}
```

☐ NALYZE NALYZE

☐ NALYZE LEMENT

☐ T LEMENT

☒ T NALYZE

QUESTION: 57 GROUP: Computer Science SECTION: C

Mark(s): 1

In the code snippet given below, what value will be return by the printf statement?

```
#include <stdio.h>
#include <string.h>

int main()
{
    int i;
    char *string = "welcome";
    for (i = 0; i <= strlen(string); i++)
    {
        printf("%c", string[i++]);
        continue;
    }
}
```

☒ wloe

☐ e

QUESTION: 58 GROUP: Computer Science SECTION: OOPS
Mark(s): 1

Which one of the statement given in options is false about Inheritance?

- ☐ Interface inheritance promotes the design concept of program to interfaces not to implementations.
- ☐ Interface inheritance is public inheritance, while implementation inheritance is private inheritance.
- ☒ Interface inheritance can achieve code reuse with the help of object composition.
- ☐ With implementation inheritance, the subclass becomes loosely coupled with the super class.

QUESTION: 59 GROUP: Computer Science SECTION: Operating System
Mark(s): 1

Which of the below given statement(s) is/are correct regarding "Deadlock"?

- I) A system is said to be free from deadlock if the resource graph is completely reducible.
- II) Eliminating the hold and wait condition to prevent deadlock will result in reduced throughput.

☐ Only (II)

☐ Neither (I) nor (II)

☒ Only (I)

☐ Both (I) and (II)

QUESTION: 60 GROUP: Computer Science SECTION: OOPS

Mark(s): 1

Which of the below given statement(s) is/are true?

- I) Instance variables can be accessed directly by calling the variable name inside the class.
- II) Within static methods Instance variables should be called using the fully qualified name i.e ObjectReference.VariableName.

☐ Neither (I) nor (II)

☒ Only (I)

☐ Only (II)

☐ Both (I) and (II)