

## TEST STRUCTURE

### MANDATORY GROUPS

| Groups             | Type of Questions       | No. of Questions | Duration |
|--------------------|-------------------------|------------------|----------|
| Aptitude           | ReferenceToContext, MCQ | 20               | 30 mins  |
| Programming Basics | MCQ                     | 20               | 30 mins  |

### OPTIONAL SECTION - Choose any 1

| Groups           | Type of Questions | No. of Questions | Duration |
|------------------|-------------------|------------------|----------|
| Computer Science | MCQ               | 20               | 30 mins  |
| Digital          | MCQ               | 20               | 30 mins  |

## SPECIAL INSTRUCTIONS

Welcome to Qualcomm Assessment

Test Duration: 90 Minutes

Important Instructions:

1 ☆ QUESTION: 1 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

2

From a bag containing 5 blue balls and 3 red balls two balls are drawn at random. What is the probability that the balls are of same color?

3

☒ 11/28

4

☐ 11/27

5

☐ 13/27

6

☐ 13/28

7

8

9

10


11

12

13

Direction: Read the information carefully and answer the questions that follow.

The Bar chart given below gives information about the total number of items and the defective items produced by a company XYZ over the years 2018 through 2021.



Question: The difference between the total number of items and defective items is least in the year

2018

2021

2019

Direction: Read the information carefully and answer the questions that follow.

The Bar chart given below gives information about the total number of items and the defective items produced by a company XYZ over the years 2018 through 2021.



Question: What is the percentage increase in the total number of items produced from 2018 to 2019?

65%

48%


52%

Previous Question

Next Question

Direction: Read the information carefully and answer the questions that follow.

The Bar chart given below gives information about the total number of items and the defective items produced by a company XYZ over the years 2018 through 2021.



Question: On an average, how many non defective items are produced from 2018 till 2021?

☐ 2600


☐ 3200

☐ 1400

Previous Question

Next Question

The Bar chart given below gives information about the total number of items and the defective items produced by a company XYZ over the years 2018 through 2021.



**Question:** Defective items as a percentage of total number of items is maximum in the year

- ☐ 2019
- ☐ 2018
- ☐ 2020
- ☐ 2021

1

QUESTION: 6 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

2

3

There are 11 women and 9 men in a certain club. If the club has to select a committee of 2 women and 2 men, in how many ways can it be done?

4

☐ 720

5

☐ 1980

6 ☆

☐ 1060

7

☐ 1520

8

9

10

11

12

13

14

15



QUESTION: 7 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

A recipe for a fruit punch requires orange juice and pineapple juice in the ratio of 3:2. If a chef wants to make 25 liters of fruit punch, then what is four times the amount of orange juice present in that mixture?

☐ 40 liters

☐ 50 liters

☐ 60 liters

☐ 45 liters

Previous Question

Next Question



QUESTION: 8 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

In a parallelogram ABCD, perpendiculars are drawn from A and C to the longest diagonal at points E and F respectively, trisecting the line segment BD. Find the area of the parallelogram if  $AE = 15$  cm,  $AD = 17$  cm.

☐ 360  $\text{cm}^2$ ☐ 720  $\text{cm}^2$ ☐ 510  $\text{cm}^2$ ☐ 765  $\text{cm}^2$ [Previous Question](#)[Next Question](#)

QUESTION: 9 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

A train having a length of 400 m, travelling at a speed of 15 m/s crosses a platform in 1 min. What is the length of the platform?

- ☐ 400 m
- ☐ Cannot be determined
- ☐ 2000 m
- ☐ 500 m

Previous Question

Next Question

QUESTION: 10 GROUP: Aptitude SECTION: Puzzles Mark(s): 1

How many such pairs of letters are there in the word "IRREPLACEABLE" which has as many letters between them (from both the sides) as in the alphabets from A to Z?

☐ Zero

☐ One

☐ Three

☐ Four

Previous Question

Next Question

6 QUESTION: 11 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

7 Ravi, Sohan, and Tanmay are three gardeners assigned to complete landscaping work. They can finish the work individually in 6, 18, and 24 days respectively. On any given day, all three do not work together, and no  
8 gardener can work for more than two consecutive days. What is the minimum number of days in which the work will be completed?

9 ☐ 35/16 days

10 ☐ 43/15 days

11 ☆ ☐ 34/7 days

12 ☐ 38/7 days

13  
14  
15  
16  
17  
18  
19  
20 Previous Question

Next Question

QUESTION: 12 GROUP: Aptitude SECTION: Puzzles Mark(s): 1

Pointing to a photograph Joe said "He is my father's brother's grandson", how is Joe related to the person in the photograph?

☐ Uncle☐ Grandfather☐ Cousin☐ Father[Previous Question](#)[Next Question](#)



- 7
- 8
- 9
- 10
- 11
- 12
- 13 ☆
- 14
- 15
- 16
- 17
- 18
- 19
- 20

QUESTION: 13 GROUP: Aptitude SECTION: Puzzles Mark(s): 1

Which is the exact water image of the following figure?





Instructions

Pulkit K  
TIME LEFT: 00

7

8

9

10

11

12

13 ☆

14

15

16

17

18

19

20



Previous Question

Next Question

7

8

**Direction:** Study the information given below and answer the question that follows.

9

- Six people, Sonu, Monu, Jim, Akash, Anvesha, Kapil are sitting around a circular table and they are equidistant from each other.

10

- All of them are facing towards the center of the circle.

11

- Anvesha is not sitting between Monu and Akash.

12

- Some people are sitting between Monu and Akash.

13

- Sonu sits just left of Kapil.

14 ☆

- Jim is fourth to the right of Sonu.

**Question:** Who is sitting opposite to Jim?

15

☐ Monu

16

☐ Akash

17

☐ Kapil

18

☐ Sonu

19

20

[Previous Question](#)[Next Question](#)

7

QUESTION: 15 GROUP: Aptitude SECTION: Logical Reasoning Mark(s): 1

8

**Direction:** Study the information given below and answer the question that follows.

9

- Six people, Sonu, Monu, Jim, Akash, Anvesha, Kapil are sitting around a circular table and they are equidistant from each other.

10

- All of them are facing towards the center of the circle.

11

- Anvesha is not sitting between Monu and Akash.

12

- Some people are sitting between Monu and Akash.

- Sonu sits just left of Kapil.

- Jim is fourth to the right of Sonu.

**Question:** Who sits second to the right of Kapil?

13

☐ Either Akash or Monu

14

☐ Either Sonu or Monu

15 ☆

16

☐ Anvesha

17

☐ Jim

18

19

20

[Previous Question](#)[Next Question](#)

QUESTION: 16 GROUP: Aptitude SECTION: Logical Reasoning Mark(s): 1

**Direction:** Study the information given below and answer the question that follows.

- Six people, Sonu, Monu, Jim, Akash, Anvesha, Kapil are sitting around a circular table and they are equidistant from each other.
- All of them are facing towards the center of the circle.
- Anvesha is not sitting between Monu and Akash.
- Some people are sitting between Monu and Akash.
- Sonu sits just left of Kapil.
- Jim is fourth to the right of Sonu.

**Question:** Who sits exactly between Akash and Monu?

- ☐ Sonu
- ☐ Jim
- ☐ Kapil
- ☐ Anvesha

Previous Question

Next Question

QUESTION: 17 GROUP: Aptitude SECTION: Logical Reasoning Mark(s): 1

**Direction:** Study the information given below and answer the question that follows.

- Six people, Sonu, Monu, Jim, Akash, Anvesha, Kapil are sitting around a circular table and they are equidistant from each other.
- All of them are facing towards the center of the circle.
- Anvesha is not sitting between Monu and Akash.
- Some people are sitting between Monu and Akash.
- Sonu sits just left of Kapil.
- Jim is fourth to the right of Sonu.

**Question:** Who sits second to the left of Sonu?

- ☐ Monu
- ☐ Anvesha
- ☐ Kapil
- ☐ Jim

Previous Question

Next Question

QUESTION: 18    GROUP: Aptitude    SECTION: Logical Reasoning    Mark(s): 1

**Direction:** Study the information given below and answer the question that follows.

- Six people, Sonu, Monu, Jim, Akash, Anvesha, Kapil are sitting around a circular table and they are equidistant from each other.
- All of them are facing towards the center of the circle.
- Anvesha is not sitting between Monu and Akash.
- Some people are sitting between Monu and Akash.
- Sonu sits just left of Kapil.
- Jim is fourth to the right of Sonu.

**Question:** Who sits second to the right of Sonu?

- ☐ Kapil
- ☐ Anvesha
- ☐ Akash
- ☐ Jim

Previous Question

Next Question



Instructions

Pulkit Kumar Khichar

TIME LEFT: 00:24:46

QUESTION: 19 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

A chef mixes 36 litres of water with 65 liters of broth. She serves  $\frac{1}{5}$ th of the mixture to her guests and then adds more water to maintain the original quantity. What is the resultant proportion of broth to water in the mixture?

☐ 52:101

☐ 52:49

☐ 49:52

☐ 49:101

Previous Question

Next Question

QUESTION: 20 GROUP: Aptitude SECTION: Problem Solving Mark(s): 1

A shopkeeper purchases a box of apples from a wholesale trader. It was found that 20% of the apples were rotten and from the remaining, 5% were not yet ripe. The shopkeeper kept 83.33% of the good ripened fruit and 50% of the rotten fruits on his stall for sale which were 110 in number. Find the total number of unripe apples in the box.

☐ 9☐ 6☐ 12☐ 15

Previous Question

Next Question

21 ☆

QUESTION: 21 GROUP: Programming Basics SECTION: C Programming Mark(s): 1

22

What will be the output of the program given below?

23

#include &lt;stdio.h&gt;

24

#include &lt;stdlib.h&gt;

25

float fun(int a, int b)

26

{  
    return a + b;

27

}  
#define return int;

28

int main(void)

29

{

int a;

int b;

30

a = b = 5.5;

++b + a--;

31

int c = fun(a, b);

32

printf("%d ", c);

33

return a;

printf("%d ", a - b);

34

    exit(0);  
}[Previous Question](#)[Next Question](#)

21 QUESTION: 22 GROUP: Programming Basics SECTION: Error Finding Mark(s): 1

22 ☆ The given code intends to prompt the user to enter a number, read that number using scanf, and then print the entered number. However, there is an error in the code. Identify the line which is causing the error.

```
23 #include <stdio.h> // Line 1
24 int main() {
25     int num;
26     printf("Enter a number: ");
27     scanf("%d", num); // Line 5
28     printf("The entered number is: %d\n", num); // Line 6
29     return 0;
30 }
```

☒ Line 1☐ Line 6☐ Line 5☐ No Error

Previous Question

Next Question

Which of the code snippet given in options can print the value 4?

☒ for(i = 0; i < 4; i++)  
{  
    i = i + 1;  
    printf("%d ", ++i);  
}

☐ for(i = 0; i < 4; i++)  
{  
    i = i + 1;  
    printf("%d ", i++);  
}

☐ for(i = 0; i < 4; i++)  
{  
    i = i + 4;  
}  
printf("%d ", i);

for(i = 0; i < 4; i++)  
{  
    i = i + 1;  
}  
printf("%d ", i++);

[Previous Question](#)

[Next Question](#)

21

QUESTION: 24 GROUP: Programming Basics SECTION: C Programming Mark(s): 1

22

What will be the output of the program given below?

23

#include &lt;stdio.h&gt;

24 ☆

int main()

{

25

int x = 25;

26

printf("%d %d %d\n", x, x &lt;&lt; 2, x &gt;&gt; 2);

27

return 0;

}

28

☐ 25 27 24

29

☐ 25 50 100

30

☐ 25 100 6

31

☐ 25 75 15

32

33

34



21

QUESTION: 25 GROUP: Programming Basics SECTION: Data Structures Basics Mark(s): 1

22

What will be the P[rear] when the given operations are performed on an empty Queue 'P'?

23

enqueue (A), enqueue (K), enqueue (S), PEEK (), dequeue (), PEEK ()

24

25 ☆

☐ S

26

☐ A

27

☐ Queue is empty

28

☐ K

29

30

31

32

33

34

Previous Question

Next Question

21

22

23

24

25

26 ☆

27

28

29

30

31

32

33

34

35

QUESTION: 26 GROUP: Programming Basics SECTION: C Programming Mark(s): 1

How many bytes are occupied by near, far and huge pointers?

☐ 2 4 8

☐ 2 4 4

☐ 2 2 4

☐ 1 2 4

Previous Question

Next Question

22

23

24

25

26

27 ☆

28

29

30

31

32

33

34

35

36

QUESTION: 27 GROUP: Programming Basics SECTION: Operating System Fundamentals Mark(s): 1

Which of the below given statement(s) is/are correct for best fit?

I) The smallest hole which is big enough is allocated to program.

II) The largest hole which is big enough is allocated to program.

☐ Only (I)

☐ Only (II)

☐ Both (I) and (II)

☐ Neither (I) nor (II)

Previous Question

Next Question

23 QUESTION: 28 GROUP: Programming Basics SECTION: Computer Architecture Mark(s): 1

24

25 What is the approximate number of clock cycles required in a vector processor, to execute a vector sequence of 6 convoys each having a vector length of 15?

26

☐ 6 clock cycles

27

☐ 9 clock cycles

28 ☆

☐ 90 clock cycles

29

☐ 21 clock cycles

30

31

32

33

34

35

36

37

Previous Question

Next Question

24

QUESTION: 29 GROUP: Programming Basics SECTION: Operating System Fundamentals Mark(s): 1

25

26

Which of the below given is/are part of the physical communication link in the message passing system that uses the Interprocess Communication (IPC)?

27

I) Hardware bus

28

II) Direct and Indirect communication

29 ☆

☐ Both (I) and (II)

30

☐ Only (II)

31

☐ Only (I)

32

☐ Neither (I) nor (II)

33

34

35

36

37

38

[Previous Question](#)[Next Question](#)



QUESTION: 30 GROUP: Programming Basics SECTION: C Programming Mark(s): 1

What will be the output of the program given below?

```
#include <stdio.h>
int main()
{
    char *word[] = {"CAT", "DOG", "BIRD", "FISH"};
    printf("%s %s %s %s", word[0], word[1], word[2], word[3]);
    return 0;
}
```

☐ Compile time error: size of array is not mentioned.

☐ CAT

☐ C D B F

☐ CAT DOG BIRD FISH

Previous Question

Next Question



26

27

28

29

30

31 ☆

32

33

34

35

36

37

38

39

40

QUESTION: 31 GROUP: Programming Basics SECTION: Computer Architecture Mark(s): 1

What is the resultant value of the given binary numbers after performing the AND operation on them?

A: 10110011

B: 10111100

☐ 10110011

☐ 10110000

☐ 11001100

☐ 11101111

Previous Question

Next Question

Pulkit Kumar Kh

TIME LEFT: 00:26

TIME LEFT: 00:26:28

27

QUESTION: 32 GROUP: Programming Basics SECTION: Computer Architecture Mark(s): 1

28

The computer processor has an L1 and L2 cache. The hit rates of the L1 and the L2 caches are 0.58 and 0.76 respectively. What is the fraction of the memory accesses that miss in both the caches?

29

☐ 0.1008

30

☐ 0.58

31

☐ 0.3036

32 ☆

☐ 0.15

33

34

35

36

37

38

39

40

[Previous Question](#)

[Next Question](#)

QUESTION: 33 GROUP: Programming Basics SECTION: Data Structures Basics Mark(s): 1

Consider a stack T: **J K P** (TOP = P) and stack U: **E R** (TOP = R) of size 5 respectively, first stack T is popped twice then stack U is popped twice. Which of the statement given in options is correct about the stacks?

- ☐ The sequence of popped elements from both the stacks is **P K R E**.
- ☐ The sequence of popped elements from the both the stacks is **E R K P**.
- ☐ Index value of stack T is -1.
- ☐ Stack U will be in underflow state.

[Previous Question](#)[Next Question](#)

QUESTION: 34    GROUP: Programming Basics    SECTION: Computer Architecture    Mark(s): 1

Which of the given below is/are true about full subtractor?

- I) A full subtractor can work with three binary inputs of single digit.
- II) A full subtractor has one output pin.
- III) A full subtractor does not contain a borrow output.

☐ Only (I) and (III)


☐ Only (II) and (III)

☐ Only (I) and (II)

☐ Only (I)

QUESTION: 35 GROUP: Programming Basics SECTION: Data Structures Basics Mark(s): 1

Identify the leaf node/s in the right sub-tree.



☐ 1 4 7

☐ 13

☐ 14

☐ 4 7

Previous Question

Next Question



QUESTION: 39 GROUP: Programming Basics SECTION: Operating System Fundamentals Mark(s): 1

What happens to the average turn around time, when the time quantum increases in case of the Round Robin Scheduling Algorithm?

☐ It Decreases

☐ It Remains constant

☐ It Varies regularly

☐ It Increases



41 ☆

QUESTION: 41 GROUP: Computer Science SECTION: OOPS Mark(s): 1

TIME LEFT

42

Which of the below given statement(s) is/are true?

43

I) Overridden methods can change return types; overloaded methods cannot, except in the case of covariant returns.

44

II) Object reference return types can accept null as a return value.

45

☐ Neither (I) nor (II)

46

☐ Both (I) and (II)

47

☐ Only (II)

48

☐ Only (I)

49

50

51

52

53

54

Previous Question

Next Question

41

QUESTION: 42 GROUP: Computer Science SECTION: Data Structures Mark(s): 1

42 ☆

Which one of the given options do not appear in the stack while evaluating the postfix expression given below?

43

18 75 5 + 8 / 71 14 % 214 + 72 - 29 38 + 13 % 23 \* - 3 + % +

44

45

☐ 75

46

☐ 215

47

☐ 10

48

☐ 46

49

50

51

52

53

54

[Previous Question](#)[Next Question](#)

41 Given a sorted array  $a$  for an element  $x$  between  $a[low]$  and  $a[high]$ , what is the purpose of the below given algorithm?

42 `if ( low > high)`

43 ☆ `return -1;`

44 `mid = (low + high)/2;`

45 `if ( x == a[mid])`

46 `return mid;`

47 `if ( x < a[mid])`

48 `search for x in a[low] to a[mid-1]`

49 `else`

50 `search for x in a[mid+1] to a[high]`

51 ☐ Tree search

52 ☐ Binary search

53 ☐ Quick search

54 ☐ Hash search

Previous Question

Next Question

```

41 #include <stdio.h>
42 int main(void)
43 {
44     char *a = (char *)0x00000120;
45     char *b = (char *)0x00100020;
46     char *c = (char *)0x00120000;
47     if(a == b)
48         printf("\nHello");
49     if(a == c)
50         printf("\nHi");
51     if(a > b && a > c && b > c)
52         printf("\nBye");
53     else
54         printf("\nDefault");
55     return 0;
56 }

```

☐ Bye

☐ Hi

☐ Default

☐ Hello

Previous Question

Next Question

41 QUESTION: 45 GROUP: Computer Science SECTION: Computer Architecture 1 Mark(s): 1

42 What is the binary equivalent of the given decimal number?

43 (19456)<sub>10</sub>

44 ☐ 10110111101111011

45 ☆ ☐ 1011000000001000

46 ☐ 1100110000000110

47 ☐ 0100110000000000

48

49

50

51

52

53

54



QUESTION: 46 GROUP: Computer Science SECTION: C programming Mark(s) 1

There is an one dimensional array 'num' with 4 elements. Which one of the given options is the correct way to pass the 4th element of the array to a function called 'fun'?

☐ fun(\*num[3]);

☐ fun(num[3]);

☐ fun(num[4]);

☐ fun(\*num[4]);

Previous Question

Next Question



42

43


44

45

46

QUESTION: 47 GROUP: Computer Science SECTION: Data Structures Mark(s): 1

What will be the inorder traversal of the tree given below?



47 ☆

☐ 2 3 5 7 8 6 4

48

☐ 2 3 4 5 6 7 8

49

☐ 7 8 5 3 6 4 2

50

☐ 7 5 8 3 6 2 4

51

52

53

54

55

56

[Previous Question](#)[Next Question](#)

43

44

45

46

47

48 ☆

49

50

51

52

53

54

55

56

57

QUESTION: 48 GROUP: Computer Science SECTION: Data Structures Mark(s) 1

What is the memory location of item `ARR[11][23]` when the array is stored in row major and column major respectively?

Given array `ARR[35][45]` requires 4 byte for every element and base memory location is 3280.

[Note row-major order storage, a multidimensional array in linear memory is organized such that rows are stored one after the other. column-major order is a similar method of flattening arrays onto linear memory, but the columns are listed in sequence.]

☐ 5352 and 6544

☐ 4912 and 7464

☐ 6244 and 7152

☐ 4292 and 4292

Previous Question

Next Question

44 What will be the output of the program given below?

45 `#include <stdio.h>`

46 `int main()`

47 `{`

`int x, y, n, z;`

48 `x = 23;`

`y = ~12;`

49 ☆ `n = 2;`

`y ^= ~~~(-x ^ y) & ~(1 << n);`

50 `printf("%d", y);`

51 `z = ~~~(y >> x) & ~1;`

`printf(" %d ", z);`

52 `return 0;`

53 `}`

54 ☒ 18 -2

55 ☐ 19 1

56 ☐ 19 -1

57 ☐ 18 2

58

Previous Question

Next Question

45

QUESTION: 50 GROUP: Computer Science SECTION: OOPS Mark(s): 1

46

47

Which of the below given statement(s) is/are true about "Class Modifiers"?

48

I) An abstract class can have both abstract and nonabstract methods.

49

II) The first concrete class to extend an abstract class must implement all of its abstract methods.

50 ☆

☒ Neither (I) nor (II)

51

☐ Both (I) and (II)

52

☐ Only (I)

53

☐ Only (II)

54

55

56

57

58

What will be the output of the program given below?

```
#include <stdio.h>
int main(void)
{
    int i, j;
    i = 10;
    j = 20;
    for(i = i; i < (j = j-3); i--, j--);
    printf("%ld %ld ", i, j);
    return 0;
}
```

☐ 7 5

☐ Garbage value : Garbage value

☐ Compile time error

☐ 07 05

Previous Question

Next Question



```
#include <stdio.h>

int fun(int a, int b)
{
    a = a++ + a++;
    b = b-- - b--;
    printf("%d %d ", a, b);
    return a, b;
}

int main(void)
{
    int a;
    int b;
    a = 10, b = -10;
    a, b = fun(a, b);
    printf("%d %d ", a, b);
    return 0;
}
```

☐ 21 1 1 1

☐ 21 1 10 1

☐ Compile time error

☐ 21 1 21 -10

Previous Question

Next Question



QUESTION: 53 GROUP: Computer Science SECTION: Operating Systems Mark(s): 1

When round robin scheduling is used with time slice 2 and if the jobs given below arrive at time 0 in order A, B, C, D and E and are to be executed on a uniprocessor system, then what is the departure time for job E?

| Job id | CPU burst time |
|--------|----------------|
| A      | 10             |
| B      | 4              |
| C      | 12             |
| D      | 4              |
| E      | 8              |

☐ 34☐ 32☐ 38☐ 36[Previous Question](#)[Next Question](#)

QUESTION: 54 GROUP: Computer Science SECTION: C programming Mark(s): 1

What will be the output of the program given below?

```
#include <stdio.h>
```

```
int main() {
```

```
    int num[] = {25, 50, 75, 100};
```

```
    num[0] = 33;
```

```
    printf("%d", num[0]);
```

```
    return 0;
```

```
}
```

☐ 75

☐ 33

☐ 50

☐ 25

[Previous Question](#)

[Next Question](#)

QUESTION: 55 GROUP: Computer Science SECTION: C programming Mark(s): 1

What will be the output of the program given below?

```
#include <stdio.h>

int main()
{
    unsigned char i = 0x80 ;
    printf("%d", i << 1);
    return 0;
}
```

☐ 0

☐ 100

☐ 256

☐ Garbage value

QUESTION: 56 GROUP: Computer Science SECTION: OOPS Mark(s): 1

Which one of the below given options correctly shows that class d is a sub-class of class b?

☐ class d : public b {};

☐ class b : public d {};

☐ class b, public d {};

☐ class d, public b {};

Previous Question

Next Question

QUESTION: 57 GROUP: Computer Science SECTION: Operating Systems Mark(s): 1

In which of the below given model(s) is data exchanged in smaller amounts?

I) Message Passing

II) Shared memory

☐ Both (I) and (II)

☐ Only (II)

☐ Neither (I) nor (II)

☐ Only (I)

Previous Question

Next Question

47

QUESTION: 58 GROUP: Computer Science SECTION: Computer Architecture 1 Mark(s): 1

48

Which type of instruction(s) given below does not fit into the pipeline Architecture?

49

I) CISC

50

II) RISC

51

☐ Only (I)

52

☐ Neither (I) nor (II)

53

☐ Both (I) and (II)

54

☐ Only (II)

55

56

57

58 ☆

59

60

Previous Question

Next Question



QUESTION: 59 GROUP: Computer Science SECTION: Computer Architecture 1 Mark(s): 1

Which of the statement(s) given below is/are correct regarding the ARM architecture?

- I) Only Load/Store Instructions can access memory locations.
- II) Branch Instructions can only use immediate addressing mode for execution.
- III) Memory referencing is always done indirectly using registers in Load/Store instructions.

☐ Only (I) and (III)

☐ All (I), (II) and (III)

☐ Only (II) and (III)

☐ Only (I)

Previous Question

Next Question

QUESTION: 60 GROUP: Computer Science SECTION: Operating Systems Mark(s): 1

In which of the allocation technique given in options, the partition is allocated to the first sufficient memory from top of the main memory?

☐ Best Fit

☐ Next Fit

☐ First Fit

☐ Worst Fit

Previous Question

Next Question