

Question 37 of 37

⌚ Maximum response time: 2 minutes

What is the output of following program?

```
def print(left, right) { text = "{0} {1};" if right >= left : break if left-right > 0 and left-right >= right : print(text.format(right, left-right) print(left, right+1) } print(8, 1)
```

Multiple Choice

Response time 1:57

Done Answering

Choose One

- ☐ 17, 2 6, 3 5, 4 4, 4 4
- ☐ 17, 2 6, 3 5, 4 4
- ☐ 17, 2 6, 3 5
- ☐ 12, 3 4, 5 6, 7 8

Question 37 of 37

⌚ Maximum response time: 2 minutes

What is the output of following program?

```
def print(left, right) { text = "{0} {1};" if right >= left : break  
if left-right > 0 and left-right >= right : print(  
text.format(right, left-right) print(left, right+1) }  
print(8, 1)
```

Multiple Choice

Response time 1:57

Done Answering

Choose One

- ☐ 17, 2 6, 3 5, 4 4, 4 4
- ☐ 17, 2 6, 3 5, 4 4
- ☐ 17, 2 6, 3 5
- ☐ 12, 3 4, 5 6, 7 8

Question 36 of 37

⌚ Maximum response time: 1 minutes

Which of these are true about a linked list?

Multiple Choice

Response time 0:56

Done Answering

Choose One

- ☐ It is easy to insert and delete elements from a linked list
- ☐ Linked lists can change their size at any time
- ☐ Random access is not allowed in typical linked list implementations
- ☐ All of the above
- ☐ None of the above

```
1- class Superhero {  
2-     final public void greet() {  
3-         System.out.println("Greetings from a Superhero");  
4-     }  
5- }  
6-  
7- class Batman extends Superhero {  
8-     public void greet() {  
9-         System.out.println("Greetings from Batman");  
10-    }  
11- }  
12-  
13- class Main {  
14-     public static void main(String[] args) {  
15-         Superhero myHero = new Batman();  
16-         myHero.show();  
17-    }  
18- }
```

× Close Document

Question 33 of 37

⌚ Maximum response time: 1 minutes
What is the output of the following code?

Multiple Choice

Response time: 0:36

Done Answering

Choose One

- ☐ Greetings from a Superhero
- ☐ Greetings from Batman
- ☒ Compiler Error
- ☐ Runtime Error



Q Search



ENG
IN



Question 35 of 37

⌚ Maximum response time: 1 minutes

. Which of the following conditions is sufficient to detect a cycle in a directed graph?

Multiple Choice

Response time 0:55

Done Answering

Choose One

- ☐ There is an edge from the currently visited node to a node flagged already visited.
- ☐ There is an edge from the currently visited node to an ancestor of the currently visited node in a depth first search forest.
- ☐ Every node is seen twice
- ☐ None of the above

Powered by HireVue

🔗 [Help](#)



Q Search



```
1 int k = 0;
2 for (int i = n / 2; i <= n; i++) {
3     for (int j = 2; j <= n; j = j * 2) {
4         k = k + n / 2;
5     }
6 }
```

Question 34 of 37

Maximum response time: 1 minutes
What is the time complexity of the following code?

Multiple Choice

Response time: 0:51

Done Answering

Choose One

- ☐ $O(n)$
- ☐ $O(n^2)$
- ☐ $O(n \lg n)$
- ☐ $O(n^2 \lg n)$

Question 31 of 37

⌚ Maximum response time: 1 minutes

Given a class with only private data members, how would you access the members from an object of the class?

Multiple Choice

Response time 0:55

Done Answering

Choose One

- ☐ Create public member functions to access those data members
- ☐ Create private member functions to access those data members
- ☐ Create protected member functions to access those data members
- ☐ Private data members can never be accessed from outside the class

Question 32 of 37

Maximum response time: 1 minutes
What is the output of the following code?

Multiple Choice

Response time 0:47

Done Answering

Choose One

- ☐ Person created Superhero created Batman created
- ☐ Batman created Superhero created Person create
- ☐ Batman created
- ☐ Runtime Error

```
1- class Person {  
2-     public Person() {  
3-         System.out.println("Person created");  
4-     }  
5- }  
6-  
7- class Superhero extends Person {  
8-     public Superhero() {  
9-         System.out.println("Superhero created");  
10-    }  
11- }  
12-  
13- class Batman extends Superhero {  
14-     public Batman() {  
15-         System.out.println("Batman created");  
16-     }  
17- }  
18-  
19- class Main {  
20-     public static void main(String[] args) {  
21-         Batman myHero = new Batman();  
22-     }  
23- }
```


Question 30 of 37

⌚ Maximum response time: 1 minutes

Given a sorted array of distinct items, which operation would result in a time complexity of more than $O(1)$?

Multiple Choice

Response time 0:56

Done Answering

Choose One

- ☐ Finding the i th largest element
- ☐ Finding the i th smallest element
- ☐ Deleting an element
- ☐ All of the above



Powered by HI

Question 28 of 37

⌚ Maximum response time: 1 minutes

Which of the following DOES NOT impact how efficiently a lookup operation can be performed in a hash table?

Multiple Choice

Response time 0:57

Done Answering

Choose One

- ☐ Number of buckets in the hash table
- ☐ Quality of the hash function
- ☐ Number of elements stored in the hash table
- ☐ Size of elements stored in the hash table

Question 29 of 37

⌚ Maximum response time: 1 minutes

The inorder and preorder traversal of a binary tree are d b e a f c g and a b d e c f g, respectively. What is the postorder traversal of the same tree?

Multiple Choice

Response time 0:57

Done Answering

Choose One

- ☐ edbgfca
- ☐ debfgca
- ☐ edbfgca
- ☐ defgbca

Powered by HireVue

[? Help](#)

Q Search



Question 27 of 37

⌚ Maximum response time: 1 minutes

Level of a node is distance from root to that node. For example, level of root is 1 and levels of left and right children of root is 2. What is the maximum number of nodes on level i of a binary tree?

Multiple Choice

Response time 0:42

Done Answering

Choose One

- ☐ $2^{(i-1)}$
- ☐ 2^i
- ☐ $2^{(i+1)}$
- ☒ $2^{((i+1)/2)}$

Powered by HireVue

🔗 [Help](#)



Q Search



Question 25 of 37

⌚ Maximum response time: 1 minutes

Given a sorted list of items, which search algorithm would you choose to search for an item from the list most efficiently?

Multiple Choice

Response time 0:55

Done Answering

Choose One

- ☐ Linear Search
- ☐ Depth-first search
- ☐ Breadth-first search
- ☐ Binary Search

Powered by HireVue

🔗 [Help](#)

Question 26 of 37

⌚ Maximum response time: 1 minutes

For a stack with n number of elements, would it be unfeasible to implement stack operations on queues in the case of a large dataset?

Multiple Choice

Response time 0:58

Done Answering

Choose One

- ☐ Yes, because of its time complexity $O(n)$
- ☐ Yes, because of its time complexity $O(\log(n))$
- ☒ Yes, because extra memory is required
- ☐ No, it should be feasible

[Help](#)

Powered by HireVue



Q Search



Question 27 of 37

Maximum Response Time: 5 minutes

Level of a node is distance from root to that node. For example, level of root is 1 and levels of left and right children of root is 2. What is the maximum number of nodes on level l of a binary tree?

Multiple Choice

Response Time: 0:36

Save Answering

Choose One

- ☐ $2^{l+1}-1$
- ☐ 2^{l+1}
- ☐ $2^l(l+1)$
- ☒ $2^l(l+1)!$

Question 18 of 37

① Maximum response time: 1 minutes

Which of the following hyperparameters in XGBoost can affect the model's bias-variance trade-off?

Multiple Choice

Response time 0:42

Done Answering

Choose One

- ☐ Learning rate
- ☐ Maximum depth of a tree
- ☐ Number of trees
- ☐ Subsample ratio

② Help ⚙ Settings

Powered by HireV



Q Search



Question 24 of 37

⌚ Maximum response time: 1 minutes

What is the time complexity of running merge sort on an array that is already sorted?

Multiple Choice

Response time 0:44

Done Answering

Choose One

☐ $O(n \lg n)$

☐ $O(\lg n)$

☐ $O(n^2)$

☒ $O(n)$

Question 17 of 37

① Maximum response time: 1 minutes

17. How many times does the following program print hello?

```
#include <stdio.h>
int main()
{
    int i = 1024;
    for (; i; i >= 1)
        printf("hello");
    return 0;
}
```

Multiple Choice

Response time 0:28

Done Answering

Choose One

- ☐ 10
- ☐ 11
- ☐ Infinite
- ☐ There will be a compile error

② Help ⚙ Settings

Powered by HireVue



Q Search



Question 3 of 37

⌚ Maximum response time: 1 minutes

Which of the following is true about undersampling the majority class in an unbalanced dataset?

Multiple Choice

Response time 0:36

Done Answering

Choose One

- ☐ Undersampling reduces the size of the majority class to match that of the minority class.
- ☐ Undersampling increases the size of the minority class to match that of the majority class.
- ☐ Undersampling randomly selects instances from the majority class to remove.
- ☐ Undersampling can lead to a loss of information and reduced model performance.

🔗 [Help](#) ⚙️ [Settings](#)

Powered by HireV



🔍 Search



Question 4 of 37

Maximum response time: 1 minutes

A single array $A[1..MAXSIZE]$ is used to implement two stacks. The two stacks grow from opposite ends of the array. Variables $top1$ and $top2$ ($top1 < top2$) point to the location of the topmost element in each of the stacks. If the space is to be used efficiently, the condition for "stack full" is...

Multiple Choice

Response time 0:49

Done Answering

Choose One

- ☐ $(top1 = MAXSIZE/2)$ and $(top2 = MAXSIZE/2 + 1)$
- ☐ $top1 + top2 = MAXSIZE$
- ☐ $(top1 = MAXSIZE/2)$ or $(top2 = MAXSIZE)$
- ☐ $top1 = top2 - 1$

[Help](#) [Settings](#)

Powered by HireVue

Search



Question 10 of 37

⌚ Maximum response time: 1 minutes

In which type of reinforcement learning problem is policy iteration more commonly used?

Multiple Choice

Response time 0:27

Done Answering

Choose One

- ☒ Problems with a small state space and large action space
- ☐ Problems with a large state space and small action space
- ☐ Problems with a deterministic reward function
- ☐ Problems with a stochastic reward function

[Help](#) [Settings](#)

Powered by HireVue



Q Search



ENG
IN

2 of 37

Response time: 1 minutes

Which of the following is NOT a limitation of the Lasso regression?

Multiple Choice

Response time 0:51

Done Answering

Choose One

- ☐ The Lasso loss function may lead to biased coefficient estimates for correlated features.
- ☐ The Lasso loss function may not perform well on high-dimensional datasets.
- ☐ The Lasso loss function may require tuning of the regularization parameter alpha.
- ☐ The Lasso loss function may not handle non-linear relationships between features and the target variable well.

tings

Powered by HireVue



Search



ENG
IN

8:13 PM
8/13/2025

Question 3 of 37

⌚ Maximum response time: 1 minutes

Which of the following is true about undersampling the majority class in an unbalanced dataset?

Multiple Choice

Response time 0:54

Done Answering

Choose One

- ☐ Undersampling reduces the size of the majority class to match that of the minority class.
- ☐ Undersampling increases the size of the minority class to match that of the majority class.
- ☐ Undersampling randomly selects instances from the majority class to remove.
- ☐ Undersampling can lead to a loss of information and reduced model performance.

Powered by HireVue

Question 1 of 37

Maximum response time: 1 minutes

What is a common approach to productionizing a machine learning model?

Multiple Choice

Response time 0:36

Done Answering

Choose One

- ☐ Using a cloud-based platform such as AWS or Azure.
- ☐ Building a custom deployment pipeline using open-source tools.
- ☐ Deploying the model as a REST API.
- ☐ All of the above.

[Help](#) [Settings](#)

Powered by HireVue

Search



ENG IN 8:13 P 8/13/20




Question 1 of 5

retries: 1 | Maximum response time: 2 minutes

Introduce yourself to the WBD hiring team! Tell us what you're studying, your career ambitions, and anything else you think we should know about you. (You will have the opportunity to talk about your past experiences in the next question).

Video Response

Prep time 0:34



[Help](#)

[Settings](#)



Search




Question 3 of 5

retries: 1 Maximum response time: 2 minutes

Of all the companies out there why do you want to intern at Warner Bros. Discovery?

Video Response

Prep time 0:53



[Help](#) [Settings](#)



Search



Question 4 of 5

🔄 retries: 1 | ⌚ Maximum response time: 2 minutes

At Warner Bros. Discovery, we're all avid consumers of content. Tell us about your favorite piece of content that you are currently consuming and convince our team to check it out.

Video Response

Prep time 1:54



Question 5 of 5

retries: 1 | Maximum response time: 2 minutes

What are your career goals? What skills and experience are you hoping to gain from a Discovery Internship?

Video Respo

Prep time: 0

Question 4 of 5

🔄 retries: 1 | ⌚ Maximum response time: 2 minutes

At Warner Bros. Discovery, we're all avid consumers of content. Tell us about your favorite piece of content that you are currently consuming and convince our team to check it out.

Video Response

Prep time 1:54



🔄 retries: 1 ⌚ Maximum response time: 2 minutes

Of all the companies out there why do you want to intern at Warner Bros. Discovery?


Question 1 of 5

🔄 retries: 1 ⌚ Maximum response time: 2 minutes

Introduce yourself to the WBD hiring team! Tell us what you're studying, your career ambitions, and anything else you think we should know about you. (You will have the opportunity to talk about your past experiences in the next question).

Video Responses

Prep time 0:40



🔗 [Help](#) ⚙️ [Settings](#)



🔍 Search



Question 2 of 5

🔄 retries: 1 | ⌚ Maximum response time: 2 minutes

Tell us about the past experiences you've had that would make you a great fit for this internship.

Video Res

Prep time 0

🔗 [Help](#) ⚙️ [Settings](#)



🔍 Search



Question 2 of 5

 retries: 1 |  Maximum response time: 2 minutes

Tell us about the past experiences you've had that would make you a great fit for this internship.