

1h 28m left



ALL



1



1. The Bitwise Equation

Julia has two arrays of long integers, a and b . For each pair of integers $(a[i], b[i])$ she wants to find the lowest value of x that is a *non-negative* integer solution (x, y) for the following equations:

- $x + y = a_i$
- $x \oplus y = b_i$

The symbol $\oplus$ denotes the *bitwise XOR* operator. Once we have determined (x, y) , store the value of $2x + 3y$ to your return array.

For example, your arrays are $a = [29, 36, 57]$ and $b = [25, 18, 3]$. Considering the first pair, $a[0]=29$ and $b[0]=25$, we start at $x = 0$ on one end and $y = 29$ on the other to see if we can find two values that add to 29 and XOR to 25. The first instance we run into is $x = 2, y = 27$ so we calculate $2x + 3y = 4 + 81 = 85$. The second pair, after similar operations we find $x = 9, y = 27$ and $2x + 3y = 99$. There is no solution to the pair $(a[2], b[2]) = (57, 3)$ so the answer is 0. Our resulting array *value* = $[85, 99, 0]$.

Function Description

Complete the function *bitwiseEquations* in the editor below. The function must return an array of long integers denoting the value of $2x + 3y$ for the lowest non-negative value of x that is a solution or 0 if there is no solution.

bitwiseEquations has the following parameter(s):

$a[a[0], \dots, a[n-1]]$: an array of integers

$b[b[0], \dots, b[n-1]]$: an array of integers

Constraints

Language C++20

Environment

Autocomplete Ready



```
1 > #include <bits/stdc++.h> ...
9
10 /*
11  * Complete the 'bitwiseEquations' function below.
12  *
13  * The function is expected to return a LONG_INTEGER_ARRAY.
14  * The function accepts following parameters:
15  * 1. LONG_INTEGER_ARRAY a
16  * 2. LONG_INTEGER_ARRAY b
17  */
18
19 vector<long> bitwiseEquations(vector<long> a, vector<long> b) {
20
21 }
22
23 > int main() ...
```

Line: 9 Col: 1

Test Results

Custom Input

Run Code

Run Tests

Submit

1h 28m left



ALL



1



$(a[2], b[2]) = (57, 3)$ so the answer is 0. Our resulting array value = $[85, 99, 0]$.

Function Description

Complete the function `bitwiseEquations` in the editor below. The function must return an array of long integers denoting the value of $2x + 3y$ for the lowest non-negative value of x that is a solution or 0 if there is no solution.

`bitwiseEquations` has the following parameter(s):

`a[a[0],...,a[n-1]]`: an array of integers

`b[b[0],...,b[n-1]]`: an array of integers

Constraints

- $1 \leq n \leq 50$
- $1 \leq a[i], b[i] \leq 10^{15}$

► Input Format for Custom Testing

▼ Sample Case 0

Sample Input 0

```
3
4
3
57
3
2
4
49
```

Sample Output 0

```
11
0
167
```

Explanation 0

Given $a = [4, 3, 57]$ and $b = [2, 4, 49]$, we'll call our

Language C++20

Environment

Autocomplete Ready



```
1 > #include <bits/stdc++.h> ...
9
10 /*
11  * Complete the 'bitwiseEquations' function below.
12  *
13  * The function is expected to return a LONG_INTEGER_ARRAY.
14  * The function accepts following parameters:
15  * 1. LONG_INTEGER_ARRAY a
16  * 2. LONG_INTEGER_ARRAY b
17  */
18
19 vector<long> bitwiseEquations(vector<long> a, vector<long> b) {
20
21 }
22
23 > int main() ...
```

Line: 9 Col: 1

Test Results

Custom Input

Run Code

Run Tests

Submit

1h 27m left



ALL



1



Constraints

- $1 \leq n \leq 50$
- $1 \leq a[i], b[i] \leq 10^{15}$

► Input Format for Custom Testing

▼ Sample Case 0

Sample Input 0

```
3
4
3
57
3
2
4
49
```

Sample Output 0

```
11
0
167
```

Explanation 0

Given $a = [4, 3, 57]$ and $b = [2, 4, 49]$, we'll call our return array *value*. Julia finds the following $n = 3$ solutions:

0. Non-negative solution (x, y) for the following equations:

- $x + y = a_0 = 4$
- $x \oplus y = b_0 = 2$

There exists a solution $(x, y) = (1, 3)$ because $1 + 3 = 4$ and $1 \oplus 3 = 2$. So, $value_0 = 2x + 3y = 2 \times 1 + 3 \times 3 = 11$.

Language C++20

Environment

Autocomplete Ready



```
1 > #include <bits/stdc++.h> ...
9
10 /*
11  * Complete the 'bitwiseEquations' function below.
12  *
13  * The function is expected to return a LONG_INTEGER_ARRAY.
14  * The function accepts following parameters:
15  * 1. LONG_INTEGER_ARRAY a
16  * 2. LONG_INTEGER_ARRAY b
17  */
18
19 vector<long> bitwiseEquations(vector<long> a, vector<long> b) {
20
21 }
22
23 > int main() ...
```

Line: 9 Col: 1

Test Results

Custom Input

Run Code

Run Tests

Submit



ALL



1



2. Which interrupt is defined for system calls in Linux?

Which interrupt is defined for system calls in Linux?

Pick **ONE** option

☐ 0x10☐ 0x60☒ 0x80☐ 0x40

Clear Selection

✓ Saved!

3. Operating system maintains the information about a process in which of the following?

Operating system maintains the information about a process in which of the following?

Pick **ONE** option

☐ Heap☒ Process Control Block

✔️ Saved!



ALL



1



3. Operating system maintains the information about a process in which of the following?

Operating system maintains the information about a process in which of the following?

Pick **ONE** option

☐ Heap☒ Process Control Block☐ Stack☐ TLB Cache

Clear Selection

✔️ Saved!

4. Why is a virtual memory address called 'virtual'?

Why is a virtual memory address called 'virtual'?

Pick **ONE** option

☒ This memory address does not map to actual memory cell that corresponds to address number. ✓



✓ Saved!

ALL



1

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

Clear Selection

✓ Saved!

4. Why is a virtual memory address called 'virtual'?

Why is a virtual memory address called 'virtual'?

Pick **ONE** option

☒ This memory address does not map to actual memory cell that corresponds to address number.

☐ This memory is the same as physical memory.

☐ This memory cannot be accessed by applications at run time.

☐ This memory address is always present even after a system is restarted.

Clear Selection

✓ Saved!

5. What is the postfix expression for the corresponding infix expression? $a+b*c+(d*e)$

What is the postfix expression for the corresponding infix expression? $a+b*c+(d*e)$

Pick **ONE** option



ALL



1

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

☐ This memory cannot be accessed by applications at run time.

☐ This memory address is always present even after a system is restarted.

Clear Selection

✓ Saved!

5. What is the postfix expression for the corresponding infix expression? $a+b*c+(d*e)$

What is the postfix expression for the corresponding infix expression? $a+b*c+(d*e)$

Pick **ONE** option

☒ $abc*+de*+$ ✓

☐ $abc+*de*+$

☐ $a+bc*de+*$

☐ $abc*+(de)*+$

Clear Selection

✓ Saved!

6. `#include <stdio.h> #define MAX(a,b) ((a) > (b) ? (a) : (b)) int main() { int x = 5, y = 10; printf(" %d %d %d\n", MAX(x++, y++), x, y); return 0;`



✓ Saved!

ALL



1

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

6. `#include <stdio.h> #define MAX(a,b) ((a) > (b) ? (a) : (b)) int main() { int x = 5, y = 10; printf(" %d %d %d\n", MAX(x++, y++), x, y); return 0; }`

```
#include <stdio.h>
#define MAX(a,b) ((a) > (b) ? (a) : (b))

int main() {
    int x = 5, y = 10;
    printf(" %d %d %d\n", MAX(x++, y++), x, y);
    return 0;
}
```

Pick **ONE** option☐ 11 6 12☐ 12 6 12☐ 11 7 12☒ 12 7 12

Clear Selection

✓ Saved!



ALL



7. Consider the below java method. What's the output of this method? `public static void function_1(int [] data, int low, int high) { if (low < high) { int temp = data[low]; data[low] = data[high]; data[high] = temp; function_1(data, low +1, high -1); } }`

Consider the below java method. What's the output of this method?

```
public static void function_1(int [] data, int low, int high) {  
    if (low < high) {  
        int temp = data[low];  
        data[low] = data[high];  
        data[high] = temp;  
        function_1(data, low +1, high -1);  
    }  
}
```

Pick **ONE** option

☐ The sum of all the elements of the array

☐ The product of all the elements in the array.

☐ The last element of the array.

☒ Reverses the contents of the array. ✓

Clear Selection

✓ Saved!

✔️ Saved!



ALL



8. Consider a database table "orders" with columns: order_id (Primary Key), customer_id, order_date, and total_amount. Which of the following SQL statements would correctly create a partitioned table based on the order_date column, partitioned by range?

✓

Consider a database table "orders" with columns: order_id (Primary Key), customer_id, order_date, and total_amount. Which of the following SQL statements would correctly create a partitioned table based on the order_date column, partitioned by range?

✓

Pick **ONE** option

✓

☐ create table orders partition by range columns (order_date) (partition p1 values less than ('2023-01-01') tablespace ts1, partition p2 values less than ('2024-01-01') tablespace ts2);

✓

☐ create table orders partition by range (order_date) (partition p1 values less than ('2023-01-01') tablespace ts1, partition p2 values less than ('2024-01-01') tablespace ts2) primary key (order_id);

✓

✓

☒ create table orders partition by range (order_date) (partition p1 values less than ('2023-01-01') tablespace ts1, partition p2 values less than ('2024-01-01') tablespace ts2);



✓

☐ create table orders partition by range (order_date) (partition p1 values less than ('2023-01-01') tablespace ts1, partition p2 values less than ('2024-01-01') tablespace ts2) partition by range (order_id);

✓

Clear Selection

✓

✔️ Saved!

✓

✓

9. Which of the following is a key-value store NoSQL database system?



ALL



Clear Selection

Saved!

9. Which of the following is a key-value store NoSQL database system?

Which of the following is a key-value store NoSQL database system?

Pick **ONE** option

☐ HBase☐ MongoDB☒ Redis☐ Accumulo

Clear Selection

Saved!

10. What is the latest long-term release of Oracle Database?

What is the latest long-term release of Oracle Database?

Pick **ONE** option



ALL



Redis



Accumulo

[Clear Selection](#)

Saved!

10. What is the latest long-term release of Oracle Database?

What is the latest long-term release of Oracle Database?

Pick **ONE** option



23ai



22ai



24ai



19ai

[Clear Selection](#)

Saved!



ALL

☐ 24ai☐ 19ai

Clear Selection

Saved!

11. Which of the following is not a property of Relational Database?

Which of the following is not a property of Relational Database?

Pick **ONE** option

☐ Atomicity☐ Consistency☐ Isolation☒ Dependency

Clear Selection

Saved!

 Saved!

ALL



12. What does CAP theorem describe with respect to System Design ?

What does CAP theorem describe with respect to System Design ?

Pick **ONE** option

☐ The relationship between CPU and memory usage

☒ The trade-offs between consistency, availability, and partition tolerance

☐ The process of data encryption

☐ The principles of object-oriented programming

Clear Selection

 Saved!

13. Which of the following design criteria are not valid/suitable for Non-Relational Databases?

Which of the following design criteria are not valid/suitable for Non-Relational Databases?

Pick **ONE** option



ALL



☐ The principles of object-oriented programming

Clear Selection

✓ Saved!

13. Which of the following design criteria are not valid/suitable for Non-Relational Databases?

Which of the following design criteria are not valid/suitable for Non-Relational Databases?

Pick **ONE** option

☐ Your application required super-low latency

☐ Your data are unstructured without any relation between them

☐ You only need to serialize & deserialize data (JSON, XML, YAML)

☒ You need to store a very small amount of data

Clear Selection

✓ Saved!

14. What is the use of /etc/hosts file in Linux ?

What is the use of /etc/hosts file in Linux ?



ALL



☒ You need to store a very small amount of data

[Clear Selection](#)

☒ Saved!

14. What is the use of /etc/hosts file in Linux ?

What is the use of /etc/hosts file in Linux ?

Pick **ONE** option

☒ It contains the list of all users.

☐ It contains a list of all files in the system

☐ It contains the time and date information.

☐ It contains the FQDN to IP address mappings.

[Clear Selection](#)

☒ Saved!

15. Which Clause restricts the groups of rows returned to those groups for the specified condition id True



☐ It contains the FQDN to IP address mappings.

ALL

[Clear Selection](#)

Saved!



15. Which Clause restricts the groups of rows returned to those groups for the specified condition id True

Which Clause restricts the groups of rows returned to those groups for the specified condition id True

Pick **ONE** option

☐ Where clause

☒ Having Clause

☐ Distinct

☐ Exists

[Clear Selection](#)

Saved!

16. What does idempotency mean in REST API design?

☐ Exists

ALL

Clear Selection



✔ Saved!



16. What does idempotency mean in REST API design?

What does idempotency mean in REST API design?

Pick **ONE** option

☐ The ability of an API to handle multiple requests in parallel☒ The property that a method can be called multiple times without different outcomes☐ The capability of an API to update data☐ The feature of an API that allows it to delete resources

Clear Selection

✔ Saved!

17. Which is the HTTP request method used to retrieve the metadata associated with the resource's state ?



Clear Selection

✔️ Saved!

ALL

**17. Which is the HTTP request method used to retrieve the metadata associated with the resource's state ?**

Which is the HTTP request method used to retrieve the metadata associated with the resource's state ?

Pick **ONE** option☐ GET☐ PUT☒ HEAD☐ POST

Clear Selection

✔️ Saved!

18. In a ring topology network, if one device fails, how does it affect the network?

In a ring topology network, if one device fails, how does it affect the network?

Pick **ONE** option

22



ALL



22

23

☐ POST

Clear Selection

✔️ Saved!

18. In a ring topology network, if one device fails, how does it affect the network?

In a ring topology network, if one device fails, how does it affect the network?

Pick **ONE** option

☐ Only the failed device is affected☒ All devices in the network are affected☐ Only the devices between which the failed device exists are affected☐ The network continues to function normally

Clear Selection

✔️ Saved!

19. What is the purpose of ARP (Address Resolution Protocol) in computer networking?



ALL



22

23

24

☐ The network continues to function normally

Clear Selection

✓ Saved!

19. What is the purpose of ARP (Address Resolution Protocol) in computer networking?

What is the purpose of ARP (Address Resolution Protocol) in computer networking?

Pick **ONE** option

☒ To convert IP addresses to MAC addresses

☐ To convert domain names to IP addresses

☐ To establish a secure connection between client and server

☐ To route packets between networks

Clear Selection

✓ Saved!

20. In what way the Symmetry Sparse Matrix can be stored efficiently?



ALL

☐ To establish a secure connection between client and server☐ To route packets between networks[Clear Selection](#) Saved!

22

☒ Adjacency List

23

[Clear Selection](#) Saved!

24

25

20. In what way the Symmetry Sparse Matrix can be stored efficiently?

In what way the Symmetry Sparse Matrix can be stored efficiently?

Pick **ONE** option

☐ Heap☐ Binary tree☐ Hash table



ALL



22

23

24

25

26

☐ Hash table☒ Adjacency List[Clear Selection](#)

Saved!

21. Which of the following is false?

Which of the following is false?

Pick **ONE** option

☒ 2-3 tree requires less storage than the BST☐ lookup in 2-3 tree is more efficient than in BST☐ 2-3 tree is shallower than BST☐ 2-3 tree is a balanced tree[Clear Selection](#)

Saved!

[Continue](#)



ALL



22. Chef's Puzzle 1

Out of the nine ingredients, a chef wants to use exactly five. Given the following statements, how many of the 5 ingredients are known?

The ingredients are apricots, bacon, cake, donuts, eggs, figs, grapes, hazelnuts, and ice cream.

1. If bacon is not used, then grapes, hazelnuts, and ice cream are not used.
2. If apricots are used then bacon and cake are used.
3. If donuts are not used, apricots are not used.
4. Apricots and eggs are used.

Pick **ONE** option

☐ 2☐ 3☐ 4☒ 5

[Clear Selection](#)

✓ Saved!

23. Paths in a Graph 2

There is a network of eight cities (represented by vertices) connected by roads. A traveler must drive on each road segment once but can visit a city multiple times if necessary. Furthermore, the



ALL



22. Chef's Puzzle 1

Out of the nine ingredients, a chef wants to use exactly five. Given the following statements, how many of the 5 ingredients are known?

The ingredients are apricots, bacon, cake, donuts, eggs, figs, grapes, hazelnuts, and ice cream.

1. If bacon is not used, then grapes, hazelnuts, and ice cream are not used.
2. If apricots are used then bacon and cake are used.
3. If donuts are not used, apricots are not used.
4. Apricots and eggs are used.

Pick **ONE** option

☐ 2☐ 3☐ 4☒ 5

Clear Selection

✓ Saved!

23. Paths in a Graph 2


There is a network of eight cities (represented by vertices) connected by roads. A traveler must drive on each road segment once but can visit a city multiple times if necessary. Furthermore, the



ALL



There is a network of eight cities (represented by vertices) connected by roads. A traveler must drive on each road segment once but can visit a city multiple times if necessary. Furthermore, the starting and ending points do not have to match. New roads are constructed between C and G, and between H and F. If the journey begins at B, where will it end?



Pick **ONE** option

☐ E☐ B☐ H☒ G

[Clear Selection](#)



ALL



G

[Clear Selection](#)

Saved!

24. Painted Cube

A cube is painted green on all surfaces and is cut into 1000 identical cubes. How many of the smaller cubes have three faces painted?

Pick **ONE** option

☒ 8☐ 10☐ 100☐ 64[Clear Selection](#)

Saved!

25. Favorite Color

There are five people: Jack, Matthew, Albert, Peter, and Sebastian.
Each plays one sport out of football, cricket, volleyball, badminton, and squash.



ALL



25. Favorite Color

There are five people: Jack, Matthew, Albert, Peter, and Sebastian.

Each plays one sport out of football, cricket, volleyball, badminton, and squash.

They are from South Korea, the UK, India, China, and Russia, though not necessarily in that order.

Their favorite colors are brown, green, red, black, and yellow, again not necessarily in that order.

The following information is known-

1. Jack's favorite color is red. He is not from India or China.

2. Albert plays football. His favorite color is not yellow, and he is not from the UK.

3. Peter and Sebastian have yellow and green as their favorite colors, not necessarily in that order.

4. Matthew plays badminton. He is from Russia.

5. Peter and Sebastian are from China and UK, not necessarily in that order.

6. Brown is the favorite color of the person from India.

7. Green is the favorite color of the person from China.

8. The person from South Korea plays squash and the person from the UK plays volleyball. One of them has yellow as his favorite color.

Whose favorite color is black?

Pick **ONE** option

☒ Matthew

☐ Albert

☐ Peter

☐ Sebastian

[Clear Selection](#)

✔️ Saved!



ALL



31

[Clear Selection](#)

Saved!

26. Standing Order 2

There are five people - Peter, Tyson, Richard, Steve and Quinn - standing in a row. Given the following statements, who is in the middle?

1. Peter is next to Quinn and Steve is next to Richard.
2. Steve is not next to Tyson.
3. Tyson is on leftmost position.
4. Richard is on the second position from the right.
5. Peter stands somewhere to the right of both Quinn and Tyson.
6. Peter and Richard are next to each other.

Pick **ONE** option

☒ Peter☐ Richard☐ Steve☐ Quin[Clear Selection](#)


Saved!




27. What Comes Next? 4

ALL

Predict the figure in (?) place.



Answer Fig:



(1)

(2)

(3)

(4)

Pick **ONE** option☐ 1☐ 2☐ 3

4

31



ALL



31

 Clear Selection Saved!

28. In the following question, choose the correct option which can be substituted for the given sentence. A self-governing country or region

In the following question, choose the correct option which can be substituted for the given sentence.
A self-governing country or region

Pick **ONE** option

☒ Autonomy☐ Autocracy☐ Anarchy☐ Ethnology

Clear Selection

 Saved!

29. I don't think we should hire him. He seems like _____. .

☐ Anarchy

ALL

☐ Ethnology[Clear Selection](#) Saved!

31

[Clear Selection](#) Saved!

29. I don't think we should hire him. He seems like _____.

I don't think we should hire him. He seems like _____.

Pick **ONE** option

☐ A fish out of water ☐ The black sheep of the family ☒ A wolf in sheep's clothing ☐ The apple of my eye



ALL



31

☒ A wolf in sheep's clothing ☐ The apple of my eye

Clear Selection

✔ Saved!

30. I've been studying for this exam for months, so I'm hoping to _____.

I've been studying for this exam for months, so I'm hoping to _____.

Pick **ONE** option

☒ Hit the ground running ☐ Have a field day ☐ Be a dark horse ☐ Have a lot on my plate

Clear Selection

✔ Saved!

31. Reading Comprehension - The Second Industrial Revolution in America V



ALL



While the first industrial revolution, which spanned the years from roughly 1760 to about 1820–1840, laid the groundwork, the second industrial revolution brought about changes truly desired by both the masses and high-profile citizens. The second industrial revolution, as defined by historians, took place between 1870 and 1914. At the time, there was an abrupt rise in urbanization and the development of additional land. This created the need for technological breakthroughs to make living simpler.

The steel industry boomed while iron became almost obsolete. Steel's lower cost and higher strength-to-weight ratio made it simpler and more practical for building projects, industrial machinery, railroads, ships, and many other things. As a result, building bigger structures, creating more mechanical commodities, and traveling and transporting goods farther distances became common.

The development of electricity into wide use was even more significant. Before the arrival of public electricity, candles and gas lamps were used to light houses and factories. Electric lighting altered how people worked and lived, as working hours were no longer restricted to daytime. Beyond a source of illumination, public electricity spawned numerous other inventions. Alexander Graham Bell invented the telephone in 1876. This inspired Guglielmo Marconi to invent the practical radio wave-based wireless telegraph system that could send signals over the Atlantic Ocean in 1901. Thomas Edison perfected the light bulb in 1879, which was reported to last 13 and a half hours in the wake of several unsatisfactory attempts by numerous inventors.

The first electric railroad debuted in Berlin, Germany, in 1879. Likewise, electric streetcars began to replace horse-drawn carriages in major European cities as early as 1880.

The crown of the second industrial revolution was the internal combustion engine. It was first presented in 1878. The gas and the air-driven vehicle were unsuitable for the general public due to safety issues. With the advent of more stable liquid fuels such as petroleum, initial problems were quickly overcome.

Automobiles and airplanes were developed as a result of this engine. None of the following innovations would have been conceivable without it, implying that the modern means of transportation would be only a dream.

The German inventor Karl Benz made the first self-propelled car in 1886. It was made available to the public in 1888. In the same year, Gottlieb Daimler developed a lighter-weight engine, and in 1896, Henry Ford fully commercialized the use of automobiles.

Years later, the Wright brothers invented the first practical aircraft, overcoming the difficult technical issues that had impeded mechanical flight for centuries. Before their invention, steerable or dirigible hydrogen-powered balloons were the only method of air travel available to man.

Since then, the world has experienced several industrial revolutions that have paved the way for the development of electronics, telecommunications, and computers and opened the door for space exploration, research, and biotechnology. Still, the second revolution is still remembered as the era of iconic inventions that spawned technology use today.

The word "spawned" in the passage is farthest in meaning from

Pick **ONE** option

☐ fostered

☐ begat

☒ generated

☐ squelched

Clear Selection

✔ Saved!

32. Reading Comprehension - The End of the French Monarchy V

Read the passage and answer the questions that follow.

As the 18th century came to a close, France and Britain were in a drawn-out war to advance their empires. Due mainly to the cost of war, France was on the verge of bankruptcy. Meanwhile, French King Louis XVI and his queen, Mary Antoinette, lived an extravagant lifestyle.

Despite the fact that he ruled France during the height of the Enlightenment Era, Louis XVI was unable to establish himself as an enlightened absolutist. His efforts to allow citizens more opportunities along with some proposed societal ideals led to increased bureaucracies and even more expenditures. The royal treasury was almost empty, necessitating additional taxes.

At the same time, there were years of poor harvests due to drought. Spiking bread prices led to unrest among the non-aristocrat classes. This, coupled with increased taxes, caused resentment among the lower classes. Even some in the noble classes became disenchanted with the monarchy as their own access to a lavish lifestyle was curtailed.

As the war continued, citizens became agitated and began to speak out against the weakened monarchy. The excesses of the monarchy showed citizens that any spoils of war were not likely to be shared with them. Quickly, their unrest changed from passive to active, and common people began plans to depose the monarchy.

The nation was overtaken by a wave of mass panic and revolutionary passion. Peasants robbed and set fire to the homes of tax collectors, landlords, and members of the aristocratic class. Out of concern for his family's safety and disgust with the ongoing revolution in the country, in June 1792, the king fled Paris for the Austrian frontier. During the journey, he was recognized, captured, and returned to Paris. An irate public demanded his imprisonment in August 1792, and the monarchy was overthrown in September.

Soon after, evidence of the king's counter-revolutionary plots with other countries was discovered, and he was charged with treason. He was found guilty in January 1793, and given the death penalty. He stubbornly approached the guillotine on January 21 and was put to death. Nine months later, queen Marie-Antoinette was executed for the same reason.

Ultimately, the monarchy's end resulted from the royals' penchant for abusing power. Decades of waste and obscene indulgences ended in a brutal, extreme manner by a people no longer willing to be yoked. Perhaps the monarchy would still exist if they had paid more attention to the concerns of the populace.

According to the passage, which of the following statements is incorrect?

Pick **ONE** option

☒ All the nobles were happy with the way King Louis XVI governed the country.

☐ The underclass plundered and pillaged the homes of nobles during the height of the unrest.

☐ King Louis XVI's wife, queen Mary-Antoinette, was also convicted of treason.

☐ Part of the reason behind the increase in tax was to fund the war with Britain.

[Clear Selection](#)

✔️ Saved!



✔ Saved!

ALL



33. Logic - Sports Enthusiasts

In a company, 100 employees are randomly selected. 50 like watching football, 40 like watching hockey, and the rest like both. Find out the number of employees who like to watch at least one of the games.

Pick **ONE** option

☐ 40☐ 90☒ 80☐ 20

[Clear Selection](#)

✔ Saved!

34. Integer Division

What is the remainder of 1992 divided by 92?

Pick **ONE** option



ALL

[Clear Selection](#)

Saved!

34. Integer Division

What is the remainder of 1992 divided by 92?

Pick **ONE** option

☐ 0☐ 1☐ 40☒ None of the above[Clear Selection](#)

Saved!

35. Interpret Charts

The following graph shows the number of people (in millions) using Hington and Euphore brand phones in France from August to October 2012. Only these two brands of phones exist in the market.



35. Interpret Charts


ALL



The following graph shows the number of people (in millions) using Hington and Euphore brand phones in France from August to October 2012. Only these two brands of phones exist in the market.

Number of customers (in millions) using each brand

▨ Hington ▩ Euphore



Customers in Millions Using Each Phone

	Hington	Euphore
Aug-12	46.18	47.28
Sep-12	47.34	48.91
Oct-12	49.32	49.27


The following chart shows the addition of customers (in millions) of Hington and Euphore in each of the three months. There are two versions of the Euphore brand phones, Version-1, and Version-2.

Addition of customers (in millions)

▨ Hington ▩ Version-1 □ Version-2



ALL



Addition of Customers in millions

	Hington	Version-1	Version-2
Aug-12	0.36	1.24	0.6
Sep-12	1.16	1.08	0.8
Oct-12	1.98	0.84	0.48

What was the total number of people using either of the two brands in July 2012?

Pick **ONE** option

☒ 91.21 million

☐ 6.87 million

☐ 98.23 million`

☐ None of these

[Clear Selection](#)

✓ Saved!

 Saved!

ALL



36. How Many Like Cricket?

In a group of students, 60% like football, 40% like cricket. What percentage of students like only cricket if 12% of the students like neither football nor cricket?

Pick **ONE** option

☒ 28☐ 14☐ 56☐ 42

[Clear Selection](#)

 Saved!

Continue