

User Guide to the 2024 Natality Public Use File



**U.S. CENTERS FOR DISEASE
CONTROL AND PREVENTION**

(Revised 2026)

Acknowledgments

The preparation of this User Guide was coordinated by Michelle J.K. Osterman in the Division of Vital Statistics (DVS) under the general direction of Joyce A. Martin, Lead Statistician, Statistical Analysis and Surveillance Branch (SASB), DVS.

The Division of Vital Statistics Director, Paul Sutton, managed the Vital Statistics Cooperative Program through which the vital registration offices of all states, the District of Columbia, New York City, Puerto Rico, Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands provided the data to the National Center for Health Statistics (NCHS).

The vital statistics computer file on which it is based was prepared by DVS staff. This Division also processed computer edits, designed and programmed the tabulations, reviewed the data, prepared documentation for this file, and was responsible for receipt and processing of the basic data file. Rajesh Virkar provided overall direction. Important contributors were Legesse Alemu, Mohammed Almashhadani, Senora Davis, Anne K. Driscoll, Julianna R. Forbes, Connie M. Gentry, Brady E. Hamilton, Christina K. Jarman, David W. Justice, Virginia J. Justice, Kryn Krautheim, Jamie M. Lewis, Denise Little, Annie S. Liu, Susan L. McBroom, Sarah Osborne, Dhiren Patel, Michelle J.K. Osterman, Demetria Simmons, Pam Stephenson, George C. Tolson, and Diana Wilkerson.

Brady E. Hamilton and Anne K. Driscoll reviewed and verified these technical notes.

NCHS acknowledges the essential role of the vital registration offices of all states and territories in maintaining the system through which vital statistics data are obtained and their cooperation in providing the information on which this publication is based.

Table of Contents

Control count of records	9
File layout	10
Detailed Technical Notes	43
Introduction	44
Definition of Live Birth	44
The Birth Registration Area	45
Classification of births by occurrence and residence	46
Residence error	46
Population based rates	46
Geographic classification	46
Standard Certificates of Live Birth	47
The 2003 revision	47
Birth eLearning training	48
Nativity data files	49
Micro-data files	49
Demographic Characteristics	49
Hispanic origin and race	49
Hispanic origin	49
Race of mother and father	50
Age of mother	51
Imputation of age of mother	51
Extreme values of age	51
Mean age of mother	51
Not stated age or date of birth of mother	51
Age of father	51
Marital status	52
Inferential procedures	52
Imputation of marital status	52
Educational attainment	52
Mother	52
Father	53
Live-birth order and parity	53

Birth interval	54
Total-birth order	54
Pregnancy interval	55
Medical and Public Services Utilization	55
Prenatal care	55
WIC food during pregnancy	56
Obstetric procedures	56
Characteristics of labor and delivery	57
Place of birth	57
Planned home births	57
Time of birth	58
Attendant at birth	58
CNM/CM-attended births	58
Method of delivery	58
Trial of labor	59
Total cesarean rate	59
Low-risk cesarean rate	59
Primary cesarean and VBAC delivery rates	59
Payment source for the delivery	59
Maternal Behavior and Health Characteristics	60
Mother's body mass index (BMI)	60
Mother's height	61
Mother's pre-pregnancy weight	61
Mother's weight at delivery	61
Weight gain during pregnancy	61
Cigarette smoking before and during pregnancy	62
Quitting smoking before or during pregnancy	62
Risk factors in this pregnancy	63
Eclampsia	63
Pregnancy from infertility treatment	63
Infections present and/or treated during this pregnancy	64
Maternal morbidity	64
Infant Health Characteristics	65
Period of gestation	65

Birthweight	65
Apgar score	66
5-minute score	66
10-minute score	66
Abnormal conditions of the newborn	67
Congenital anomalies of the newborn	67
Down syndrome and suspected chromosomal disorder	68
Plurality	68
Infant breastfed	68
Quality of Data	69
Completeness of registration	69
Completeness of reporting	69
Quality control procedures	70
Comparison with medical records	70
Rarely occurring events	70
State-specific data quality issues for 2024	71
Computation of Rates and Other Measures	74
Population denominators	74
2024 population estimates	74
Population estimates for the specific Hispanic groups	75
Revised population estimates	75
Residential population base	75
Net census undercounts and overcounts	75
Cohort fertility tables	75
Total fertility rates	76
Computation of percentages, percentage distributions, and means	76
Computation of Measures of Variability	77
Random variation and significance testing for natality data	77
Specified Hispanic population groups	77
References	78

Figures and Tables	83
Figure 1. Guidelines for Reporting Live Births, Infant Deaths, Fetal Deaths, and Induced Terminations of Pregnancy	83
Figure 2. U.S. Standard Certificate of Live Birth: 2003 Revision	84
Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024	86
Table 2. Births by place of occurrence and residence for births occurring in the 50 states, the District of Columbia, and U.S. territories, 2024	94
Table 3. Births, by Hispanic origin of mother: United States, each state and territory, 2024	95
Table 4. Number and percentage of live births by race and Hispanic origin of mother: United States, 2024	96
Table 5. Births, by age of mother, live-birth order, and Hispanic origin of mother: United States, 2024	97
Table 6. Birth rates, by age of mother, live-birth order, and race and Hispanic origin of mother: United States, 2024	99
Table 7. Births to unmarried women, by age, race, and Hispanic origin of mother: United States, 2024	101
Table 8. Births to unmarried women, by race and Hispanic origin of mother: United States, each state and territory, 2024	102
Table 9. Educational attainment of mother, by age and race and Hispanic origin of mother: United States, 2024	104
Table 10. Trimester prenatal care began, by age and race and Hispanic origin of mother: United States, 2024	107
Table 11. Mother received WIC food for herself during this pregnancy and infant was breastfed at discharge, by age and race and Hispanic origin of mother: United States, 2024	109
Table 12. External cephalic version, by age and race and Hispanic origin of mother: United States, 2024	110
Table 13. Characteristics of labor and delivery, by age and race and Hispanic origin of mother: United States, 2024	111
Table 14. Births, by attendant, place of delivery, and race and Hispanic origin of mother: United States, 2024	113
Table 15. Births occurring at home, by state: United States and each state, 2024	115
Table 16. Total cesarean delivery and low-risk cesarean delivery, by race and Hispanic origin of mother: United States, each state and territory, 2024	116

Table 17. Fetal presentation and final route and method of delivery, by age and race and Hispanic origin of mother: United States, 2024	119
Table 18. Births, by method of delivery and by age and race and Hispanic origin of mother: United States, 2024	121
Table 19. Principal source of payment for the delivery, by age and race and Hispanic origin of mother: United States, 2024	123
Table 20. Maternal pre-pregnancy body mass index, by age and race and Hispanic origin of mother: United States, 2024	125
Table 21. Mothers who smoked for the three months before pregnancy and anytime during pregnancy and those who quit before and during pregnancy, by age and race and Hispanic origin of mother: United States, 2024	127
Table 22. Pregnancy risk factors, by age and race and Hispanic origin of mother: United States, 2024	130
Table 23. Infections present or treated during this pregnancy, by age and race and Hispanic origin of mother: United States, 2024	132
Table 24. Maternal morbidity, by age and race and Hispanic origin of mother: United States, 2024	134
Table 25. Births, by gestational age, by age and race and Hispanic origin of mother: United States, 2024	135
Table 26. Preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2024	137
Table 27. Late preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2024	140
Table 28. Births, by birthweight, by age and race and Hispanic origin of mother: United States, 2024	143
Table 29. Low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2024	145
Table 30. Very low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2024	148
Table 31. Abnormal conditions of the newborn, by age and race and Hispanic origin of mother: United States, 2024	151
Table 32. Congenital anomalies of the newborn, by age of mother: United States, 2024	153
Table 33. Births, by plurality age and race and Hispanic origin of mother: United States, 2024	154
Table 34. Twin and triplet or higher-order multiple births, by state: United States and each state, 2022-2024	156

Population Table 1. Estimated total population, by race and Hispanic origin and specified Hispanic origin group and estimated female population, by age and race and Hispanic origin and specified Hispanic origin group of woman and standard errors by age and specified Hispanic origin group: United States, 2024 **157**

Population Table 2. Estimated total population, female population, and age-specific female population: United States, each state, and territory, July 1, 2024 **158**

Population Table 3. Population of the United States, 2010-2024 **159**

Additional detailed tables available with the release of the “Births: Final Data for 2024”

Control Count of Records
2024 Natality
File / Data Characteristics

All Files:

Record format: Fixed Format

Code scheme: Numeric/Alphabetic/Blank

Record length: 1330

All Births:

	<u>United States</u>	<u>Territories</u>
Record count	3,638,436	22,662
By occurrence	3,638,436	22,662
By residence	3,628,934	22,588
To foreign residents	9,502	74

2024 Natality Public Use File Documentation

Position	Length	Field	Description	Values	Definition
1-8	8	FILLER	Filler	Blank	
9-12	4	DOB_YY	Birth Year	2024	Year of birth
13-14	2	DOB_MM	Birth Month	01 02 03 04 05 06 07 08 09 10 11 12	January February March April May June July August September October November December
15-18	4	FILLER	Filler	Blank	
19-22	4	DOB_TT	Time of Birth	0000-2359 9999	Time of Birth Not Stated
23	1	DOB_WK	Birth Day of Week	1 2 3 4 5 6 7	Sunday Monday Tuesday Wednesday Thursday Friday Saturday
24-31	8	FILLER	Filler	Blank	
32	1	BFACIL	Birth Place	1 2 3 4 5 6 7 9	Hospital Freestanding Birth Center Home (intended) Home (not intended) Home (unknown if intended) Clinic / Doctor's Office Other Unknown
33	1	F_BFACIL	Reporting Flag for Birth Place	0 1	Non-Reporting Reporting
34-49	16	FILLER	Filler	Blank	

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
50	1	BFACIL3	Birth Place Recode	1 2 3	In Hospital Not in Hospital Unknown or Not Stated
51-72	22	FILLER	Filler	Blank	
73	1	MAGE_IMPFLG	Mother's Age Imputed Due to missing data, age imputed.	Blank 1	Age not imputed Age imputed
74	1	MAGE_REPFLG	Reported Age of Mother Used Flag Due to missing date of birth, reported age used.	Blank 1	Reported age not used Reported age used
75-76	2	MAGER	Mother's Single Years of Age	12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	10 – 12 years 13 years 14 years 15 years 16 years 17 years 18 years 19 years 20 years 21 years 22 years 23 years 24 years 25 years 26 years 27 years 28 years 29 years 30 years 31 years 32 years 33 years 34 years 35 years 36 years 37 years 38 years 39 years 40 years 41 years 42 years 43 years

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				44	44 years
				45	45 years
				46	46 years
				47	47 years
				48	48 years
				49	49 years
				50	50 years and over
77-78	2	MAGER14	Mother's Age Recode 14	01	Under 15 Years
				03	15 years
				04	16 years
				05	17 years
				06	18 years
				07	19 years
				08	20-24 years
				09	25-29 years
				10	30-34 years
				11	35-39 years
				12	40-44 years
				13	45-49 years
				14	50-54 years
79	1	MAGER9	Mother's Age Recode 9	1	Under 15 years
				2	15-19 years
				3	20-24 years
				4	25-29 years
				5	30-34 years
				6	35-39 years
				7	40-44 years
				8	45-49 years
				9	50-54 years
80-83	4	FILLER	Filler	Blank	
84	1	MBSTATE_REC	Mother's Nativity	1	Born in the U.S. (50 US States)
				2	Born outside the U.S. (includes possessions)
				3	Unknown or Not Stated
85-103	19	FILLER	Filler	Blank	
104	1	RESTATUS	Residence Status <u>United States</u>	1	RESIDENT: State and county of occurrence and residence are the same.
				2	INTRASTATE NONRESIDENT: State of occurrence and residence are the same but county is different.

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				3	INTERSTATE NONRESIDENT: State of occurrence and residence are different but both are one of the 50 US states or District of Columbia.
				4	FOREIGN RESIDENT: The state of residence is not one of the 50 US states or District of Columbia.
			<u>U.S. Territories</u> For detailed geography codes see addendum.	1	RESIDENT: Territory and county of occurrence and residence are the same. (Unique to Guam, all US residents are considered residents of Guam and thus are assigned 1.)
				2	INTRATERRITORY NONRESIDENT: Territory of occurrence and residence are the same but county is different.
				3	INTERTERRITORY RESIDENT: Territory of occurrence and residence are different but both are US Territories.
				4	FOREIGN RESIDENT: The residence is not a US Territory.
105-106	2	MRACE31	Mother's Race Recode 31 <u>United States and all Outlying Areas of</u> <u>the United States except Puerto Rico</u>	01	White (only) [only one race reported]
				02	Black (only)
				03	AIAN (American Indian or Alaskan Native) (only)
				04	Asian (only)
				05	NHOPI (Native Hawaiian or Other Pacific Islander) (only)
				06	Black and White
				07	Black and AIAN
				08	Black and Asian
				09	Black and NHOPI
				10	AIAN and White
				11	AIAN and Asian
				12	AIAN and NHOPI
				13	Asian and White
				14	Asian and NHOPI
				15	NHOPI and White
				16	Black, AIAN, and White
				17	Black, AIAN, and Asian
				18	Black, AIAN, and NHOPI
				19	Black, Asian, and White
				20	Black, Asian, and NHOPI
				21	Black, NHOPI, and White
				22	AIAN, Asian, and White
				23	AIAN, NHOPI, and White
				24	AIAN, Asian, and NHOPI
				25	Asian, NHOPI, and White
				26	Black, AIAN, Asian, and White
				27	Black, AIAN, Asian, and NHOPI
				28	Black, AIAN, NHOPI, and White
				29	Black, Asian, NHOPI, and White
				30	AIAN, Asian, NHOPI, and White

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				31	Black, AIAN, Asian, NHOPI, and White
107	1	MRACE6	Mother's Race Recode 6 <u>United States and all Outlying Areas of the United States except Puerto Rico</u>	1 2 3 4 5 6	White (only) Black (only) AIAN (only) Asian (only) NHOPI (only) More than one race
108-109	2	MRACE15	Mother's Race Recode 15 <u>United States and all Outlying Areas of the United States except Puerto Rico</u>	01 02 03 04 05 06 07 08 09 10 11 12 13 14 15	White (only) Black (only) AIAN (only) Asian Indian (only) Chinese (only) Filipino (only) Japanese (only) Korean (only) Vietnamese (only) Other Asian (only) Hawaiian (only) Guamanian (only) Samoan (only) Other Pacific Islander (only) More than one race
110	1	FILLER	Filler	Blank	
111	1	MRACEIMP	Mother's Race Imputed Flag	Blank 1 2	Mother's race not imputed Unknown race imputed All other races, formerly coded 09, imputed.
112	1	MHISPX	Mother's Hispanic Origin	0 1 2 3 4 5 6 9	Non-Hispanic Mexican Puerto Rican Cuban Central or South American Dominican Other and Unknown Hispanic Origin unknown or not stated
113-114	2	FILLER	Filler	Blank	
115	1	MHISP_R	Mother's Hispanic Origin Recode	0 1	Non-Hispanic Mexican

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				2	Puerto Rican
				3	Cuban
				4	Central and South American
				5	Other and Unknown Hispanic origin
				9	Hispanic origin not stated
116	1	F_MHISP	Reporting Flag for Mother's Origin	0	Non-Reporting
				1	Reporting
117	1	MRACEHISP	Mother's Race/Hispanic Origin Based on single/multiple-race (fields 105-106, 107, and 108-109).	1	Non-Hispanic White (only)
				2	Non-Hispanic Black (only)
				3	Non-Hispanic AIAN (only)
				4	Non-Hispanic Asian (only)
				5	Non-Hispanic NHOPI (only)
				6	Non-Hispanic more than one race
				7	Hispanic
				8	Origin unknown or not stated
118	1	FILLER	Filler	Blank	
119	1	MAR_P	Paternity Acknowledged	Y	Yes
				N	No
				U	Unknown
				X	Not Applicable
120	1	DMAR	Marital Status <u>United States and all Outlying Areas of</u> <u>the United States except Puerto Rico</u> <u>Puerto Rico</u>	1	Married
				2	Unmarried
				1	Yes
				2	Unmarried parents living together
				3	Unmarried parents not living together
				9	Unknown or not stated
121	1	MAR_IMP	Mother's Marital Status Imputed	Blank	Marital Status not imputed
				1	Marital Status imputed
122	1	FILLER	Filler	Blank	
123	1	F_MAR_P	Reporting Flag for Paternity Acknowledged	0	Non-Reporting
				1	Reporting
124	1	MEDUC	Mother's Education	1	8 th grade or less
				2	9 th through 12 th grade with no diploma
				3	High school graduate or GED completed
				4	Some college credit, but not a degree.

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				5	Associate degree (AA,AS)
				6	Bachelor's degree (BA, AB, BS)
				7	Master's degree (MA, MS, MEng, MEd, MSW, MBA)
				8	Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD)
				9	Unknown
125	1	FILLER	Filler	Blank	
126	1	F_MEDUC	Reporting Flag for Education of Mother	0	Non-Reporting
				1	Reporting
127-141	15	FILLER	Filler M	Blank	
142	1	FAGERPT_FLG	Father's Reported Age Used	Blank	Father's reported age not used
				1	Father's reported age used
143-146	4	FILLER	Filler	Blank	
147-148	2	FAGECOMB	Father's Combined Age	09-98	Father's combined age in years
				99	Unknown or not stated
149-150	2	FAGEREC11	Father's Age Recode 11	01	Under 15 years
				02	15-19 years
				03	20-24 years
				04	25-29 years
				05	30-34 years
				06	35-39 years
				07	40-44 years
				08	45-49 years
				09	50-54 years
				10	55-98 years
				11	Not stated
151-152	2	FRACE31	Father's Race Recode 31	01	White (only) [only one race reported]
				02	Black (only)
				03	AIAN (American Indian or Alaskan Native) (only)
				04	Asian (only)
				05	NHOPI (Native Hawaiian or Other Pacific Islander) (only)
				06	Black and White
				07	Black and AIAN
				08	Black and Asian
				09	Black and NHOPI
				10	AIAN and White

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				11	AIAN and Asian
				12	AIAN and NHOPI
				13	Asian and White
				14	Asian and NHOPI
				15	NHOPI and White
				16	Black, AIAN, and White
				17	Black, AIAN, and Asian
				18	Black, AIAN, and NHOPI
				19	Black, Asian, and White
				20	Black, Asian, and NHOPI
				21	Black, NHOPI, and White
				22	AIAN, Asian, and White
				23	AIAN, NHOPI, and White
				24	AIAN, Asian, and NHOPI
				25	Asian, NHOPI, and White
				26	Black, AIAN, Asian, and White
				27	Black, AIAN, Asian, and NHOPI
				28	Black, AIAN, NHOPI, and White
				29	Black, Asian, NHOPI, and White
				30	AIAN, Asian, NHOPI, and White
				31	Black, AIAN, Asian, NHOPI, and White
				99	Unknown or Not Stated
153	1	FRACE6	Father's Race Recode 6	1	White (only)
				2	Black (only)
				3	AIAN (only)
				4	Asian (only)
				5	NHOPI (only)
				6	More than one race
				9	Unknown or Not Stated
154-155	2	FRACE15	Father's Race Recode 15	01	White (only)
				02	Black (only)
				03	AIAN (only)
				04	Asian Indian (only)
				05	Chinese (only)
				06	Filipino (only)
				07	Japanese (only)
				08	Korean (only)
				09	Vietnamese (only)
				10	Other Asian (only)
				11	Hawaiian (only)
				12	Guamanian (only)
				13	Samoan (only)
				14	Other Pacific Islander (only)
				15	More than one race

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				99	Unknown or Not Stated
156-158	3	FILLER	Filler	Blank	
159	1	FHISPX	Father's Hispanic Origin	0	Non-Hispanic
				1	Mexican
				2	Puerto Rican
				3	Cuban
				4	Central or South American
				5	Dominican
				6	Other and Unknown Hispanic
				9	Origin unknown or not stated
160	1	FHISP_R	Father's Hispanic Origin Recode	0	Non-Hispanic
				1	Mexican
				2	Puerto Rican
				3	Cuban
				4	Central and South American
				5	Other and Unknown Hispanic origin
				9	Hispanic origin not stated
161	1	F_FHISP	Reporting Flag for Father's Origin	0	Non-Reporting
				1	Reporting
162	1	FRACEHISP	Father's Race/Hispanic Origin Based on single/multiple-race (fields 151-152, 153, and 154-155).	1	Non-Hispanic White (only)
				2	Non-Hispanic Black (only)
				3	Non-Hispanic AIAN (only)
				4	Non-Hispanic Asian (only)
				5	Non-Hispanic NHOPI (only)
				6	Non-Hispanic more than one race
				7	Hispanic
				8	Origin unknown or not stated
				9	Race unknown or not stated (Non-Hispanic)
163	1	FEDUC	Father's Education Use reporting flag in field 165	1	8 th grade or less
				2	9 th through 12 th grade with no diploma
				3	High school graduate or GED completed
				4	Some college credit, but not a degree.
				5	Associate degree (AA,AS)
				6	Bachelor's degree (BA, AB, BS)
				7	Master's degree (MA, MS, MEng, MEd, MSW, MBA)
				8	Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD)
				9	Unknown
164	1	FILLER	Filler	Blank	

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
165	1	f_FEDUC	Reporting Flag for Education of Father	0 1	Non-Reporting Reporting
166-170	5	FILLER	Filler	Blank	
171-172	2	PRIORLIVE	Prior Births Now Living	00-30 99	Number of children still living from previous live births. Unknown or not stated
173-174	2	PRIORDEAD	Prior Births Now Dead	00-30 99	Number of children dead from previous live births. Unknown or not stated
175-176	2	PRIORTERM	Prior Other Terminations	00-30 99	Number other terminations Unknown or not stated
177-178	2	FILLER	Filler	Blank	
179	1	LBO_REC	Live Birth Order Recode	1-7 8 9	Number of live birth order. 8 or more live births Unknown or not stated
180-181	2	FILLER	Filler	Blank	
182	1	TBO_REC	Total Birth Order Recode	1-7 8 9	Number of total birth order. 8 or more total births Unknown or not stated
183-197	15	FILLER	Filler	Blank	
198-200	3	ILLB_R	Interval Since Last Live Birth Recode Use reporting flag in field 126	000-003 004-300 888 999	Plural delivery Months since last live birth Not applicable / 1 st live birth Unknown or not stated
201-202	2	ILLB_R11	Interval Since Last Live Birth Recode 11 Use reporting flag in field 126	00 01 02 03 04 05 06 07 08 88	Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (1 st live birth)

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				99	Unknown or not stated
203-205	3	FILLER	Filler	Blank	
206-208	3	ILOP_R	Interval Since Last Other Pregnancy Recode Use reporting flag in field 126	000-003 004-300 888 999	Plural delivery Months since last live birth Not applicable / 1 st natality event Unknown or not stated
209-210	2	ILOP_R11	Interval Since Last Other Pregnancy Recode 11 Use reporting flag in field 126	00 01 02 03 04 05 06 07 08 88 99	Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (1 st natality event) Unknown or not stated
211-213	3	FILLER	Filler	Blank	
214-216	3	ILP_R	Interval Since Last Pregnancy Recode Use reporting flag in field 126	000-003 004-300 888 999	Plural delivery Months since last live birth Not applicable / no previous pregnancy Unknown or not stated
217-218	2	ILP_R11	Interval Since Last Pregnancy Recode 11 Use reporting flag in field 126	00 01 00 01 02 03 04 05 06 88 99	Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (no previous pregnancy) Unknown or not stated
219-223	5	FILLER	Filler	Blank	
224-225	2	PRECARE	Month Prenatal Care Began	00 01-10	No prenatal care Month prenatal care began

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				99	Unknown or not stated
226	1	F_MPCB	Reporting Flag for Month Prenatal Care Began	0 1	Non-Reporting Reporting
227	1	PRECARE5	Month Prenatal Care Began Recode	1 2 3 4 5	1 st to 3 rd month 4 th to 6 th month 7 th to final month No prenatal care Unknown or not stated
228-237	10	FILLER	Filler	Blank	
238-239	2	PREVIS	Number of Prenatal Visits	00-98 99	Number of prenatal visits Unknown or not stated
240-241	2	FILLER	Filler	Blank	
242-243	2	PREVIS_REC	Number of Prenatal Visits Recode	01 02 03 04 05 06 07 08 09 10 11 12	No visits 1 to 2 visits 3 to 4 visits 5 to 6 visits 7 to 8 visits 9 to 10 visits 11 to 12 visits 13 to 14 visits 15 to 16 visits 17 to 18 visits 19 or more visits Unknown or not stated
244	1	F_TPCV	Reporting Flag for Total Prenatal Care Visits	0 1	Non-Reporting Reporting
245-250	6	FILLER	Filler	Blank	
251	1	WIC	WIC	Y N U	Yes No Unknown or not stated
252	1	F_WIC	Reporting Flag for WIC	0 1	Non-Reporting Reporting
253-254	2	CIG_0	Cigarettes Before Pregnancy	00-97	Number of cigarettes daily

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				98	98 or more cigarettes daily
				99	Unknown or not stated
255-256	2	CIG_1	Cigarettes 1st Trimester	00-97	Number of cigarettes daily
				98	98 or more cigarettes daily
				99	Unknown or not stated
257-258	2	CIG_2	Cigarettes 2nd Trimester	00-97	Number of cigarettes daily
				98	98 or more cigarettes daily
				99	Unknown or not stated
259-260	2	CIG_3	Cigarettes 3rd Trimester	00-97	Number of cigarettes daily
				98	98 or more cigarettes daily
				99	Unknown or not stated
261	1	CIG0_R	Cigarettes Before Pregnancy Recode	0	Nonsmoker
				1	1-5
				2	6-10
				3	11-20
				4	21-40
				5	41 or more
				6	Unknown or not stated
262	1	CIG1_R	Cigarettes 1st Trimester Recode	0	Nonsmoker
				1	1-5
				2	6-10
				3	11-20
				4	21-40
				5	41 or more
				6	Unknown or not stated
263	1	CIG2_R	Cigarettes 2nd Trimester Recode	0	Nonsmoker
				1	1-5
				2	6-10
				3	11-20
				4	21-40
				5	41 or more
				6	Unknown or not stated
264	1	CIG3_R	Cigarettes 3rd Trimester Recode	0	Nonsmoker
				1	1-5
				2	6-10
				3	11-20
				4	21-40
				5	41 or more
				6	Unknown or not stated

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
265	1	F_CIGS_0	Reporting Flag for Cigarettes before Pregnancy	0 1	Non-Reporting Reporting
266	1	F_CIGS_1	Reporting Flag for Cigarettes 1st Trimester	0 1	Non-Reporting Reporting
267	1	F_CIGS_2	Reporting Flag for Cigarettes 2nd Trimester	0 1	Non-Reporting Reporting
268	1	F_CIGS_3	Reporting Flag for Cigarettes 3rd Trimester	0 1	Non-Reporting Reporting
269	1	CIG_REC	Cigarette Recode	Y N U	Yes No Unknown or not stated
270	1	F_TOBACO	Reporting Flag for Tobacco use	0 1	Non-Reporting Reporting
271-279	9	FILLER	Filler	Blank	
280-281	2	M_Ht_In	Mother's Height in Total Inches	30-78 99	Height in inches Unknown or not stated
282	1	F_M_HT	Reporting Flag for Mother's Height	0 1	Non-Reporting Reporting
283-286	4	BMI	Body Mass Index Use reporting flag in field 282	13.0-69.9 99.9	Body Mass Index Unknown or not stated
287	1	BMI_R	Body Mass Index Recode Use reporting flag in field 282	1 2 3 4 5 6 9	Underweight <18.5 Normal 18.5-24.9 Overweight 25.0-29.9 Obesity I 35.0-34.9 Obesity II 35.0-39.9 Extreme Obesity III ≥ 40.0 Unknown or not stated
288-291	4	FILLER	Filler	Blank	
292-294	3	PWgt_R	Pre-pregnancy Weight Recode	075-375 999	Weight in pounds Unknown or not stated

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
295	1	F_PWGT	Reporting Flag for Pre-pregnancy Weight	0 1	Non-Reporting Reporting
296-298	3	FILLER	Filler	Blank	
299-301	3	DWgt_R	Delivery Weight Recode	100-400 999	Weight in pounds Unknown or not stated
302	1	FILLER	Filler	Blank	
303	1	F_DWGT	Reporting Flag for Delivery Weight	0 1	Non-Reporting Reporting
304-305	2	WTGAIN	Weight Gain	00-97 98 99	Weight gain in pounds 98 pounds and over Unknown or not stated
306	1	WTGAIN_REC	Weight Gain Recode	1 2 3 4 5 9	Less than 11 pounds 11 to 20 pounds 21 to 30 pounds 31 to 40 pounds 41 to 98 pounds Unknown or not stated
307	1	F_WTGAIN	Reporting Flag for Weight Gain	0 1	Non-Reporting Reporting
308-312	5	FILLER	Filler	Blank	
313-342	30	<u>Risk Factors</u>			
313	1	RF_PDAB	Pre-pregnancy Diabetes	Y N U	Yes No Unknown or not stated
314	1	RF_GDIAB	Gestational Diabetes	Y N U	Yes No Unknown or not stated
315	1	RF_PHYPE	Pre-pregnancy Hypertension	Y N U	Yes No Unknown or not stated

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
316	1	RF_GHYPE	Gestational Hypertension	Y N U	Yes No Unknown or not stated
317	1	RF_EHYPE	Hypertension Eclampsia	Y N U	Yes No Unknown or not stated
318	1	RF_PPTERM	Previous Preterm Birth	Y N U	Yes No Unknown or not stated
319	1	F_RF_PDIAB	Reporting Flag for Pre-pregnancy Diabetes	0 1	Non-Reporting Reporting
320	1	F_RF_GDIAB	Reporting Flag for Gestational Diabetes	0 1	Non-Reporting Reporting
321	1	F_RF_PHYPER	Reporting Flag for Pre-pregnancy Hypertension	0 1	Non-Reporting Reporting
322	1	F_RF_GHYPER	Reporting Flag for Gestational Hypertension	0 1	Non-Reporting Reporting
323	1	F_RF_ECLAMP	Reporting Flag for Hypertension Eclampsia	0 1	Non-Reporting Reporting
324	1	F_RF_PPB	Reporting Flag for Previous Preterm Birth	0 1	Non-Reporting Reporting
325	1	RF_INFTR	Infertility Treatment Used	Y N U	Yes No Unknown or not stated
326	1	RF_FEDRG	Fertility Enhancing Drugs	Y N X U	Yes No Not applicable Unknown or not stated
327	1	RF_ARTEC	Asst. Reproductive Technology	Y N X U	Yes No Not applicable Unknown or not stated
328	1	f_RF_INFT	Reporting Flag for Infertility Treatment	0	Non-Reporting

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				1	Reporting
329	1	F_RF_INF_DRG	Reporting Flag for Fertility Enhance Drugs	0	Non-Reporting
				1	Reporting
330	1	F_RF_INF_ART	Reporting Flag for Reproductive Technology	0	Non-Reporting
				1	Reporting
331	1	RF_CESAR	Previous Cesarean	Y	Yes
				N	No
				U	Unknown or not stated
332-333	2	RF_CESARN	Number of Previous Cesareans	00	None
				01-30	Number of previous cesareans
				99	Unknown or not stated
334	1	FILLER	Filler	Blank	
335	1	F_RF_CESAR	Reporting Flag for Previous Cesarean	0	Non-Reporting
				1	Reporting
336	1	F_RF_NCESAR	Reporting Flag for Number of Previous Cesareans	0	Non-Reporting
				1	Reporting
337	1	NO_RISKS	No Risk Factors Reported	1	True
				0	False
				9	Not Reported
338-342	5	FILLER	Filler	Blank	
343-358	15	<u>Infections Present</u>			
343	1	IP_GON	Gonorrhea	Y	Yes
				N	No
				U	Unknown or not stated
344	1	IP_SYPH	Syphilis	Y	Yes
				N	No
				U	Unknown or not stated
345	1	IP_CHLAM	Chlamydia	Y	Yes
				N	No
				U	Unknown or not stated

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
346	1	IP_HEPB	Hepatitis B	Y N U	Yes No Unknown or not stated
347	1	IP_HEPC	Hepatitis C	Y N U	Yes No Unknown or not stated
348	1	F_IP_GONOR	Reporting Flag for Gonorrhea	0 1	Non-Reporting Reporting
349	1	F_IP_SYPH	Reporting Flag for Syphilis	0 1	Non-Reporting Reporting
350	1	F_IP_CHLAM	Reporting Flag for Chlamydia	0 1	Non-Reporting Reporting
351	1	F_IP_HEPATB	Reporting Flag for Hepatitis B	0 1	Non-Reporting Reporting
352	1	F_IP_HEPATC	Reporting Flag for Hepatitis C	0 1	Non-Reporting Reporting
353	1	NO_INFEC	No Infections Reported	1 0 9	True False Not Reported
354-358	5	FILLER	Filler	Blank	

359-370	12	<u>Obstetric Procedures</u>			
359	1	FILLER	Filler	Blank	
360	1	OB_ECVS	Successful External Cephalic Version	Y N U	Yes No Unknown or not stated
361	1	OB_ECVF	Failed External Cephalic Version	Y N U	Yes No Unknown or not stated
362	1	FILLER	Filler	Blank	

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
363	1	F_OB_SUCC	Reporting Flag for Successful External Cephalic Version	0 1	Non-Reporting Reporting
364	1	F_OB_FAIL	Reporting Flag for Failed External Cephalic Version	0 1	Non-Reporting Reporting
365-382	17	FILLER	Filler	Blank	
383-400	18	<u>Characteristics of Labor and Delivery</u>			
383	1	LD_INDL	Induction of Labor	Y N U	Yes No Unknown or not stated
384	1	LD_AUGM	Augmentation of Labor	Y N U	Yes No Unknown or not stated
385	1	LD_STER	Steroids	Y N U	Yes No Unknown or not stated
386	1	LD_ANTB	Antibiotics	Y N U	Yes No Unknown or not stated
387	1	LD_CHOR	Chorioamnionitis	Y N U	Yes No Unknown or not stated
388	1	LD_ANES	Anesthesia	Y N U	Yes No Unknown or not stated
389	1	F_LD_INDL	Reporting Flag for Induction of Labor	0 1	Non-Reporting Reporting
390	1	F_LD_AUGM	Reporting Flag for Augmentation of Labor	0 1	Non-Reporting Reporting
391	1	F_LD_STER	Reporting Flag for Steroids	0 1	Non-Reporting Reporting

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
392	1	F_LD_ANTB	Reporting Flag for Antibiotics	0 1	Non-Reporting Reporting
393	1	F_LD_CHOR	Reporting Flag for Chorioamnionitis	0 1	Non-Reporting Reporting
394	1	F_LD_ANES	Reporting Flag for Anesthesia	0 1	Non-Reporting Reporting
395	1	NO_LBRDLV	No Characteristics of Labor Reported	1 0 9	True False Not Reported
396-400	5	FILLER	Filler	Blank	
401-414	14	<u>Method of Delivery</u>			
401	1	ME_PREP	Fetal Presentation at Delivery	1 2 3 9	Cephalic Breech Other Unknown or not stated
402	1	ME_ROUT	Final Route & Method of Delivery	1 2 3 4 9	Spontaneous Forceps Vacuum Cesarean Unknown or not stated
403	1	ME_TRIAL	Trial of Labor Attempted (if cesarean)	Y N X U	Yes No Not applicable Unknown or not stated
404	1	F_ME_PREP	Reporting Flag for Fetal Presentation	0 1	Non-Reporting Reporting
405	1	F_ME_ROUT	Reporting Flag for Final Route and Method of Deliver	0 1	Non-Reporting Reporting
406	1	F_ME_TRIAL	Reporting Flag for Trial of Labor Attempted	0 1	Non-Reporting Reporting
407	1	RDMETH_REC	Delivery Method Recode	1 2	Vaginal (excludes vaginal after previous C-section) Vaginal after previous c-section

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				3	Primary C-section
				4	Repeat C-section
				5	Vaginal (unknown if previous c-section)
				6	C-section (unknown if previous c-section)
				9	Not stated
408	1	DMETH_REC	Delivery Method Recode	1	Vaginal
				2	C-Section
				9	Unknown
409	1	F_DMETH_REC	Reporting Flag for Method of Delivery Recode	0	Non-Reporting
				1	Reporting
410-414	5	FILLER	Filler	Blank	
415-432	18	<u>Maternal Morbidity</u>			
415	1	MM_MTR	Maternal Transfusion	Y	Yes
				N	No
				U	Unknown or not stated
416	1	MM_PLAC	Perineal Laceration	Y	Yes
				N	No
				U	Unknown or not stated
417	1	MM_RUPT	Ruptured Uterus	Y	Yes
				N	No
				U	Unknown or not stated
418	1	MM_UHYST	Unplanned Hysterectomy	Y	Yes
				N	No
				U	Unknown or not stated
419	1	MM_AICU	Admit to Intensive Care	Y	Yes
				N	No
				U	Unknown or not stated
420	1	FILLER	Filler	Blank	
421	1	F_MM_MTR	Reporting Flag for Maternal Transfusion	0	Non-Reporting
				1	Reporting
422	1	F_MM_PLAC	Reporting Flag for Perineal Laceration	0	Non-Reporting
				1	Reporting

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
423	1	F_MM_RUPT	Reporting Flag for Ruptured Uterus	0 1	Non-Reporting Reporting
424	1	F_MM_UHYST	Reporting Flag for Unplanned Hysterectomy	0 1	Non-Reporting Reporting
425	1	F_MM_AICU	Reporting Flag for Admission to Intensive Care	0 1	Non-Reporting Reporting
426	1	FILLER	Filler	Blank	
427	1	NO_MMORB	No Maternal Morbidity Reported	1 0 9	True False Not Reported
428-432	5	FILLER	Filler	Blank	
433	1	ATTEND	Attendant at Birth	1 2 3 4 5 9	Doctor of Medicine (MD) Doctor of Osteopathy (DO) Certified Nurse Midwife/Certified Midwife (CNM/CM) Other Midwife Other Unknown or not stated
434	1	MTRAN	Mother Transferred Use reporting flag in field 126	Y N U	Yes No Unknown
435	1	PAY	Payment Source for Delivery	1 2 3 4 5 6 8 9	Medicaid Private Insurance Self-Pay Indian Health Service CHAMPUS/TRICARE Other Government (Federal, State, Local) Other Unknown
436	1	PAY_REC	Payment Recode	1 2 3 4 9	Medicaid Private Insurance Self Pay Other Unknown

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
437	1	F_PAY	Reporting Flag for Source of Payment	0 1	Non-Reporting Reporting
438	1	F_PAY_REC	Reporting Flag for Payment Recode	0 1	Non-Reporting Reporting
439-443	5	FILLER	Filler	Blank	
444-445	2	APGAR5	Five Minute APGAR Score	00-10 99	A score of 0-10 Unknown or not stated
446	1	APGAR5R	Five Minute APGAR Recode	1 2 3 4 5	A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Unknown or not stated
447	1	F_APGAR5	Reporting Flag for Five minute APGAR	0 1	Non-Reporting Reporting
448-449	2	APGAR10	Ten Minute APGAR Score Use reporting flag in field 126	00-10 88 99	A score of 0-10 Not applicable Unknown or not stated
450	1	APGAR10R	Ten Minute APGAR Recode Use reporting flag in field 126	1 2 3 4 5	A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Not stated/not applicable
451-453	3	FILLER	Filler	Blank	
454	1	DPLURAL	Plurality Recode	1 2 3 4	Single Twin Triplet Quadruplet or higher
455	1	FILLER	Filler	Blank	
456	1	IMP_PLUR	Plurality Imputed	Blank 1	Plurality is not imputed Plurality is imputed
457-458	2	FILLER	Filler	Blank	

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
459	1	SETORDER_R	Set Order Recode Use reporting flag in field 126	1 2 3 4 5 9	1 st 2 nd 3 rd 4 th 5 th to 16 th Unknown or not stated
460-474	15	FILLER	Filler	Blank	
475	1	SEX	Sex of Infant	M F	Male Female
476	1	IMP_SEX	Imputed Sex	Blank 1	Infant Sex not Imputed Infant Sex is Imputed
477-478	2	DLMP_MM	Last Normal Menses Month	01 02 03 04 05 06 07 08 09 10 11 12 99	January February March April May June July August September October November December Unknown or not stated
479-480	2	FILLER	Filler	Blank	
481-484	4	DLMP_YY	Last Normal Menses Year	nnnn 9999	Year of last normal menses Unknown or not stated
485-487	3	FILLER	Filler	Blank	
488	1	COMPGST_IMP	Combined Gestation Imputation Flag	Blank 1	Combined Gestation is not imputed Combined Gestation is imputed
489	1	OBGEST_FLG	Obstetric Estimate of Gestation Used Flag	Blank 1	Obstetric Estimate is not used Obstetric Estimate is used
490-491	2	COMBGEST	Combined Gestation – Detail in Weeks	17-47 99	17 th through 47 th week of Gestation Unknown

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
492-493	2	GESTREC10	Combined Gestation Recode 10	01 02 03 04 05 06 07 08 09 10 99	Under 20 weeks 20-27 weeks 28-31 weeks 32-33 weeks 34-36 weeks 37-38 weeks 39 weeks 40 weeks 41 weeks 42 weeks and over Unknown
494	1	GESTREC3	Combined Gestation Recode 3	1 2 3	Under 37 weeks 37 weeks and over Not stated
495-497	3	FILLER	Filler	Blank	
498	1	LMPUSED	Combined Gestation Used Flag	Blank 1	Combined gestation not used Combined gestation used
499-500	2	OEGest_Comb	Obstetric Estimate Edited (NCHS standard item)	17-47 99	Weeks of gestation Not stated
501-502	2	OEGest_R10	Obstetric Estimate Recode10 (NCHS standard item)	01 02 03 04 05 06 07 08 09 10 99	Under 20 weeks 20-27 weeks 28-31 weeks 32-33 weeks 34-36 weeks 37-38 weeks 39 weeks 40 weeks 41 weeks 42 weeks and over Unknown
503	1	OEGest_R3	Obstetric Estimate Recode 3 (NCHS Standard Item)	1 2 3	Under 37 weeks 37 weeks and over Not stated
504-507	4	DBWT	Birth Weight – Detail in Grams (Edited)	0227-8165 9999	Number of grams Not stated birth weight

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
508	1	FILLER	Filler	Blank	
509-510	2	BWTR12	Birth Weight Recode 12	01 02 03 04 05 06 07 08 09 10 11 12	0227 - 0499 grams 0500 – 0999 grams 1000 - 1499 grams 1500 – 1999 grams 2000 – 2499 grams 2500 – 2999 grams 3000 – 3499 grams 3500 – 3999 grams 4000 – 4499 grams 4500 – 4999 grams 5000 – 8165 grams Not Stated
511	1	BWTR4	Birth Weight Recode 4	1 2 3 4	0227 - 1499 grams 1500 – 2499 grams 2500 - 8165 grams Unknown or not stated
512-516	5	FILLER	Filler	Blank	
517-536	20	<u>Abnormal Conditions of the Newborn</u>			
517	1	AB_AVEN1	Assisted Ventilation (immediately)	Y N U	Yes No Unknown or not stated
518	1	AB_AVEN6	Assisted Ventilation > 6 hrs	Y N U	Yes No Unknown or not stated
519	1	AB_NICU	Admission to NICU	Y N U	Yes No Unknown or not stated
520	1	AB_SURF	Surfactant	Y N U	Yes No Unknown or not stated
521	1	AB_ANTI	Antibiotics for Newborn	Y N U	Yes No Unknown or not stated

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
522	1	AB_SEIZ	Seizures	Y N U	Yes No Unknown or not stated
523	1	FILLER	Filler	Blank	
524	1	F_AB_VENT	Reporting Flag for Assisted Ventilation (immediately)	0 1	Non-Reporting Reporting
525	1	F_AB_VENT6	Reporting Flag for Assisted Ventilation >6 hrs	0 1	Non-Reporting Reporting
526	1	F_AB_NIUC	Reporting Flag for Admission to NICU	0 1	Non-Reporting Reporting
527	1	F_AB_SURFAC	Reporting Flag for Surfactant	0 1	Non-Reporting Reporting
528	1	F_AB_ANTIBIO	Reporting Flag for Antibiotics	0 1	Non-Reporting Reporting
529	1	F_AB_SEIZ	Reporting Flag for Seizures	0 1	Non-Reporting Reporting
530	1	FILLER	Filler	Blank	
531	1	NO_ABNORM	No Abnormal Conditions Checked	1 0 9	True False Not Reported
532-536	5	FILLER	Filler	blank	
537-566	30	<u>Congenital Anomalies of the Newborn</u>			
537	1	CA_ANEN	Anencephaly	Y N U	Yes No Unknown or not stated
538	1	CA_MNSB	Meningomyelocele / Spina Bifida	Y N U	Yes No Unknown or not stated
539	1	CA_CCHD	Cyanotic Congenital Heart Disease	Y N	Yes No

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				U	Unknown or not stated
540	1	CA_CDH	Congenital Diaphragmatic Hernia	Y N U	Yes No Unknown or not stated
541	1	CA_OMPH	Omphalocele	Y N U	Yes No Unknown or not stated
542	1	CA_GAST	Gastroschisis	Y N U	Yes No Unknown or not stated
543	1	F_CA_ANEN	Reporting Flag for Anencephaly	0 1	Non-Reporting Reporting
544	1	F_CA_MENIN	Reporting Flag for Meningomyelocele/Spina Bifida	0 1	Non-Reporting Reporting
545	1	F_CA_HEART	Reporting Flag for Cyanotic Congenital Heart Disease	0 1	Non-Reporting Reporting
546	1	F_CA_HERNIA	Reporting Flag for Congenital Diaphragmatic Hernia	0 1	Non-Reporting Reporting
547	1	F_CA_OMPHA	Reporting Flag for Omphalocele	0 1	Non-Reporting Reporting
548	1	F_CA_GASTRO	Reporting Flag for Gastroschisis	0 1	Non-Reporting Reporting
549	1	CA_LIMB	Limb Reduction Defect	Y N U	Yes No Unknown or not stated
550	1	CA_CLEFT	Cleft Lip w/ or w/o Cleft Palate	Y N U	Yes No Unknown or not stated
551	1	CA_CLPAL	Cleft Palate alone	Y N U	Yes No Unknown or not stated
552	1	CA_DOWN	Down Syndrome	C P	Confirmed Pending

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				N	No
				U	Unknown
553	1	CA_DISOR	Suspected Chromosomal Disorder	C	Confirmed
				P	Pending
				N	No
				U	Unknown
554	1	CA_HYPO	Hypospadias	Y	Yes, anomaly reported
				N	No, anomaly not reported
				U	Unknown
555	1	F_CA_LIMB	Reporting Flag for Limb Reduction Defect	0	Non-Reporting
				1	Reporting
556	1	F_CA_CLEFTLP	Reporting Flag for Cleft Lip with or without Cleft Palate	0	Non-Reporting
				1	Reporting
557	1	F_CA_CLEFT	Reporting Flag for Cleft Palate Alone	0	Non-Reporting
				1	Reporting
558	1	F_CA_DOWNS	Reporting Flag for Down Syndrome	0	Non-Reporting
				1	Reporting
559	1	F_CA_CHROM	Reporting Flag for Suspected Chromosomal Disorder	0	Non-Reporting
				1	Reporting
560	1	F_CA_HYPOS	Reporting Flag for Hypospadias	0	Non-Reporting
				1	Reporting
561	1	NO_CONGEN	No Congenital Anomalies Checked	1	True
				0	False
				9	Not Reported
562-566	5	FILLER	Filler	Blank	
567	1	ITRAN	Infant Transferred	Y	Yes
			Use reporting flag in field 126	N	No
				U	Unknown or not stated
568	1	ILIVE	Infant Living at Time of Report	Y	Yes
			Use reporting flag in field 126	N	No
				U	Unknown or not stated

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
569	1	BFED	Infant Breastfed at Discharge	Y N U	Yes No Unknown or not stated
570	1	F_BFED	Reporting Flag for Breastfed at Discharge	0 1	Non-Reporting Reporting
571-1330	760	FILLER	Filler	Blank	

Data from non-reporting areas for an item are represented by Blanks (“not on certificate”) that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
ADDENDUM					
Detailed geographic information for the territories.					
24-25	2	OCTERR	Mother's Occurrence Territory/Possession	<u>Outlying Areas of the United States</u> AS American Samoa GU Guam MP Northern Marianas PR Puerto Rico VI Virgin Islands US United States (births to residents of the 50 states or DC) XX Not Applicable ZZ Not Classifiable	
28-30	3	OCNTYFIPS	Occurrence FIPS County	<u>Puerto Rico</u> 021 Bayamo'n 025 Caguas 031 Carolina 113 Ponce 127 San Juan 999 County of less than 100,000 <u>Other Outlying Areas of the United States</u> 000 No county level geography 999 County of less than 100,000	
31	1	OCNTYPOP	Occurrence County Pop	0 County of 1,000,000 or more 1 County of 500,000 to 1,000,000 2 County of 250,000 to 500,000 County of 100,000 to 250,000 4 County of 50,000 to 100,000 5 County of 25,000 to 50,000 6 County of 10,000 to 25,000 9 County less than 10,000	
80-81	2	MBCNTRY	Mother's Birth Country	AA-ZZ	See Geographic Documentation
85-86	2	MRCNTRY	Mother's Residence Country	AA-ZZ	See Geographic Documentation
89-90	2	MRTER	Mother's Residence Territory	<u>Outlying Areas of the United States</u> AS American Samoa GU Guam MP Northern Marianas PR Puerto Rico VI Virgin Islands	

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

Position	Length	Field	Description	Values	Definition
				US	United States (births to residents of the 50 states or DC)
				XX	Not Applicable
				ZZ	Not Classifiable
91-93	3	RCNTY	Residence FIPS county	<u>Puerto Rico</u>	
				021	Bayamo'n
				025	Caguas
				031	Carolina
				113	Ponce
				127	San Juan
				999	County of less than 100,000
				<u>Other Outlying Areas of the United States</u>	
				000	No county level geography
				999	County of less than 100,000
99	1	RCNTY_POP	Population of Residence County	0	County of 1,000,000 or more
				1	County of 500,000 to 1,000,000
				2	County of 250,000 to 500,000
				3	County of 100,000 to 250,000
				4	County of 50,000 to 100,000
				5	County of 25,000 to 50,000
				6	County of 10,000 to 25,000
				9	County less than 10,000
				Z	Foreign resident
100	1	RCITY_POP	Population of Residence City	0	City of 1,000,000 or more
				1	City of 500,000 to 1,000,000
				2	City of 250,000 to 500,000
				3	City of 100,000 to 250,000
				4	City of 50,000 to 100,000
				5	City of 25,000 to 50,000
				6	City of 10,000 to 25,000
				9	All other areas in the US
				Z	Foreign resident
103	1	RECTYPE	Record Type	1	RESIDENT: Territory and county of occurrence and residence are the same.
				2	NONRESIDENT: Territory and county of occurrence and residence are different.

Data from non-reporting areas for an item are represented by Blanks ("not on certificate") that are not otherwise indicated in the Values and Definitions.

DETAILED TECHNICAL NOTES
UNITED STATES
2024
NATALITY

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES

CENTERS FOR DISEASE CONTROL AND PREVENTION
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 2025 (Revised 2026)

Introduction

These Detailed Technical Notes, published by the Centers for Disease Control and Prevention's National Center for Health Statistics (NCHS), supplement the "Technical Notes" section of "Births: Final Data for 2024" [1], and are for use with the 2024 Natality public use data. The 2024 natality micro-data file may be downloaded at http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm [2]. The micro-data natality file does not include geographic detail (e.g., state or county of birth). Selected natality data, including some geographic data, are available in CDC WONDER (<http://wonder.cdc.gov>). CDC WONDER is an interactive online data access tool that provides selected natality data from 1995-2024. Beginning with the 2016 data, all items available in the public use file are available in CDC WONDER.

A review of 2003-based birth certificate revision items in 2014 and 2015 by a collaborative effort among representatives from several vital statistics jurisdictions: The National Association for Public Health Statistics and Information Systems (NAPHSIS), and NCHS, resulted in the decision to drop a number of items from the national birth certificate data file for reasons of poor data quality. For more information on this effort and for a full list of items that were dropped, see https://www.cdc.gov/nchs/nvss/deleted_items_from_birth_fetal_death_files.htm.

Key natality items are presented in "Births in the United States, 2024," which will accompany the release of the 2024 public use file [2,3]. Information on other items can be found in the upcoming 2024 final report [1]. Additional discussion of selected items (e.g., fertility trends, mean-age trends, gestational age, NICU admission, and cesarean delivery) is available in recent reports [4-8]. Assessments of the quality of many medical and health items are also available [9,10].

Table 1 presents a listing of items and the percentage of records that were not stated for all reporting areas: each state, New York City, the District of Columbia, plus Puerto Rico, Guam, the U.S. Virgin Islands, American Samoa, and the Northern Marianas.

Definition of Live Birth

Every product of conception that gives a sign of life after birth, regardless of the length of the pregnancy, is considered a live birth. This concept is included in the definition set forth by the World Health Organization in 1950 as described in a United Nation's Handbook [11]. A slightly expanded definition of live birth was recommended by the 1992 and 2011 revisions of the Model State Vital Statistics Act and Regulations [12,13], based on recommendations of a 1988 working group formed by

the American Academy of Pediatrics and the American College of Obstetricians and Gynecologists [14] and is consistent with that currently used by the WHO in the ICD-10 [15] and the United Nations:

“Live birth” means the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes, or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.

This definition distinguishes a live birth from a fetal death in precise terms [16,17]. See **Figure 1** for a flowchart distinguishing the definitions of each event. The vast majority of registration areas use definitions of live births similar to this definition [16]. All states require the reporting of live births regardless of length of gestation or birth weight.

The Birth Registration Area

The birth registration system of the United States includes the 50 states, the District of Columbia, the independent registration area of New York City, and Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands (referred to as Northern Marianas). In statistical tabulations, “United States” refers only to the aggregate of the 50 states (including New York City) and the District of Columbia. Information on the history and development of the birth-registration area is available elsewhere [18].

Natality statistics for all states and the District of Columbia are based on information for all births registered in the reporting areas. The information is received on electronic files consisting of individual records processed by the states, the District of Columbia, New York City, Puerto Rico, American Samoa, the U.S. Virgin Islands, and the Northern Marianas. NCHS receives these files from the registration offices of all states, the two cities and four territories through the Vital Statistics Cooperative Program. Information for Guam for 2024 is obtained from images of original birth certificates, which are coded and keyed by NCHS. For historical information on the birth registration system, see the User Guide to the 2014 Natality Public Use File [19].

U.S. natality data are limited to births occurring within the United States, including those occurring to U.S. residents and nonresidents. Births to nonresidents of the United States have been excluded from most published tabulations by place of residence (for further discussion see “Classification by occurrence and residence”). Births occurring to U.S. citizens or residents outside the

United States are not included in the natality file. Data for Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa, and the Northern Marianas are limited to births registered in these areas.

Classification of births by occurrence and residence

In tabulations by place of residence, births occurring within the United States to U.S. citizens and to residents who are not citizens are allocated to the usual place of residence of the mother in the United States, as reported on the birth certificate. Births to U.S. residents occurring outside this country are not included in tabulations by place of residence or place of occurrence.

The total count of births for the United States by place of residence and by place of occurrence will not be identical. Births to nonresidents of the United States are included in data by place of occurrence but excluded from data by place of residence, as previously indicated. See **Table 2** for the number of births by residence and occurrence for the 50 states and the District of Columbia for 2024.

Residence error: According to a 1950 test (which has not been repeated), errors in residence reporting for the country as a whole tend to overstate the number of births to residents of urban areas and to understate the number of births to residents of other areas [20]. Recent experience, based on anecdotal evidence from the states, suggests that this is still a concern. This tendency has assumed special importance because of a concomitant development—the increased utilization of hospitals in cities by residents of nearby places—with the result that a number of births are erroneously reported as having occurred to residents of urban areas. Another factor that contributes to this overstatement of urban births is the customary practice of using city addresses for persons living outside the city limits. Residence error should be taken into particular consideration in interpreting tabulated data for small areas. Both birth and infant mortality patterns can be affected.

Population-based rates: One of the principal values of vital statistics data is realized through the presentation of rates that are computed by relating the vital events of a class to the population of a similarly defined class (e.g., 2024 births to women aged 20-24 years and the 2024 population of women aged 20-24). Vital statistics and population statistics, therefore, must be tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, significant discrepancies may result from differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data [21].

Geographic classification: The geographic code structure for the 2024 natality file is given in the NCHS manual, “Vital Records Geographic Classification, 2014,” and in the country, county, and place

geographic code files [22]. The geographic code structure on the 2024 file is based on results of the 2010 Census of Population. For other current and historic instruction manuals, see Instruction Manuals at http://www.cdc.gov/nchs/nvss/instruction_manuals.htm [23].

On June 6, 2022, the U.S. Census Bureau [24] adopted the nine planning regions of Connecticut as county-equivalent geographic units for the purposes of collecting, tabulating, and disseminating statistical data, replacing the previous eight counties which had ceased to function as governmental and administrative entities in 1960. This change was implemented for all Census Bureau statistical and geospatial data products starting in 2023. The 2024 natality file continued to categorize Connecticut births based on the eight counties and will categorize based on the new nine-county equivalent in future files.

Standard Certificates of Live Birth

The U.S. Standard Certificate of Live Birth, issued by the U.S. Department of Health and Human Services, has served for many years as the principal means for attaining uniformity in the content of the documents used to collect information on births in the United States. The U.S. Standard Certificate of Live Birth has historically been revised every 10-15 years. Most state certificates conform closely in content to the standard certificate, but are modified to the extent required by the particular state's needs or by special provisions of the state's vital statistics law.

The 2003 revision: In 2003, a revised U.S. Standard Certificate of Live Birth was adopted (**Figure 2**). For more information on the 2003 standard certificate and details regarding the certificate revision and links to the documents referenced below, see the NCHS website of the 2003 certificate revision at http://www.cdc.gov/nchs/nvss/vital_certificate_revisions.htm. The 2003 birth certificate replaces the previous 1989 U.S. Standard Certificate of Live Birth [25,26]. Implementation of the 2003 U.S. Standard Certificate of Live Birth (revised) by the states and independent reporting areas was phased in from 2003 through 2015. All states and the District of Columbia had implemented the revised birth certificate as of January 1, 2016. Guam, Puerto Rico, the U.S. Virgin Islands, and the Northern Marianas had implemented the revised birth certificate as of January 1, 2017, American Samoa had implemented the revised birth certificate as of January 1, 2019 (see User Guide to the 2015 Natality Public Use File [27] for a detailed implementation schedule).

The 2003 Revision of the U.S. Standard Certificate of Live Birth introduced substantial changes to data content and quality. Many key data items are common between revisions; however, a number of items were substantively modified. The 2003 revision also includes many new items never before

collected on the Standard Certificate [25,26]. For details on data items comparable between revisions, see the User Guide to the 2014 Natality Public Use File [19]. For a list of items that were dropped in 2014 for reasons of poor data quality, see

https://www.cdc.gov/nchs/nvss/deleted_items_from_birth_fetal_death_files.htm.

A key aspect of the 2003 revision of the U.S. Standard Certificate of Live Birth was the re-engineering of the data collection and transmission system to improve data quality, speed of data collection and transmission, and to enhance standardization of data [25,28]. To encourage collection of data from the best sources, two worksheets were developed: the “Mother’s Worksheet” (available at <https://www.cdc.gov/nchs/data/dvs/moms-worksheet-2016-508.pdf>) [29] and the “Facility Worksheet” (available at <https://www.cdc.gov/nchs/data/dvs/facility-worksheet-2016.pdf>) [30]. In the Mother’s Worksheet, data are directly obtained from the mother and include items such as race, Hispanic origin and educational attainment. For the Facility Worksheet, data are obtained directly from the medical records of the mother and infant for items such as date of first prenatal care visit, pregnancy risk factors, and method of delivery. To assist hospital staff in completing the Facility Worksheet, a comprehensive instruction manual was developed: Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) (“Guide to the Facility Worksheet”; available at <https://www.cdc.gov/nchs/data/dvs/GuidetoCompleteFacilityWks.pdf>) [31]. Detailed definitions and instructions for data items that are collected from the Facility Worksheet are in the “Guide to the Facility Worksheet”.

Birth eLearning training: The first ever eLearning training, “Applying Best Practices for Reporting Medical and Health Information on Birth Certificates,” on completing the medical and health information for the birth certificate was first launched in October 2016 and updated and re-launched in June 2021. The training emphasizes the importance and uses of birth certificate data and best practices for collecting specific birth medical and health items. The audience for the training includes birth information specialists, physicians, nurses, and hospital administrators. Continuing education credits for nurses, physicians, and non-clinical staff are also available. The training is internet-based and approximately 60 minutes in length. It is available at www.cdc.gov/nchs/training/BirthCertificateElearning.

Detailed descriptions of editing and computation methods of the items described below are available [32,33].

Nativity data files

Micro-data files: Natality micro-data files for data years 1968-2024 may be downloaded at http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm. The general rules used to classify characteristics of live births are presented in several NCHS manuals [22,23,28,32,33]. These instructions are for jurisdictions to use to collect and code the data items; they do not include NCHS edit recodes.

For information on the file for a specific data year (including the file layout), see the accompanying User Guide for that year (http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm). For information on the changes to the file related to the 2003 revision (including new items), see the 2003 User Guide [34]. Certain data items new to the 2003 revised certificate (e.g., maternal morbidity) are available beginning with data files 2009.

Beginning with the 2005 data year, the public release micro-data natality file no longer includes geographic detail (e.g., state or county of birth). Information on the data use policy is available at http://www.cdc.gov/nchs/nvss/dvs_data_release.htm [35].

Demographic Characteristics

Hispanic origin and race

Hispanic origin: Hispanic origin and race are reported separately on the birth certificate (**Figure 2**). It is recommended that this information be reported directly by the mother via the Mother's Worksheet [29].

From 1989 through 2017, data on the public use file and in NCHS reports for specified Hispanic groups are shown in most cases for five specified Hispanic groups: Mexican, Puerto Rican, Cuban, Central and South American, and "other and unknown Hispanic." Starting with 2018, data are presented for the additional Hispanic group, Dominican (see items MHISPX and FHISPX in file positions 112 and 159). This subgroup was previously included in "other and unknown Hispanic." Starting with 2023, data for "Central and South American" no longer include "Latin American," which has been moved to "Other and unknown Hispanic" to conform with the U.S. Census Bureau (**Table 3**).

In tabulations of birth data by race and Hispanic origin, data for persons of Hispanic origin are not further classified by race because the vast majority of Hispanic women are reported as white. In tabulations that include Hispanic origin, data for non-Hispanic persons are classified according to the race of the mother, due to substantial differences in fertility and maternal and infant health

characteristics between Hispanic and non-Hispanic (single-race) white women. American Samoa does not currently collect information on Hispanic origin.

The Hispanic origin question asks respondents to select only one response. Occasionally, however, more than one Hispanic origin response is given, that is, a specified Hispanic group (Mexican, Puerto Rican, Cuban, Dominican, or Central and South American) in combination with one or more other specified Hispanic group. From 2003 through 2012, respondents who selected more than one Hispanic origin on the birth certificate were classified as “other Hispanic.” Beginning with the 2013 data year, respondents who select more than one Hispanic origin are randomly assigned to a single Hispanic origin. This change was implemented to be consistent with the coding methods of the American Community Survey [36], on which the rates for the specified Hispanic groups from 2010 on are based (see “Population estimates for the specific Hispanic groups.”)

The percentage of records for which Hispanic origin of the parents was not reported in 2024 is presented by reporting area in **Table 1**.

Race of mother and father: Reported separately from Hispanic origin, the instructions are to check one or more races to indicate what the mother/father considers her/himself to be. It is recommended that this information be reported directly by the mother via the Mother’s Worksheet [29]. The 2003 revision of the U.S. Standard Certificate of Live Birth allows the reporting of the five race categories either alone (i.e., single-race) or in combination (i.e., more than one race or multiple races) for each parent [24], in accordance with the revised standards issued by the Office of Management and Budget (OMB) in 1997 [37]. The five categories for race specified in the revised standards are: American Indian or Alaska Native (AIAN), Asian, Black or African American, Native Hawaiian or Other Pacific Islander (NHOPI), and White. Information on this change is presented elsewhere [38-40].

Starting in 2016, all states and the District of Columbia, in addition to Puerto Rico, the U.S. Virgin Islands, Guam and Northern Marianas, were reporting race according to the 1997 revised OMB standards, with 3.0% of mothers in the U.S. reporting more than one race in 2024 (**Table 4**).

Where race of the mother is not reported, if the race of the father is known, the race of the father is assigned to the mother. When information is not available for either parent, the race of the mother is imputed according to the specific race of the mother on the preceding record with a known race of mother. In 2024, race of mother was imputed for 8.4% of births (by occurrence).

Age of mother

The age of mother is derived from the reported month and year of birth. It is recommended that this information be reported directly by the mother via the [Mother's Worksheet](#) [29]. For American Samoa, exact age of mother was reported (**Tables 5 and 6**).

Imputation of age of mother: Age of mother is imputed for ages 8 years or under and 65 years and over (mother's age 9 years is recoded as 10 years and ages 55-64 years are recoded to an age from 50-54 years). A review and verification of unedited data for several years showed that the vast majority of births reported as occurring to women aged 50 years and older were to women aged 50-54 years.

Extreme values of age: Data for single year of age of mother 9-11 and 55-64 years are not shown in the public use data files. Births to mothers 9-11 years are collapsed into the categories "12 years or under;" births to mothers 50-64 years into the category "50-54 years."

Mean age of mother: Mean age is the arithmetic average of an age distribution. Trend data on the mean age of mother, derived directly from frequencies of births by age, are available at <https://www.cdc.gov/nchs/products/vsus.htm#natab2003>, [41] and for recent years, in **Table 4** of the 2024 Final Report [1]. A recent report describes recent trends in mean age of mother in more detail [5]. For information on median age of mother, see User Guide for the 2014 Natality Public Use File [19].

Not stated age or date of birth of mother: Beginning in 1964, birth records with date of birth of mother and/or age of mother not stated have had age imputed (703 records; 0.02% for 2024) according to the age of mother from the previous birth record of the same race and total-birth order (total of fetal deaths and live births). (See NCHS Instruction Manuals, Part 12 [32,33,42]).

Age of father

Information on age of father is derived from the father's date of birth and is recommended to be reported directly by the mother. See the [Mother's Worksheet](#) [29]. Information on age of father is often missing for children born to unmarried mothers, greatly inflating the number in the "Not stated" category in all tabulations by age of father. If the age is under 10 years, it is considered not stated and grouped with those cases for which age is not stated on the certificate. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which father's age is not stated.

Marital status

National estimates of births to unmarried women are based on two methods of determining marital status: 1) direct question; and 2) inferential procedures (described below). For more details on the history of the two methods, see the User Guide for the 2014 Natality Public Use File [19].

It is recommended that information on marital status be reported directly by the mother using the Mother's Worksheet [29]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Tables 7 and 8** and **Table 7** of the 2024 Final Report [1].

Inferential procedures: Historical information on inferential procedures can be found in the 2014 User Guide [19]. In 2024, inferential procedures were used to compile birth statistics by marital status in full or in part for New York (excluding New York City). In New York, a birth is inferred as nonmarital if either of these factors, listed in priority-of-use order, is present: a paternity acknowledgment was received or the father's name is missing. In recent years, a number of states have extended their efforts to identify the fathers when the parents are not married in order to enforce child support obligations. The presence of a paternity acknowledgment, therefore, is the most reliable indicator that the birth is nonmarital in the states not reporting this information directly. Details of the changes in reporting procedures and the impact of the procedures on the data are described in previous reports [42-44].

Imputation of marital status: Mother's marital status was not reported in 2024 on 0.1% of the birth records where this information is obtained exclusively by a direct question (i.e., in the 49 states, the District of Columbia, and New York City; excludes California). For these records with unknown or not-reported marital status, marital status was imputed accordingly: if status was unknown and the father's age was known, then the mother was imputed as married; if the status was unknown, and the father's age unknown, then the mother was imputed as unmarried.

Beginning in 2017, NCHS cannot release record-level data on the marital status of the mother for births occurring in or to residents of California due to state statutory restrictions. Tabulated data on births by marital status for California were provided to NCHS by the state for the preparation of this User Guide and national and information is included in the 2024 Final Report [1].

Educational attainment

Mother: Educational attainment is based on the highest degree or level of school completed at the time of the delivery. It is recommended that information on educational attainment of the mother be reported directly by the mother using the [Mother's Worksheet](#) [29]. See also the NCHS manual for

detailed descriptions of editing and computation methods [32,33], **Table 9**, and **Table 1** for the percent of records for which mother’s education is not stated.

Starting with the 2018 data, the following consistency checks for maternal age are applied to each level of educational attainment:

8th grade or less	Minimum age 9
9th through 12th grade, no diploma	Minimum age 13
High school graduate or GED completed	Minimum age 15
Some college credit, but not a degree	Minimum age 17
Associate degree	Minimum age 18
Bachelor’s degree	Minimum age 20
Master’s degree	Minimum age 21
Doctorate	Minimum age 23.

Where maternal age is not compatible with the level of educational attainment, educational attainment is edited to “Not stated.”

Father: The question on educational attainment of the father is parallel to that for the mother. Information on education of father is often missing on birth certificates of children born to unmarried mothers, greatly inflating the number in the “Not stated” category. While the overall percentage of “Not stated” records for the United States was 12.6% (**Table 1**) in 2024, this information was missing for more than one-third of records for Wisconsin.

Live-birth order and parity

Live-birth order and parity are determined from two items on the birth certificate, “Number of previous live births now living” and “Number of previous live births now dead.” Live-birth order and parity classifications refer to the total number of live births the mother has had including the 2024 birth. Fetal deaths are excluded.

Live-birth order indicates what number the present birth represents; for example, a baby born to a mother who has had two previous live births (even if one or both are not now living) has a live-birth order of three. Parity indicates how many live births a mother has had. Before delivery, a mother having her first baby has a parity of zero, and a mother having her third baby has a parity of two. After delivery the mother of a baby who is a first live birth has a parity of one, and the mother of a baby who is a third live birth has a parity of three.

It is recommended that this information be collected directly from the prenatal care record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for these items are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which live birth order is not stated.

In computing birth rates by live-birth order, births tabulated as birth order not stated are distributed in the same proportion as births of known live-birth order.

Birth interval

Birth intervals are computed for all births of second or higher order. The interval is computed from the infant's date of birth (month and year) and the date of the last live birth (month and year). In a plural delivery, the second and higher order birth within a set is classified at an interval of 0-3 months.

It is recommended that this information be collected directly from the prenatal care record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for these items are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which birth interval is not stated.

Information on birth interval is not available for American Samoa in 2024 due to high unknowns for date of last live birth. A reporting flag should be used to generate accurate numbers by residence for birth interval. The reporting flag (the file position is specified in the file layout) will exclude births to residents of non-reporting jurisdictions. More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19].

Total-birth order

Total-birth order is determined from three items on the birth certificate, "Number of previous live births now living" and "Number of previous live births now dead," and "Number of previous other pregnancy outcomes." Total-birth order refers to the total number of pregnancies (regardless of outcome) the mother has had including the 2024 birth. Fetal deaths are included.

Live-birth order indicates what number the present birth represents in terms of the number of pregnancies; for example, a baby born to a mother who has had two previous pregnancies (even if one or both ended in fetal losses) has a total-birth order of three.

Like live-birth order, it is recommended that this information be collected directly from the prenatal care record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for these items are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which live birth order is not stated.

Pregnancy interval

Pregnancy intervals are computed for all births of second or higher order. The interval is computed from the infant's date of birth (month and year) and the date of the last live birth or other pregnancy outcome (month and year); whichever was more recent. In a plural delivery, the second and higher order birth within a set is classified at an interval of 0-3 months.

It is recommended that this information be collected directly from the prenatal care record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for these items are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which birth interval is not stated.

Information on pregnancy interval is not available for American Samoa in 2024 due to high unknowns for date of late live birth. A reporting flag should be used to generate accurate numbers by residence for pregnancy interval. The reporting flag (the file position is specified in the file layout) will exclude births to residents of non-reporting jurisdictions. More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19].

Medical and Public Services Utilization

Prenatal care

Information on the timing and number of prenatal care visits is collected from the items "Date of first prenatal visit" (with a checkbox for "No prenatal care") and "Total number of prenatal visits for this pregnancy." The public use file includes the month prenatal care began (ranging from months 1-10 of the pregnancy based on the obstetric estimate of gestation) as well as a recode for the trimester prenatal care began (1st, 2nd, or 3rd). "Date of the last prenatal care visit" is no longer available in the public use file due to concerns with data quality.

It is recommended that prenatal care information be collected directly from the prenatal care record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for these items are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 10**, and **Table 1** for the percent of records for which month prenatal care began and number of prenatal care visits is not stated.

In 2014, NCHS changed from the date of the last menstrual period (LMP) to the obstetric estimate (OE) to calculate gestational age [19]. Also in 2014, NCHS changed the way the month in which prenatal care began is calculated to use of the OE-based method. This change resulted in higher percentages of prenatal care beginning in the 1st trimester. For example, in 2014, the percentage of births with prenatal care beginning in the 1st trimester was 73.3% when based on LMP (data not available) compared with 76.6% when based on OE. By state, 1st trimester prenatal care based on OE was, on average, 5% higher than 1st trimester care based on LMP. Accordingly, prenatal care data based on the OE are not comparable with those based on the LMP.

WIC food during pregnancy

It is recommended that information on receipt of WIC (The Special Supplemental Nutrition Program for Women, Infants, and Children) food for the mother during this pregnancy be reported directly by the mother using the [Mother's Worksheet](#) [29]. WIC is a program intended to help low-income pregnant women, infants, and children through age 5 receive proper nutrition by providing vouchers for food, nutrition counseling, health care screenings and referrals; it is administered by the U.S. Department of Agriculture [45]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 11**, and **Table 1** for the percent of records for which receipt of WIC is not stated.

Obstetric procedures

Two obstetric procedures: 1) successful external cephalic version and 2) failed external cephalic version are available in the 2024 natality public use file. The choice “None of the above” is available if external cephalic version is not applicable. If the item is not completed (i.e. none of the boxes are checked), it is classified as “Not stated.” Cervical cerclage and tocolysis are no longer available in the public use file due to concerns with data quality.

It is recommended that this information on obstetric procedures be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions are presented in

the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 12**, and **Table 1** for the percent of records for which obstetric procedures is not stated.

Characteristics of labor and delivery

Six characteristics of labor and delivery are separately identified in a checkbox format: 1) induction of labor; 2) augmentation of labor; 3) steroids; 4) antibiotics received by the mother during labor; 5) clinical chorioamnionitis or maternal temperature $\geq 38^{\circ}\text{C}$; and 6) epidural or spinal anesthesia during labor. The characteristics of labor and delivery item allows for the reporting of more than one characteristic and includes a choice of “None of the above.” If the item is not completed (i.e., none of the boxes are checked), it is classified as “Not stated.” Due to concerns with data quality, non-vertex presentation, moderate/heavy meconium staining of the amniotic fluid, and fetal intolerance of labor are no longer available in the public use file.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 13**, and **Table 1** for the percent of records for which characteristics of labor and delivery is not stated.

Place of birth

Five options for place of birth are identified in a checkbox format: 1) hospital; 2) freestanding birth center; 3) home birth (and a follow-up question “Planned to delivery at home? Yes/No,”); 4) clinic/doctor’s office; and 5) other (must be specified). If the item is not completed (i.e., none of the boxes are checked), it is classified as “Not stated”.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Tables 14 and 15**, and **Table 1** for the percent of records for which place of birth is not stated.

Planned home births: If the birth was a home birth (box checked) then the following question is asked in a checkbox format: Planned to deliver at home? Yes/ No. Beginning in 2021, information on whether the home birth was planned is reported by all 50 states and the District of Columbia. For years

prior to 2021, a reporting flag should be used to generate accurate numbers by residence for planned home births. The reporting flag (the file position is specified in the file layout) will exclude births to residents of non-reporting states. More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19].

Time of birth

Time of birth is based on a 24-hour (military) clock. It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], and **Table 1** for the percent of records for which time of birth is not stated.

Attendant at birth

Five options for title of attendant at birth are identified in a checkbox format: 1) MD (medical doctor); 2) DO (osteopath); 3) CNM/CM (certified nurse midwife/certified midwife); 4) other midwife; and 5) other (must be specified). If the item is not completed (i.e., none of the boxes are checked), it is classified as “Not stated”.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [30]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 14**, and **Table 1** for the percent of records for which attendant at birth is not stated.

CNM/CM-attended births: There is evidence that the number of live births attended by CNM/CM is understated [46], largely due to difficulty in correctly identifying the birth attendant when more than one provider is present at the birth. (Anecdotal evidence suggests that some hospitals require that a physician be reported as the attendant even when no physician is physically present at midwife-attended births.)

Method of delivery

Three options for fetal presentation at birth are identified in a checkbox format: 1) cephalic; 2) breech; and 3) other. Four options for final route and method of delivery are identified in a checkbox format: 1) vaginal/spontaneous; 2) vaginal/forceps; 3) vaginal/vacuum; and 4) cesarean. If either of the

two items, fetal presentation at birth and final route and method of delivery, are not completed (i.e., none of the boxes are checked), they are classified as “Not stated”. The checkboxes, stating whether delivery with forceps or vacuum extraction was unsuccessful are no longer included in the public use files due to concerns with data quality.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 16**, and **Table 1** for the percent of records for which fetal presentation and final route and method of delivery are not stated.

Trial of labor: If the final route and method of delivery was cesarean (box checked) then the question “If cesarean, was a trial of labor attempted?” Yes/ No is asked. See **Table 17**.

Total cesarean rate: The overall cesarean delivery rate or total cesarean rate is computed as the percent of all births delivered by cesarean. See **Tables 16-18** and **Table 9** of the 2024 Final Report [1].

Low-risk cesarean rate: The low-risk cesarean delivery rate is the number of singleton, term (37 or more weeks of gestation based on obstetric estimate), cephalic, cesarean deliveries to women having a first birth per 100 women delivering singleton, term, cephalic, first births. Obstetric estimate and live-birth order are discussed in more detail elsewhere. See **Tables 16 and 18** and **Table 9** of the 2024 Final Report [1].

Primary cesarean and VBAC delivery rates: The primary cesarean and vaginal birth after previous cesarean (VBAC) delivery rates are computed by using the information on vaginal and cesarean deliveries from the “Method of delivery” item as well as information on whether the mother had a previous cesarean from the “Risk factors in this pregnancy” item. The primary cesarean rate is computed as the number of women having a first cesarean delivery divided by all women giving birth who have never had a cesarean delivery. The denominator for the primary cesarean rate includes the sum of primary cesareans and vaginal births without a previous cesarean. The rate of VBAC delivery is computed by dividing all VBAC deliveries by the sum of VBAC and repeat cesarean deliveries, that is, women with a previous cesarean delivery. See **Table 18** and **Table 9** of the 2024 Final Report [1].

Payment source for the delivery

Four options for source of payment at delivery are identified in a checkbox format: 1) private insurance; 2) Medicaid; 3) self-pay; and 4) other (must be specified). If the item is not completed (i.e., none of the boxes are checked), it is classified as “Not stated”. The instructions are to check the box that

best describes the principal source of payment for this delivery. Note that for 2018-2024, for Rhode Island, “other” sources of payment for the delivery includes only CHAMPUS/TRICARE, whereas “other” for other reporting areas combines several sources.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 19**, and **Table 1** for the percent of records for which source of payment is not stated.

More detailed information for the “other” category is available for 37 states and the District of Columbia, representing 62.6 percent of all U.S. births in 2024. For these states, the “Other” category is further delineated into the following groups: 1) Indian Health Service; 2) CHAMPUS/TRICARE; 3) Other government; and 4) other (must be specified). A reporting flag should be used to generate accurate numbers by residence for more detailed source of payment at delivery. The reporting flag (the file position is specified in the file layout) will exclude births to residents of non-reporting states (Arkansas, California, Florida, Illinois, Minnesota, Mississippi, Missouri, New Hampshire, New Jersey, North Carolina, Pennsylvania, Rhode Island, and Vermont). More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19].

Maternal Behavior and Health Characteristics

Mother’s pre-pregnancy body mass index (BMI)

BMI provides an indication of the mother’s body fat based on her height and pre-pregnancy weight (see below). Mother’s height and pre-pregnancy weight are discussed in more detail below. Mother’s pre-pregnancy BMI is calculated as:

$$(\text{mother's pre-pregnancy weight (lb)} / [\text{mother's height (in)}]^2) \times 703$$

The currently used categories for BMI were established by the National Health, Lung and Blood Institute (NHBL) in the late 1990s [47]. See the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 20**.

Mother's height

Mother's height is one of the measurements used to compute mother's pre-pregnancy BMI (see above). The range of acceptable values for this item is 1-8 feet and 1-11 inches.

It is recommended that information on the mother's height (in feet/inches) come from the [Mother's Worksheet](#) [29]. See the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which mother's height is not stated.

Mother's pre-pregnancy weight

Mother's pre-pregnancy weight is one of the measurements used to compute mother's pre-pregnancy BMI (see above). Mother's pre-pregnancy weight, along with mother's weight at delivery, is used to compute the mother's weight gain during delivery (see below). The range of values accepted for mother's pre-pregnancy weight is 50-400 pounds. All other values are edited to "Not stated".

It is recommended that information on the mother's pre-pregnancy weight (in pounds) be reported directly by the mother via the [Mother's Worksheet](#) [29]. See the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which mother's pre-pregnancy weight is not stated.

Mother's weight at delivery

Mother's weight at delivery, along with mother's pre-pregnancy weight, is used to compute the mother's weight gain during pregnancy (see below). The range of values accepted for mother's weight at delivery is 100-450 pounds.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which mother's weight at delivery is not stated.

Weight gain during pregnancy

Information on weight gain during pregnancy is derived from mother's pre-pregnancy weight and mother's weight at delivery (see above). Mother's weight gain during pregnancy is calculated by subtracting the mother's pre-pregnancy weight from her weight at delivery. Weight gain during

pregnancy is reported in pounds. A reported loss of weight is recorded as zero gain. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33].

Cigarette smoking before and during pregnancy

The question asks for the number of cigarettes (or packs) smoked in the three months prior to becoming pregnant and in each trimester. All entries reporting packs of cigarettes are converted to the corresponding number of cigarettes (1 pack = 20 cigarettes). If the mother reports smoking in any of the three trimesters of pregnancy she is classified as a smoker (smoked anytime during pregnancy). Women with unknown smoking status for any trimester (except for births with gestational ages less than 27 weeks; see below) who report not smoking in other trimesters are classified as “Unknown smoking status.”

For women whose pregnancies end prior to the 3rd trimester of pregnancy (less than 27 completed weeks), but for whom cigarette smoking is reported in the 3rd trimester of pregnancy, smoking status during the 3rd trimester of pregnancy is changed/edited to “Unknown.” Women who give birth prior to the 3rd trimester who report smoking in the 1st or 2nd trimester are classified as smokers. Women who give birth prior to the 3rd trimester of pregnancy who report no cigarettes in the 1st or 2nd trimester are classified as non-smokers.

Quitting smoking before or during pregnancy: Women who report smoking in the three months prior to pregnancy but report no smoking during all three trimesters are considered to have quit smoking before pregnancy. Women who smoked in the three months prior to pregnancy and during any trimester are considered to have not quit smoking before pregnancy. If a woman reported smoking in the three months prior to pregnancy, and reported not smoking during one or more trimesters, but smoking status was unknown for any of the other trimesters, quitting before pregnancy status is classified as “Unknown”. Women who report smoking only in the first trimester and/or second trimesters, but not the third trimester, are considered to have quit smoking during pregnancy. If smoking status during the third trimester of pregnancy is unknown, quitting status is tabulated as “Unknown” [33].

It is recommended that information on smoking before and during pregnancy be reported directly by the mother via the [Mother’s Worksheet](#) [29]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 21**, and **Table 1** for the percent of records for which cigarette smoking before and during pregnancy is not stated.

Risk factors in this pregnancy

Six risk factors are separately identified in a checkbox format: 1) diabetes (pre-pregnancy or gestational); 2) hypertension (pre-pregnancy or gestational); 3) eclampsia; 4) previous preterm births; 5) pregnancy resulted from infertility treatment; and 6) mother had a previous cesarean delivery. This item allows for the reporting of more than one risk factor and includes a choice of “None of the above”. If the item is not completed (i.e., none of the boxes are checked), it is classified as “Not stated”. The checkbox “Other previous poor pregnancy outcome” is no longer available in the public use files because of concerns with data quality.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 22**, and **Table 1** for the percent of records for which risk factors is not stated.

Eclampsia: Beginning in 2022, information on eclampsia is available for all 50 states and the District of Columbia. For years prior to 2022, a reporting flag should be used to generate accurate numbers by residence for eclampsia. The reporting flag (the file position is specified in the file layout) will exclude births to residents of non-reporting states. More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19].

Pregnancy resulted from infertility treatment: There is a general checkbox question about whether the pregnancy resulted from infertility treatment. If the answer is “Yes” (box checked) then the infertility treatments are grouped into two separate categories:

- Fertility enhancing drugs, artificial insemination, or intrauterine insemination
- Assisted reproductive technology (e.g., in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT), zygote intrafallopian transfer (ZIFT)).

The instructions are to check all that apply, meaning that one or both of these responses can be reported for the same birth. ART procedures are those in which both egg and sperm are handled in the laboratory.

Beginning in 2022, information on type of infertility is available for all 50 states and the District of Columbia; however, for 2024, system issues for Georgia and North Carolina resulted in incorrect reporting for all infertility items (type and overall), which have been flagged as not reported (data are available for 93.1% of 2024 U.S. births). For 2024 and years prior to 2022, a reporting flag should be used to generate accurate numbers by residence for type of infertility treatment used; for 2024, a

reporting flag should be used to generate accurate numbers by residence for overall infertility treatment. The reporting flag (the file position is specified in the file layout) will exclude births to residents of non-reporting states. More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19].

Infections present and/or treated during this pregnancy

Five infections are separately identified in a checkbox format: 1) gonorrhea; 2) syphilis; 3) chlamydia; 4) hepatitis B; and 5) hepatitis C. This is a checkbox item allowing for the reporting of more than one infection and includes a choice of “None of the above”. If the item is not completed (i.e., none of the boxes are checked), it is classified as “Not stated”.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 23**, and **Table 1** for the percent of records for which infections present and/or treated during this pregnancy is not stated.

Maternal morbidity

Five maternal morbidities are separately identified in a checkbox format: 1) maternal transfusion; 2) third or fourth degree perineal laceration; 3) ruptured uterus; 4) unplanned hysterectomy; and 5) admission to intensive care unit. This item allows for the reporting of more than one morbidity and includes a choice of “None of the above”. If the item is not completed (i.e., none of the boxes are checked), it is classified as “Not stated”. The checkbox item “unplanned operating room procedure following delivery” is no longer included in the public use file because of concerns with data quality.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 24**, and **Table 1** for the percent of records for which maternal morbidities is not stated.

Infant Health Characteristics

Period of gestation

Beginning with the 2014 data year, NCHS transitioned to a new standard for estimating the gestational age of the newborn. The new measure – the obstetric estimate of gestation at delivery (OE) replaced the measure based on the date of the last normal menses (LMP) [48]. Accordingly, gestational age data in standard reports are based on the OE. However, LMP-based data are also available. National data based on the OE are available only from data year 2007 forward. Gestational age estimates differ somewhat between the OE- and LMP-based measures. For example, the 2024 OE-based preterm birth rate is 10.41% compared with the LMP-based rate of 12.10%. Of note, both preterm birth rates declined from 2007 to 2014 but rose from 2015 to 2019. Discussion of the reasons for the change, and a detailed comparison of the two measures, are presented elsewhere [48].

Births occurring before 37 completed weeks of gestation are considered to be preterm for purposes of classification consistent with the ICD-9 and ICD-10 definitions [15]. NCHS further categorizes births at less than 34 weeks as early preterm and births at 34-36 weeks as late preterm. Births occurring between 37 and 38 completed weeks are considered early term, between 39 and 40 completed weeks as full term, 41 completed weeks as late term, and at 42 completed weeks and over as post-term. These distinctions are consistent with the revised American College of Obstetrics and Gynecology revised term definitions [49].

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Tables 25-27**, and **Table 10** of the 2024 Final Report [1], and **Table 1** for the percent of records for which period of gestation is not stated.

Birthweight

Birthweight is reported in some areas in pounds and ounces and in other areas as grams. However, the metric system is used to tabulate and present the statistics to facilitate comparison with data published by other groups. The categories for birthweight are consistent with the recommendations in the International Statistical Classification of Diseases, Ninth Revision (ICD–9) and the International Statistical Classification of Diseases, Tenth Revision (ICD–10) [15,50]. The categories in gram intervals and their equivalents in pounds and ounces are as follows:

Less than 500 grams = 1 lb 1 oz or less
 500–999 grams = 1 lb 2 oz–2 lb 3 oz
 1,000–1,499 grams = 2 lb 4 oz–3 lb 4 oz
 1,500–1,999 grams = 3 lb 5 oz–4 lb 6 oz
 2,000–2,499 grams = 4 lb 7 oz–5 lb 8 oz
 2,500–2,999 grams = 5 lb 9 oz–6 lb 9 oz
 3,000–3,499 grams = 6 lb 10 oz–7 lb 11 oz
 3,500–3,999 grams = 7 lb 12 oz–8 lb 13 oz
 4,000–4,499 grams = 8 lb 14 oz–9 lb 14 oz
 4,500–4,999 grams = 9 lb 15 oz–11 lb 0 oz
 5,000 grams or more = 11 lb 1 oz or more

ICD–9 and ICD–10 define low birthweight as less than 2,500 grams. Very low birthweight is defined as less than 1,500 grams.

To establish the continuity of class intervals needed to convert pounds and ounces to grams, the end points of these intervals are assumed to be half an ounce less at the lower end and half an ounce more at the upper end. For example, 2 lb 4 oz–3 lb 4 oz is interpreted as 2 lb 3 ½ oz–3 lb 4 ½ oz.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Tables 28–30**, and **Table 11** of the 2024 Final Report [1], and **Table 1** for the percent of records for which birthweight is not stated.

Apgar score

5-minute score: The Apgar score is a measure of the need for resuscitation and a predictor of the infant's chances of surviving the first year of life. It is a summary measure of the infant's condition based on heart rate, respiratory effort, muscle tone, reflex irritability, and color. Each of these factors is given a score of 0, 1, or 2; the sum of these 5 values is the Apgar score, which ranges from 0 to 10. A score of 0 to 3 indicates an infant in need of resuscitation; a score of 4 to 6 is considered intermediate; a score of 7 or greater indicates that the neonate is in good to excellent physical condition. The 5-minute score means that these factors were assessed at 5 minutes after delivery.

10-minute Apgar score: The 2003 revised certificate asks for a 10-minute Apgar score if the 5-minute score is less than 6. Ten-minute Apgar score was reported for 1.3 percent (47,692) of births in 2024; 5.4 percent (2,562) of these births had “Not stated” 10-minute Apgar score for infants whose 5-minute score was less than 6.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33] and **Table 1** for the percent of records for which 5-minute and 10-minute Apgar score is not stated.

Abnormal conditions of the newborn

Six abnormal conditions of the newborn are separately identified in a checkbox format: 1) assisted ventilation required immediately following delivery; 2) assisted ventilation required for more than six hours; 3) NICU admission; 4) newborn given surfactant replacement therapy; 5) antibiotics received by the newborn for suspected neonatal sepsis; and 6) seizure or serious neurological dysfunction. This item allows for the reporting of more than one condition and includes a choice of “None of the above”. If the item is not completed (i.e., none of the boxes are checked), it is classified as “Not stated”. The checkbox item significant birth injury is no longer included in the public use file because of concerns with data quality.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 31**, and **Table 1** for the percent of records for which abnormal conditions of the newborn is not stated.

Congenital anomalies of the newborn

Twelve congenital anomalies are separately identified in a checkbox format: 1) anencephaly; 2) meningomyelocele/spina bifida; 3) cyanotic congenital heart disease; 4) congenital diaphragmatic hernia; 5) omphalocele; 6) gastroschisis; 7) limb reduction defect; 8) cleft lip with or without cleft palate; 9) cleft palate alone; 10) Down syndrome; 11) suspected chromosomal disorder; and 12) hypospadias. This item allows for the reporting of more than one anomaly and includes a choice of “None of the above”. If the item is not completed (i.e. none of the boxes are checked), it is classified as “Not stated”.

Data for the congenital anomaly “Hypospadias” are edited to exclude this condition where the infant is a female.

Information on meningomyelocele/spina bifida is available for 49 states and the District of Columbia, (excludes Virginia) representing 97.4% of all U.S. births in 2024. A reporting flag should be

used to generate accurate numbers by residence for meningomyelocele/spina bifida (in 2024, Virginia was flagged as not reported because no cases have been reported since 2014). The reporting flag (the file position is specified in the file layout) will exclude births to residents of non-reporting states. More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19].

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [310]. See also the NCHS manual for detailed descriptions of editing and computation methods [32,33], **Table 32**, and **Table 1** for the percent of records for which congenital anomalies is not stated. See the Quality of Data section below for discuss of quality concerns with rarely occurring events.

Down Syndrome and suspected chromosomal disorder: The item includes a general checkbox question about whether Down Syndrome and suspected chromosomal disorder are present. If “Yes” (box checked), the following question is asked: karyotype pending or karyotype confirmed. These responses are combined for a “Yes” response.

Plurality

Plurality is classified as single, twin, triplet, and quadruplet and higher order births. Each record in the public use natality file represents an individual birth. For example, a record coded as a twin represents one birth in a twin delivery; note that a twin delivery may include 2 live births or 1 live birth and 1 fetal death. Pairs or sets of twins or higher order multiple births are not identified in this file but are available for 2016-2020 in the Matched Multiple Birth and Fetal Death Data Sets at https://www.cdc.gov/nchs/data_access/vitalstatsonline.htm. Records for which plurality is unknown are imputed as singletons. This occurred for 0.05% (1,694) of all records for 2024.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also NCHS manuals for detailed descriptions of editing and computation methods [32,33], **Tables 33 and 34**, and **Table 12** in the 2024 Final Report [1].

Infant breastfed

Information on whether the infant was being breastfed during the period from birth to discharge from the hospital is available for 49 states and the District of Columbia (excludes California),

representing 88.9% of all U.S. births in 2024. The item asks the question: Is the infant being breastfed at discharge? Yes/No. The intent to breastfeed, without having initiated it by the time of hospital discharge, is not considered a “Yes” response.

It is recommended that this information be collected directly from the medical record using the [Facility Worksheet](#) [30]. Detailed instructions and definitions for the characteristics are presented in the [Guide to the Facility Worksheet](#) [31]. See also NCHS manuals for detailed descriptions of editing and computation methods [32,33], **Table 11**, and **Table 1** for the percent of records for which infant breastfed at discharge is not stated.

A reporting flag should be used to generate accurate numbers by residence for infant breastfed. The reporting flag (the file position is specified in the file layout) will exclude births to residents of non-reporting states. More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19].

Definitions of medical terms

For definitions and discussion of the maternal and infant health characteristics, see the [Guide to the Facility Worksheet](#) [31].

Quality of Data

Although vital statistics data are useful for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless various qualifying factors and methods of classification are taken into account. The factors to be considered depend on the specific purposes for which the data are to be used. It is not feasible to discuss all the pertinent factors in the use of vital statistics tabulations, but some of the more important ones should be mentioned.

Most of the factors limiting the use of data arise from imperfections (missing or misclassified) in the original records or from the impracticability of tabulating these data in very detailed categories. Underreporting of certain medical and health items should also be noted (see below). These limitations should not be ignored, but their existence does not lessen the value of the data for most general purposes.

Completeness of registration: It is estimated that more than 99% of all births occurring in the United States in 2024 were registered.

Completeness of reporting: Interpretation of birth certificate data must include evaluation of item completeness. The “Not stated” percentage is one measure of the quality of the data. Completeness of

reporting varies among items and states. See **Table 1** for the percentage of birth records on which specified items were not stated. Items with high percentages of “Not stated” should be interpreted with caution.

Quality control procedures: As electronic files are received at NCHS, they are automatically checked for completeness, individual item code validity, and unacceptable inconsistencies between data items. The registration area is notified of any problems. In addition, NCHS staff review the files on an ongoing basis to detect problems in overall quality such as inadequate reporting for certain items, failure to follow NCHS coding rules, and systems and software errors. Traditionally, quality assurance procedures were limited to the review and analysis of differences between NCHS and registration area code assignments for a small sample of records. As electronic birth registration became prevalent, this procedure was augmented by analyses of year-to-year and area-to-area variations in the data. These analyses are based on preliminary tabulations of the data that are cumulated by state on a year-to-date basis. NCHS investigates all differences judged to have consequences for quality and completeness. In the review process, statistical tests are used to call initial attention to differences for possible follow-up. As necessary, registration areas are informed of differences encountered in the tables and asked to verify the counts or to determine the nature of the differences. Missing records (except those permanently voided) and other problems detected by NCHS are resolved, and corrections are transmitted to NCHS.

Comparison with medical records: Two reports based on studies in two states and New York City showed that the quality of data items on the 2003 revised birth certificate varied widely. That is, some items are collected in such a manner that exact agreement with the medical records (considered the “gold standard”) for non-check box items and sensitivity for checkbox items was high, whereas some health and medical condition items on the birth certificate are likely underreported [9,10].

Rarely occurring events: There were not enough cases of some of the rarer conditions listed on the birth certificate to assess data quality in the study mentioned above. Examples are maternal morbidities, such as ruptured uterus and unplanned hysterectomy. These may be underreported on the birth certificate compared with results from large multi-center studies and nationally representative survey data. For example, the rate of uterine rupture for women with a previous cesarean who delivered singletons at term (37 or more weeks of completed gestation) was 0.32% in 1999-2002 in a National Institute for Child Health and Development (NICHD) 19-institution cohort study [51] compared with 0.08 percent for comparable birth certificate data in 2014. Although there are other reasons for the differences in the rates, such as the differing time periods under study, these findings suggest that the birth certificate data likely underreport these morbidities.

It is well documented that congenital anomalies, except for the most visible and most severe, have historically been under-reported on birth certificates [52]. This has been attributable, at least in part, to the fact that certain anomalies may be difficult to detect within the short period between birth and completion of the child's birth certificate. The 2003 revision of the U.S. Standard Certificate attempted to improve reporting of congenital anomalies by including only those diagnosable within 24 hours of birth using conventional, widely available diagnostic techniques [53]. However, it is not clear whether these efforts were successful because the instances of the anomalies were too few to be included in the quality study above and there have yet to be other quality studies assessing these data.

State-specific data quality issues for 2024

The state-specific data quality issues noted below are of particular concern due to documented evidence of underreporting and/or inaccurate reporting for 2024. *These data should be used with caution.*

Father's information: Changes in delivery room/hospital policy in response to the COVID-19 pandemic (2020-2023), may have influenced a general increase in unknown information for fathers and an increase in a "No" response for paternity acknowledgements.

Alabama:

- ***Obstetric procedures*** – Successful, Failed external cephalic version

Colorado:

- ***Place where birth occurred***

District of Columbia:

- ***Interval since last other pregnancy outcome*** – Month of date of last other pregnancy outcome (unknowns exceed 15% of records)
- ***Risk Factors in this Pregnancy*** – Eclampsia (more than 25% of births occurred in facilities that reported no cases)

Guam:

- ***Date of last menstrual period*** – Day, Month, and Year of date of last menstrual period (unknowns exceed 15% of records)

Hawaii:

- ***Interval since last other pregnancy outcome*** – Month of date of last other pregnancy outcome (unknowns exceed 15% of records)

- ***Date of last menstrual period*** – Day, Month, and Year of date of last menstrual period
(unknowns exceed 15% of records)

Indiana:

- ***Attendant at delivery***

Louisiana:

- ***Abnormal Conditions of the Newborn*** – Assisted ventilation for 6 or more hours
- ***Fetal presentation***

Maryland:

- ***Interval since last other pregnancy outcome*** – Month of date of last other pregnancy outcome
(unknowns exceed 15% of records)

Nevada:

- ***Abnormal Conditions of the Newborn*** – Antibiotics (more than 25% of births occurred in facilities that reported no cases), Surfactant
- ***Maternal Morbidity*** – Maternal transfusion

New Mexico:

- ***Abnormal Conditions of the Newborn*** – Antibiotics, Surfactant (more than 25% of births occurred in facilities that reported no cases)
- ***Maternal Morbidity*** – Maternal transfusion (more than 25% of births occurred in facilities that reported no cases)

New York State:

- ***Interval since last other pregnancy outcome*** – Month of date of last other pregnancy outcome
(unknowns exceed 15% of records)

New York City:

- ***Interval since last other pregnancy outcome*** – Month of date of last other pregnancy outcome
(unknowns exceed 15% of records)

Northern Marianas Islands:

- ***Date of last menstrual period*** – Day, Month, and Year of date of last menstrual period
(unknowns exceed 15% of records)

Puerto Rico:

- ***Characteristics of Labor & Delivery*** – Epidural or spinal anesthesia, Induction of labor

Tennessee:

- ***Abnormal Conditions of the Newborn*** – Antibiotics

Virgin Islands:

- ***Interval since last other pregnancy outcome*** – Month and year of date of last other pregnancy outcome (unknowns exceed 15% of records)
- ***WIC*** (unknowns exceed 15% of records)
- ***Date of last menstrual period*** – Day, Month, and Year of date of last menstrual period (unknowns exceed 15% of records)

Virginia:

- ***Prenatal care items*** – Number prenatal care visits
- ***Obstetric procedures*** – Successful, Failed external cephalic version
- ***Congenital Anomalies of the Newborn*** – Meningomyelocele/Spina Bifida

Washington:

- ***Obstetric procedures*** – Successful External cephalic version

The following reporting areas have been flagged as not reported for the following items for 2024 due to quality concerns; a reporting flag should be used to generate accurate numbers by residence (the file position is specified in the file layout). More information on the use of reporting flags can be found in the introduction to the User Guide for the 2014 Natality Public Use File [19]. See item-specific sections for more information.

American Samoa:

- ***Birth interval*** – unknowns for date of last live birth exceed 25%
- ***Pregnancy interval*** – unknowns for data of last live birth exceed 25%

Georgia:

- ***Pregnancy resulted from infertility treatment*** – system error resulted in inaccurate reporting
- ***Assisted reproductive technology*** – system error resulted in incorrect reporting
- ***Fertility enhancing drugs, artificial insemination, or intrauterine insemination*** – system error resulted in incorrect reporting

North Carolina:

- ***Pregnancy resulted from infertility treatment*** – system error resulted in incorrect reporting
- ***Assisted reproductive technology*** – system error resulted in incorrect reporting

- *Fertility enhancing drugs, artificial insemination, or intrauterine insemination* – system error resulted in incorrect reporting

Virginia:

- *Meningomyelocele/Spina bifida* – no cases reported since 2014

Computation of Rates and Other Measures

Population denominators

2024 population estimates: Birth and fertility rates for 2024 shown in the 2024 Final Report [1] are estimated as of July 1, 2024 based on the Blended Base population estimates produced by the US Census Bureau in lieu of the April 1, 2020 decennial population count. The Blended Base consists of the blend of 2020 Census Data, 2020 Demographic Analysis estimates, and Vintage 2020 estimates [54,55]. These populations are shown in **Population Tables 1-3**. The population estimates are provided by the U.S. Census Bureau [56] and are presented by age, race (consistent with the revised 1997 OMB standards), and sex [36].

Birth and fertility rates by state shown in the 2024 Final Report [1] are based on state-level population estimates provided by the U.S. Census Bureau [56]. Birth and fertility rates for the territories except Puerto Rico are based on population estimates available from the U.S. Census Bureau's International Data Base [57]. Rates for Puerto Rico are based on population estimates available from the U.S. Census Bureau [58].

The population-based rates shown in the 2024 Final Report [1] may differ from rates computed on the basis of other population estimates; rates for smaller population subgroups such as those for teen mothers may be particularly affected by differences in population estimates. Rates for unmarried women are based on distributions of the population by marital status averaged over a 2-year period for 2023–2024 as reported by the U.S. Census Bureau in the March Current Population Survey (CPS) for each year [59,60], which have been adjusted to July 1, 2024 (Blended Base) population levels [56] by NCHS' Division of Vital Statistics [43,44].

The distributions of the population by marital status were based on a 2-year average of 2023 and 2024. For earlier years, rates for unmarried women are based on distributions of the population by marital status averaged over a 3-year period. As of the preparation of this User Guide, data from the March CPS for 2025 were not available.

Population estimates for the specific Hispanic groups

Beginning in 2011, birth and fertility rates for the specific Hispanic population groups (Mexican, Puerto Rican, Cuban, Central and South American, and Other Hispanic populations, and Dominican, starting in 2016) are based on population estimates derived from the 1-year American Community Survey (ACS) [61] and adjusted to the U.S. resident population control totals by the U.S. Census Bureau. For detailed information on the population estimates for the specific Hispanic groups, see the User Guide for the 2016 Natality Public Use File [62].

The 2024 population estimates for the specific Hispanic population groups were not available as of the preparation of the 2024 final report, Births: Final Data for 2024. Once available, birth and fertility rates for the specified Hispanic population groups will be published.

Revised population estimates

Residential population base: Birth rates for the United States and individual states are based on the total resident populations of the respective areas (**Population Table 2**). These populations exclude the Armed Forces abroad but include the Armed Forces stationed in each area. The residential population as well as the population including Armed Forces abroad for the United States for 2010–2024 are shown in **Population Table 3** [63]. A detailed discussion of historical population bases is presented elsewhere [64].

Net census undercounts and overcounts: Studies conducted by the U.S. Census Bureau indicate that some age, race, and sex groups are more completely enumerated than others. Census miscounts can have consequences for vital statistics measures. For example, an adjustment to increase the population denominator would result in a smaller rate compared to the unadjusted population. A more detailed discussion of census undercounts and overcounts can be found in the “1999 Technical Appendix” [64]. Adjusted rates for 2024 can be computed by multiplying the reported rates by ratios from the 2024 census-level population adjusted for the estimated age-specific census over- and undercounts.

Cohort fertility tables

Various fertility measures for cohorts of women are computed from births adjusted for underregistration and population estimates corrected for under enumeration and misstatement of age. Cohort fertility tables are available through 2009 and have recently been revised and updated to incorporate new rates for black women [65–68]. A detailed description of the methods used in deriving these measures is available in an earlier publication as well as detailed data for earlier years [69].

Total fertility rates

The total fertility rate is the sum of the birth rates by age of mother (in 5-year age groups) multiplied by 5. It is an age-adjusted rate because it is based on the assumption that there is the same number of women in each age group. The rate of 1,599.5 in 2024, for example, means that if a hypothetical group of 1,000 women were to have the same birth rates in each age group that were observed in the actual childbearing population in 2024, they would have a total of 1,599.5 children by the time they reached the end of the reproductive period (taken here to be age 50 years), assuming that all of the women survived to that age.

Computation of percentages, percentage distributions, and means

Births for which a particular characteristic is unknown were subtracted from the figures for total births that were used as denominators before percentages, percentage distributions, and means were computed. The percentage of records with missing information for each item is shown by state in **Table 1**. The mean age of mother is the arithmetic average of the age of mothers at the time of birth, computed directly from the frequency of births by age of mother.

An asterisk (*) indicates that the figure does not meet standards of reliability or precision. Two separate criteria are used to determine whether a figure – either the number of events, a rate, or proportion – meets these standards.

New criteria for showing the number of events and rates were adopted by NCHS beginning with the 2023 data [70]. Rates published for data years prior to 2023, based on a population denominator from a decennial census or postcensal and/or intercensal population estimate, were represented by an asterisk when the numerator was fewer than 20 births; the number of births was shown regardless of the count. Beginning with 2023 data, whether the number of births or a rate is shown depends on the count of births (by itself or as the numerator of the rate) and on the relative width of the confidence interval of the count, based on a gamma distribution. For rates based on population estimates from the Current Population Survey (CPS) or the American Community Survey (ACS), whether a rate was shown depends on the count for the numerator and on the relative width of the confidence interval of the numerator of the rate based on a Student's *t* interval for the logarithm of the rate (with the variance estimated using a method supplied with the CPS data). For detailed information on the new criteria see “National Center for Health Statistics Data Presentation Standards for Rates and Counts” [70].

For a proportion (or percentage), new criteria was adopted by NCHS beginning with the 2017 data [71]. For proportion or percentages published prior to the 2017 data year, an asterisk was shown in

place of a proportion or percentage based on fewer than 20 births in the numerator. For 2017 and later, whether a proportion (percentage) is shown is based on denominator size and on the absolute or relative widths of the confidence interval of the proportion or percentage calculated using the Clopper–Pearson method. For detailed information on these criteria, see “National Center for Health Statistics Data Presentation Standards for Proportions” [71]. Starting in 2023, an additional criterion was added; proportion or percentage were represented with an asterisk when the numerator was fewer than 10 births.

Computation of Measures of Variability

Random variation and significance testing for natality data

For information and discussion on random variation and significance testing for natality data, with the exception of specified Hispanic groups (see below), see the User Guide to the 2010 Natality Public Use File [72].

Specified Hispanic population groups

For information and discussion on random variation and significance testing of birth and fertility rates for the specified Hispanic groups, see the User Guide to the 2016 Natality Public Use File [62].

References

1. Osterman MJK, Hamilton BE, Martin JA, Driscoll AK, Valenzuela, CP. Births: Final Data for 2024. National Vital Statistics Report. Forthcoming.
2. National Center for Health Statistics. Natality 2024. Public use file. Hyattsville, Maryland: National Center for Health Statistics. Annual internet product. 2025. Available at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
3. Martin JA, Hamilton BE, Osterman MJK. Births in the United States, 2024. NCHS Data Brief, no 535. Hyattsville, MD: National Center for Health Statistics. 2025.
4. Driscoll AK, Hamilton BE. Effects of age-specific fertility trends on overall fertility trends: United States, 1990-2023. National Vital Statistics Reports; vol 74 no 3. Hyattsville, MD: National Center for Health Statistics. 2025. [National Vital Statistics Reports Volume 74, Number 3, March 6, 2025](#).
5. Brown AD, Hamilton BE, Kissin DM, Martin JA. Trends in mean age of mothers: United States, 2016-2023. National Vital Statistics Report; vol 74, no 9. Hyattsville, MD: National Center for Health Statistics. 2025. <https://www.cdc.gov/nchs/data/nvsr/nvsr74/nvsr74-09.pdf>.
6. Martin JA, Osterman MJK. Trends in early-term singleton births in the United States, 2014 to 2023. NCHS Health E-Stats. 2025 Jun;1-6. <https://www.cdc.gov/nchs/data/hestat/hestat104.htm>.
7. Martin JA, Osterman MJK. Increases in neonatal intensive care admissions in the United States, 2016-2023. NCHS Data Brief. 2025 Mar; 525. <https://www.cdc.gov/nchs/products/databriefs/db525.htm>.
8. Osterman MJK, Juiz Gallego MM. Differences in cesarean delivery rates for Puerto Rican mothers in Puerto Rico and the U.S. mainland, 2023. NCHS Data Brief, no 523. Hyattsville, MD: National Center for Health Statistics. 2025. <https://www.cdc.gov/nchs/products/databriefs/db523.htm>.
9. Martin JA, Wilson EC, Osterman MJK et al. Assessing the quality of medical and health data from the 2003 birth certificate revision: results from two states. National Vital Statistics Reports; vol 62 no 2. Hyattsville, MD: National Center for Health Statistics. 2012. Available at: http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_02.pdf.
10. Gregory ECW, Martin JA, Argov EL, Osterman MJK. Assessing the quality of medical and health data from the 2003 birth certificate revision: Results from New York City. National Vital Statistics Reports; vol 68 no 8. Hyattsville, MD: National Center for Health Statistics. 2019.
11. United Nations. Handbook of vital statistics. Studies in methods series F. no. 7. New York: United Nations. 1955.
12. Centers for Disease Control and Prevention. Model State Vital Statistics Act and Regulations, 1992 Revision. Publication no. (PHS) 95-1115. Hyattsville, Maryland: National Center for Health Statistics. 1995.
13. Centers for Disease Control and Prevention. Model State Vital Statistics Act and Model State Vital Statistics Regulations, 2011 Revision. Publication no. (PHS) 11-1115. Hyattsville, Maryland: National Center for Health Statistics. 2011. Available at: <http://www.fgs.org/rpac/wp-content/uploads/2010/02/Model-State-Vital-Statistics-Act-2011.pdf>


14. American Academy of Pediatrics and American College of Obstetricians and Gynecologists. Guidelines for perinatal care, (2nd edition). Washington, DC. 308–24. 1988.
15. World Health Organization. Manual of the international statistical classification of diseases, injuries, and causes of death, based on the recommendations of the Tenth Revision Conference, 1987. Geneva: World Health Organization. 1992.
16. Kowaleski J. State definitions and reporting requirements for live births, fetal deaths, and induced terminations of pregnancy (1997 revision). Hyattsville, Maryland: National Center for Health Statistics. 1997.
17. National Center for Health Statistics. Detailed technical notes – Fetal death 2013. Hyattsville, Maryland: National Center for Health Statistics Annual product, 2009. Available at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
18. Hertz, AM. U.S. Vital Statistics System. Major activities and developments, 1950-95. Hyattsville, Maryland: National Center for Health Statistics. 1997.
19. National Center for Health Statistics. User Guide to the 2014 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2015. Available at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
20. U.S. Department of Health, Education and Welfare, Public Health Service, Office of Vital Statistics. Birth registration completeness in the United States and geographic areas, 1950; vol 39 no 2. 1954.
21. Schachter J. Matched record comparison of birth certificate and census information in the United States, 1950. Vital statistics—Special Reports; vol 47 no 12. Washington: Public Health Service. 1962.
22. National Center for Health Statistics. Instruction manual, part 8. Vital records, geographic codes 2014. Hyattsville, Maryland: National Center for Health Statistics. Available at: https://www.cdc.gov/nchs/data/dvs/IMP8_2014.pdf.
23. National Center for Health Statistics. National Vital Statistics System Instruction Manuals. Available at: http://www.cdc.gov/nchs/nvss/instruction_manuals.htm.
24. Department of Commerce. Change to County-Equivalents in the State of Connecticut. Fed Regist 87(108):34235–40. 2022. Available from: <https://www.govinfo.gov/content/pkg/FR-2022-06-06/pdf/2022-12063.pdf>.
25. National Center for Health Statistics. Report of the Panel to Evaluate the U.S. Standard Certificates. Hyattsville, Maryland: National Center for Health Statistics. 2000.
26. National Center for Health Statistics. 2003 revision of the U.S. Standard Certificate of Live Birth. 2003.
27. National Center for Health Statistics. User Guide to the 2015 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2016. Available at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
28. National Center for Health Statistics. Birth edit specifications for the 2003 Revision of the U.S. Standard Certificate of Birth. 2005. https://www.cdc.gov/nchs/data/dvs/birth_edit_specifications.pdf.
29. National Center for Health Statistics. Mother’s Worksheet for Child’s Birth Certificate. 2016. Available at: <https://www.cdc.gov/nchs/data/dvs/moms-worksheet-2016-508.pdf>.

30. National Center for Health Statistics. Facility Worksheet for the Live Birth Certificate. 2016. Available at: <https://www.cdc.gov/nchs/data/dvs/facility-worksheet-2016.pdf>.
31. National Center for Health Statistics. Guide to completing the facility worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 revision). 2006 update. Hyattsville, Maryland: National Center for Health Statistics. <https://www.cdc.gov/nchs/data/dvs/GuidetoCompleteFacilityWks.pdf>.
32. Division of Vital Statistics. Instruction manual part 3a: Classification and coding instructions for birth records, 1999-2001. Hyattsville, Maryland: National Center for Health Statistics. Available at: <https://www.cdc.gov/nchs/data/dvs/3amanual.pdf>.
33. Division of Vital Statistics. Computer edits for natality data -- 2003 Revised Certificate. Hyattsville, Maryland: National Center for Health Statistics. Available on request.
34. National Center for Health Statistics. Documentation of the Detail Natality Public Use File for 2003. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2005. Available at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
35. National Center for Health Statistics. NCHS Data Release and Access Policy for Micro-data and Compressed Vial Statistics Files. http://www.cdc.gov/nchs/nvss/dvs_data_release.htm.
36. Ramirez RR, Ennis SR. Item nonresponse, allocation, and data editing of the question on Hispanic origin in the American Community Survey (ACS):2000 to 2007. U.S. Census Bureau: Population Division Working Paper No. 86. 2010.
37. Office of Management and Budget. Revisions to the standards for the classification of federal data on race and ethnicity. Fed Regist 62FR58781–58790. October 30, 1997.
38. Ingram DD, Parker JD, Schenker N, et al. United States Census 2000 population with bridged race categories. National Center for Health Statistics. Vital Health Stat 2(135). 2003.
39. Johnson D. Coding and editing multiple race. Presented at the 2004 Joint Meeting of NAPHSIS and VSCP. Portland, Oregon. June 6–10, 2004.
40. Weed JA. NCHS procedures for multiple-race and Hispanic origin data: Collection, coding, editing, and transmitting. Presented at the 2004 Joint Meeting of NAPHSIS and VSCP. Portland, Oregon. June 6–10, 2004.
41. National Center for Health Statistics. Vital statistics of the United States, 2003, vol I, natality. CD-ROM. Hyattsville, Maryland: National Center for Health Statistics. 2005.
42. Division of Vital Statistics. Instruction manual part 12: Computer edits for natality data, effective 1993. Vital statistics, data preparation. Hyattsville, Maryland: National Center for Health Statistics. 1995. Available at <https://www.cdc.gov/nchs/data/dvs/instr12.pdf>.
43. Ventura SJ, Bachrach CA. Nonmarital childbearing in the United States, 1940–99. National vital statistics reports; vol 48 no 16. Hyattsville, Maryland: National Center for Health Statistics. 2000.
44. Ventura SJ. Births to unmarried mothers: United States, 1980–92. National Center for Health Statistics. Vital Health Stat 21(53). 1995.
45. U.S. Department of Agriculture, Food and Nutrition Service (Web site). About WIC: WIC at a glance. Available at: <https://www.fns.usda.gov/wic>.

46. Walker D, Brooks-Schmunk S, Summers L. Do birth certificate data accurately reflect the number of CNM-attended births? An exploratory study. *J Midwifery Women's Health*, 49(5): 443-448. 2004.
47. National Heart, Lung and Blood Institute. Clinical Guidelines on the identification, evaluation and treatment of overweight and obesity in adults. NIH publication 98-4083. Washington DC: National Institutes of Health. 1998.
48. Martin JA, Osterman, MJK, Kirmeyer SE, Gregory, ECW. Measuring Gestational Age in Vital Statistics: Transitioning to the Obstetric Estimate. *National Vital Statistics Reports*; vol. 64, no. 5. Hyattsville, MD: National Center for Health Statistics. 2015.
49. ACOG Committee Opinion No 579: Definition of term pregnancy. *Obstet Gynecol*. 2013 Nov; 122(5):1139-40.
50. World Health Organization. Manual of the international statistical classification of diseases, injuries and causes of death, based on the recommendations of the Ninth Revision Conference, 1975. Geneva. 1977.
51. Spong CY, Landon MB, Gilbert S, Rouse DJ, Leveno KJ, Varner MW, et al. Risk of uterine rupture and adverse perinatal outcome at term after cesarean delivery. *Obstetrics & Gynecology* 110(4):801-807. 2007.
52. Watkins ML, Edmonds L, McClearn A, et al. The surveillance of birth defects: The usefulness of the revised U.S. standard birth certificate. *Am J Public Health* 86(5):731-4. 1996.
53. Menacker, F, Martin, JA. Expanded health data from the new birth certificate, 2005. *National statistics reports*; vol 56 no 13. Hyattsville, Maryland: National Center for Health Statistics. 2008.
54. U.S. Census Bureau. Vintage 2024 release notes. 2025. Available from: <https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2024/2024-est-relnotes.pdf>.
55. U.S. Census Bureau. Methodology for the United States population estimates: Vintage 2024. 2024. Available from: <https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2024/methods-statement-v2024.pdf>.
56. U.S. Census Bureau. 2024 population estimates. Annual state resident population estimates for 6 race groups (5 race alone groups and two or more races) by age, sex, and Hispanic origin: April 1, 2020 to July 1, 2024 (SC-EST2024-ALLDATA6). 2025. Available from: <https://www2.census.gov/programs-surveys/popest/datasets/2020-2024/state/asrh/sc-est2024-alldata6.csv>. <https://www2.census.gov/programs-surveys/popest/datasets/2020-2023/state/asrh/sc-est2023-alldata6.csv>.
57. U.S. Census Bureau. International data base. Population by single years of age and sex, 2024. 2025. Available from: https://www.census.gov/data-tools/demo/idb/#/pop?dashboard_page=country&COUNTRY_YR_ANIM=2025&CCODE=*&popPages=BYAGE&menu=popViz&POP_YEARS=2024. Accessed July 26, 2025.
58. U.S. Census Bureau. 2024 population estimates. Annual estimates of the resident population by single year of age and sex for Puerto Rico Commonwealth: April 1, 2020 to July 1, 2024 (PRC-EST2024-SYASEX). 2025. Available from: <https://www2.census.gov/programs-surveys/popest/tables/2020-2024/puerto-rico/asrh/prc-est2024-syasex.xlsx>.

59. U.S. Census Bureau. Microdata Access Tool. Current Population Survey. 2024 March Annual Social and Economic Supplement. 2025. Available from: <https://data.census.gov/mdat/>.
60. U.S. Census Bureau. Microdata Access Tool. Current Population Survey. 2024 March Annual Social and Economic Supplement. 2024. Available from: <https://data.census.gov/mdat/>.
61. U.S. Census Bureau. American Community Survey (ACS), 2024 1-year estimates (st31002_2024_010_flags), by sex, age, nativity, and Hispanic origin. Population estimates for 2024 based on unpublished tabulations. Forthcoming.
62. National Center for Health Statistics. User guide to the 2016 natality public use file. Hyattsville, MD. Available from: https://www.cdc.gov/nchs/data_access/Vitalstatsonline.htm.
63. U.S. Census Bureau. 2024 population estimates. Monthly national population estimates for the United States: April 1, 2020 to December 1, 2025 (NA-EST2024-POP). 2025. Available from: <https://www2.census.gov/programs-surveys/popest/tables/2020-2024/national/totals/NA-EST2024-POP.xlsx>.
64. National Center for Health Statistics. Technical appendix. Vital statistics of the United States: 1999, vol I, natality on CD-ROM from Hyattsville, Maryland: National Center for Health Statistics. 2001.
65. Hamilton BE, Cosgrove CM. Cohort Fertility Tables: United States, 1960-2005. Available at: http://www.cdc.gov/nchs/nvss/cohort_fertility_tables.htm. Released: June 30, 2010.
66. Hamilton BE, Cosgrove CM. Technical appendix to the cohort fertility tables for all, white, and black women: United States, 1960-2005. Hyattsville, MD: National Center for Health Statistics. Available at: http://www.cdc.gov/nchs/data/nvss/cohort_fertility_tables_1960_2005_appendix.pdf. Released: June 30, 2010.
67. Hamilton BE, Cosgrove CM. Cohort Fertility Tables: United States, 2006–2009. Available at: http://www.cdc.gov/nchs/nvss/cohort_fertility_tables.htm. Released: August 20, 2012.
68. Hamilton BE, Cosgrove CM. Technical appendix to the cohort fertility tables for all, white, and black women: United States, 2006–2009. Hyattsville, MD: National Center for Health Statistics. Available at: http://www.cdc.gov/nchs/nvss/cohort_fertility_tables.htm. Released: August 20, 2012.
69. Heuser R. Fertility tables for birth cohorts by color: United States, 1917–73. National Center for Health Statistics. Hyattsville, Maryland. 1976. Available at: <http://www.cdc.gov/nchs/data/misc/fertiltbacc.pdf>.
70. Parker JD, Talih M, Irimata KE, Zhang G, Branum AM, Davis D, et al. National Center for Health Statistics data presentation standards for rates and counts. National Center for Health Statistics. Vital Health Stat 2(200). 2023. Available at: https://www.cdc.gov/nchs/data/series/sr_02/sr02-200.pdf.
71. Parker JD, Talih M, Malec DJ, et al. National Center for Health Statistics data presentation standards for proportions. National Center for Health Statistics. Vital Health Stat 2(175). 2017. Available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf.
72. National Center for Health Statistics. User Guide to the 2010 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2012. Available for downloading at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.

Figure 1. Guidelines for Reporting Live Births, Infant Deaths, Fetal Deaths, and Induced Terminations of Pregnancy



¹See: National Center for Health Statistics. Model State Vital Statistics Act and Regulations, 1992 revision. 1994. Available from: <https://www.cdc.gov/nchs/data/misc/mvsact92b.pdf>.

²Refer to jurisdictional reporting requirements.

³If birthweight ≥ 350 grams or gestational age 20+ weeks (see "Model State Vital Statistics Act and Regulations, 1992 revision"); however, reporting requirements vary by jurisdiction as to the birthweight or gestational age at which a Report of Fetal Death is required. Refer to jurisdiction-specific requirements.

⁴See disposal of remains requirements for your state.

⁵Whether the hospital or the funeral home prepares and files the death certificate is determined by which disposes of remains.

U.S. STANDARD CERTIFICATE OF LIVE BIRTH

LOCAL FILE NO.

BIRTH NUMBER:

C H I L D	1. CHILD'S NAME (First, Middle, Last, Suffix)		2. TIME OF BIRTH (24 hr)	3. SEX	4. DATE OF BIRTH (Mo/Day/Yr)
	5. FACILITY NAME (If not institution, give street and number)		6. CITY, TOWN, OR LOCATION OF BIRTH		7. COUNTY OF BIRTH
M O T H E R	8a. MOTHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)			8b. DATE OF BIRTH (Mo/Day/Yr)	
	8c. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last, Suffix)			8d. BIRTHPLACE (State, Territory, or Foreign Country)	
	9a. RESIDENCE OF MOTHER-STATE	9b. COUNTY		9c. CITY, TOWN, OR LOCATION	
	9d. STREET AND NUMBER		9e. APT. NO.	9f. ZIP CODE	9g. INSIDE CITY LIMITS? ☐ Yes ☐ No
F A T H E R	10a. FATHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)		10b. DATE OF BIRTH (Mo/Day/Yr)	10c. BIRTHPLACE (State, Territory, or Foreign Country)	
C E R T I F I E R	11. CERTIFIER'S NAME: _____ TITLE: ☐ MD ☐ DO ☐ HOSPITAL ADMIN. ☐ CNM/CM ☐ OTHER MIDWIFE ☐ OTHER (Specify) _____		12. DATE CERTIFIED ____/____/____ MM DD YYYY		13. DATE FILED BY REGISTRAR ____/____/____ MM DD YYYY

INFORMATION FOR ADMINISTRATIVE USE

M O T H E R	14. MOTHER'S MAILING ADDRESS: 9 Same as residence, or: State: _____ City, Town, or Location: _____ Street & Number: _____ Apartment No.: _____ Zip Code: _____	
	15. MOTHER MARRIED? (At birth, conception, or any time between) ☐ Yes ☐ No IF NO, HAS PATERNITY ACKNOWLEDGEMENT BEEN SIGNED IN THE HOSPITAL? ☐ Yes ☐ No	16. SOCIAL SECURITY NUMBER REQUESTED FOR CHILD? ☐ Yes ☐ No
	17. FACILITY ID. (NPI)	
18. MOTHER'S SOCIAL SECURITY NUMBER: _____		19. FATHER'S SOCIAL SECURITY NUMBER: _____

INFORMATION FOR MEDICAL AND HEALTH PURPOSES ONLY

M O T H E R	20. MOTHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) ☐ 8th grade or less ☐ 9th - 12th grade, no diploma ☐ High school graduate or GED completed ☐ Some college credit but no degree ☐ Associate degree (e.g., AA, AS) ☐ Bachelor's degree (e.g., BA, AB, BS) ☐ Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) ☐ Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)	21. MOTHER OF HISPANIC ORIGIN? (Check the box that best describes whether the mother is Spanish/Hispanic/Latina. Check the "No" box if mother is not Spanish/Hispanic/Latina) ☐ No, not Spanish/Hispanic/Latina ☐ Yes, Mexican, Mexican American, Chicana ☐ Yes, Puerto Rican ☐ Yes, Cuban ☐ Yes, other Spanish/Hispanic/Latina (Specify) _____	22. MOTHER'S RACE (Check one or more races to indicate what the mother considers herself to be) ☐ White ☐ Black or African American ☐ American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ ☐ Asian Indian ☐ Chinese ☐ Filipino ☐ Japanese ☐ Korean ☐ Vietnamese ☐ Other Asian (Specify) _____ ☐ Native Hawaiian ☐ Guamanian or Chamorro ☐ Samoan ☐ Other Pacific Islander (Specify) _____ ☐ Other (Specify) _____
	F A T H E R	23. FATHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) ☐ 8th grade or less ☐ 9th - 12th grade, no diploma ☐ High school graduate or GED completed ☐ Some college credit but no degree ☐ Associate degree (e.g., AA, AS) ☐ Bachelor's degree (e.g., BA, AB, BS) ☐ Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) ☐ Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)	24. FATHER OF HISPANIC ORIGIN? (Check the box that best describes whether the father is Spanish/Hispanic/Latino. Check the "No" box if father is not Spanish/Hispanic/Latino) ☐ No, not Spanish/Hispanic/Latino ☐ Yes, Mexican, Mexican American, Chicano ☐ Yes, Puerto Rican ☐ Yes, Cuban ☐ Yes, other Spanish/Hispanic/Latino (Specify) _____
26. PLACE WHERE BIRTH OCCURRED (Check one) ☐ Hospital ☐ Freestanding birthing center ☐ Home Birth: Planned to deliver at home? 9 Yes 9 No ☐ Clinic/Doctor's office ☐ Other (Specify) _____		27. ATTENDANT'S NAME, TITLE, AND NPI NAME: _____ NPI: _____ TITLE: ☐ MD ☐ DO ☐ CNM/CM ☐ OTHER MIDWIFE ☐ OTHER (Specify) _____	28. MOTHER TRANSFERRED FOR MATERNAL MEDICAL OR FETAL INDICATIONS FOR DELIVERY? ☐ Yes ☐ No IF YES, ENTER NAME OF FACILITY MOTHER TRANSFERRED FROM: _____

Mother's Name

Mother's Medical Record No.

MOTHER	29a. DATE OF FIRST PRENATAL CARE VISIT MM / DD / YYYY ☐ No Prenatal Care		29b. DATE OF LAST PRENATAL CARE VISIT MM / DD / YYYY		30. TOTAL NUMBER OF PRENATAL VISITS FOR THIS PREGNANCY _____ (If none, enter "0".)				
	31. MOTHER'S HEIGHT _____ (feet/inches)		32. MOTHER'S PREPREGNANCY WEIGHT _____ (pounds)		33. MOTHER'S WEIGHT AT DELIVERY _____ (pounds)				
	34. DID MOTHER GET WIC FOOD FOR HERSELF DURING THIS PREGNANCY? ☐ Yes ☐ No		35. NUMBER OF PREVIOUS LIVE BIRTHS (Do not include this child)		36. NUMBER OF OTHER PREGNANCY OUTCOMES (spontaneous or induced losses or ectopic pregnancies)				
	37. CIGARETTE SMOKING BEFORE AND DURING PREGNANCY For each time period, enter either the number of cigarettes or the number of packs of cigarettes smoked. IF NONE, ENTER "0". Average number of cigarettes or packs of cigarettes smoked per day: # of cigarettes # of packs Three Months Before Pregnancy OR _____ First Three Months of Pregnancy OR _____ Second Three Months of Pregnancy OR _____ Third Trimester of Pregnancy OR _____		38. PRINCIPAL SOURCE OF PAYMENT FOR THIS DELIVERY ☐ Private Insurance ☐ Medicaid ☐ Self-pay ☐ Other (Specify) _____						
35a. Now Living Number _____ ☐ None		35b. Now Dead Number _____ ☐ None		36a. Other Outcomes Number _____ ☐ None		39. DATE LAST NORMAL MENSES BEGAN MM / DD / YYYY			
35c. DATE OF LAST LIVE BIRTH MM / YYYY		36b. DATE OF LAST OTHER PREGNANCY OUTCOME MM / YYYY		40. MOTHER'S MEDICAL RECORD NUMBER					
MEDICAL AND HEALTH INFORMATION	41. RISK FACTORS IN THIS PREGNANCY (Check all that apply) Diabetes ☐ Prepregnancy (Diagnosis prior to this pregnancy) ☐ Gestational (Diagnosis in this pregnancy) Hypertension ☐ Prepregnancy (Chronic) ☐ Gestational (PIH, preeclampsia) ☐ Eclampsia ☐ Previous preterm birth ☐ Other previous poor pregnancy outcome (Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth) ☐ Pregnancy resulted from infertility treatment-If yes, check all that apply: ☐ Fertility-enhancing drugs, Artificial insemination or Intrauterine insemination ☐ Assisted reproductive technology (e.g., in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT)) ☐ Mother had a previous cesarean delivery If yes, how many _____ ☐ None of the above			43. OBSTETRIC PROCEDURES (Check all that apply) ☐ Cervical cerclage ☐ Tocolysis External cephalic version: ☐ Successful ☐ Failed ☐ None of the above			46. METHOD OF DELIVERY A. Was delivery with forceps attempted but unsuccessful? ☐ Yes ☐ No B. Was delivery with vacuum extraction attempted but unsuccessful? ☐ Yes ☐ No C. Fetal presentation at birth ☐ Cephalic ☐ Breech ☐ Other D. Final route and method of delivery (Check one) ☐ Vaginal/Spontaneous ☐ Vaginal/Forceps ☐ Vaginal/Vacuum ☐ Cesarean If cesarean, was a trial of labor attempted? ☐ Yes ☐ No		
	42. INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY (Check all that apply) ☐ Gonorrhea ☐ Syphilis ☐ Chlamydia ☐ Hepatitis B ☐ Hepatitis C ☐ None of the above			44. ONSET OF LABOR (Check all that apply) ☐ Premature Rupture of the Membranes (prolonged, ≥12 hrs.) ☐ Precipitous Labor (<3 hrs.) ☐ Prolonged Labor (≥ 20 hrs.) ☐ None of the above			47. MATERNAL MORBIDITY (Check all that apply) (Complications associated with labor and delivery) ☐ Maternal transfusion ☐ Third or fourth degree perineal laceration ☐ Ruptured uterus ☐ Unplanned hysterectomy ☐ Admission to intensive care unit ☐ Unplanned operating room procedure following delivery ☐ None of the above		
				45. CHARACTERISTICS OF LABOR AND DELIVERY (Check all that apply) ☐ Induction of labor ☐ Augmentation of labor ☐ Non-vertex presentation ☐ Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery ☐ Antibiotics received by the mother during labor ☐ Clinical chorioamnionitis diagnosed during labor or maternal temperature ≥38°C (100.4°F) ☐ Moderate/heavy meconium staining of the amniotic fluid ☐ Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery ☐ Epidural or spinal anesthesia during labor ☐ None of the above					

NEWBORN	48. NEWBORN MEDICAL RECORD NUMBER		54. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) ☐ Assisted ventilation required immediately following delivery ☐ Assisted ventilation required for more than six hours ☐ NICU admission ☐ Newborn given surfactant replacement therapy ☐ Antibiotics received by the newborn for suspected neonatal sepsis ☐ Seizure or serious neurologic dysfunction ☐ Significant birth injury (skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention) 9 None of the above		55. CONGENITAL ANOMALIES OF THE NEWBORN (Check all that apply) ☐ Anencephaly ☐ Meningocele/Spina bifida ☐ Cyanotic congenital heart disease ☐ Congenital diaphragmatic hernia ☐ Omphalocele ☐ Gastroschisis ☐ Limb reduction defect (excluding congenital amputation and dwarfing syndromes) ☐ Cleft Lip with or without Cleft Palate ☐ Cleft Palate alone ☐ Down Syndrome ☐ Karyotype confirmed ☐ Karyotype pending ☐ Suspected chromosomal disorder ☐ Karyotype confirmed ☐ Karyotype pending ☐ Hypospadias ☐ None of the anomalies listed above	
	49. BIRTHWEIGHT (grams preferred, specify unit) _____ 9 grams 9 lb/oz					
	50. OBSTETRIC ESTIMATE OF GESTATION: _____ (completed weeks)					
	51. APGAR SCORE: Score at 5 minutes: _____ If 5 minute score is less than 6, Score at 10 minutes: _____					
	52. PLURALITY - Single, Twin, Triplet, etc. (Specify) _____					
	53. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify) _____					
56. WAS INFANT TRANSFERRED WITHIN 24 HOURS OF DELIVERY? 9 Yes 9 No IF YES, NAME OF FACILITY INFANT TRANSFERRED TO: _____		57. IS INFANT LIVING AT TIME OF REPORT? ☐ Yes ☐ No ☐ Infant transferred, status unknown		58. IS THE INFANT BEING BREASTFED AT DISCHARGE? ☐ Yes ☐ No		

Mother's Name

Mother's Medical Record No.

Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024

[By place of residence]

Reporting area	All births	Time of birth	Mother's birthplace	Education of mother	Education of father
Total of reporting areas ¹	3,628,934	0.0	0.2	1.9	12.6
Alabama	57,934	0.0	0.0	0.2	14.6
Alaska	8,943	0.0	0.1	1.8	13.1
Arizona	78,711	0.0	0.1	0.7	11.0
Arkansas	35,395	0.0	0.6	1.4	20.4
California	402,075	0.0	0.2	8.7	14.8
Colorado	64,268	0.0	0.1	1.1	6.9
Connecticut	34,599	0.0	0.1	0.2	7.5
Delaware	10,550	0.0	0.8	1.8	32.1
District of Columbia	7,616	0.0	1.8	1.8	20.9
Florida	224,389	0.1	0.4	2.2	12.3
Georgia	126,437	0.0	0.1	0.5	17.5
Hawaii	14,917	-	0.4	1.6	7.7
Idaho	23,276	0.0	0.5	0.9	10.0
Illinois	125,731	0.0	0.1	1.5	11.3
Indiana	80,257	0.0	0.3	0.3	10.6
Iowa	36,436	0.0	0.0	0.3	12.9
Kansas	33,984	0.0	0.2	0.5	8.2
Kentucky	52,913	0.0	0.3	0.5	20.4
Louisiana	53,305	0.0	0.0	1.0	14.9
Maine	11,601	0.1	0.0	0.4	8.0
Maryland	65,797	0.0	0.4	0.8	12.6
Massachusetts	68,184	0.0	0.0	4.3	10.7
Michigan	99,525	0.0	0.3	0.6	9.8
Minnesota	62,110	0.1	0.2	0.7	12.1
Mississippi	33,473	0.0	0.1	0.4	15.1
Missouri	67,998	0.0	0.9	0.4	16.0
Montana	11,331	-	0.0	0.1	6.6
Nebraska	24,785	0.0	0.0	0.2	10.6
Nevada	32,381	0.0	0.1	4.3	13.8
New Hampshire	11,770	-	0.1	0.6	5.7
New Jersey	101,372	0.0	0.0	0.9	6.4
New Mexico	21,328	0.0	0.3	0.6	16.4
New York (excluding NYC)	112,306	-	0.0	1.1	9.1
New York City	93,183	0.0	0.1	1.1	9.9
North Carolina	122,856	0.0	0.2	0.4	12.2
North Dakota	9,634	-	0.9	2.1	12.5
Ohio	126,795	0.0	0.2	0.3	12.1
Oklahoma	47,962	0.0	0.1	0.3	10.9
Oregon	38,963	0.0	0.2	1.0	9.2
Pennsylvania	127,299	0.0	0.8	0.7	12.2
Rhode Island	10,009	-	0.5	0.8	9.2
South Carolina	58,768	0.0	0.0	0.5	15.6
South Dakota	11,451	-	0.0	0.6	12.0
Tennessee	83,833	0.0	0.1	0.5	12.0
Texas	390,828	-	0.1	0.9	10.9
Utah	46,664	-	0.1	1.3	7.7
Vermont	5,023	0.1	0.0	0.4	32.1
Virginia	94,054	-	0.2	1.4	9.5
Washington	83,118	0.0	0.6	3.7	13.8
West Virginia	17,022	0.0	0.1	0.5	12.2
Wisconsin	59,686	0.1	0.1	0.8	36.7
Wyoming	6,089	-	0.1	1.9	14.0
Puerto Rico	18,128	-	-	0.1	5.7
Virgin Islands	803	0.1	3.6	9.6	36.1
Guam	2,340	0.1	1.3	2.7	25.7
American Samoa	760	-	-	2.5	41.4
Northern Marianas	557	-	0.2	-	10.1

See footnotes at end of table.

Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024--Con.

[By place of residence]

Reporting area	Father's age	Father's race	Hispanic Origin		Place of birth
			Mother	Father	
Total of reporting areas ¹	10.0	18.4	1.0	11.5	0.0
Alabama	14.3	17.2	0.0	14.3	0.0
Alaska	8.7	13.1	3.1	14.1	0.0
Arizona	10.5	13.5	0.8	11.5	0.0
Arkansas	17.7	24.9	0.1	17.6	-
California	6.2	17.7	3.6	9.7	-
Colorado	5.1	12.5	1.2	6.7	0.0
Connecticut	7.4	13.7	0.1	7.5	-
Delaware	21.9	34.0	0.4	22.1	-
District of Columbia	19.3	29.6	0.7	20.1	-
Florida	9.2	22.3	0.4	9.8	0.1
Georgia	13.7	20.1	0.4	14.2	0.0
Hawaii	7.2	7.9	0.5	7.3	0.0
Idaho	6.8	14.1	0.5	9.6	0.0
Illinois	8.9	13.2	0.6	10.4	0.0
Indiana	10.2	13.8	0.2	10.2	0.0
Iowa	11.5	17.2	0.0	11.9	-
Kansas	7.5	11.7	0.3	7.8	-
Kentucky	18.3	24.3	0.6	19.3	0.0
Louisiana	13.4	21.9	0.1	13.9	0.0
Maine	7.3	9.3	2.7	10.3	-
Maryland	9.5	24.6	0.4	11.5	0.0
Massachusetts	6.4	12.7	2.5	6.0	0.0
Michigan	9.3	12.3	0.6	9.7	-
Minnesota	10.1	15.6	0.3	10.5	0.0
Mississippi	14.7	20.3	0.1	14.8	-
Missouri	15.2	19.8	0.6	17.4	0.0
Montana	6.2	8.1	0.3	6.4	-
Nebraska	9.5	21.9	0.1	10.3	0.0
Nevada	9.6	14.3	0.8	10.4	-
New Hampshire	4.1	9.2	0.7	5.6	-
New Jersey	5.2	20.6	1.5	7.3	-
New Mexico	16.2	17.3	0.5	16.4	0.0
New York (excluding NYC)	7.1	17.5	0.7	8.1	-
New York City	8.5	23.0	0.8	9.7	-
North Carolina	12.2	23.9	0.0	12.1	0.0
North Dakota	10.2	16.0	2.4	12.8	0.1
Ohio	11.6	15.2	0.2	11.8	0.0
Oklahoma	9.8	18.0	0.2	10.7	-
Oregon	8.1	26.8	2.3	10.7	-
Pennsylvania	9.8	20.2	1.2	12.2	-
Rhode Island	7.9	24.4	0.5	8.8	-
South Carolina	14.3	22.6	0.2	15.9	-
South Dakota	10.0	14.2	0.2	10.2	-
Tennessee	10.5	20.4	0.1	11.3	0.0
Texas	9.7	15.7	0.3	11.8	0.0
Utah	5.5	13.9	0.9	6.7	-
Vermont	5.8	32.8	0.3	32.3	-
Virginia	7.8	18.3	0.4	8.3	0.0
Washington	7.8	21.7	3.9	14.1	0.0
West Virginia	12.1	13.5	0.2	12.3	-
Wisconsin	32.9	37.1	0.9	36.9	-
Wyoming	7.4	17.4	2.8	13.8	0.0
Puerto Rico	5.3	9.9	0.0	6.1	0.0
Virgin Islands	16.9	28.6	1.7	32.0	-
Guam	21.2	28.1	0.5	10.4	0.2
American Samoa	36.7	40.4	-	38.3	-
Northern Marianas	9.7	10.4	-	9.9	-

See footnotes at end of table.

Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024--Con.
[By place of residence]

Reporting area	Attendant at birth	Month prenatal care began	Number of prenatal care visits	Mother's height	Mother's pre-pregnancy weight
Total of reporting areas ¹	0.1	1.9	1.9	0.6	2.1
Alabama	0.0	0.3	0.4	0.1	0.7
Alaska	-	2.1	3.0	0.7	3.9
Arizona	0.0	1.9	1.0	0.2	1.3
Arkansas	0.0	1.2	0.6	0.1	2.0
California	0.1	2.3	2.6	0.4	3.7
Colorado	0.0	2.6	2.9	0.7	6.3
Connecticut	0.0	0.5	0.5	0.1	0.2
Delaware	0.0	2.4	1.7	0.3	1.5
District of Columbia	-	3.6	3.5	1.2	6.7
Florida	0.5	3.5	3.4	1.5	2.9
Georgia	0.0	0.8	0.6	0.2	0.5
Hawaii	0.4	6.7	7.3	1.2	5.7
Idaho	0.0	0.7	0.5	0.3	0.8
Illinois	0.0	1.5	1.5	0.2	3.2
Indiana	0.0	0.3	0.5	0.3	3.0
Iowa	0.0	0.2	0.4	0.1	0.3
Kansas	-	0.3	0.3	0.2	0.7
Kentucky	0.0	0.4	0.3	0.0	0.3
Louisiana	0.2	1.6	2.2	0.3	1.4
Maine	-	0.9	1.2	0.4	3.4
Maryland	0.2	3.7	3.0	1.1	5.1
Massachusetts	0.0	1.2	1.1	0.4	2.9
Michigan	0.0	1.7	1.1	0.3	1.9
Minnesota	0.1	0.8	1.2	0.3	1.3
Mississippi	-	1.9	0.4	0.1	0.6
Missouri	0.0	1.2	1.5	0.9	1.7
Montana	-	0.1	0.1	0.0	0.2
Nebraska	-	1.0	1.3	0.2	0.8
Nevada	-	2.4	2.3	0.1	1.2
New Hampshire	-	0.4	0.3	1.5	2.9
New Jersey	-	0.6	0.1	0.2	1.9
New Mexico	0.1	3.9	3.7	0.5	1.3
New York (excluding NYC)	0.1	2.9	4.0	1.7	4.6
New York City	0.0	2.1	1.8	0.1	0.6
North Carolina	0.0	0.4	0.4	0.1	0.9
North Dakota	0.4	1.8	2.9	0.3	6.7
Ohio	0.0	0.7	0.8	0.2	0.8
Oklahoma	0.0	1.8	1.8	0.2	0.7
Oregon	0.0	0.9	1.1	0.3	1.7
Pennsylvania	0.0	2.0	2.2	0.9	2.2
Rhode Island	-	0.5	1.5	0.2	0.9
South Carolina	0.0	0.2	0.2	0.4	1.0
South Dakota	-	0.7	0.6	0.1	1.0
Tennessee	0.0	0.9	0.9	0.4	0.5
Texas	0.1	2.9	2.3	0.7	1.0
Utah	0.0	2.1	2.2	0.3	0.7
Vermont	-	0.3	0.3	0.3	1.2
Virginia	0.0	1.5	0.7	0.7	2.5
Washington	0.3	7.0	7.1	3.5	6.3
West Virginia	-	1.1	1.0	0.1	0.4
Wisconsin	0.0	1.9	2.2	0.8	1.5
Wyoming	0.0	2.3	2.0	0.4	1.1
Puerto Rico	0.0	0.3	0.3	0.0	0.1
Virgin Islands	-	12.8	13.4	4.7	9.5
Guam	0.3	14.3	13.0	3.8	7.4
American Samoa	-	0.4	0.1	2.5	10.5
Northern Marianas	0.4	0.4	0.2	-	7.7

See footnotes at end of table.

Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024--Con.
[By place of residence]

Reporting area	Weight gain	Did mother get WIC food for herself during this pregnancy	Live-birth order	Total-birth order	Birth interval
Total of reporting areas ¹	3.0	1.2	0.4	0.6	2.9
Alabama	1.3	0.2	0.0	0.0	1.1
Alaska	8.6	2.8	4.6	5.4	3.0
Arizona	1.5	0.5	0.0	0.1	0.5
Arkansas	2.8	0.4	0.1	0.1	2.5
California	4.2	1.0	0.1	0.2	0.8
Colorado	6.8	1.7	0.3	0.3	5.6
Connecticut	0.6	0.2	0.0	0.0	1.8
Delaware	1.8	3.6	0.5	0.6	3.8
District of Columbia	7.5	1.3	0.8	1.3	8.5
Florida	3.3	1.8	1.7	1.9	2.9
Georgia	0.9	0.7	0.4	0.4	2.5
Hawaii	6.3	10.2	-	-	2.2
Idaho	1.9	0.6	0.3	0.7	1.4
Illinois	3.6	0.5	0.3	0.4	1.6
Indiana	3.3	1.1	0.3	0.7	2.2
Iowa	1.3	0.3	0.1	0.1	2.1
Kansas	1.5	0.1	0.0	0.0	1.2
Kentucky	0.6	0.9	0.0	0.0	1.2
Louisiana	2.6	1.9	0.3	0.3	2.5
Maine	4.5	0.5	0.1	0.4	2.9
Maryland	6.3	1.5	0.1	0.1	5.5
Massachusetts	3.3	2.9	0.3	0.3	3.6
Michigan	3.0	1.3	0.4	0.7	3.0
Minnesota	2.1	0.5	0.1	0.2	1.9
Mississippi	1.0	0.6	0.0	0.0	0.8
Missouri	2.8	1.2	0.1	0.2	4.1
Montana	0.4	0.1	0.1	0.1	0.9
Nebraska	1.9	0.6	0.0	0.1	1.4
Nevada	1.4	2.2	2.3	4.6	3.6
New Hampshire	4.3	1.0	0.3	1.0	2.0
New Jersey	2.2	1.6	0.0	0.0	1.9
New Mexico	2.3	0.7	0.2	0.3	6.0
New York (excluding NYC)	5.7	2.4	0.7	0.7	5.6
New York City	0.9	1.2	0.4	0.7	5.2
North Carolina	1.7	0.8	1.1	2.3	2.4
North Dakota	7.2	2.5	0.5	0.6	2.6
Ohio	1.9	0.3	1.2	1.5	2.7
Oklahoma	1.8	0.5	0.1	0.2	3.3
Oregon	2.4	1.2	0.5	0.8	2.3
Pennsylvania	4.7	2.4	0.2	0.6	5.5
Rhode Island	1.8	0.1	0.1	0.3	1.8
South Carolina	1.5	1.3	0.1	0.1	2.7
South Dakota	1.8	1.1	0.5	0.6	2.2
Tennessee	1.4	0.7	0.1	0.1	4.4
Texas	1.3	0.0	0.0	0.0	4.4
Utah	2.5	2.4	0.1	0.1	2.7
Vermont	2.3	0.6	0.1	0.1	2.0
Virginia	3.0	1.2	0.2	0.3	1.2
Washington	11.3	5.5	2.5	2.8	4.8
West Virginia	7.8	1.1	0.5	0.8	3.4
Wisconsin	4.2	0.7	0.2	0.4	2.3
Wyoming	1.7	0.2	0.1	0.1	2.5
Puerto Rico	0.5	0.1	0.4	1.2	1.2
Virgin Islands	16.3	22.5	1.4	2.1	9.3
Guam	11.1	6.8	-	-	9.1
American Samoa	11.7	5.4	-	4.2	40.4
Northern Marianas	8.4	-	-	-	0.5

See footnotes at end of table.

Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024--Con.
[By place of residence]

Reporting areas	Pregnancy interval	Cigarette smoking before and during pregnancy	Source of payment ²	Risk Factors in this Pregnancy	Infections present
Total of reporting areas ¹	10.6	0.5	0.8	0.2	0.4
Alabama	7.1	0.2	0.0	0.0	0.0
Alaska	13.6	2.6	2.5	0.7	0.9
Arizona	3.5	0.1	0.1	0.0	0.0
Arkansas	8.9	0.1	0.7	0.0	0.0
California	7.1	0.3	0.5	0.0	0.3
Colorado	14.7	0.4	0.4	0.0	0.1
Connecticut	10.5	0.1	0.0	0.1	0.1
Delaware	12.2	0.7	0.5	0.5	1.3
District of Columbia	21.4	0.5	0.5	0.0	0.0
Florida	9.8	1.8	1.0	1.0	0.1
Georgia	6.5	0.2	0.1	0.1	0.3
Hawaii	17.5	1.7	0.4	-	-
Idaho	5.0	0.4	0.6	0.1	0.3
Illinois	9.8	0.2	0.2	0.1	0.1
Indiana	6.6	0.5	1.0	0.7	1.6
Iowa	9.1	0.1	0.0	0.0	0.0
Kansas	4.6	0.6	1.4	0.0	0.0
Kentucky	6.1	0.5	1.3	0.2	1.5
Louisiana	9.5	1.1	0.0	-	0.0
Maine	12.8	0.2	0.2	0.1	0.4
Maryland	19.0	0.5	0.2	0.0	0.2
Massachusetts	14.8	0.0	0.3	0.3	0.3
Michigan	12.7	0.8	0.9	0.3	1.5
Minnesota	8.5	0.1	0.3	0.1	0.2
Mississippi	5.6	0.1	0.1	0.0	0.0
Missouri	13.3	1.0	1.0	0.0	0.0
Montana	1.4	0.0	0.1	-	0.1
Nebraska	8.9	0.0	0.5	0.1	0.1
Nevada	11.6	0.5	0.1	0.0	0.0
New Hampshire	11.1	0.9	0.4	0.3	0.3
New Jersey	10.0	0.5	0.3	0.0	0.5
New Mexico	14.1	0.7	0.5	0.0	0.4
New York (excluding NYC)	18.6	0.1	0.7	0.3	1.0
New York City	21.3	0.0	0.5	0.1	0.4
North Carolina	8.9	0.3	0.4	0.4	0.0
North Dakota	11.0	1.2	1.6	0.0	-
Ohio ³	12.8	0.1	0.4	0.0	0.1
Oklahoma	12.3	0.1	0.5	0.0	0.0
Oregon	11.9	0.8	0.6	0.0	-
Pennsylvania	18.4	0.1	2.8	0.4	1.6
Rhode Island	9.0	0.3	0.1	0.1	0.1
South Carolina	10.3	0.5	0.1	0.1	0.4
South Dakota	8.5	0.7	0.1	0.2	0.2
Tennessee	9.6	0.7	0.9	0.0	0.0
Texas	9.0	0.2	2.2	0.2	0.6
Utah	12.1	0.3	0.2	0.0	0.0
Vermont	10.2	0.3	-	-	-
Virginia	8.6	0.0	0.2	0.0	0.0
Washington	16.8	2.8	2.9	0.4	0.3
West Virginia	11.4	0.5	1.1	0.0	0.0
Wisconsin	9.8	0.5	1.0	0.5	0.7
Wyoming	12.3	1.1	1.0	0.0	0.0
Puerto Rico	2.2	0.0	0.6	0.3	0.5
Virgin Islands	29.3	5.2	4.4	0.1	0.2
Guam	11.5	11.9	6.1	2.3	1.5
American Samoa	50.0	5.3	0.9	-	-
Northern Marianas	9.2	0.2	-	-	0.2

See footnotes at end of table.

Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024--Con.
[By place of residence]

Reporting areas	Obstetric Procedures	Characteristics of labor and delivery	Method of delivery		Maternal morbidity
			Fetal presentation	Final route and method of delivery	
Total of reporting areas ¹	0.2	0.1	0.3	0.1	0.3
Alabama	0.0	0.0	0.0	0.0	0.0
Alaska	0.6	0.3	0.0	0.0	0.3
Arizona	0.0	0.0	0.1	0.0	0.0
Arkansas	0.0	0.0	0.1	0.0	0.0
California	0.3	0.2	0.1	0.0	0.2
Colorado	0.1	0.0	0.2	0.1	0.0
Connecticut	0.1	0.0	0.0	0.0	0.0
Delaware	0.1	0.1	0.1	0.1	0.2
District of Columbia	0.0	0.1	0.5	0.0	0.1
Florida	1.1	0.0	1.5	1.1	1.5
Georgia	0.1	0.0	0.1	0.5	0.0
Hawaii	-	-	0.2	0.0	-
Idaho	0.1	0.0	0.3	0.1	0.1
Illinois	0.1	0.1	0.1	0.0	0.1
Indiana	0.2	0.0	0.5	0.0	0.3
Iowa	0.0	0.0	0.0	0.0	0.0
Kansas	0.0	0.0	0.0	0.0	0.0
Kentucky	0.2	0.1	0.3	0.0	0.2
Louisiana	-	-	-	-	-
Maine	0.0	0.1	0.2	0.0	0.1
Maryland	0.3	0.0	0.4	0.0	0.1
Massachusetts	0.3	0.3	0.3	0.3	0.3
Michigan	0.3	0.2	0.5	0.1	3.7
Minnesota	0.1	0.1	0.5	0.1	0.1
Mississippi	0.0	0.0	0.0	0.0	0.0
Missouri	0.0	0.0	0.3	0.1	0.0
Montana	-	0.0	0.0	0.0	0.1
Nebraska	0.1	0.1	0.0	-	0.1
Nevada	0.0	0.0	0.1	0.0	0.0
New Hampshire	0.3	0.1	0.0	-	0.2
New Jersey	0.2	-	0.2	0.0	0.3
New Mexico	0.0	0.0	0.2	0.0	-
New York (excluding NYC)	0.8	0.0	0.5	0.4	0.7
New York City	0.1	0.1	0.1	0.0	0.3
North Carolina	0.0	0.0	0.4	0.0	0.0
North Dakota	-	-	-	-	-
Ohio ²	0.0	0.0	0.3	0.1	0.0
Oklahoma	0.1	0.1	0.0	0.0	0.1
Oregon	-	0.1	0.5	0.0	0.7
Pennsylvania	0.1	0.1	0.5	0.0	0.5
Rhode Island	0.1	0.0	0.0	0.0	0.0
South Carolina	0.0	0.0	0.2	0.0	0.2
South Dakota	0.1	0.1	0.1	0.0	0.1
Tennessee	0.0	0.0	0.0	0.0	0.0
Texas	0.0	0.0	0.0	0.0	0.0
Utah	0.0	0.0	0.0	0.0	0.0
Vermont	0.0	-	0.0	-	-
Virginia	0.0	0.0	0.2	0.0	0.0
Washington	0.6	0.2	0.8	0.2	0.4
West Virginia	-	0.1	0.5	-	0.0
Wisconsin	0.4	0.2	0.6	0.5	0.4
Wyoming	0.0	0.0	0.0	0.0	0.0
Puerto Rico	1.3	2.0	0.4	0.0	1.4
Virgin Islands	0.1	-	0.9	0.6	-
Guam	0.6	4.4	2.4	0.6	0.6
American Samoa	-	---	0.8	0.4	-
Northern Marianas	-	-	-	-	-

See footnotes at end of table.

Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024--Con.
[By place of residence]

Reporting area	Birthweight	Obstetric estimate of gestation	Apgar score		Abnormal conditions
			5-minute	10-minute	
Total of reporting areas ¹	0.1	0.1	0.5	0.6	0.2
Alabama	0.1	0.0	0.3	0.4	0.0
Alaska	0.0	0.1	0.5	0.5	0.4
Arizona	0.1	0.1	0.3	0.4	0.0
Arkansas	0.1	0.1	0.5	0.5	0.0
California	0.0	0.1	0.6	0.9	0.2
Colorado	0.3	0.1	0.7	0.7	0.1
Connecticut	0.0	0.0	0.2	0.2	-
Delaware	0.1	0.0	0.3	0.5	0.0
District of Columbia	0.0	0.0	0.4	0.4	0.0
Florida	0.1	0.9	1.9	1.9	1.3
Georgia	0.1	0.0	0.4	0.4	0.0
Hawaii	0.0	0.1	0.5	0.5	-
Idaho	0.1	0.0	0.6	0.7	0.1
Illinois	0.0	0.0	0.2	0.2	0.0
Indiana	0.1	0.0	0.3	0.3	0.0
Iowa	0.0	0.1	0.5	0.5	0.0
Kansas	0.1	0.0	0.4	0.4	-
Kentucky	0.0	0.0	0.4	0.4	0.1
Louisiana	0.1	0.1	0.2	0.3	-
Maine	0.1	0.1	0.3	0.4	0.1
Maryland	0.0	0.0	0.3	0.4	0.0
Massachusetts	0.4	0.3	0.5	0.5	0.3
Michigan	0.1	0.1	0.3	0.3	0.2
Minnesota	0.1	0.1	0.4	0.4	0.1
Mississippi	0.1	0.1	1.0	1.0	0.0
Missouri	0.1	0.1	0.5	0.6	-
Montana	0.0	0.0	0.4	0.5	0.1
Nebraska	0.0	0.0	0.7	0.7	0.1
Nevada	0.0	0.0	0.2	0.2	0.0
New Hampshire	0.2	0.1	0.4	0.4	0.3
New Jersey	0.0	0.0	0.3	0.4	0.0
New Mexico	0.1	0.1	0.3	0.3	-
New York (excluding NYC)	0.3	0.4	0.8	0.8	0.5
New York City	0.0	0.0	0.3	0.4	0.1
North Carolina	0.0	0.0	0.2	0.2	0.2
North Dakota	0.1	0.1	0.3	0.4	-
Ohio	0.1	0.1	0.3	0.4	0.0
Oklahoma	0.1	0.1	0.3	0.4	0.1
Oregon	0.0	0.0	0.4	0.4	0.0
Pennsylvania	0.1	0.1	0.5	0.6	0.4
Rhode Island	0.0	0.0	0.2	0.2	0.2
South Carolina	0.0	0.0	0.4	0.4	0.0
South Dakota	0.1	0.1	0.4	0.4	0.0
Tennessee	0.0	0.1	0.4	0.4	0.0
Texas	0.1	0.0	0.2	0.3	0.0
Utah	0.0	0.0	0.5	0.5	0.0
Vermont	0.0	0.1	0.7	0.7	-
Virginia	0.1	0.0	0.3	0.5	0.0
Washington	0.3	0.2	0.8	0.8	0.7
West Virginia	0.0	0.0	0.3	0.3	0.0
Wisconsin	0.1	0.2	0.7	0.8	0.4
Wyoming	0.0	0.0	0.5	0.5	0.0
Puerto Rico	-	-	0.1	0.2	0.2
Virgin Islands	-	2.2	0.9	0.9	-
Guam	0.4	0.4	1.0	1.5	0.7
American Samoa	-	0.5	0.5	1.2	-
Northern Marianas	-	0.2	0.4	0.5	-

See footnotes at end of table.

Table 1. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2024--Con.
[By place of residence]

Reporting area	Congenital anomalies of the newborn	Infant breastfed ³
Total of reporting areas ¹	0.3	0.9
Alabama	0.0	0.1
Alaska	0.0	0.7
Arizona	0.0	0.6
Arkansas	0.0	0.4
California	0.2	---
Colorado	0.0	0.1
Connecticut	0.0	0.7
Delaware	0.3	0.5
District of Columbia	0.0	0.1
Florida	1.4	1.6
Georgia	0.0	0.4
Hawaii	-	0.4
Idaho	0.1	0.7
Illinois	0.1	0.3
Indiana	0.9	1.8
Iowa	0.0	0.2
Kansas	-	0.3
Kentucky	0.2	0.5
Louisiana	-	2.7
Maine	0.1	0.6
Maryland	0.1	0.1
Massachusetts	0.3	0.5
Michigan	0.8	1.5
Minnesota	0.1	0.4
Mississippi	0.0	0.1
Missouri	-	0.9
Montana	0.0	0.2
Nebraska	0.1	0.3
Nevada	0.0	1.7
New Hampshire	0.5	0.9
New Jersey	0.1	0.7
New Mexico	-	0.5
New York (excluding NYC)	0.6	0.9
New York City	0.4	0.3
North Carolina	0.4	1.3
North Dakota	-	3.7
Ohio	0.0	0.5
Oklahoma	0.1	0.9
Oregon	0.0	1.1
Pennsylvania	0.3	3.5
Rhode Island	0.0	0.2
South Carolina	0.0	0.2
South Dakota	-	0.5
Tennessee	0.0	0.7
Texas	0.0	0.0
Utah	0.0	4.3
Vermont	-	0.5
Virginia	---	0.7
Washington	0.7	1.6
West Virginia	0.0	5.6
Wisconsin	0.8	1.8
Wyoming	0.0	0.5
Puerto Rico	0.3	0.4
Virgin Islands	-	13.0
Guam	0.5	9.4
American Samoa	-	-
Northern Marianas	-	-

0.0 Quantity more than zero but less than 0.05.

---Data not available.

- Quantity zero.

¹ Excludes data for Puerto Rico, Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Marianas.

² Expanded source of payment categories reported by 35 states and the District of Columbia; see Detailed technical notes.

³ California does not report infant breastfed. See Detailed technical notes.

Table 2. Births by place of occurrence and residence for births occurring in the 50 states, the District of Columbia, and U.S. territories, 2024

Area	Number of live births	
	Occurrence ¹	Residence ^{1,2}
United States	3,638,436	3,628,934
Alabama	56,546	57,934
Alaska	8,862	8,943
Arizona	79,904	78,711
Arkansas	34,434	35,395
California	402,966	402,075
Colorado	65,002	64,268
Connecticut	35,574	34,599
Delaware	10,917	10,550
District of Columbia	11,020	7,616
Florida	224,707	224,389
Georgia	127,137	126,437
Hawaii	14,945	14,917
Idaho	22,981	23,276
Illinois	121,828	125,731
Indiana	80,069	80,257
Iowa	36,718	36,436
Kansas	35,940	33,984
Kentucky	51,754	52,913
Louisiana	53,746	53,305
Maine	11,046	11,601
Maryland	62,489	65,797
Massachusetts	69,038	68,184
Michigan	98,544	99,525
Minnesota	61,130	62,110
Mississippi	32,213	33,473
Missouri	68,441	67,998
Montana	11,525	11,331
Nebraska	24,927	24,785
Nevada	32,019	32,381
New Hampshire	12,182	11,770
New Jersey	98,158	101,372
New Mexico	19,284	21,328
New York	206,766	205,489
North Carolina	125,163	122,856
North Dakota	11,076	9,634
Ohio	127,692	126,795
Oklahoma	46,180	47,962
Oregon	39,594	38,963
Pennsylvania	126,477	127,299
Rhode Island	10,380	10,009
South Carolina	54,752	58,768
South Dakota	12,396	11,451
Tennessee	89,341	83,833
Texas	400,171	390,828
Utah	48,111	46,664
Vermont	4,847	5,023
Virginia	94,465	94,054
Washington	82,829	83,118
West Virginia	17,355	17,022
Wisconsin	59,513	59,686
Wyoming	5,282	6,089
Births occurring to US territorial residents		
Puerto Rico	18,150	18,128
Virgin Islands	817	803
Guam	2,374	2,340
American Samoa	763	760
Northern Marianas	558	557

¹ Excludes data for the territories.

² Excludes data for foreign residents.

Table 3. Births, by Hispanic origin of mother: United States, each state and territory, 2024

[By place of residence]

Area	Total	Central and South American	Cuban	Dominican	Mexican	Puerto Rican	Other and unknown Hispanic
United States\1	984,092	231,723	32,315	34,221	521,149	65,515	99,169
Alabama	7,701	3,376	72	36	3,807	305	105
Alaska	791	94	25	30	439	87	116
Arizona	36,108	2,054	454	79	30,475	618	2,428
Arkansas	4,664	928	25	12	2,837	137	725
California	196,312	25,170	805	241	143,475	2,004	24,617
Colorado	21,243	3,332	286	85	13,725	519	3,296
Connecticut	10,062	3,583	132	1,063	774	3,861	649
Delaware	2,212	730	23	86	753	461	159
District of Columbia	1,399	915	15	35	144	67	223
Florida	79,481	29,033	18,176	3,531	12,585	12,498	3,658
Georgia	24,135	7,421	568	419	12,290	1,385	2,052
Hawaii	2,697	188	39	30	889	881	670
Idaho	4,427	481	26	*	3,055	81	776
Illinois	31,861	5,824	258	134	22,971	1,818	856
Indiana	11,438	2,988	163	94	6,048	549	1,596
Iowa	4,667	1,018	101	24	3,159	148	217
Kansas	7,051	1,291	104	18	4,702	218	718
Kentucky	5,660	1,714	961	34	2,287	268	396
Louisiana	6,291	3,488	161	124	1,502	202	814
Maine	355	118	16	18	106	65	32
Maryland	15,174	11,046	150	454	1,715	691	1,118
Massachusetts	16,521	5,351	186	3,764	616	3,640	2,964
Michigan	8,281	938	271	82	5,806	486	698
Minnesota	7,235	2,478	70	47	3,968	246	426
Mississippi	2,354	906	27	23	1,064	131	203
Missouri	6,290	1,775	192	39	3,339	290	655
Montana	783	104	17	*	507	46	108
Nebraska	5,598	1,710	359	24	3,116	115	274
Nevada	13,189	1,862	696	53	9,446	388	744
New Hampshire	875	150	15	126	93	215	276
New Jersey	31,099	13,249	770	5,559	4,312	5,065	2,144
New Mexico	12,640	377	110	15	6,760	94	5,284
New York	51,898	21,245	661	10,635	6,376	8,391	4,590
North Carolina	25,485	8,860	462	684	11,779	1,987	1,713
North Dakota	842	126	23	*	545	54	91
Ohio	10,761	3,563	161	306	3,892	1,993	846
Oklahoma	9,335	1,545	100	27	6,225	255	1,183
Oregon	9,370	1,349	137	26	6,751	182	925
Pennsylvania	19,702	3,864	375	4,106	2,931	6,984	1,442
Rhode Island	3,088	1,083	18	976	164	661	186
South Carolina	8,893	3,275	176	153	3,665	716	908
South Dakota	966	287	34	11	484	58	92
Tennessee	13,501	6,096	293	90	5,498	509	1,015
Texas	195,948	27,440	3,997	531	137,338	2,894	23,748
Utah	10,321	3,075	64	67	6,340	216	559
Vermont	203	64	11	*	59	37	24
Virginia	17,296	11,901	260	144	3,443	1,312	236
Washington	18,140	2,450	173	70	12,926	547	1,974
West Virginia	577	161	10	13	218	94	81
Wisconsin	8,243	1,549	78	83	5,174	1,021	338
Wyoming	929	98	*	*	576	25	221
Puerto Rico	17,627	119	12	378	42	17,067	*
Virgin Islands	239	13	*	91	*	42	91
Guam	32	*	*	*	14	*	*
American Samoa	---	---	---	---	---	---	---
Northern Marianas	*	*	*	*	*	*	*

*Estimate does not meet National Center for Health Statistics standards of reliability.

--- Data not available.

\1Excludes data for the territories.

NOTE: In this table, Hispanic women are classified only by place of origin; non-Hispanic women are not shown. Other and unknown Hispanic includes origins not otherwise classified, including Spaniards.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 4. Number and percentage of live births by race and Hispanic origin of mother: United States, 2024

Race	Number		Percentage	
	Total	Non-Hispanic	Total\1	Non-Hispanic
All races\2	3,628,934	2,609,390	100.0	100.0
One race	3,519,323	2,517,789	97.0	96.5
White	2,690,057	1,783,156	74.1	68.3
Black	538,235	473,377	14.8	18.1
American Indian and Alaska Native (AIAN)	35,265	24,021	1.0	0.9
Asian	241,408	226,860	6.7	8.7
Native Hawaiian and Other Pacific Islander (NHOPI)	14,358	10,375	0.4	0.4
More than one race	109,611	91,601	3.0	3.5
Two races	100,430	84,764	2.8	3.2
Black and White	46,604	39,522	1.3	1.5
Black and AIAN	2,993	2,490	0.1	0.1
Black and Asian	2,732	2,425	0.1	0.1
Black and NHOPI	672	573	0.0	0.0
AIAN and White	16,653	12,963	0.5	0.5
AIAN and Asian	401	304	0.0	0.0
AIAN and NHOPI	165	117	0.0	0.0
Asian and White	25,101	22,147	0.7	0.8
Asian and NHOPI	2,171	1,979	0.1	0.1
NHOPI and White	2,938	2,244	0.1	0.1
Three races	8,699	6,545	0.2	0.3
Black, AIAN and White	2,626	2,037	0.1	0.1
Black AIAN and Asian	127	96	0.0	0.0
Black, AIAN and NHOPI	34	24	0.0	0.0
Black, Asian and White	1,288	1,055	0.0	0.0
Black, Asian and NHOPI	145	124	0.0	0.0
Black, NHOPI, and White	226	177	0.0	0.0
AIAN, Asian and White	519	345	0.0	0.0
AIAN, NHOPI and White	141	94	0.0	0.0
AIAN, Asian and NHOPI	42	28	0.0	0.0
Asian, NHOPI and White	3,551	2,565	0.1	0.1
Four races	454	278	0.0	0.0
Black, AIAN, Asian and White	121	89	0.0	0.0
Black, AIAN, Asian, and NHOPI	*	*	*	*
Black, AIAN, NHOPI and White	28	24	0.0	0.0
Black, Asian, NHOPI and White	98	65	0.0	0.0
AIAN, Asian, NHOPI and White	201	98	0.0	0.0
Five races				
Black, AIAN, Asian, NHOPI and White	28	14	0.0	0.0

0.0 Quantity more than zero but less than 0.5.

* Estimate does not meet NCHS standards of reliability.

\1 Includes births to race and origin groups not shown separately, such as Hispanic, single-race white, Hispanic, single-race black, non-Hispanic, multiple-race women, and births with origin not stated.

\2 Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards.

NOTE: Race categories are consistent with the 1997 Office of Management and Budget standards.

Table 5. Births, by age of mother, live-birth order, and Hispanic origin of mother: United States, 2024

[Live-birth order refers to number of children born alive to mother. Includes births with stated origin of mother only]

Origin of mother and live-birth order	All ages	Younger than 15	15-19						20-24	25-29	30-34	35-39	40-44	45-49	50-54
			Total	15	16	17	18	19							
Hispanic															
Total	984,092	785	57,700	1,809	4,601	8,857	16,085	26,348	216,365	283,198	253,011	136,132	34,648	2,093	160
1st child	374,363	773	49,432	1,752	4,348	8,062	13,899	21,371	123,722	101,640	66,078	26,674	5,518	472	54
2nd child	294,189	*	7,294	48	229	729	1,950	4,338	66,520	96,788	78,429	37,009	7,678	424	40
3rd child	174,471	*	707	*	10	33	161	499	19,990	54,419	58,711	32,618	7,604	398	24
4th child	82,005	*	62	*	*	*	14	41	4,312	20,568	29,986	20,612	6,149	300	16
5th child	33,079	*	11	*	*	*	*	*	856	6,151	11,824	10,324	3,693	208	12
6th child	12,996	*	*	*	*	*	*	*	167	1,762	4,336	4,610	1,980	133	*
7th child	5,325	*	*	*	*	*	*	*	38	597	1,702	1,990	922	73	*
8th child and over	4,322	*	*	*	*	*	*	*	45	324	1,122	1,786	962	78	*
Not stated	3,342	5	191	4	12	28	59	88	715	949	823	509	142	7	1
Central and South															
American	231,723	286	14,755	580	1,202	2,202	4,212	6,559	48,431	63,951	58,786	35,103	9,744	621	46
1st child	87,385	281	12,380	552	1,122	1,976	3,571	5,159	26,938	22,600	16,032	7,323	1,638	172	21
2nd child	72,147	*	2,111	25	69	210	577	1,230	15,608	22,892	19,006	10,090	2,300	125	12
3rd child	41,810	*	189	*	*	*	46	128	4,652	12,325	13,772	8,520	2,233	113	*
4th child	18,208	*	17	*	*	*	*	11	850	4,282	6,309	4,998	1,668	83	*
5th child	6,988	*	*	*	*	*	*	*	160	1,187	2,295	2,338	947	55	*
6th child	2,561	*	*	*	*	*	*	*	19	288	751	1,000	472	29	*
7th child	972	*	*	*	*	*	*	*	*	85	258	389	218	16	*
8th child and over	718	*	*	*	*	*	*	*	*	49	138	282	211	27	*
Not stated	934	2	53	-	3	6	16	28	190	243	225	163	57	1	-
Cuban	32,315	*	687	13	34	75	183	382	5,327	9,154	10,105	5,760	1,212	58	12
1st child	16,081	*	631	12	34	73	170	342	3,934	5,134	4,224	1,788	349	19	*
2nd child	10,890	*	43	*	*	*	*	32	1,115	2,923	3,944	2,389	453	19	*
3rd child	3,618	*	*	*	*	*	*	*	184	770	1,359	1,039	249	10	*
4th child	941	*	*	*	*	*	*	*	32	183	331	308	82	*	*
5th child	298	*	*	*	*	*	*	*	*	52	101	101	32	*	*
6th child	122	*	*	*	*	*	*	*	*	17	41	41	16	*	*
7th child	54	*	*	*	*	*	*	*	*	*	18	23	*	*	*
8th child and over	51	*	*	*	*	*	*	*	*	*	10	23	11	*	*
Not stated	260	-	7	1	-	-	3	3	48	65	77	48	14	1	-
Dominican	34,221	14	1,129	30	74	180	303	542	6,377	9,462	9,931	5,692	1,508	100	*
1st child	13,227	14	999	30	72	174	266	457	4,088	3,863	2,843	1,112	278	28	*
2nd child	11,491	*	119	*	*	*	32	79	1,785	3,510	3,623	1,977	447	27	*
3rd child	6,259	*	*	*	*	*	*	*	413	1,525	2,277	1,584	428	24	*
4th child	2,141	*	*	*	*	*	*	*	61	397	821	641	211	*	*
5th child	698	*	*	*	*	*	*	*	14	110	242	245	81	*	*
6th child	196	*	*	*	*	*	*	*	*	18	63	72	36	*	*
7th child	53	*	*	*	*	*	*	*	*	*	19	15	11	*	*
8th child and over	50	*	*	*	*	*	*	*	*	*	14	21	12	*	*
Not stated	106	-	4	-	-	-	3	1	12	32	29	25	4	-	-
Mexican	521,149	385	31,581	891	2,538	4,962	8,725	14,465	120,247	153,597	131,226	66,436	16,638	973	66
1st child	193,255	379	27,198	870	2,414	4,534	7,568	11,812	68,169	52,953	31,001	11,215	2,157	165	18
2nd child	149,952	*	3,849	16	117	383	1,035	2,298	37,220	51,646	38,288	15,713	3,056	165	11
3rd child	94,899	*	386	*	*	22	79	283	11,292	31,096	32,102	16,281	3,543	188	11
4th child	47,893	*	34	*	*	*	11	21	2,544	12,224	17,841	11,730	3,342	168	10
5th child	19,828	*	*	*	*	*	*	*	504	3,632	7,210	6,148	2,194	124	*
6th child	7,930	*	*	*	*	*	*	*	110	1,047	2,695	2,805	1,192	77	*
7th child	3,235	*	*	*	*	*	*	*	24	358	1,060	1,224	523	44	*
8th child and over	2,702	*	*	*	*	*	*	*	26	201	689	1,155	591	38	*
Not stated	1,455	2	105	3	7	21	31	43	358	440	340	165	40	4	1

See footnotes at end of table.

Table 5. Births, by age of mother, live-birth order, and Hispanic origin of mother: United States, 2024--Con.

[Live-birth order refers to number of children born alive to mother. Includes births with stated origin of mother only]

Origin of mother and live-birth order	All ages	Younger than 15	15-19						20-24	25-29	30-34	35-39	40-44	45-49	50-54
			Total	15	16	17	18	19							
Puerto Rican	65,515	39	3,632	93	259	526	1,015	1,739	14,777	19,104	17,144	8,772	1,926	113	*
1st child	25,649	39	3,172	90	250	487	885	1,460	8,543	6,859	4,665	1,919	420	28	*
2nd child	19,761	*	410	*	*	38	113	247	4,354	6,451	5,476	2,553	491	24	*
3rd child	10,953	*	40	*	*	*	14	25	1,401	3,463	3,623	2,014	384	26	*
4th child	5,037	*	*	*	*	*	*	*	319	1,461	1,863	1,092	287	14	*
5th child	2,162	*	*	*	*	*	*	*	82	512	827	584	148	*	*
6th child	932	*	*	*	*	*	*	*	15	171	357	290	92	*	*
7th child	414	*	*	*	*	*	*	*	*	73	155	139	45	*	*
8th child and over	334	*	*	*	*	*	*	*	*	28	117	131	48	*	*
Not stated	273	-	9	-	-	-	3	6	55	86	61	50	11	1	-
Other and unknown															
Hispanic	99,169	61	5,916	202	494	912	1,647	2,661	21,206	27,930	25,819	14,369	3,620	228	20
1st child	38,766	60	5,052	198	456	818	1,439	2,141	12,050	10,231	7,313	3,317	676	60	*
2nd child	29,948	*	762	*	32	90	184	452	6,438	9,366	8,092	4,287	931	64	*
3rd child	16,932	*	79	*	*	*	19	53	2,048	5,240	5,578	3,180	767	37	*
4th child	7,785	*	10	*	*	*	*	*	506	2,021	2,821	1,843	559	25	*
5th child	3,105	*	*	*	*	*	*	*	88	658	1,149	908	291	10	*
6th child	1,255	*	*	*	*	*	*	*	17	221	429	402	172	13	*
7th child	597	*	*	*	*	*	*	*	*	71	192	200	119	10	*
8th child and over	467	*	*	*	*	*	*	*	*	39	154	174	89	*	*
Not stated	314	1	13	-	2	1	3	7	52	83	91	58	16	-	-

*Estimate does not meet National Center for Health Statistics standards of reliability.

- Quantity zero.

NOTES: In this table, Hispanic women are classified only by place of origin; non-Hispanic women are not shown. Other and unknown Hispanic includes origins not otherwise classified, including Spaniards.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 6. Birth rates, by age of mother, live-birth order, and race and Hispanic origin of mother: United States, 2024

[Rates are births per 1,000 women in specified age and race and Hispanic origin group. Fertility rate computed by relating total births, regardless of age of mother, to women aged 15-44 years. Populations estimated as of July 1. Live-birth order refers to number of children born alive to mother. Figure for live-birth order not stated are distributed]

Race and Hispanic origin of mother and live-birth order	Fertility rate	Age of mother									
		10-14	15-19			20-24	25-29	30-34	35-39	40-44	45-49\1
			Total	15-17	18-19						
All races and origins\2											
Total	53.8	0.2	12.6	5.3	23.6	55.8	89.5	93.7	54.3	12.7	1.1
1st child	21.3	0.2	10.9	4.9	19.8	32.4	36.7	30.6	13.3	2.8	0.3
2nd child	16.9	0.0	1.5	0.3	3.3	16.7	29.4	31.2	17.8	3.6	0.3
3rd child	8.7	*	0.2	0.0	0.4	5.1	14.7	17.6	11.3	2.5	0.2
4th child	3.9	*	0.0	0.0	0.0	1.2	5.8	8.3	5.9	1.6	0.1
5th child	1.6	*	0.0	*	0.0	0.3	1.9	3.4	2.8	0.9	0.1
6th and 7th child	1.0	*	*	*	*	0.1	0.8	2.1	2.1	0.8	0.1
8th child and over	0.4	*	*	*	*	0.0	0.1	0.5	0.9	0.5	0.1
Non-Hispanic, single race\3											
American Indian or Alaska Native	46.8	0.4	20.3	9.1	37.1	70.4	79.0	61.8	35.6	8.1	0.5
1st child	15.6	0.4	17.4	8.7	30.6	36.4	22.4	10.1	4.7	0.9	*
2nd child	12.1	*	2.5	0.4	5.7	21.8	23.9	14.9	6.6	1.5	*
3rd child	8.5	*	0.3	*	0.7	8.7	17.6	14.6	7.2	1.3	*
4th child	5.1	*	*	*	*	2.6	9.3	10.4	6.0	1.4	*
5th child	2.6	*	*	*	*	0.6	3.7	5.6	4.3	1.1	*
6th and 7th child	2.1	*	*	*	*	0.1	1.9	4.8	4.4	1.3	*
8th child and over	0.8	*	*	*	*	*	0.1	1.3	2.2	0.7	*
Asian	46.3	0.0	1.6	0.6	3.0	13.3	51.5	99.5	67.9	16.8	1.8
1st child	21.9	0.0	1.4	0.5	2.5	9.1	31.2	50.5	23.3	5.0	0.6
2nd child	16.5	*	0.2	0.0	0.4	3.3	14.0	35.0	29.2	6.4	0.5
3rd child	5.2	*	0.0	*	0.0	0.8	4.3	9.5	10.2	3.1	0.3
4th child	1.7	*	*	*	*	0.2	1.4	2.9	3.3	1.3	0.2
5th child	0.6	*	*	*	*	0.0	0.4	0.9	1.1	0.5	0.1
6th and 7th child	0.3	*	*	*	*	*	0.2	0.5	0.6	0.4	0.1
8th child and over	0.1	*	*	*	*	*	0.0	0.1	0.2	0.1	0.0
Black	50.9	0.3	17.7	8.2	32.2	64.4	80.6	73.4	48.3	14.0	1.5
1st child	18.3	0.3	15.1	7.6	26.6	36.7	28.1	17.4	9.1	2.6	0.4
2nd child	14.2	*	2.3	0.6	4.8	18.5	25.1	21.2	12.6	3.3	0.3
3rd child	9.0	*	0.3	0.0	0.7	6.6	15.0	16.1	11.2	3.0	0.2
4th child	4.9	*	0.0	*	0.1	1.9	7.4	9.4	7.1	2.1	0.2
5th child	2.3	*	*	*	*	0.5	3.1	4.8	3.8	1.2	0.1
6th and 7th child	1.7	*	*	*	*	0.2	1.7	3.5	3.1	1.1	0.1
8th child and over	0.6	*	*	*	*	0.0	0.3	1.0	1.4	0.7	0.1
Native Hawaiian and Pacific Islander	72.4	*	20.2	6.8	39.3	108.0	135.7	101.8	54.9	15.9	1.3
1st child	21.0	*	16.8	6.5	31.3	52.1	33.2	19.2	6.6	1.6	*
2nd child	17.5	*	2.9	*	6.6	33.6	35.8	21.9	10.2	2.5	*
3rd child	13.3	*	0.5	*	1.1	15.0	32.0	20.5	9.7	2.8	*
4th child	8.9	*	*	*	*	6.0	19.2	15.8	9.7	1.8	*
5th child	5.3	*	*	*	*	1.0	9.1	11.9	6.7	2.0	*
6th and 7th child	4.9	*	*	*	*	*	5.7	10.0	9.1	2.9	*
8th child and over	1.5	*	*	*	*	*	0.7	2.5	3.0	2.1	*

See footnotes at the end of table.

Table 6. Birth rates, by age of mother, live-birth order, and race and Hispanic origin of mother: United States, 2024--Con.

[Rates are births per 1,000 women in specified age and race and Hispanic origin group. Fertility rate computed by relating total births, regardless of age of mother, to women aged 15-44 years. Populations estimated as of July 1. Live-birth order refers to number of children born alive to mother. Figure for live-birth order not stated are distributed]

Race and Hispanic origin of mother and live-birth order	Fertility rate	Age of mother									
		10-14	15-19			20-24	25-29	30-34	35-39	40-44	45-49\1
			Total	15-17	18-19						
White	51.5	0.1	8.3	2.9	16.1	46.9	88.7	97.3	52.4	10.9	0.9
1st child	20.7	0.1	7.2	2.8	13.8	27.8	39.2	33.8	13.6	2.6	0.3
2nd child	17.0	*	0.9	0.2	2.1	14.0	29.3	34.2	18.3	3.3	0.2
3rd child	8.1	*	0.1	0.0	0.2	4.0	13.2	17.1	10.7	2.0	0.1
4th child	3.3	*	0.0	*	0.0	0.9	4.9	7.3	5.0	1.2	0.1
5th child	1.3	*	*	*	*	0.2	1.5	2.8	2.2	0.6	0.1
6th and 7th child	0.8	*	*	*	*	0.0	0.6	1.8	1.8	0.6	0.0
8th child and over	0.4	*	*	*	*	0.0	0.1	0.4	0.9	0.6	0.1
Hispanic\4											
Total	64.3	0.3	20.0	8.8	37.3	79.9	110.5	99.7	58.4	15.2	1.1
1st child	24.5	0.3	17.2	8.1	31.1	45.8	39.8	26.1	11.5	2.4	0.3
2nd child	19.3	*	2.5	0.6	5.5	24.6	37.9	31.0	15.9	3.4	0.2
3rd child	11.4	*	0.2	0.0	0.6	7.4	21.3	23.2	14.1	3.3	0.2
4th child	5.4	*	0.0	*	0.0	1.6	8.1	11.9	8.9	2.7	0.2
5th child	2.2	*	0.0	*	0.0	0.3	2.4	4.7	4.4	1.6	0.1
6th and 7th child	1.2	*	*	*	*	0.1	0.9	2.4	2.8	1.3	0.1
8th child and over	0.3	*	*	*	*	0.0	0.1	0.4	0.8	0.4	0.0

0.0 Quantity more than zero but less than 0.05.

*Estimate does not meet NCHS standards of reliability.

\1Birth rates computed by relating births to women aged 45 years and over to women aged 45-49 years.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Race groups are single-race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards; see Technical Notes. Single-race is defined as only one race reported on the birth certificate.

\4Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 7. Births to unmarried women, by age, race, and Hispanic origin of mother: United States, 2024

Age of mother	All races and origins\1	Non-Hispanic, single race\2					Hispanic\3
		American Indian or Alaska Native	Asian	Black	Native Hawaiian and Pacific Islander	White	
Number							
All ages	1,433,976	16,482	26,140	324,883	5,572	467,534	533,254
Under 15	1,718	30	11	464	*	338	779
15-19	125,622	1,702	658	25,882	410	38,074	52,735
15-17	33,797	474	169	7,419	86	8,964	14,888
18-19	91,825	1,228	489	18,463	324	29,110	37,847
20-24	411,964	4,891	3,292	86,133	1,808	138,819	159,153
25-29	402,099	4,428	6,592	90,672	1,659	130,694	151,277
30-34	297,872	3,380	7,822	75,283	1,099	94,636	104,025
35-39	152,157	1,693	5,645	36,923	462	50,612	51,028
40 and over	42,544	358	2,120	9,526	130	14,361	14,257
Percent							
All ages	39.5	68.6	*	68.6	53.7	26.2	54.2
Under 15	99.5	100.0	100.0	100.0	*	99.1	99.2
15-19	91.5	96.2	74.1	97.9	90.5	87.5	91.4
15-17	98.1	99.2	93.9	99.7	98.9	97.3	97.5
18-19	89.3	95.1	69.1	97.1	88.5	84.9	89.2
20-24	67.3	81.1	36.1	89.6	73.3	53.9	73.6
25-29	40.6	65.1	15.8	73.0	54.3	26.3	53.4
30-34	26.8	58.5	8.3	58.7	42.2	15.9	41.1
35-39	24.4	57.1	8.7	48.8	33.2	15.8	37.5
40 and over	27.9	55.7	13.0	42.7	32.7	20.6	38.6

* Estimate does not meet National Center for Health Statistics standards of reliability.

¹Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

²Race groups are non-Hispanic, single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

³Includes all people of Hispanic origin of any race.

NOTE: For New York, mother's marital status is inferred; see reference 9.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 8. Births to unmarried women, by race and Hispanic origin of mother: United States, each state and territory, 2024
[By place of residence]

Area	All races and origins ²	American Indian and Alaska Native	Non-Hispanic, single race ¹					Hispanic ³
			Asian	Black	Native Hawaiian or Other Pacific Islander	White		
Percent								
United States ⁴	39.5	68.6	11.5	68.6	53.7	26.2	54.2	
Alabama	44.9	45.7	9.2	78.1	57.7	28.7	53.9	
Alaska	36.5	73.7	35.7	40.4	49.5	20.3	31.7	
Arizona	45.4	79.7	11.4	58.2	54.8	28.5	57.0	
Arkansas	44.4	38.8	13.1	81.4	71.0	33.4	52.6	
California	37.9	61.6	12.5	60.0	39.5	19.9	52.8	
Colorado	24.0	44.7	9.1	41.9	47.7	14.2	38.0	
Connecticut	36.6	*	8.3	60.8	*	19.7	61.2	
Delaware	47.3	*	4.0	68.3	*	31.6	62.7	
District of Columbia	45.2	*	5.4	76.0	*	6.0	53.4	
Florida	45.1	56.8	12.6	66.5	44.5	31.8	51.3	
Georgia	46.0	39.8	8.2	71.0	52.7	26.5	56.4	
Hawaii	41.0	*	28.6	15.9	62.3	18.6	46.0	
Idaho	26.5	65.2	8.6	35.1	40.3	20.8	47.5	
Illinois	39.6	51.1	7.1	77.3	*	25.0	56.6	
Indiana	42.3	59.0	13.0	72.2	67.2	33.5	60.0	
Iowa	36.2	77.8	18.7	59.7	71.2	29.1	57.7	
Kansas	36.0	61.1	10.9	64.9	49.1	27.1	55.5	
Kentucky	42.2	*	13.6	65.7	56.6	36.6	60.7	
Louisiana	54.9	64.8	15.6	82.6	*	35.1	61.9	
Maine	36.0	63.9	19.3	37.4	*	35.1	46.5	
Maryland	40.4	64.6	6.4	58.3	*	22.5	57.4	
Massachusetts	33.5	60.0	11.4	51.1	*	21.6	57.6	
Michigan	38.0	59.5	6.1	79.4	*	27.6	55.4	
Minnesota	32.4	87.0	40.8	49.1	71.8	21.4	58.1	
Mississippi	53.9	83.9	16.2	82.2	*	32.3	60.8	
Missouri	38.8	54.9	10.5	75.3	59.8	30.5	55.5	
Montana	30.3	77.7	9.9	31.8	*	23.8	42.5	
Nebraska	34.8	85.5	17.6	61.1	60.9	23.1	58.5	
Nevada	48.5	65.9	23.1	72.5	59.3	32.7	56.9	
New Hampshire	28.4	*	10.6	32.3	*	27.3	45.4	
New Jersey	32.9	52.1	4.8	63.8	*	13.9	58.2	
New Mexico	53.2	80.0	8.4	48.1	*	32.3	59.1	
New York	37.0	70.9	12.5	65.2	30.0	22.1	61.8	
North Carolina	40.8	64.6	9.4	71.3	54.0	24.3	54.4	
North Dakota	32.5	81.2	15.3	42.4	*	24.5	50.1	
Ohio	41.7	64.3	11.1	72.8	64.2	32.6	61.8	
Oklahoma	44.5	53.6	15.8	71.7	70.6	35.5	53.6	
Oregon	37.1	69.1	11.7	48.8	63.8	30.0	54.4	
Pennsylvania	38.3	64.9	11.5	73.2	*	27.0	62.7	
Rhode Island	41.4	*	23.6	55.6	*	28.9	60.6	
South Carolina	44.6	54.1	10.8	77.5	53.2	27.2	56.6	
South Dakota	35.3	86.9	21.4	43.9	*	22.4	56.9	
Tennessee	41.8	50.5	10.1	76.7	53.6	29.9	57.6	
Texas	41.2	36.1	5.8	62.1	46.1	24.0	51.2	
Utah	22.1	62.7	10.4	35.6	30.2	13.8	45.1	
Vermont	37.3	*	14.8	43.6	*	37.0	44.8	
Virginia	35.1	41.9	7.0	63.1	29.8	22.8	52.9	
Washington	31.5	69.9	8.7	41.9	61.9	24.2	51.1	
West Virginia	43.9	*	12.0	71.5	*	42.5	45.8	
Wisconsin	36.7	77.3	30.5	81.5	*	24.6	62.5	
Wyoming	33.6	82.1	18.5	*	*	27.8	50.2	
Puerto Rico	70.1	*	*	67.3	*	54.6	70.5	
Virgin Islands	74.2	*	*	79.4	*	28.6	80.3	
Guam	58.4	*	24.9	*	78.0	11.7	*	
American Samoa	41.1	---	---	---	---	---	---	
Northern Marianas	58.9	*	28.4	*	83.2	*	*	

See footnotes at end of table.

See footnotes at end of table.

Table 8. Births to unmarried women, by race and Hispanic origin of mother: United States, each state and territory, 2024--Con.

[By place of residence]

Area	All races and origins ²	Non-Hispanic, single race ¹					Hispanic ³
		American Indian and Alaska Native	Asian	Black	Native Hawaiian or Other Pacific Islander	White	
		Number					
United States ⁴	1,433,976	16,482	26,140	324,883	5,572	467,534	533,254
Alabama	25,999	58	88	11,480	45	9,548	4,148
Alaska	3,268	1,128	167	84	154	908	251
Arizona	35,749	2,550	319	2,577	126	8,348	20,572
Arkansas	15,711	71	115	4,659	370	7,508	2,452
California	152,443	730	7,334	10,634	559	20,411	103,680
Colorado	15,430	138	243	1,228	122	4,859	8,074
Connecticut	12,650	16	158	2,396	*	3,526	6,162
Delaware	4,990	10	24	1,851	*	1,460	1,386
District of Columbia	3,443	*	20	2,424	*	146	747
Florida	101,274	126	899	28,535	69	28,809	40,811
Georgia	58,102	45	494	27,915	49	14,126	13,606
Hawaii	6,111	*	1,014	48	892	523	1,241
Idaho	6,170	135	35	112	27	3,582	2,101
Illinois	49,747	45	632	13,355	19	16,172	18,041
Indiana	33,955	36	345	7,276	39	18,094	6,866
Iowa	13,196	105	184	1,615	275	7,797	2,692
Kansas	12,220	91	110	1,362	54	6,108	3,912
Kentucky	22,315	17	148	3,172	64	14,498	3,435
Louisiana	29,268	173	163	15,191	10	9,273	3,893
Maine	4,173	46	37	299	*	3,389	165
Maryland	26,595	51	287	10,689	*	5,697	8,707
Massachusetts	22,826	30	634	3,963	*	7,576	9,520
Michigan	37,869	191	266	12,286	23	18,721	4,591
Minnesota	20,127	623	1,901	3,592	61	8,551	4,206
Mississippi	18,058	198	69	10,548	*	5,567	1,431
Missouri	26,403	100	183	6,206	153	14,865	3,491
Montana	3,428	710	12	21	*	2,157	333
Nebraska	8,616	213	143	906	28	3,660	3,274
Nevada	15,715	135	571	2,905	201	3,440	7,499
New Hampshire	3,343	*	47	84	*	2,722	397
New Jersey	33,339	25	497	7,297	14	6,318	18,109
New Mexico	11,352	1,677	34	174	13	1,717	7,469
New York	75,961	224	2,595	16,670	15	22,516	32,060
North Carolina	50,123	793	506	17,719	75	15,133	13,863
North Dakota	3,128	500	38	236	25	1,661	422
Ohio	52,927	45	441	14,343	79	28,627	6,654
Oklahoma	21,338	2,169	207	2,420	175	8,894	5,007
Oregon	14,461	242	238	553	254	6,847	5,094
Pennsylvania	48,727	100	724	11,039	20	22,046	12,345
Rhode Island	4,147	25	99	394	*	1,571	1,870
South Carolina	26,207	66	138	11,146	42	8,790	5,033
South Dakota	4,041	1,216	42	161	12	1,820	550
Tennessee	35,009	51	210	9,977	45	15,913	7,777
Texas	161,189	211	1,369	27,641	280	28,410	100,254
Utah	10,313	202	128	231	247	4,366	4,656
Vermont	1,876	*	16	61	*	1,648	91
Virginia	33,005	49	499	10,935	39	11,220	9,155
Washington	26,210	607	834	1,584	840	10,240	9,278
West Virginia	7,474	*	21	419	*	6,466	264
Wisconsin	21,912	348	850	4,454	13	10,013	5,153
Wyoming	2,043	128	12	16	*	1,277	466
Puerto Rico	12,706	*	10	33	*	225	12,432
Virgin Islands	596	*	*	374	*	18	192
Guam	1,366	*	142	*	1,128	15	*
American Samoa	312	---	---	---	---	---	---
Northern Marianas	328	*	67	*	228	*	*

* Estimate does not meet National Center for Health Statistics standards of reliability.

--- Data not available.

¹Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards; see Technical Notes. Single-race is defined as only one race reported on the birth certificate.

²Includes births to race and origin groups not shown separately, such as Hispanic single-race Black, Hispanic single-race White, and non-Hispanic multiple-race women, and births with origin not stated.

³Includes all people of Hispanic origin of any race.

⁴Excludes data for the territories.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 9. Educational attainment of mother, by age and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin of mother and educational attainment	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
All races and origins\1	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12th grade or less with no diploma	11.4	48.4	17.0	9.7	7.0	7.9	11.2
8th grade or less	3.4	7.2	4.3	3.1	2.5	3.3	5.5
9th-12th grade, with no diploma	8.0	41.2	12.8	6.6	4.5	4.6	5.7
High school graduate\2	27.1	44.2	49.7	29.8	18.3	15.1	15.6
Some college credit, but no degree	16.7	6.9	20.4	19.8	15.4	13.4	13.0
Associate's degree\3	8.1	0.5	5.8	9.8	8.9	8.2	8.0
Bachelor's degree\4	22.6	*	6.4	22.7	29.9	29.7	26.4
Master's degree\5	10.8	*	0.6	6.9	15.9	18.8	18.4
Doctorate or professional degree\6	3.3	*	0.1	1.3	4.6	6.9	7.5
	Number						
All births	3,628,934	139,000	611,800	990,817	1,112,409	622,517	152,391
Not stated\7	68,905	2,668	9,733	16,338	20,584	14,440	5,142
Non-Hispanic, single race\8	Percent						
American Indian and Alaska Native:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12th grade or less with no diploma	17.9	55.2	20.0	13.9	12.2	12.4	11.2
8th grade or less	1.3	5.3	0.8	1.1	0.9	1.3	*
9th-12th grade, with no diploma	16.6	49.9	19.2	12.9	11.4	11.1	10.0
High school graduate\2	39.2	38.7	52.0	38.6	33.5	28.3	27.8
Some college credit, but no degree	23.0	5.8	20.7	25.1	26.1	25.8	28.5
Associate's degree\3	8.3	*	4.8	9.9	10.5	12.0	10.8
Bachelor's degree\4	8.2	*	2.3	9.8	11.9	13.3	12.7
Master's degree\5	2.8	*	*	2.2	4.8	6.6	8.1
Doctorate or professional degree\6	0.6	*	*	0.4	1.1	1.6	*
	Number						
All births	24,021	1,799	6,029	6,807	5,776	2,967	643
Not stated\7	237	22	46	59	66	33	11
Asian:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12th grade or less with no diploma	4.6	39.3	12.7	6.1	3.5	3.5	4.8
8th grade or less	1.6	4.9	3.1	2.0	1.3	1.5	2.2
9th-12th grade, with no diploma	3.0	34.4	9.5	4.1	2.2	2.1	2.6
High school graduate\2	11.0	48.0	37.7	17.1	8.2	7.3	8.7
Some college credit, but no degree	7.9	11.3	20.7	11.6	6.5	5.9	7.2
Associate's degree\3	5.6	1.4	7.8	7.5	5.1	4.7	5.5
Bachelor's degree\4	35.6	*	18.3	37.5	36.9	35.7	34.9
Master's degree\5	25.7	*	2.5	17.1	29.9	28.8	24.9
Doctorate or professional degree\6	9.7	*	0.3	3.0	9.9	14.0	14.0
	Number						
All births	226,860	899	9,126	41,742	93,782	64,989	16,322
Not stated\7	4,842	24	296	985	1,826	1,266	445

See footnotes at end of table.

Table 9. Educational attainment of mother, by age and race and Hispanic origin of mother: United States, 2024--Con.

Race and Hispanic origin of mother and educational attainment	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
Black:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12th grade or less with no diploma	11.5	44.6	12.0	8.8	8.2	9.1	10.8
8th grade or less	1.6	2.6	0.8	1.2	1.6	2.5	3.9
9th-12th grade, with no diploma	9.8	42.1	11.2	7.6	6.6	6.6	6.9
High school graduate\2	38.7	48.2	58.5	40.8	30.8	24.9	21.7
Some college credit, but no degree	21.1	6.8	21.1	24.0	22.6	19.8	17.4
Associate's degree\3	8.0	0.4	4.1	8.4	10.1	10.8	10.3
Bachelor's degree\4	13.0	*	4.0	13.6	17.3	19.2	19.4
Master's degree\5	6.2	*	0.3	3.8	9.0	12.7	15.5
Doctorate or professional degree\6	1.5	*	0.0	0.5	1.9	3.5	5.0
	Number						
All births	473,377	26,914	96,149	124,237	128,145	75,600	22,332
Not stated\7	5,978	301	938	1,444	1,708	1,216	371
Native Hawaiian or Other Pacific Islander:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12th grade or less with no diploma	20.7	52.3	24.5	19.0	15.4	16.6	23.6
8th grade or less	3.7	5.7	4.1	3.7	2.4	4.5	5.9
9th-12th grade, with no diploma	17.0	46.6	20.4	15.3	13.0	12.1	17.7
High school graduate\2	43.6	42.8	56.0	46.5	37.1	32.3	27.2
Some college credit, but no degree	19.3	4.5	14.7	20.1	22.8	22.8	24.1
Associate's degree\3	6.2	*	2.8	5.8	8.7	9.9	8.2
Bachelor's degree\4	7.7	*	1.9	7.4	11.5	12.6	12.3
Master's degree\5	2.1	*	*	1.2	3.9	4.8	3.3
Doctorate or professional degree\6	0.3	*	*	*	0.5	0.9	*
	Number						
All births	10,375	457	2,467	3,055	2,607	1,391	398
Not stated\7	287	15	56	70	91	47	8
White:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12th grade or less with no diploma	6.2	42.2	13.2	5.5	3.0	2.9	4.0
8th grade or less	1.6	3.7	2.8	1.6	1.0	1.2	1.9
9th-12th grade, with no diploma	4.6	38.5	10.3	3.9	2.0	1.8	2.1
High school graduate\2	21.5	48.6	47.1	24.1	13.2	10.6	11.3
Some college credit, but no degree	15.8	8.5	22.1	18.7	13.6	12.2	12.6
Associate's degree\3	9.1	0.7	7.6	11.2	9.1	8.3	8.2
Bachelor's degree\4	29.2	*	9.0	29.3	36.4	35.4	31.9
Master's degree\5	14.1	*	0.9	9.4	19.1	22.5	23.0
Doctorate or professional degree\6	4.2	*	0.1	1.9	5.6	8.1	9.1
	Number						
All births	1,783,156	43,849	257,486	497,706	593,646	320,734	69,735
Not stated\7	14,488	424	1,837	3,499	4,492	3,223	1,013

See footnotes at end of table.

Table 9. Educational attainment of mother, by age and race and Hispanic origin of mother: United States, 2024--Con.

Race and Hispanic origin of mother and educational attainment	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
Hispanic\9	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12th grade or less with no diploma	6.0	22.9	8.5	5.2	3.8	4.7	7.0
8th grade or less	2.2	5.3	2.8	2.0	1.6	2.2	3.7
9th-12th grade, with no diploma	3.8	17.7	5.7	3.2	2.3	2.5	3.2
High school graduate\2	9.4	16.4	17.3	10.3	6.2	5.2	5.6
Some college credit, but no degree	4.7	2.3	6.2	5.8	4.2	3.3	3.2
Associate's degree\3	1.9	0.2	1.6	2.4	2.0	1.8	1.7
Bachelor's degree\4	3.5	*	1.4	3.8	4.4	4.2	4.1
Master's degree\5	1.1	*	0.1	0.8	1.6	2.0	2.1
Doctorate or professional degree\6	0.3	*	0.0	0.2	0.4	0.6	0.7
	Number						
All births	984,092	58,485	216,365	283,198	253,011	136,132	36,901
Not stated\7	23,133	1,431	4,626	6,324	5,894	3,637	1,221

0.0 equals zero events in the numerator or percentage of less than 0.05%.

\1Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\2Includes GED.

\3Includes Associate in Arts and Associate in Science.

\4Includes Bachelor in Arts and Bachelor in Science.

\5Includes Master in Arts, Master in Science, Master of Engineering, Master of Education, Master of Social Work, and Master of Business Administration.

\6Includes Doctor of Philosophy, Doctor of Education, Doctor of Medicine, Doctor of Dental Surgery, Doctor of Veterinary Medicine, Doctor of Laws, and Juris Doctor.

\7No response reported for education attainment of mother item. See Technical Notes.

\8Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards; see Technical Notes. Single-race is defined as only one race reported on the birth certificate.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 10. Trimester prenatal care began, by age and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin of mother and trimester care began	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
All races and origins ¹	Percent						
First trimester	75.5	56.7	68.7	75.7	79.4	79.0	75.3
Second trimester	17.3	28.5	21.7	17.2	14.7	15.0	17.7
Late or no care	7.3	14.8	9.6	7.1	5.9	5.9	6.9
3rd trimester	4.8	9.9	6.5	4.8	3.9	3.9	4.7
No care	2.4	4.9	3.1	2.3	2.0	2.0	2.3
	Number						
Total	3,628,934	139,000	611,800	990,817	1,112,409	622,517	152,391
Not stated	69,789	3,228	12,543	18,321	20,423	11,988	3,286
Non-Hispanic, single race ²	Percent						
American Indian or Alaska Native:	Percent						
First trimester	64.0	51.4	62.8	66.8	66.4	63.6	*
Second trimester	23.1	30.4	24.1	21.6	21.7	22.6	*
Late or no care	12.9	18.2	13.1	11.6	11.9	13.8	*
3rd trimester	8.4	12.9	9.0	7.6	7.2	8.7	8.2
No care	4.5	5.3	4.1	4.0	4.7	5.1	5.5
	Number						
Total	24,021	1,799	6,029	6,807	5,776	2,967	643
Not stated	659	57	141	189	144	108	20
Asian:	Percent						
First trimester	80.8	*	66.4	76.4	82.6	83.3	80.7
Second trimester	13.9	*	23.3	16.9	12.5	12.2	14.6
Late or no care	5.3	*	10.4	6.7	4.9	4.4	4.8
3rd trimester	4.1	12.5	7.8	5.1	3.7	3.4	3.6
No care	1.3	6.2	2.6	1.5	1.2	1.1	1.2
	Number						
Total	226,860	899	9,126	41,742	93,782	64,989	16,322
Not stated	5,266	22	249	1,014	2,213	1,409	359
Black:	Percent						
First trimester	65.1	52.7	62.7	65.5	67.2	68.0	66.6
Second trimester	24.0	31.1	25.6	23.6	22.7	22.5	23.6
Late or no care	10.9	16.1	11.7	10.9	10.1	9.5	9.8
3rd trimester	6.8	10.0	7.2	6.8	6.3	6.0	6.4
No care	4.1	6.1	4.5	4.1	3.8	3.5	3.4
	Number						
Total	473,377	26,914	96,149	124,237	128,145	75,600	22,332
Not stated	11,004	656	2,218	2,869	2,986	1,708	567

See footnotes at end of table.

Table 10. Trimester prenatal care began, by age and race and Hispanic origin of mother: United States, 2024-- Con.

Race and Hispanic origin of mother and trimester care began	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
Native Hawaiian or Pacific Islander:	Percent						
First trimester	47.6	*	41.5	47.9	52.5	53.3	*
Second trimester	29.7	*	30.6	30.1	28.0	27.4	*
Late or no care	22.7	*	27.9	22.0	19.5	19.3	*
3rd trimester	15.3	*	18.7	15.0	12.9	12.9	*
No care	7.4	*	9.1	7.0	6.6	6.4	*
	Number						
Total	10,375	457	2,467	3,055	2,607	1,391	398
Not stated	414	16	124	121	86	50	17
White	Percent						
First trimester	82.1	67.5	76.2	82.3	84.8	83.9	80.4
Second trimester	13.0	23.1	17.3	13.0	11.1	11.7	13.9
Late or no care	4.8	9.3	6.5	4.7	4.1	4.4	5.6
3rd trimester	3.3	6.5	4.6	3.2	2.7	2.9	3.8
No care	1.6	2.8	1.9	1.5	1.4	1.5	1.8
	Number						
Total	1,783,156	43,849	257,486	497,706	593,646	320,734	69,735
Not stated	25,209	651	3,681	6,502	8,145	4,994	1,236
Hispanic\3	Percent						
First trimester	67.8	50.3	62.6	69.0	72.3	72.0	68.7
Second trimester	22.2	31.2	25.1	21.5	19.5	20.0	22.7
Late or no care	10.0	18.4	12.3	9.4	8.2	8.0	8.6
3rd trimester	6.7	12.4	8.3	6.3	5.4	5.3	5.8
No care	3.3	6.1	3.9	3.1	2.8	2.7	2.8
	Number						
Total	984,092	58,485	216,365	283,198	253,011	136,132	36,901
Not stated	22,838	1,649	5,319	6,536	5,585	2,935	814

*Estimate does not meet NCHS standards of reliability.

\1Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\2Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\3Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 11. Mother received WIC food for herself during this pregnancy and infant was being breastfed at discharge, by age and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin of mother and selected characteristic	All births	Characteristic reported	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
All races and origins\2	Number					Percent				Number
Mother received WIC food for herself during this pregnancy	3,628,934	1,150,117	32.1	64.1	51.0	33.5	23.4	21.7	23.9	42,954
Infant was being breastfed at discharge\3	3,226,859	2,718,505	85.0	74.1	80.9	85.3	87.2	87.2	86.4	29,900
Non-Hispanic, single race\4										
American Indian or Alaska Native:										
Mother received WIC food for herself during this pregnancy	24,021	11,468	48.4	63.5	56.0	45.9	42.3	43.0	39.9	318
Infant was being breastfed at discharge\3	22,836	17,246	76.5	71.3	75.1	78.6	76.4	78.2	74.2	281
Asian:										
Mother received WIC food for herself during this pregnancy	226,860	37,034	16.6	55.9	43.2	25.5	13.8	11.7	12.4	3,889
Infant was being breastfed at discharge\3	168,165	149,466	89.7	78.9	85.1	88.6	90.6	90.4	87.9	1,473
Black:										
Mother received WIC food for herself during this pregnancy	473,377	221,413	47.3	64.0	57.2	48.1	42.4	39.2	36.1	5,591
Infant was being breastfed at discharge\3	455,655	342,889	76.0	63.2	70.8	76.2	78.8	80.6	81.5	4,520
Native Hawaiian or Pacific Islander:										
Mother received WIC food for herself during this pregnancy	10,375	3,646	36.3	42.6	40.5	37.5	33.5	32.0	27.8	333
Infant was being breastfed at discharge\3	8,959	6,848	77.6	79.3	76.9	78.1	77.2	78.7	75.2	137
White:										
Mother received WIC food for herself during this pregnancy	1,783,156	346,425	19.6	61.8	40.7	20.6	12.2	10.9	12.2	16,430
Infant was being breastfed at discharge\3	1,680,750	1,436,656	86.3	72.5	81.4	86.5	88.2	88.1	87.6	15,736
Hispanic\5										
Mother received WIC food for herself during this pregnancy	984,092	491,095	50.4	66.3	60.9	50.5	43.1	41.9	44.5	9,904
Infant was being breastfed at discharge\3	787,780	681,147	87.1	81.5	85.8	87.6	88.6	88.2	87.1	5,793

\1No response reported for selected characteristic.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Excludes data for California which did not report if infant was being breastfed at discharge.

\4Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\5Includes all people of Hispanic origin of any race.

NOTE: WIC is Special Supplemental Nutrition Program for Women, Infants, and Children.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 12. External cephalic version, by age and race and Hispanic origin of mother: United States, 2024

[Rates are number of live births with specified obstetric procedure per 1,000 live births in specified group]

Race and Hispanic origin of mother	All births\1	Procedure reported	Age of mother							Not stated\2
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
	Number		per 1,000							Number
All races and origins\3										
External cephalic version	3,628,934	12,779	3.5	2.3	2.6	3.3	3.8	4.3	4.9	7,481
Percent successful\4	12,779	6,572	51.4	49.4	49.8	50.5	49.7	54.8	57.2	-
Non-Hispanic, single race\5										
American Indian or Alaska Native:										
External cephalic version	24,021	127	5.3	*	4.2	4.4	6.6	8.8	*	56
Percent successful\4	127	68	53.5	*	*	*	*	*	*	-
Asian:										
External cephalic version	226,860	672	3.0	*	3.1	2.4	2.8	3.4	3.7	345
Percent successful\4	672	334	49.7	*	*	44.0	48.9	49.3	65.6	-
Black:										
External cephalic version	473,377	1,173	2.5	2.3	2.1	2.5	2.5	2.6	3.8	1,011
Percent successful\4	1,173	711	60.6	61.9	62.9	59.2	62.6	58.6	56.5	-
Native Hawaiian or Alaska Native:										
External cephalic version	10,375	49	4.7	*	4.1	5.6	4.6	*	*	16
Percent successful\4	49	25	51.0	*	*	*	*	*	*	-
White:										
External cephalic version	1,783,156	7,918	4.4	2.8	3.3	4.0	4.7	5.4	6.2	2,959
Percent successful\4	7,918	3,965	50.1	46.8	47.3	48.6	48.1	54.1	60.4	-
Hispanic\6										
External cephalic version	984,092	2,341	2.4	2.1	1.9	2.3	2.5	2.9	3.4	2,053
Percent successful\4	2,341	1,209	51.6	45.0	47.6	51.6	51.3	60.9	44.4	-

- Quantity zero.

*Estimate does not meet National Center for Health Statistics standards of reliability.

\1Number for percent successful is women with an external cephalic version (ECV) in specified group.

\2No response reported for obstetric procedure item.

\3Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\4Percent successful ECV is the number of successful ECVs per 100 live births to women with an ECV in specified group.

\5Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\6Includes all people of Hispanic origin of any race.

NOTE: External cephalic version is attempted conversion of a fetus from a nonvertex to a vertex (head first) presentation by external manipulation.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 13. Characteristics of labor and delivery, by age and race and Hispanic origin of mother: United States, 2024

[Rates are number of live births with characteristic per 1,000 live births in specified group]

Race and Hispanic origin of mother and labor and delivery characteristic	All births	Characteristic reported	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
All races and origins\2	Number		per 1,000							Number
Induction of labor	3,628,934	1,229,728	339.1	379.2	367.1	347.8	324.0	316.5	335.1	2,107
Augmentation of labor	3,628,934	761,000	209.8	266.8	242.6	220.7	203.6	175.1	143.0	2,107
Steroids (glucocorticoids) for fetal lung maturation	3,628,934	131,053	36.1	40.3	35.5	34.7	34.6	38.2	47.0	2,107
Antibiotics received by mother during labor	3,628,934	893,135	246.3	258.7	247.6	239.5	243.0	252.8	271.1	2,107
Clinical chorioamnionitis during labor	3,628,934	66,088	18.2	26.1	22.3	18.8	17.3	14.5	13.1	2,107
Epidural or spinal anesthesia during labor	3,628,934	2,833,607	781.3	821.3	795.0	779.9	778.9	769.8	763.8	2,107
Non-Hispanic, single race\3										
American Indian or Alaska Native:										
Induction of labor	24,021	8,628	359.5	356.0	373.1	368.7	347.2	334.7	370.1	21
Augmentation of labor	24,021	5,201	216.7	287.5	246.3	217.5	193.2	168.4	168.0	21
Steroids (glucocorticoids) for fetal lung maturation	24,021	1,132	47.2	42.3	46.6	45.4	45.4	54.3	66.9	21
Antibiotics received by mother during labor	24,021	6,522	271.8	261.8	272.7	266.9	265.2	289.5	318.8	21
Clinical chorioamnionitis during labor	24,021	354	14.8	18.4	20.1	14.1	12.0	9.8	*	21
Epidural or spinal anesthesia during labor	24,021	16,767	698.6	744.8	719.7	691.9	683.6	673.4	693.6	21
Asian:										
Induction of labor	226,860	72,245	318.6	307.7	318.4	335.6	317.7	307.1	326.0	75
Augmentation of labor	226,860	54,607	240.8	299.9	296.8	280.6	252.9	209.0	161.5	75
Steroids (glucocorticoids) for fetal lung maturation	226,860	6,715	29.6	54.6	26.6	26.1	27.4	30.7	47.3	75
Antibiotics received by mother during labor	226,860	59,762	263.5	270.9	247.3	249.6	258.1	272.1	304.5	75
Clinical chorioamnionitis during labor	226,860	8,639	38.1	33.4	42.5	43.9	41.7	31.4	27.0	75
Epidural or spinal anesthesia during labor	226,860	185,455	817.8	782.6	763.5	810.3	827.9	816.6	815.5	75
Black:										
Induction of labor	473,377	155,429	328.5	394.4	365.4	329.6	303.7	301.6	316.7	168
Augmentation of labor	473,377	88,866	187.8	239.5	223.7	197.6	174.2	149.3	124.4	168
Steroids (glucocorticoids) for fetal lung maturation	473,377	24,344	51.4	49.8	47.7	48.6	51.5	57.4	64.6	168
Antibiotics received by mother during labor	473,377	131,698	278.3	320.2	297.6	274.3	266.0	267.4	274.5	168
Clinical chorioamnionitis during labor	473,377	7,728	16.3	21.7	20.3	17.7	14.3	12.4	10.1	168
Epidural or spinal anesthesia during labor	473,377	367,592	776.8	829.5	802.9	774.0	762.2	758.4	762.7	168
Native Hawaiian or Pacific Islander:										
Induction of labor	10,375	2,845	274.4	275.7	263.7	269.2	270.0	290.9	350.1	7
Augmentation of labor	10,375	2,455	236.8	304.2	279.9	247.3	214.8	172.8	178.8	7
Steroids (glucocorticoids) for fetal lung maturation	10,375	346	33.4	32.8	25.6	26.2	41.4	46.1	40.3	7
Antibiotics received by mother during labor	10,375	3,368	324.8	247.3	316.0	310.8	341.8	347.0	387.9	7
Clinical chorioamnionitis during labor	10,375	186	17.9	28.4	23.5	16.0	16.9	13.7	*	7
Epidural or spinal anesthesia during labor	10,375	6,807	656.5	667.4	647.1	648.9	660.5	677.5	662.5	7
White:										
Induction of labor	1,783,156	650,921	365.2	444.4	405.5	380.1	347.0	335.7	351.6	922
Augmentation of labor	1,783,156	368,308	206.7	255.1	232.6	219.1	205.2	176.3	143.6	922
Steroids (glucocorticoids) for fetal lung maturation	1,783,156	63,124	35.4	46.0	37.5	35.2	33.0	35.6	42.7	922
Antibiotics received by mother during labor	1,783,156	419,268	235.2	246.6	233.0	229.8	232.8	243.2	259.4	922
Clinical chorioamnionitis during labor	1,783,156	22,551	12.7	13.5	13.1	13.5	12.8	11.0	10.6	922
Epidural or spinal anesthesia during labor	1,783,156	1,397,232	784.0	844.5	798.6	786.3	782.8	768.7	754.7	922

See footnotes at end of table.

Table 13. Characteristics of labor and delivery, by age and race and Hispanic origin of mother: United States, 2024--Con.

[Rates are number of live births with characteristic per 1,000 live births in specified group]

Race and Hispanic origin of mother and labor and delivery characteristic	All births	Characteristic reported	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
Hispanic\4	Number		per 1,000							Number
Induction of labor	984,092	296,542	301.5	322.6	324.1	301.8	284.0	284.1	316.2	469
Augmentation of labor	984,092	213,986	217.5	286.7	259.5	224.4	195.2	169.0	141.9	469
Steroids (glucocorticoids) for fetal lung maturation	984,092	30,490	31.0	30.7	27.6	28.7	31.9	36.3	43.4	469
Antibiotics received by mother during labor	984,092	238,885	242.9	235.5	239.2	235.9	245.6	253.7	270.8	469
Clinical chorioamnionitis during labor	984,092	23,894	24.3	38.2	33.3	24.9	19.4	15.0	12.4	469
Epidural or spinal anesthesia during labor	984,092	762,154	774.8	802.9	792.0	771.8	766.3	761.6	761.1	469

*Estimate does not meet National Center for Health Statistics standards of reliability.

\1No response reported for selected characteristic.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\4Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 14. Births, by attendant, place of delivery, and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin of mother and place of delivery	Physician				Midwife				Unspecified
	All births	Total	Doctor of medicine	Doctor of osteopathy	Total	Certified nurse midwife/Certified		Other	
						midwife	Other midwife		
All races and origins\1									
Total	3,628,934	3,101,567	2,725,046	376,521	483,889	434,811	49,078	40,398	3,080
In hospital\2	3,542,878	3,098,649	2,722,443	376,206	417,216	409,683	7,533	25,230	1,783
Not in hospital	85,784	2,824	2,517	307	66,584	25,086	41,498	15,109	1,267
Freestanding birthing center	22,635	328	321	*	20,829	11,187	9,642	1,445	33
Clinic or doctor's office	358	41	35	*	281	228	53	31	5
Residence	58,626	1,806	1,611	195	43,766	13,219	30,547	12,176	878
Other	4,165	649	550	99	1,708	452	1,256	1,457	351
Not specified	272	94	86	8	89	42	47	59	30
Non-Hispanic, single race\3									
American Indian or Alaska Native:									
Total	24,021	18,697	15,670	3,027	4,792	4,601	191	506	26
In hospital\2	23,658	18,675	15,651	3,024	4,605	4,546	59	373	5
Not in hospital	356	20	17	*	185	55	130	132	19
Freestanding birthing center	86	*	*	*	71	20	51	15	-
Clinic or doctor's office	14	*	*	*	*	*	*	10	-
Residence	213	*	*	*	106	31	75	86	13
Other	43	10	*	*	*	*	*	21	6
Not specified	7	2	2	-	2	-	2	1	2
Asian:									
Total	226,860	202,792	183,184	19,608	22,495	21,603	892	1,465	108
In hospital\2	225,466	202,704	183,112	19,592	21,516	21,238	278	1,172	74
Not in hospital	1,388	86	70	16	975	363	612	293	34
Freestanding birthing center	431	*	*	*	387	179	208	36	-
Clinic or doctor's office	*	*	*	*	*	*	*	*	-
Residence	868	57	43	14	576	177	399	213	22
Other	88	21	20	*	12	*	*	43	12
Not specified	6	2	2	-	4	2	2	-	-
Black:									
Total	473,377	414,901	376,236	38,665	52,908	50,405	2,503	5,031	537
In hospital\2	467,689	414,210	375,611	38,599	49,898	48,967	931	3,288	293
Not in hospital	5,642	670	604	66	3,001	1,434	1,567	1,735	236
Freestanding birthing center	1,456	18	18	*	1,344	826	518	77	17
Clinic or doctor's office	14	*	*	*	*	*	*	*	-
Residence	3,728	519	468	51	1,584	575	1,009	1,459	166
Other	444	124	110	14	69	31	38	198	53
Not specified	46	21	21	-	9	4	5	8	8
Native Hawaiian or Pacific Islander:									
Total	10,375	9,043	7,986	1,057	1,201	1,129	72	118	13
In hospital\2	10,263	9,036	7,980	1,056	1,139	1,110	29	82	6
Not in hospital	112	*	*	*	62	19	43	36	7
Freestanding birthing center	22	*	*	*	21	*	16	*	-
Clinic or doctor's office	*	*	*	*	*	*	*	*	-
Residence	77	*	*	*	41	14	27	29	6
Other	13	*	*	*	*	*	*	*	1
Not specified	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 14. Births, by attendant, place of delivery, and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin of mother and place of delivery	All births	Physician				Midwife			
		Total	Doctor of medicine	Doctor of osteopathy	Total	Certified nurse midwife/Certified midwife	Other midwife	Other	Unspecified
White:									
Total	1,783,156	1,494,598	1,285,298	209,300	265,962	228,884	37,078	21,337	1,259
In hospital ¹	1,718,333	1,493,170	1,284,037	209,133	213,046	209,128	3,918	11,438	679
Not in hospital	64,680	1,391	1,229	162	52,856	19,730	33,126	9,866	567
Freestanding birthing center	16,891	285	279	*	15,503	8,514	6,989	1,090	13
Clinic or doctor's office	300	19	17	*	262	216	46	16	3
Residence	44,829	786	695	91	35,606	10,661	24,945	8,040	397
Other	2,660	301	238	63	1,485	339	1,146	720	154
Not specified	143	37	32	5	60	26	34	33	13
Hispanic ⁴									
Total	984,092	856,993	766,066	90,927	116,299	110,217	6,082	9,886	914
In hospital ¹	975,009	856,465	765,587	90,878	109,943	107,897	2,046	7,980	621
Not in hospital	9,032	501	455	46	6,347	2,312	4,035	1,892	292
Freestanding birthing center	2,696	13	13	*	2,518	1,158	1,360	163	2
Clinic or doctor's office	16	*	*	*	*	*	*	*	-
Residence	5,696	340	312	28	3,725	1,098	2,627	1,437	194
Other	624	140	124	16	98	52	46	290	96
Not specified	51	27	24	3	9	8	1	14	1

* Estimate does not meet NCHS standards of reliability.

- Quantity zero.

¹Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

²Includes births occurring en route to or on arrival at hospital.

³Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

⁴Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 15. Births occurring at home, by state: United States and each state, 2024

[By place of residence]

Area	Number	Percent
United States	58,626	1.6
Alabama	570	1.0
Alaska	262	2.9
Arizona	1,311	1.7
Arkansas	587	1.7
California	3,823	1.0
Colorado	1,362	2.1
Connecticut	256	0.7
Delaware	124	1.2
District of Columbia	46	0.6
Florida	3,110	1.4
Georgia	1,453	1.1
Hawaii	443	3.0
Idaho	1,114	4.8
Illinois	1,233	1.0
Indiana	1,678	2.1
Iowa	858	2.4
Kansas	796	2.3
Kentucky	1,169	2.2
Louisiana	201	0.4
Maine	330	2.8
Maryland	874	1.3
Massachusetts	557	0.8
Michigan	1,983	2.0
Minnesota	1,161	1.9
Mississippi	270	0.8
Missouri	1,722	2.5
Montana	502	4.4
Nebraska	162	0.7
Nevada	630	1.9
New Hampshire	286	2.4
New Jersey	524	0.5
New Mexico	366	1.7
New York	3,106	1.5
North Carolina	1,347	1.1
North Dakota	195	2.0
Ohio	2,437	1.9
Oklahoma	673	1.4
Oregon	1,051	2.7
Pennsylvania	4,553	3.6
Rhode Island	60	0.6
South Carolina	950	1.6
South Dakota	266	2.3
Tennessee	1,797	2.1
Texas	4,530	1.2
Utah	1,456	3.1
Vermont	150	3.0
Virginia	1,531	1.6
Washington	2,029	2.4
West Virginia	261	1.5
Wisconsin	2,261	3.8
Wyoming	210	3.4

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 16. Total cesarean delivery and low-risk cesarean delivery, by race and Hispanic origin of mother: United States, each state and territory, 2024

[By place of residence]

Area	Total cesarean delivery						
	All races and origins ²	Non-Hispanic, single race ¹					Hispanic ³
		American Indian and Alaska Native	Asian	Black	Native Hawaiian or Other Pacific Islander	White	
	Percent ⁴						
United States ⁵	32.4	29.8	34.4	37.5	33.1	31.0	32.1
Alabama	34.7	40.9	35.4	39.8	38.5	34.1	27.4
Alaska	23.2	14.0	26.9	39.9	27.0	24.9	24.5
Arizona	29.5	26.0	35.3	35.4	39.6	28.7	29.3
Arkansas	34.0	34.4	34.5	40.1	32.6	33.3	30.3
California	31.8	33.8	32.3	37.8	32.5	31.2	31.5
Colorado	27.9	30.1	33.1	34.5	30.9	27.2	27.5
Connecticut	35.8	*	38.3	40.3	*	35.3	34.7
Delaware	33.5	*	31.2	35.8	*	34.0	31.9
District of Columbia	36.3	*	36.5	37.4	*	36.2	33.7
Florida	36.3	31.4	36.6	38.8	31.8	33.6	38.1
Georgia	34.9	30.4	38.5	38.1	33.3	34.0	31.3
Hawaii	27.0	*	30.9	30.9	30.6	23.5	25.7
Idaho	24.5	29.5	29.2	34.5	25.4	23.5	27.6
Illinois	30.8	35.2	31.7	34.0	*	30.4	29.6
Indiana	31.0	37.7	35.2	35.5	39.7	30.1	30.1
Iowa	29.9	22.2	36.6	34.1	33.4	29.3	29.1
Kansas	30.1	32.9	33.0	34.8	32.7	29.7	29.1
Kentucky	34.5	*	40.0	37.3	33.6	34.3	32.1
Louisiana	36.1	38.2	33.3	38.0	*	36.0	31.9
Maine	30.9	41.7	33.9	34.9	*	30.5	33.3
Maryland	35.6	43.0	37.5	42.0	*	33.2	31.4
Massachusetts	34.0	46.0	31.7	39.2	*	33.2	34.4
Michigan	32.7	34.0	37.7	34.8	27.5	31.9	32.4
Minnesota	30.2	31.4	26.7	36.0	45.9	29.6	29.7
Mississippi	37.9	46.2	34.9	40.9	*	37.0	29.2
Missouri	30.5	36.3	34.4	33.4	37.1	29.9	28.6
Montana	26.1	27.9	28.1	36.4	*	25.6	28.6
Nebraska	29.7	28.9	31.6	31.9	34.8	30.2	27.6
Nevada	32.9	40.0	35.6	38.9	32.2	31.6	31.6
New Hampshire	31.2	*	36.2	37.3	*	30.5	34.2
New Jersey	32.9	33.3	36.2	37.3	*	30.1	34.1
New Mexico	28.5	27.3	39.0	37.0	*	27.4	28.6
New York	33.8	44.8	36.5	39.9	30.0	31.0	35.3
North Carolina	30.8	31.8	33.4	34.5	31.7	30.4	27.5
North Dakota	27.0	31.8	35.5	35.1	29.3	25.4	28.9
Ohio	32.1	22.9	36.4	36.0	36.6	31.3	30.0
Oklahoma	32.6	34.2	34.4	37.5	31.9	32.2	30.9
Oregon	29.5	30.9	34.2	33.2	36.9	28.7	29.6
Pennsylvania	31.2	33.1	34.0	33.9	26.8	30.3	32.1
Rhode Island	33.9	*	29.3	37.6	*	35.2	31.4
South Carolina	32.5	30.3	32.8	36.5	36.7	31.6	30.0
South Dakota	24.8	24.5	30.1	32.4	*	24.1	26.1
Tennessee	31.8	33.7	36.6	35.5	38.1	31.6	28.1
Texas	34.5	33.4	37.9	40.0	30.3	32.6	34.1
Utah	24.7	27.4	30.4	30.4	29.5	23.0	28.5
Vermont	26.3	*	27.8	32.9	*	25.8	31.5
Virginia	32.1	28.2	34.5	37.6	42.0	30.8	29.5
Washington	30.5	29.7	35.9	37.5	36.9	28.7	29.9
West Virginia	35.1	*	35.4	40.6	*	35.1	30.7
Wisconsin	27.5	31.7	26.0	29.3	*	27.3	27.9
Wyoming	27.4	29.5	32.3	28.6	*	27.2	29.2
Puerto Rico	49.8	*	*	46.9	*	46.6	49.9
Virgin Islands	39.6	*	*	39.7	*	28.6	42.7
Guam	29.9	*	37.0	*	26.7	27.6	*
American Samoa	36.9	---	---	---	---	---	---
Northern Marianas	27.8	*	25.8	*	29.9	*	*

See footnotes at end of table.

Table 16. Total cesarean delivery and low-risk cesarean delivery, by race and Hispanic origin of mother: United States, each state and territory, 2024--Con.

[By place of residence]

Area	Low-risk cesarean delivery						
	Non-Hispanic, single race ¹						
	All races and origins ²	American Indian and Alaska Native	Asian	Black	Native Hawaiian or Other Pacific Islander	White	Hispanic ³
	Percent ⁶						
United States ⁵	26.6	24.1	30.1	31.5	29.0	25.5	25.9
Alabama	28.0	32.6	29.5	32.5	*	27.4	22.4
Alaska	19.7	8.5	24.1	31.9	21.4	20.2	22.7
Arizona	24.2	22.4	30.2	33.4	31.5	23.4	23.7
Arkansas	27.9	32.1	33.4	34.0	37.0	26.7	25.8
California	26.2	26.0	27.9	31.6	25.1	25.8	25.4
Colorado	22.6	20.5	29.2	30.5	35.3	21.9	21.9
Connecticut	30.6	*	33.1	35.1	*	30.5	28.3
Delaware	28.0	*	31.4	30.1	*	27.9	26.9
District of Columbia	31.6	*	32.8	34.1	*	30.3	29.4
Florida	30.1	14.7	31.9	31.3	23.5	27.9	32.0
Georgia	28.2	27.7	33.1	31.4	*	27.2	24.9
Hawaii	23.1	*	27.2	32.0	25.3	19.4	21.6
Idaho	20.1	20.6	31.0	25.0	*	19.1	22.9
Illinois	24.3	*	26.3	26.9	*	23.9	23.3
Indiana	24.9	*	32.5	28.4	*	24.2	23.3
Iowa	23.3	*	30.1	30.3	30.4	22.9	19.9
Kansas	24.2	29.8	30.5	25.9	*	23.9	22.8
Kentucky	26.5	*	32.4	29.2	*	26.1	25.4
Louisiana	28.9	31.1	27.7	30.5	*	29.2	23.8
Maine	24.6	*	26.9	32.0	*	24.1	30.1
Maryland	30.7	*	32.9	37.6	*	28.6	25.6
Massachusetts	28.4	*	27.7	34.6	*	28.1	27.4
Michigan	27.4	23.4	33.7	29.3	*	26.6	26.8
Minnesota	26.8	27.3	30.0	37.6	*	25.4	24.7
Mississippi	29.7	41.4	33.1	32.2	*	29.0	21.3
Missouri	24.5	28.3	29.4	28.0	37.3	23.6	24.4
Montana	21.1	18.1	*	*	*	20.9	25.7
Nebraska	24.5	25.0	33.6	27.5	*	24.3	23.0
Nevada	27.7	33.3	31.0	33.1	30.3	26.5	26.4
New Hampshire	26.6	*	30.4	29.4	*	26.3	26.8
New Jersey	26.7	*	30.1	30.1	*	26.0	24.9
New Mexico	24.1	24.5	35.7	28.0	*	24.5	23.6
New York	29.2	40.0	31.3	35.1	*	27.9	27.9
North Carolina	24.9	26.4	29.1	29.8	*	23.9	21.9
North Dakota	20.2	20.6	38.1	28.5	*	17.9	22.1
Ohio	26.5	*	31.6	30.6	*	25.7	25.2
Oklahoma	25.4	26.5	33.9	30.2	30.4	24.8	24.1
Oregon	25.1	29.8	31.3	34.0	36.9	23.9	25.4
Pennsylvania	26.0	*	30.0	29.3	*	25.6	23.8
Rhode Island	28.5	*	27.1	34.8	*	30.0	24.2
South Carolina	25.6	27.7	28.7	28.7	*	24.9	23.8
South Dakota	17.9	16.8	27.7	19.5	*	17.6	18.8
Tennessee	25.7	*	32.6	29.3	*	25.5	21.8
Texas	27.9	28.7	32.8	33.0	26.4	26.2	27.1
Utah	20.6	22.7	26.1	28.9	29.0	18.7	24.6
Vermont	20.6	*	21.6	26.5	*	20.4	19.3
Virginia	26.1	29.3	29.7	31.8	*	24.6	23.4
Washington	26.3	24.5	32.0	35.8	30.0	24.3	24.9
West Virginia	29.4	*	22.4	28.3	*	29.6	29.2
Wisconsin	22.7	23.5	27.9	26.6	*	22.1	21.8
Wyoming	20.8	19.3	*	*	*	21.1	21.2
Puerto Rico	47.1	*	*	*	*	40.0	47.2
Virgin Islands	33.1	*	*	33.3	*	*	33.3
Guam	30.6	*	37.3	*	26.7	21.3	*
American Samoa	37.5	---	---	---	---	---	---
Northern Marianas	21.8	*	13.6	*	31.2	*	*

* Estimate does not meet National Center for Health Statistics standards of reliability.

--- Data not available.

\1Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\2Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\3Includes all people of Hispanic origin of any race.

\4Percent of all live births by cesarean delivery.

\5Low-risk cesarean rate is the number of singleton, term (37 or more weeks of gestation based on the obstetric estimate), cephalic (head first), cesarean deliveries to women having a first birth per 100 women delivering singleton, term, cephalic, first births.

\6Excludes data for the territories.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 17. Fetal presentation and final route and method of delivery, by age and race and Hispanic origin of mother: United States, 2024

[Percentages are number of live births with specified method of delivery per 100 live births in specified group]

Race and Hispanic origin of mother and method of delivery	All births\1	Method reported	Age of mother							Not stated\2
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
All races and origins\3	Number		Rate per 100							Number
Fetal presentation at birth										
Cephalic	3,628,934	3,429,323	94.8	96.4	96.1	95.3	94.4	93.6	92.1	10,256
Breech	3,628,934	158,457	4.4	2.8	3.1	3.9	4.7	5.5	6.8	10,256
Other	3,628,934	30,898	0.9	0.8	0.8	0.8	0.8	1.0	1.1	10,256
Final route and method of delivery										
Vaginal, spontaneous	3,628,934	2,353,598	64.9	76.9	72.3	67.7	63.2	57.4	49.9	5,024
Vaginal, forceps	3,628,934	14,946	0.4	0.5	0.4	0.4	0.4	0.4	0.4	5,024
Vaginal, vacuum	3,628,934	81,975	2.3	3.6	2.6	2.2	2.2	2.0	1.8	5,024
Cesarean	3,628,934	1,173,391	32.4	18.9	24.8	29.7	34.1	40.2	47.9	5,024
Cesarean, trial of labor attempted\4	1,173,391	327,239	28.1	49.4	38.5	31.0	25.8	22.0	20.8	10,765
Non-Hispanic, single race\5										
American Indian or Alaska Native:										
Fetal presentation at birth										
Cephalic	24,021	22,674	94.7	97.1	96.2	95.6	93.3	92.0	89.4	76
Breech	24,021	1,043	4.4	2.3	3.2	3.3	5.6	6.8	9.2	76
Other	24,021	228	1.0	0.6	0.6	1.1	1.1	1.2	*	76
Final route and method of delivery										
Vaginal, spontaneous	24,021	16,361	68.2	78.8	73.7	69.9	63.7	58.7	*	14
Vaginal, forceps	24,021	66	0.3	*	0.3	0.3	0.2	0.3	*	14
Vaginal, vacuum	24,021	415	1.7	4.6	2.0	1.2	1.3	1.5	*	14
Cesarean	24,021	7,165	29.8	16.3	23.9	28.6	34.8	39.4	*	14
Cesarean, trial of labor attempted\4	7,165	2,115	29.8	*	40.3	31.7	22.6	21.2	*	73
Asian:										
Fetal presentation at birth										
Cephalic	226,860	214,429	94.7	96.6	96.4	95.6	95.0	94.1	92.3	492
Breech	226,860	10,027	4.4	2.7	3.0	3.6	4.2	5.0	6.7	492
Other	226,860	1,912	0.8	*	0.6	0.7	0.9	0.9	1.0	492
Final route and method of delivery										
Vaginal, spontaneous	226,860	137,920	60.8	*	73.7	66.9	62.6	56.0	46.2	183
Vaginal, forceps	226,860	1,487	0.7	*	0.7	0.8	0.7	0.6	0.6	183
Vaginal, vacuum	226,860	9,302	4.1	4.0	4.2	4.6	4.4	3.6	3.2	183
Cesarean	226,860	77,968	34.4	16.4	21.4	27.7	32.3	39.8	50.0	183
Cesarean, trial of labor attempted\4	77,968	23,071	29.9	*	43.6	39.7	32.3	24.4	21.1	913
Black:										
Fetal presentation at birth										
Cephalic	473,377	447,815	94.9	96.3	96.2	95.4	94.7	93.5	91.3	1,623
Breech	473,377	18,966	4.0	2.5	2.8	3.6	4.3	5.4	7.4	1,623
Other	473,377	4,973	1.1	1.2	1.0	1.0	1.0	1.1	1.2	1,623
Final route and method of delivery										
Vaginal, spontaneous	473,377	284,786	60.3	74.3	68.2	62.6	57.3	51.4	43.5	808
Vaginal, forceps	473,377	1,445	0.3	0.4	0.4	0.3	0.3	0.3	0.2	808
Vaginal, vacuum	473,377	9,200	1.9	3.7	2.5	1.9	1.6	1.4	1.3	808
Cesarean	473,377	177,138	37.5	21.6	28.9	35.2	40.8	46.9	55.0	808
Cesarean, trial of labor attempted\4	177,138	52,550	29.9	52.2	41.5	32.6	26.1	22.4	21.9	1,547

See footnotes at end of table.

Table 17. Fetal presentation and final route and method of delivery, by age and race and Hispanic origin of mother: United States, 2024

[Percentages are number of live births with specified method of delivery per 100 live births in specified group]

Race and Hispanic origin of mother and method of delivery	All births\1	Method reported	Age of mother							Not stated\2
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
Native Hawaiian or Other Pacific Islander:	Number		Rate per 100							Number
Fetal presentation at birth										
Cephalic	10,375	9,733	93.9	93.9	95.5	95.0	92.9	91.4	*	13
Breech	10,375	531	5.1	5.0	3.6	4.2	6.1	7.3	*	13
Other	10,375	98	0.9	*	0.9	0.8	1.0	1.3	*	13
Final route and method of delivery										
Vaginal, spontaneous	10,375	6,632	63.9	*	69.0	67.5	59.3	55.3	*	4
Vaginal, forceps	10,375	59	0.6	*	0.9	0.5	*	*	*	4
Vaginal, vacuum	10,375	246	2.4	4.2	3.0	2.1	2.1	2.2	*	4
Cesarean	10,375	3,434	33.1	*	27.1	29.9	38.3	42.2	*	4
Cesarean, trial of labor attempted\4	3,434	1,046	30.9	*	41.4	33.3	25.9	*	*	49
White:										
Fetal presentation at birth										
Cephalic	1,783,156	1,677,781	94.4	95.9	95.6	94.8	94.1	93.3	92.3	4,967
Breech	1,783,156	85,041	4.8	3.3	3.6	4.4	5.1	5.7	6.6	4,967
Other	1,783,156	15,367	0.9	0.8	0.8	0.8	0.9	0.9	1.1	4,967
Final route and method of delivery										
Vaginal, spontaneous	1,783,156	1,179,424	66.2	75.9	73.1	69.2	65.2	59.7	52.8	2,135
Vaginal, forceps	1,783,156	8,076	0.5	0.5	0.4	0.5	0.5	0.4	0.4	2,135
Vaginal, vacuum	1,783,156	40,787	2.3	3.9	2.7	2.3	2.2	1.9	1.8	2,135
Cesarean	1,783,156	552,734	31.0	19.6	23.7	28.1	32.2	38.0	45.0	2,135
Cesarean, trial of labor attempted\4	552,734	156,418	28.5	51.3	38.8	32.3	26.5	22.5	21.5	4,296
Hispanic\6										
Fetal presentation at birth										
Cephalic	984,092	937,485	95.5	96.8	96.5	95.9	95.0	93.9	92.4	1,947
Breech	984,092	37,387	3.8	2.5	2.8	3.4	4.2	5.2	6.6	1,947
Other	984,092	7,273	0.7	0.7	0.7	0.7	0.7	0.9	1.0	1,947
Final route and method of delivery										
Vaginal, spontaneous	984,092	644,633	65.6	78.8	73.0	67.3	61.8	56.0	49.4	1,046
Vaginal, forceps	984,092	3,248	0.3	0.5	0.3	0.3	0.3	0.3	0.3	1,046
Vaginal, vacuum	984,092	19,148	1.9	3.3	2.3	1.9	1.7	1.5	1.5	1,046
Cesarean	984,092	316,017	32.1	17.3	24.4	30.5	36.2	42.2	48.9	1,046
Cesarean, trial of labor attempted\4	316,017	80,375	25.7	45.7	35.9	26.9	22.1	19.1	18.5	3,458

* Estimate does not meet NCHS standards of reliability.

\1Total for vaginal birth after cesarean delivery is the number of births to women delivering after a previous cesarean. Total for primary cesarean is the number of births to women delivering without a previous cesarean. Total for cesarean, trial of labor is the number of women delivering by cesarean after attempting vaginal delivery.

\2No response reported for selected characteristic.

\3Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\4Cesarean/trial of labor attempted is number of women who attempted a trial of labor prior to cesarean delivery per 100 cesarean births.

\5Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\6Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 18. Births, by method of delivery by age and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin and age of mother	All births	Vaginal		Cesarean		Not stated	Cesarean			Vaginal birth after previous cesarean delivery ⁷	
		Total ¹	After previous cesarean	Total ²	Primary		Low-risk ³	Total ⁴	Primary ⁵		Low-risk ⁶
All races and origins ⁸		Number					Percent				
All ages	3,628,934	2,450,519	86,761	1,173,391	700,544	328,215	5,024	32.4	22.9	26.6	15.5
Younger than 20	139,000	112,512	450	26,305	24,005	15,832	183	18.9	17.7	15.1	16.6
20-24	611,800	459,683	7,967	151,195	110,597	64,333	922	24.8	19.7	20.5	16.5
25-29	990,817	695,642	22,404	293,847	183,323	90,954	1,328	29.7	21.4	25.8	16.9
30-34	1,112,409	731,741	31,346	379,238	214,409	93,918	1,430	34.1	23.5	30.3	16.0
35-39	622,517	371,716	19,843	249,914	129,121	49,324	887	40.2	26.9	39.3	14.1
40-54	152,391	79,225	4,751	72,892	39,089	13,854	274	47.9	34.5	52.2	12.3
Non-Hispanic, single race ⁹											
American Indian or Alaska Native:											
All ages	24,021	16,842	559	7,165	4,019	1,643	14	29.8	19.9	24.1	15.1
Younger than 20	1,799	1,505	*	294	266	182	-	16.3	15.1	13.4	*
20-24	6,029	4,584	73	1,443	995	565	2	23.9	18.1	20.7	14.1
25-29	6,807	4,855	156	1,946	1,085	468	6	28.6	18.8	28.5	15.4
30-34	5,776	3,762	183	2,011	983	277	3	34.8	21.6	37.4	15.1
35-39	2,967	1,795	113	1,169	546	125	3	39.4	24.6	42.7	15.4
40-54	643	341	31	302	144	26	-	47.0	31.8	55.3	16.4
Asian:											
All ages	226,860	148,709	5,058	77,968	49,945	27,925	183	34.4	25.8	30.1	15.3
Younger than 20	899	752	*	147	135	90	-	16.4	15.4	13.3	*
20-24	9,126	7,155	130	1,952	1,557	1,039	19	21.4	18.2	18.8	24.8
25-29	41,742	30,138	796	11,565	8,719	5,620	39	27.7	22.9	25.1	21.9
30-34	93,782	63,446	1,974	30,266	20,340	11,927	70	32.3	24.9	28.7	16.6
35-39	64,989	39,071	1,753	25,879	14,556	7,151	39	39.8	28.1	38.2	13.4
40-54	16,322	8,147	401	8,159	4,638	2,098	16	50.0	37.5	52.7	10.2
Black:											
All ages	473,377	295,431	13,044	177,138	103,876	44,938	808	37.5	26.9	31.5	15.1
Younger than 20	26,914	21,080	86	5,799	5,306	3,400	35	21.6	20.2	17.2	15.2
20-24	96,149	68,251	1,425	27,746	20,564	11,964	152	28.9	23.6	25.3	16.6
25-29	124,237	80,322	3,461	43,693	26,358	12,138	222	35.2	25.6	33.2	16.7
30-34	128,145	75,721	4,557	52,205	27,247	10,056	219	40.8	27.7	40.3	15.5
35-39	75,600	40,029	2,773	35,424	17,691	5,463	147	46.9	32.2	49.0	13.5
40-54	22,332	10,028	742	12,271	6,710	1,917	33	55.0	42.0	61.9	11.8
Native Hawaiian or Pacific Islander:											
All ages	10,375	6,937	476	3,434	1,903	719	4	33.1	22.8	29.0	23.8
Younger than 20	457	367	*	90	82	49	-	19.7	18.5	15.4	*
20-24	2,467	1,798	63	669	479	268	-	27.1	21.7	26.3	25.3
25-29	3,055	2,142	159	912	479	192	1	29.9	19.5	30.6	26.9
30-34	2,607	1,608	146	998	501	141	1	38.3	25.6	38.2	22.7
35-39	1,391	804	82	586	263	52	1	42.2	26.7	44.1	20.3
40-54	398	218	24	179	99	17	1	45.1	33.8	*	23.5
White:											
All ages	1,783,156	1,228,287	40,015	552,734	338,234	156,845	2,135	31.0	22.2	25.5	15.8
Younger than 20	43,849	35,188	93	8,593	7,962	5,171	68	19.6	18.5	15.5	12.9
20-24	257,486	196,214	2,656	60,934	45,291	25,052	338	23.7	19.0	18.7	14.6
25-29	497,706	357,676	9,526	139,442	91,376	45,046	588	28.1	20.8	23.6	16.6
30-34	593,646	402,194	15,553	190,806	112,194	49,424	646	32.2	22.5	28.2	16.5
35-39	320,734	198,722	9,919	121,641	64,399	25,474	371	38.0	25.5	37.1	14.8
40-54	69,735	38,293	2,268	31,318	17,012	6,678	124	45.0	32.1	49.3	13.7

See footnotes at end of table.

Table 18. Births, by method of delivery by age and race and Hispanic origin of mother: United States, 2024--Con.

Race and Hispanic origin and age of mother	All births	Vaginal		Cesarean			Not stated	Cesarean			Vaginal birth after previous cesarean delivery ⁷
		Total ¹	After previous cesarean	Total ²	Primary	Low-risk ³		Total ⁴	Primary ⁵	Low-risk ⁶	
Hispanic ¹⁰		Number						Percent			
All ages	984,092	667,029	24,553	316,017	178,669	84,817	1,046	32.1	21.8	25.9	15.2
Younger than 20	58,485	48,302	243	10,115	9,105	6,186	68	17.3	16.0	13.9	19.7
20-24	216,365	163,495	3,328	52,643	37,424	22,878	227	24.4	19.0	20.7	18.0
25-29	283,198	196,565	7,529	86,392	49,231	24,613	241	30.5	20.7	27.6	16.9
30-34	253,011	161,273	7,918	91,462	46,492	19,207	276	36.2	23.3	34.0	15.0
35-39	136,132	78,547	4,450	57,405	27,437	9,384	180	42.2	27.0	42.5	12.9
40-54	36,901	18,847	1,085	18,000	8,980	2,549	54	48.9	33.6	54.6	10.7

*Estimate does not meet NCHS standards of reliability.

-Quantity is zero.

¹Includes unknown type of vaginal delivery; see Technical Notes.

²Includes unknown type of cesarean delivery; see Technical Notes.

³Low-risk cesarean is defined as singleton, term (37 or more completed weeks of gestation based on the obstetric estimate), cephalic, cesarean deliveries to women having a first birth.

⁴Percentage of all live births delivered by cesarean.

⁵Primary cesarean rate is the number of births to women having a cesarean delivery per 100 births to women without a previous cesarean.

⁶Low-risk cesarean rate is the number of singleton, term (37 or more completed weeks of gestation based on the obstetric estimate), cephalic, cesarean deliveries to women having a first birth per 100 women delivering singleton, term, cephalic, first births.

⁷Vaginal birth after cesarean delivery rate is the number of births to women having a vaginal delivery per 100 births to women with a previous cesarean delivery.

⁸Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

⁹Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards.

Single-race is defined as only one race reported on the birth certificate.

¹⁰Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 19. Principal source of payment for the delivery, by age and race and Hispanic origin of mother: United States, 2024

[Percents are number of live births with specified source of payment per 100 live births in specified group]

Race and Hispanic origin of mother and source of payment	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
All races and origins\1							
	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medicaid	40.2	77.1	61.5	42.9	30.0	27.3	30.0
Private insurance	51.8	15.2	29.4	48.6	62.7	65.4	61.8
Self-pay	4.7	5.2	5.1	4.9	4.3	4.5	5.3
Other\2	3.3	2.6	4.0	3.7	3.0	2.8	2.9
	Number						
Total	3,628,934	139,000	611,800	990,817	1,112,409	622,517	152,391
Not stated	29,992	1,194	5,950	8,723	8,319	4,642	1,164
Non-Hispanic, single race\3							
American Indian or Alaska Native:							
	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medicaid	63.2	77.9	70.1	61.6	57.8	56.0	*
Private insurance	24.6	10.6	18.0	25.9	29.7	32.1	*
Self-pay	2.5	2.6	2.2	2.7	2.4	2.7	2.2
Other\2	9.7	8.8	9.7	9.8	10.2	9.2	10.8
	Number						
Total	24,021	1,799	6,029	6,807	5,776	2,967	643
Not stated	237	17	58	74	60	25	3
Asian:							
	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medicaid	21.3	*	54.7	32.9	17.6	15.0	17.0
Private insurance	72.8	*	37.5	60.3	76.8	79.5	77.0
Self-pay	3.3	3.7	3.4	3.5	3.2	3.2	3.5
Other\2	2.7	3.6	4.4	3.3	2.5	2.3	2.6
	Number						
Total	226,860	899	9,126	41,742	93,782	64,989	16,322
Not stated	1,544	10	112	329	613	366	114
Black:							
	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medicaid	62.4	84.2	74.2	65.8	56.6	49.3	44.3
Private insurance	32.0	12.0	20.5	28.5	37.6	44.9	49.6
Self-pay	2.6	2.2	2.2	2.6	2.7	2.8	3.3
Other\2	3.0	1.6	3.0	3.1	3.1	2.9	2.7
	Number						
Total	473,377	26,914	96,149	124,237	128,145	75,600	22,332
Not stated	3,553	193	720	998	957	540	145

See footnotes at end of table.

Table 19. Principal source of payment for the delivery, by age and race and Hispanic origin of mother: United States, 2024--Con.

[Percents are number of live births with specified source of payment per 100 live births in specified group]

Race and Hispanic origin of mother and source of payment	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
Native Hawaiian or Alaska Native:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medicaid	58.3	*	67.2	60.8	52.8	47.0	*
Private insurance	28.6	*	17.6	26.1	36.1	40.0	*
Self-pay	7.3	*	9.3	6.5	6.0	7.1	*
Other\2	5.8	2.2	5.9	6.6	5.0	5.9	*
	Number						
Total	10,375	457	2,467	3,055	2,607	1,391	398
Not stated	203	11	57	58	48	22	7
White:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medicaid	26.6	71.5	49.6	28.8	17.9	16.3	18.7
Private insurance	65.9	23.1	41.5	63.0	75.2	76.9	73.2
Self-pay	4.3	2.5	4.6	4.5	3.9	4.2	5.4
Other\2	3.3	2.8	4.4	3.8	2.9	2.7	2.8
	Number						
Total	1,783,156	43,849	257,486	497,706	593,646	320,734	69,735
Not stated	13,983	407	2,473	4,155	4,146	2,316	486
Hispanic\4	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medicaid	57.3	78.1	69.8	58.1	48.2	46.2	48.9
Private insurance	32.3	10.4	19.1	31.5	42.1	44.0	40.6
Self-pay	7.1	8.9	7.4	7.0	6.6	6.9	7.5
Other\2	3.2	2.6	3.7	3.4	3.1	2.8	2.9
	Number						
Total	984,092	58,485	216,365	283,198	253,011	136,132	36,901
Not stated	8,158	485	2,038	2,461	1,871	1,021	282

*Estimate does not meet NCHS standards of reliability.

\1Includes births to race and origin groups not shown separately, such as Hispanic single-race White, and Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\2Other includes Indian Health Service, CHAMPUS or TRICARE, other government (federal, state, or local), or charity.

\3Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\4Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 20. Maternal pre-pregnancy body mass index, by age and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin of mother and BMI category\1	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
All races and origins\2	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Underweight (BMI less than 18.5)	2.6	8.4	4.6	2.3	1.8	1.6	1.4
Normal weight (BMI of 18.5 to 24.9)	37.3	49.3	38.7	34.9	37.5	37.2	34.8
Overweight (BMI of 25.0 to 29.9)	28.0	23.1	26.1	28.1	28.6	29.0	30.4
Obese (BMI of 30.0 and over)	32.1	19.2	30.6	34.7	32.1	32.2	33.4
Total	Number						
	3,628,934	139,000	611,800	990,817	1,112,409	622,517	152,391
Not stated\3	88,355	4,479	15,460	22,501	25,592	15,820	4,503
Non-Hispanic, single race\4	Percent						
American Indian and Alaska Native:							
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Underweight (BMI less than 18.5)	2.3	6.8	3.4	1.8	1.2	0.9	*
Normal weight (BMI of 18.5 to 24.9)	27.4	48.0	32.5	25.0	23.0	20.5	19.0
Overweight (BMI of 25.0 to 29.9)	26.7	24.3	27.5	27.2	26.4	26.7	25.2
Obese (BMI of 30.0 and over)	43.6	20.9	36.6	46.0	49.4	52.0	55.3
Total	Number						
	24,021	1,799	6,029	6,807	5,776	2,967	643
Not stated\3	707	53	159	193	189	97	16
Asian:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Underweight (BMI less than 18.5)	4.7	11.4	8.5	5.7	4.6	3.9	3.2
Normal weight (BMI of 18.5 to 24.9)	54.2	54.9	51.0	51.9	55.3	54.7	53.2
Overweight (BMI of 25.0 to 29.9)	27.3	22.7	26.1	27.5	26.9	27.5	29.3
Obese (BMI of 30.0 and over)	13.8	11.0	14.4	14.9	13.2	13.9	14.3
Total	Number						
	226,860	899	9,126	41,742	93,782	64,989	16,322
Not stated\3	5,276	27	270	1,008	2,164	1,418	389
Black:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Underweight (BMI less than 18.5)	2.7	7.3	4.6	2.5	1.6	1.1	0.8
Normal weight (BMI of 18.5 to 24.9)	28.4	48.5	36.8	28.6	23.7	20.7	19.7
Overweight (BMI of 25.0 to 29.9)	26.4	22.5	24.1	26.1	27.5	28.6	30.3
Obese (BMI of 30.0 and over)	42.5	21.6	34.5	42.8	47.3	49.6	49.3
Total	Number						
	473,377	26,914	96,149	124,237	128,145	75,600	22,332
Not stated\3	13,354	723	2,404	3,429	3,744	2,338	716
Natie Hawaiian or Other Pacific Islander:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Underweight (BMI less than 18.5)	1.4	3.0	2.5	1.5	0.9	*	*
Normal weight (BMI of 18.5 to 24.9)	20.4	40.6	29.9	19.5	14.8	12.8	10.9
Overweight (BMI of 25.0 to 29.9)	25.3	33.3	27.0	25.6	23.8	23.0	21.1
Obese (BMI of 30.0 and over)	52.9	23.2	40.6	53.4	60.5	63.8	68.0
Total	Number						
	10,375	457	2,467	3,055	2,607	1,391	398
Not stated\3	805	51	237	222	177	95	23
White:	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Underweight (BMI less than 18.5)	2.6	11.4	5.3	2.3	1.7	1.6	1.6
Normal weight (BMI of 18.5 to 24.9)	41.2	49.9	41.2	38.6	42.1	42.3	40.9
Overweight (BMI of 25.0 to 29.9)	26.7	20.0	24.0	26.8	27.6	27.8	28.2
Obese (BMI of 30.0 and over)	29.5	18.7	29.5	32.3	28.6	28.4	29.2
Total	Number						
	1,783,156	43,849	257,486	497,706	593,646	320,734	69,735
Not stated\3	29,578	737	4,004	7,163	9,755	6,321	1,598
Hispanic\5	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Underweight (BMI less than 18.5)	2.1	6.7	3.5	1.7	1.1	0.8	0.6
Normal weight (BMI of 18.5 to 24.9)	30.8	49.1	36.2	28.9	27.4	26.3	24.3
Overweight (BMI of 25.0 to 29.9)	31.5	25.8	29.7	31.5	32.6	33.3	35.1
Obese (BMI of 30.0 and over)	35.7	18.3	30.6	37.8	38.9	39.6	40.0
Total	Number						
	984,092	58,485	216,365	283,198	253,011	136,132	36,901
Not stated\3	32,005	2,635	7,367	8,872	7,594	4,218	1,319

*Estimate does not meet NCHS standards of reliability.

\1For calculation of body mass index (BMI).

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3No response reported for component measures for pre-pregnancy BMI.

\4Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\5Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistic System, natality data file.

Table 21. Mothers who smoked for the three months before pregnancy and anytime during pregnancy and those who quit before and during pregnancy, by age and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin and tobacco use	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
All races and origins\1	Percent						
Three months before	3.0	2.2	3.2	3.1	2.9	3.0	2.9
Anytime during pregnancy	2.4	1.7	2.4	2.4	2.4	2.4	2.4
First trimester	2.3	1.6	2.3	2.4	2.3	2.4	2.4
Second trimester	2.0	1.3	2.0	2.1	2.1	2.1	2.1
Third trimester	1.9	1.2	1.9	2.0	2.0	2.0	2.0
Quit before pregnancy\2	22.3	27.5	26.0	23.4	20.8	19.1	17.9
Quit during pregnancy\3	19.5	30.2	23.4	20.2	17.6	16.7	17.7
Non-Hispanic, single race\4							
American Indian and Alaska Native							
Three months before	10.5	6.9	8.5	10.3	12.3	12.9	13.4
Anytime during pregnancy	8.6	5.6	6.6	8.4	10.4	10.9	12.4
First trimester	8.3	5.3	6.3	8.1	9.9	10.6	11.8
Second trimester	7.1	3.8	5.1	7.1	8.4	9.7	10.8
Third trimester	6.7	3.7	4.8	6.6	8.2	9.3	10.3
Quit before pregnancy\2	21.8	24.6	27.4	22.3	19.3	18.5	16.5
Quit during pregnancy\3	21.5	34.7	26.8	20.4	21.8	14.1	14.5
Asian							
Three months before	0.3	*	0.4	0.3	0.2	0.3	0.4
Anytime during pregnancy	0.1	*	0.2	0.1	0.1	0.2	0.2
First trimester	0.1	*	0.2	0.1	0.1	0.2	0.2
Second trimester	0.1	*	0.1	0.1	0.1	0.1	0.1
Third trimester	0.1	*	*	0.1	0.1	0.1	0.1
Quit before pregnancy\2	47.4	*	*	52.9	55.4	38.0	39.0
Quit during pregnancy\3	30.7	*	*	25.0	35.4	23.5	*
Black							
Three months before	2.8	0.9	1.7	2.8	3.6	3.6	2.8
Anytime during pregnancy	2.3	0.6	1.3	2.2	3.0	3.0	2.4
First trimester	2.2	0.5	1.3	2.1	2.9	2.9	2.3
Second trimester	1.9	0.4	1.0	1.7	2.5	2.6	2.0
Third trimester	1.8	0.4	1.0	1.6	2.4	2.4	1.9
Quit before pregnancy\2	23.1	38.0	27.6	25.0	21.5	20.6	18.0
Quit during pregnancy\3	22.6	40.0	27.6	24.5	20.7	19.5	23.0
Native Hawaiian or Other Pacific Islander							
Three months before	1.9	*	1.3	2.0	1.9	2.2	3.8
Anytime during pregnancy	1.3	*	0.8	1.4	1.3	1.7	2.8
First trimester	1.2	*	0.7	1.2	1.2	1.7	2.8
Second trimester	0.9	*	0.4	1.0	1.0	1.3	*
Third trimester	0.9	*	*	1.0	1.1	1.2	*
Quit before pregnancy\2	36.3	*	*	39.0	36.0	*	*
Quit during pregnancy\3	29.5	*	*	*	*	*	*
White							
Three months before	4.3	4.8	5.5	4.4	3.9	4.0	4.3
Anytime during pregnancy	3.5	3.8	4.3	3.6	3.2	3.4	3.7
First trimester	3.5	3.7	4.2	3.5	3.1	3.3	3.7
Second trimester	3.0	3.0	3.6	3.1	2.8	3.0	3.3
Third trimester	2.9	2.8	3.4	2.9	2.7	2.8	3.1
Quit before pregnancy\2	20.1	23.6	23.1	21.1	19.0	17.3	16.0
Quit during pregnancy\3	17.7	27.4	21.0	18.6	15.9	14.9	15.5
Hispanic\5							
Three months before	1.0	0.7	0.9	0.9	1.0	1.1	1.0
Anytime during pregnancy	0.6	0.5	0.5	0.6	0.7	0.8	0.8
First trimester	0.6	0.4	0.5	0.6	0.7	0.8	0.7
Second trimester	0.5	0.3	0.4	0.5	0.6	0.6	0.6
Third trimester	0.4	0.3	0.3	0.4	0.5	0.6	0.5
Quit before pregnancy\2	36.8	42.1	43.5	39.0	33.2	30.8	29.7
Quit during pregnancy\3	30.3	43.3	37.1	30.1	26.8	26.3	29.6

See footnotes at end of table.

Table 21. Mothers who smoked for the three months before pregnancy and anytime during pregnancy and those who quit before and during pregnancy, by age and race and Hispanic origin of mother: United States, 2024--Con.

Race and Hispanic origin and tobacco use	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
All races and origins\1	Number						
Total	3,628,934	139,000	611,800	990,817	1,112,409	622,517	152,391
Not stated three months before	17,756	888	3,604	4,631	4,911	2,902	820
Not stated during pregnancy	17,442	857	3,505	4,548	4,845	2,880	807
Quit before pregnancy\2							
Smoked before pregnancy	108,314	3,085	19,333	30,646	32,577	18,317	4,356
Unknown if quit	261	13	66	74	66	36	6
Quit during pregnancy\3							
Smoked in early pregnancy	85,348	2,289	14,504	23,812	26,137	14,965	3,641
Unknown if quit	154	1	23	41	42	36	11
Non-Hispanic, single race\4							
American Indian and Alaska Native							
Total	24,021	1,799	6,029	6,807	5,776	2,967	643
Not stated three months before	287	18	78	73	74	36	8
Not stated during pregnancy	292	18	76	74	78	40	6
Quit before pregnancy\2							
Smoked before pregnancy	2,489	123	506	695	702	378	85
Unknown if quit	24	1	2	8	7	6	-
Quit during pregnancy\3							
Smoked in early pregnancy	1,993	98	380	559	566	314	76
Unknown if quit	11	-	3	6	1	1	-
Asian							
Total	226,860	899	9,126	41,742	93,782	64,989	16,322
Not stated three months before	589	5	39	111	253	136	45
Not stated during pregnancy	589	5	40	112	251	135	46
Quit before pregnancy\2							
Smoked before pregnancy	572	*	33	119	176	179	60
Unknown if quit	2	-	-	-	1	-	1
Quit during pregnancy\3							
Smoked in early pregnancy	311	*	17	57	83	115	36
Unknown if quit	2	-	-	1	1	-	-
Black							
Total	473,377	26,914	96,149	124,237	128,145	75,600	22,332
Not stated three months before	2,492	124	489	646	720	401	112
Not stated during pregnancy	2,424	115	474	626	703	395	111
Quit before pregnancy\2							
Smoked before pregnancy	13,326	229	1,673	3,419	4,635	2,737	633
Unknown if quit	17	-	2	3	7	4	1
Quit during pregnancy\3							
Smoked in early pregnancy	10,510	150	1,243	2,629	3,732	2,226	530
Unknown if quit	32	-	2	7	10	9	4
Native Hawaiian or Other Pacific Islander							
Total	10,375	457	2,467	3,055	2,607	1,391	398
Not stated three months before	110	6	33	31	24	11	5
Not stated during pregnancy	108	7	33	29	24	11	4
Quit before pregnancy\2							
Smoked before pregnancy	192	*	31	59	50	31	15
Unknown if quit	2	1	1	-	-	-	-
Quit during pregnancy\3							
Smoked in early pregnancy	124	*	18	37	31	24	11
Unknown if quit	2	-	-	1	-	-	1

See footnotes at end of table.

Table 21. Mothers who smoked for the three months before pregnancy and anytime during pregnancy and those who quit before and during pregnancy, by age and race and Hispanic origin of mother: United States, 2024--Con.

Race and Hispanic origin and tobacco use	All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54
All races and origins\1	Number						
White							
Total	1,783,156	43,849	257,486	497,706	593,646	320,734	69,735
Not stated three months before	7,693	367	1,596	2,059	2,134	1,232	305
Not stated during pregnancy	7,496	355	1,536	2,000	2,100	1,211	294
Quit before pregnancy\2							
Smoked before pregnancy	76,778	2,073	14,055	22,014	22,860	12,765	3,011
Unknown if quit	129	7	39	33	35	15	-
Quit during pregnancy\3							
Smoked in early pregnancy	61,947	1,615	10,912	17,552	18,695	10,622	2,551
Unknown if quit	69	-	10	19	17	18	5
Hispanic\5							
Total	984,092	58,485	216,365	283,198	253,011	136,132	36,901
Not stated three months before	3,946	271	938	1,026	945	588	178
Not stated during pregnancy	3,935	264	931	1,034	936	591	179
Quit before pregnancy\2							
Smoked before pregnancy	9,419	426	1,912	2,640	2,604	1,476	361
Unknown if quit	69	3	18	25	11	8	4
Quit during pregnancy\3							
Smoked in early pregnancy	6,133	253	1,113	1,662	1,778	1,049	278
Unknown if quit	24	1	6	5	6	5	1

- Quantity zero.

*Estimate does not meet NCHS standards of reliability.

\1Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\2Quit in the three months before pregnancy: births to women not reporting smoking during pregnancy per 100 women who smoked in the three months before pregnancy.

\3Quit during pregnancy: births to women not reporting smoking in the third trimester of pregnancy per 100 women who smoked in either the first or second trimester.

\4Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\5Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 22. Pregnancy risk factors, by age and race and Hispanic origin of mother: United States, 2024

[Rates are number of live births with specified risk factor per 1,000 live births in specified group]

Race and Hispanic origin of mother and risk factor	All births	Factor reported	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
All races and origins\2	Number		per 1,000							Number
Diabetes										
Prepregnancy (Diagnosis prior to this pregnancy)	3,628,934	47,677	13.2	4.2	7.5	10.9	13.7	19.4	28.8	7,301
Gestational (Diagnosis in this pregnancy)	3,628,934	307,048	84.8	25.3	47.5	73.4	93.8	120.0	152.9	7,301
Hypertension										
Prepregnancy (Chronic)	3,628,934	121,339	33.5	10.6	20.5	28.4	35.0	48.0	69.6	7,301
Gestational (PIH, preeclampsia)	3,628,934	377,267	104.2	101.9	104.8	104.7	100.9	104.7	122.1	7,301
Eclampsia	3,628,934	8,212	2.3	3.1	2.5	2.2	2.1	2.3	2.7	7,301
Previous preterm birth	3,628,934	144,925	40.0	8.4	26.1	37.9	43.6	52.7	60.3	7,301
Pregnancy resulted from infertility treatment\3	3,379,641	89,316	26.5	0.3	2.2	9.9	26.8	56.0	128.9	6,731
Mother had a previous cesarean delivery\4	2,440,281	556,086	228.1	96.0	156.5	203.0	238.9	276.3	297.6	2,594
Non-Hispanic, single race\5										
American Indian or Alaska Native:										
Diabetes										
Prepregnancy (Diagnosis prior to this pregnancy)	24,021	785	32.8	11.2	13.8	26.6	45.0	60.2	99.7	76
Gestational (Diagnosis in this pregnancy)	24,021	2,939	122.7	43.6	72.7	115.7	153.6	207.6	218.1	76
Hypertension										
Prepregnancy (Chronic)	24,021	1,043	43.6	12.3	21.8	39.2	56.5	75.8	116.8	76
Gestational (PIH, preeclampsia)	24,021	3,163	132.1	110.7	130.5	122.8	127.1	165.4	196.3	76
Eclampsia	24,021	114	4.8	*	4.0	4.4	4.9	6.1	*	76
Previous preterm birth	24,021	1,603	66.9	6.7	35.8	65.8	93.1	101.8	143.3	76
Pregnancy resulted from infertility treatment\3	22,680	130	5.8	*	*	3.8	7.9	12.4	32.7	76
Mother had a previous cesarean delivery\4	17,307	3,670	212.6	85.6	150.6	193.1	239.2	272.9	319.2	43
Asian:										
Diabetes										
Prepregnancy (Diagnosis prior to this pregnancy)	226,860	3,693	16.3	*	8.0	11.1	14.0	21.6	27.1	271
Gestational (Diagnosis in this pregnancy)	226,860	36,672	161.8	34.7	83.0	133.4	156.9	185.5	220.1	271
Hypertension										
Prepregnancy (Chronic)	226,860	4,698	20.7	12.3	8.0	11.1	16.1	28.3	49.4	271
Gestational (PIH, preeclampsia)	226,860	16,035	70.8	64.9	61.9	63.7	64.2	77.5	104.8	271
Eclampsia	226,860	318	1.4	*	2.1	1.5	1.3	1.3	1.7	271
Previous preterm birth	226,860	6,062	26.8	*	17.6	18.9	23.5	34.2	41.8	271
Pregnancy resulted from infertility treatment\3	215,446	12,147	56.4	*	3.1	12.7	36.8	85.8	194.2	245
Mother had a previous cesarean delivery\4	136,540	32,898	241.1	85.2	145.2	186.9	222.4	274.7	305.7	94
Black:										
Diabetes										
Prepregnancy (Diagnosis prior to this pregnancy)	473,377	8,529	18.1	4.3	8.9	13.9	20.4	29.8	43.6	1,133
Gestational (Diagnosis in this pregnancy)	473,377	32,486	68.8	18.2	35.6	57.6	82.0	105.8	133.7	1,133
Hypertension										
Prepregnancy (Chronic)	473,377	29,481	62.4	16.4	33.1	49.2	71.7	100.2	136.5	1,133
Gestational (PIH, preeclampsia)	473,377	58,075	123.0	127.0	122.6	118.5	121.1	127.0	141.4	1,133
Eclampsia	473,377	1,567	3.3	4.2	3.7	2.7	3.1	3.8	4.1	1,133
Previous preterm birth	473,377	29,889	63.3	11.8	36.8	63.5	77.9	83.8	84.8	1,133
Pregnancy resulted from infertility treatment\3	409,203	4,723	11.6	*	0.9	4.0	9.7	23.7	81.1	998
Mother had a previous cesarean delivery\4	337,270	85,689	254.4	97.7	167.3	228.6	279.1	312.0	322.8	422

See footnotes at end of table.

Table 22. Pregnancy risk factors, by age and race and Hispanic origin of mother: United States, 2024

[Rates are number of live births with specified risk factor per 1,000 live births in specified group]

Race and Hispanic origin of mother and risk factor	All births	Factor reported	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
All races and origins\2	Number		per 1,000							Number
Native Hawaiian or Pacific Islander:										
Diabetes										
Prepregnancy (Diagnosis prior to this pregnancy)	10,375	279	26.9	*	9.3	16.7	38.0	51.2	83.3	22
Gestational (Diagnosis in this pregnancy)	10,375	1,182	114.2	33.1	58.5	98.3	144.4	190.9	207.1	22
Hypertension										
Prepregnancy (Chronic)	10,375	380	36.7	*	14.6	22.9	44.6	77.8	116.2	22
Gestational (PIH, preeclampsia)	10,375	1,094	105.7	72.8	100.0	95.0	112.6	126.1	143.9	22
Eclampsia	10,375	33	3.2	*	4.5	*	*	*	*	22
Previous preterm birth	10,375	597	57.7	*	35.8	53.1	77.6	83.6	55.6	22
Pregnancy resulted from infertility treatment\3	10,143	57	5.6	*	*	3.4	7.9	8.8	38.6	18
Mother had a previous cesarean delivery\4	7,719	1,992	258.5	111.1	179.8	245.5	290.3	319.1	276.4	12
White:										
Diabetes										
Prepregnancy (Diagnosis prior to this pregnancy)	1,783,156	18,467	10.4	4.8	7.6	9.6	10.2	13.1	18.7	3,143
Gestational (Diagnosis in this pregnancy)	1,783,156	135,843	76.3	31.2	49.6	69.0	79.3	98.9	126.3	3,143
Hypertension										
Prepregnancy (Chronic)	1,783,156	60,008	33.7	12.7	23.5	30.4	34.0	43.5	60.8	3,143
Gestational (PIH, preeclampsia)	1,783,156	201,533	113.2	112.5	117.4	117.9	109.3	108.4	120.6	3,143
Eclampsia	1,783,156	4,111	2.3	3.3	2.7	2.3	2.1	2.2	2.6	3,143
Previous preterm birth	1,783,156	64,938	36.5	8.2	24.9	33.2	37.9	48.0	55.4	3,143
Pregnancy resulted from infertility treatment\3	1,667,761	58,547	35.2	0.3	3.6	14.5	35.0	69.9	157.9	2,900
Mother had a previous cesarean delivery\4	1,191,748	252,921	212.5	80.6	142.7	183.3	219.7	258.9	282.8	1,257
Hispanic\6										
Diabetes										
Prepregnancy (Diagnosis prior to this pregnancy)	984,092	14,279	14.5	3.4	6.5	11.4	17.5	26.6	38.4	1,643
Gestational (Diagnosis in this pregnancy)	984,092	87,671	89.2	23.3	48.1	77.9	108.6	144.4	185.4	1,643
Hypertension										
Prepregnancy (Chronic)	984,092	21,111	21.5	6.0	11.4	17.2	24.9	37.8	54.6	1,643
Gestational (PIH, preeclampsia)	984,092	83,941	85.4	82.3	82.5	80.6	84.2	95.0	117.7	1,643
Eclampsia	984,092	1,763	1.8	2.3	1.7	1.7	1.7	2.0	2.5	1,643
Previous preterm birth	984,092	36,390	37.0	6.7	22.5	36.2	45.0	53.4	62.1	1,643
Pregnancy resulted from infertility treatment\3	934,472	9,802	10.5	0.3	1.0	4.3	12.5	25.2	61.6	1,516
Mother had a previous cesarean delivery\4	665,916	161,029	242.0	108.1	169.4	224.4	264.0	296.8	309.6	604

* Estimate does not meet NCHS standards of reliability.

\1No response reported for pregnancy risk factor item.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Excludes data for Georgia and North Carolina; see "State-specific data quality issues for 2024."

\4Excludes women who have not had a previous pregnancy and for whom total birth order is unknown.

\5Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\6Includes all people of Hispanic origin of any race.

NOTE: PIH is pregnancy-induced hypertension.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 23. Infections present or treated during this pregnancy, by age and race and Hispanic origin of mother: United States, 2024

[Rates are number of live births with specified infection per 100,000 live births in specified group]

Race and Hispanic origin of mother and infection	All births	Infection present	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
	Number		per 100,000							Number
All races and origins\2										
Gonorrhea	3,628,934	7,888	218.2	999.8	438.3	191.1	115.9	88.8	74.5	14,281
Syphilis	3,628,934	12,937	357.9	474.2	514.3	379.2	299.0	274.4	257.0	14,281
Chlamydia	3,628,934	60,037	1,660.9	7,644.9	3,825.8	1,487.2	713.7	478.2	397.4	14,281
Hepatitis B	3,628,934	6,002	166.0	59.3	80.3	121.1	176.7	267.2	409.2	14,281
Hepatitis C	3,628,934	13,202	365.2	103.4	158.3	322.7	461.4	492.9	487.0	14,281
Non-Hispanic, single race\3										
American Indian or Alaska Native:										
Gonorrhea	24,021	186	777.9	1,290.0	933.0	633.9	695.5	643.4	*	109
Syphilis	24,021	513	2,145.4	1,738.6	1,932.7	1,754.4	2,660.4	2,844.6	1,562.5	109
Chlamydia	24,021	971	4,060.7	9,478.4	6,098.0	3,331.9	2,451.7	1,964.1	1,718.8	109
Hepatitis B	24,021	15	62.7	*	*	*	*	*	*	109
Hepatitis C	24,021	360	1,505.5	*	566.5	1,444.8	2,503.9	2,133.4	2,187.5	109
Asian:										
Gonorrhea	226,860	86	38.0	*	154.1	43.2	24.6	29.3	*	533
Syphilis	226,860	156	68.9	*	*	69.6	57.7	70.9	104.4	533
Chlamydia	226,860	790	349.1	4,367.3	1,695.3	514.0	257.5	172.7	184.2	533
Hepatitis B	226,860	1,933	854.1	*	572.4	658.1	740.5	1,022.4	1,523.0	533
Hepatitis C	226,860	250	110.5	*	154.1	144.1	94.0	104.9	122.8	533
Black:										
Gonorrhea	473,377	3,648	773.9	3,009.3	1,399.8	661.4	365.1	247.0	144.0	2,014
Syphilis	473,377	4,184	887.6	847.5	1,113.6	981.6	810.1	670.5	620.8	2,014
Chlamydia	473,377	17,884	3,794.1	14,325.7	7,082.6	3,297.4	1,771.5	1,025.0	701.8	2,014
Hepatitis B	473,377	1,950	413.7	78.4	168.2	320.2	480.3	709.0	1,012.2	2,014
Hepatitis C	473,377	890	188.8	134.4	136.8	186.0	206.8	227.0	260.9	2,014
Native Hawaiian or Pacific Islander:										
Gonorrhea	10,375	28	270.6	*	*	360.4	*	*	*	26
Syphilis	10,375	104	1,004.9	*	1,098.5	1,048.5	845.5	1,227.4	*	26
Chlamydia	10,375	548	5,295.2	10,329.7	8,991.0	5,471.8	2,882.4	2,093.9	*	26
Hepatitis B	10,375	99	956.6	*	610.3	720.8	691.8	2,093.9	2,518.9	26
Hepatitis C	10,375	23	222.2	*	*	*	*	*	*	26
White:										
Gonorrhea	1,783,156	1,969	110.8	474.2	224.2	104.9	73.9	58.5	61.9	6,691
Syphilis	1,783,156	3,344	188.2	231.4	252.3	202.3	162.6	166.5	142.6	6,691
Chlamydia	1,783,156	14,885	837.9	4,733.3	2,256.8	763.3	379.9	269.8	197.3	6,691
Hepatitis B	1,783,156	1,024	57.6	41.2	38.2	48.2	59.2	77.6	102.3	6,691
Hepatitis C	1,783,156	9,670	544.3	98.5	208.2	452.9	668.0	736.7	780.6	6,691

See footnotes at end of table.

Table 23. Infections present or treated during this pregnancy, by age and race and Hispanic origin of mother: United States, 2024--Con.

[Rates are number of live births with specified infection per 100,000 live births in specified group]

Race and Hispanic origin of mother and infection	All births	Infection present	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
Hispanic\4	Number					per 100,000				Number
Gonorrhea	984,092	1,539	157.0	439.8	246.4	129.0	101.1	81.1	62.5	3,590
Syphilis	984,092	4,031	411.1	444.9	533.6	412.9	362.1	324.3	282.8	3,590
Chlamydia	984,092	22,340	2,278.4	6,606.9	4,168.3	1,979.2	1,057.0	756.9	636.2	3,590
Hepatitis B	984,092	749	76.4	60.1	64.0	72.3	82.1	92.1	108.8	3,590
Hepatitis C	984,092	1,357	138.4	89.3	90.5	135.7	162.2	181.3	195.8	3,590

*Estimate does not meet National Center for Health Statistics standards of reliability.

\1No response reported for infections treated and/or present during this pregnancy item.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\4Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 24. Maternal morbidity, by age and race and Hispanic origin of mother: United States, 2024

[Rates are number of live births with morbidity per 100,000 live births in specified group]

Race and Hispanic origin of mother and maternal morbidity	All births	Morbidity reported	Age of mother							Not stated ¹
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
	Number		per 100,000							Number
All races and origins ²										
Maternal transfusion	3,628,934	21,078	582.7	739.7	573.8	513.0	552.2	652.2	868.0	11,891
Third- or fourth-degree perineal laceration	3,628,934	28,197	779.6	749.1	700.8	855.5	872.6	658.3	445.2	11,891
Ruptured uterus	3,628,934	1,612	44.6	15.9	26.4	39.4	48.5	63.2	72.4	11,891
Unplanned hysterectomy	3,628,934	1,575	43.5	8.7	18.2	25.6	48.1	77.7	121.2	11,891
Admission to intensive care unit	3,628,934	7,115	196.7	181.9	151.0	159.6	197.1	252.1	406.4	11,891
Non-Hispanic, single race ³										
American Indian or Alaska Native:										
Maternal transfusion	24,021	342	1,426.2	2,114.6	1,178.8	1,193.3	1,612.3	1,553.0	2,028.1	42
Third- or fourth-degree perineal laceration	24,021	139	579.7	1,502.5	830.2	559.8	242.7	*	*	42
Ruptured uterus	24,021	16	66.7	*	*	*	*	*	*	42
Unplanned hysterectomy	24,021	24	100.1	*	*	*	225.4	*	*	42
Admission to intensive care unit	24,021	79	329.5	*	215.8	206.2	364.1	675.2	*	42
Asian:										
Maternal transfusion	226,860	1,179	520.7	1,339.3	571.8	396.3	473.3	553.2	908.5	453
Third- or fourth-degree perineal laceration	226,860	4,648	2,052.9	*	2,045.3	2,637.2	2,402.8	1,482.4	884.0	453
Ruptured uterus	226,860	113	49.9	*	*	28.8	34.2	70.9	98.2	453
Unplanned hysterectomy	226,860	123	54.3	*	*	*	45.9	77.0	122.8	453
Admission to intensive care unit	226,860	541	239.0	*	175.9	182.5	215.8	245.0	521.8	453
Black:										
Maternal transfusion	473,377	3,469	735.8	745.9	625.4	640.3	738.0	861.8	1,289.9	1,901
Third- or fourth-degree perineal laceration	473,377	2,049	434.6	719.8	488.6	496.4	400.4	280.2	233.7	1,901
Ruptured uterus	473,377	289	61.3	*	29.2	61.4	67.4	95.6	98.9	1,901
Unplanned hysterectomy	473,377	245	52.0	*	21.9	34.0	61.1	98.3	134.8	1,901
Admission to intensive care unit	473,377	1,535	325.6	220.0	225.5	270.8	344.7	450.2	656.2	1,901
Native Hawaiian or Other Pacific Islander:										
Maternal transfusion	10,375	122	1,177.3	2,407.0	852.3	1,244.3	883.6	1,514.1	*	12
Third- or fourth-degree perineal laceration	10,375	73	704.4	*	1,136.4	753.1	*	*	*	12
Ruptured uterus	10,375	*	*	*	*	*	*	*	*	12
Unplanned hysterectomy	10,375	*	*	*	*	*	*	*	*	12
Admission to intensive care unit	10,375	20	193.0	*	*	*	*	*	*	12
White:										
Maternal transfusion	1,783,156	10,025	564.1	668.7	544.3	508.1	537.8	643.1	831.9	5,955
Third- or fourth-degree perineal laceration	1,783,156	15,434	868.4	698.4	794.5	1,001.9	925.1	715.3	518.1	5,955
Ruptured uterus	1,783,156	800	45.0	*	24.5	38.5	50.4	60.7	70.5	5,955
Unplanned hysterectomy	1,783,156	754	42.4	*	13.6	23.0	46.5	73.5	132.4	5,955
Admission to intensive care unit	1,783,156	2,931	164.9	153.4	121.2	138.3	163.4	206.7	344.0	5,955
Hispanic ⁴										
Maternal transfusion	984,092	5,183	527.9	726.4	565.6	458.4	485.7	579.0	627.8	2,360
Third- or fourth-degree perineal laceration	984,092	4,929	502.1	774.4	622.1	520.7	441.8	343.3	222.9	2,360
Ruptured uterus	984,092	334	34.0	18.8	24.5	32.6	38.4	47.9	43.5	2,360
Unplanned hysterectomy	984,092	364	37.1	*	22.7	24.4	40.0	76.6	87.0	2,360
Admission to intensive care unit	984,092	1,731	176.3	178.2	148.2	143.3	181.9	243.8	304.4	2,360

* Estimate does not meet NCHS standards of reliability.

¹No response reported for selected characteristic.²Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.³Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.⁴Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 25. Births, by gestational age and by age and race and Hispanic origin of mother: United States, 2024

Table 201: Births, by gestational age and by age and race and Hispanic origin of mother: United States, 2014													
Race and Hispanic origin and age of mother	All births	Preterm\1						Term\1			Post term\1		Not stated
		Total under 37	Early			Late 34-36	Total 37-41	Early 37-38	Full 39-40	Late 41	42 and over		
			Under 28	28-31	32-33								
All races and origins\2	Number	Percent											Number
All ages	3,628,934	10.41	0.63	0.91	1.19	7.69	89.34	30.26	54.61	4.47	0.25	4,457	
Younger than 15	1,727	13.94	1.46	1.87	2.27	8.34	85.89	33.18	49.97	2.74	*	12	
15-19	137,273	10.81	0.85	1.03	1.25	7.67	89.02	30.14	54.48	4.40	0.17	199	
20-24	611,800	9.77	0.67	0.83	1.08	7.19	90.01	29.89	55.47	4.66	0.22	852	
25-29	990,817	9.67	0.58	0.82	1.10	7.17	90.08	29.67	55.62	4.78	0.25	1,171	
30-34	1,112,409	10.11	0.59	0.88	1.15	7.49	89.62	29.62	55.16	4.84	0.27	1,219	
35-39	622,517	11.61	0.63	1.02	1.35	8.61	88.11	31.50	52.81	3.81	0.28	763	
40-44	141,515	14.11	0.78	1.26	1.65	10.42	85.64	35.15	48.61	1.88	0.25	225	
45-54	10,876	20.92	1.20	2.62	2.79	14.31	78.87	36.70	40.79	1.37	0.21	16	
Non-Hispanic, single race\3													
American Indian or Alaska Native:													
All ages	24,021	12.64	0.72	1.06	1.61	9.25	87.10	33.21	50.35	3.54	0.25	52	
Younger than 15	30	*	*	*	*	*	86.67	*	*	*	*	-	
15-19	1,769	10.59	*	1.25	1.64	7.25	89.35	28.61	55.64	5.10	*	4	
20-24	6,029	11.13	0.91	0.83	1.11	8.27	88.70	31.68	52.67	4.35	0.17	10	
25-29	6,807	11.18	0.53	1.02	1.41	8.23	88.54	32.49	52.48	3.56	0.28	12	
30-34	5,776	13.80	0.71	1.09	1.75	10.24	85.94	34.50	48.32	3.12	0.26	14	
35-39	2,967	16.85	0.88	1.35	2.50	12.11	82.68	36.23	44.22	2.23	0.47	11	
40-44	613	18.30	*	*	2.78	13.07	81.54	42.65	37.91	*	*	1	
45-54	30	*	*	*	*	*	83.33	*	*	*	*	-	
Asian:													
All ages	226,860	9.16	0.52	0.78	1.00	6.85	90.78	32.06	55.67	3.06	0.06	147	
Younger than 15	11	*	*	*	*	*	*	*	*	*	*	-	
15-19	888	12.29	*	1.58	1.35	8.46	87.37	33.37	49.94	4.06	*	1	
20-24	9,126	8.20	0.69	0.56	0.85	6.10	91.71	31.46	55.84	4.41	*	18	
25-29	41,742	7.92	0.50	0.60	0.84	5.97	92.02	30.95	57.18	3.89	0.06	38	
30-34	93,782	8.52	0.47	0.72	0.94	6.39	91.43	31.13	56.88	3.41	0.06	48	
35-39	64,989	9.84	0.52	0.85	1.04	7.44	90.09	33.15	54.55	2.39	0.06	25	
40-44	14,998	13.11	0.67	1.35	1.54	9.55	86.83	35.79	50.32	0.72	*	15	
45-54	1,324	19.82	1.82	2.65	2.87	12.48	80.18	39.41	40.02	0.76	*	2	
Black:													
All ages	473,377	14.86	1.43	1.58	1.83	10.01	84.93	33.86	47.71	3.37	0.21	721	
Younger than 15	464	14.04	*	*	2.16	8.64	85.31	36.07	46.00	3.24	*	1	
15-19	26,450	13.51	1.38	1.50	1.62	9.02	86.34	32.76	50.38	3.20	0.14	43	
20-24	96,149	13.24	1.37	1.38	1.53	8.96	86.61	33.03	50.13	3.45	0.15	155	
25-29	124,237	13.99	1.37	1.48	1.69	9.45	85.79	32.88	49.12	3.79	0.23	194	
30-34	128,145	15.09	1.48	1.63	1.89	10.09	84.68	33.50	47.52	3.66	0.23	185	
35-39	75,600	16.97	1.49	1.79	2.17	11.52	82.78	35.80	44.27	2.70	0.25	121	
40-44	20,422	19.12	1.60	1.95	2.56	13.00	80.68	39.53	39.70	1.45	0.21	20	
45-54	1,910	26.83	2.20	4.51	3.56	16.56	72.90	40.67	31.08	1.15	*	2	

See footnotes at end of table.

Table 25. Births, by gestational age and by age and race and Hispanic origin of mother: United States, 2024

Table 2014 Births, by gestational age and by age and race and Hispanic origin of mother: United States, 2014													
Race and Hispanic origin and age of mother	All births	Preterm\1						Term\1			Post term\1		Not stated
		Total under 37	Early			Late 34-36	Total 37-41	Early 37-38	Full 39-40	Late 41	42 and over		
			Under 28	28-31	32-33								
	Number						Percent					Number	
Native Hawaiian or Pacific Islander:													
All ages	10,375	12.54	0.74	1.07	1.65	9.08	87.21	32.17	50.58	4.45	0.25	19	
Younger than 15	4	*	*	*	*	*	*	*	*	*	*	-	
15-19	453	11.92	*	*	2.65	7.51	88.08	32.67	50.33	5.08	*	-	
20-24	2,467	11.09	0.73	1.10	1.38	7.88	88.51	30.14	53.29	5.08	0.41	5	
25-29	3,055	10.52	0.46	0.59	1.21	8.26	89.38	32.42	51.88	5.08	*	4	
30-34	2,607	13.41	1.08	1.38	1.65	9.30	86.28	31.25	51.15	3.88	*	5	
35-39	1,391	16.58	0.87	1.37	2.52	11.82	83.13	34.17	45.21	3.75	*	4	
40-44	376	18.13	*	*	2.67	13.33	81.60	40.80	39.47	*	*	1	
45-54	22	*	*	*	*	*	*	*	*	*	*	-	
White:													
All ages	1,783,156	9.49	0.43	0.75	1.08	7.22	90.18	28.75	56.28	5.14	0.34	1,783	
Younger than 15	341	12.39	*	*	*	7.67	87.61	31.86	53.39	*	*	2	
15-19	43,508	10.75	0.79	1.03	1.27	7.67	89.08	29.56	55.54	3.99	0.17	70	
20-24	257,486	9.38	0.49	0.76	1.07	7.06	90.32	29.12	56.30	4.90	0.30	302	
25-29	497,706	8.98	0.40	0.70	1.04	6.84	90.69	28.61	56.74	5.34	0.33	479	
30-34	593,646	9.07	0.39	0.71	1.02	6.95	90.59	27.88	57.03	5.68	0.34	530	
35-39	320,734	10.28	0.41	0.81	1.17	7.88	89.34	29.35	55.25	4.75	0.38	302	
40-44	65,119	12.23	0.50	0.97	1.37	9.39	87.37	32.51	52.23	2.64	0.40	89	
45-54	4,616	17.93	0.67	1.91	2.39	12.96	81.81	34.58	45.32	1.91	0.26	9	
Hispanic\4													
All ages	984,092	10.07	0.61	0.87	1.07	7.51	89.78	30.84	54.88	4.06	0.15	891	
Younger than 15	785	14.82	1.42	2.06	2.45	8.89	85.18	32.47	50.13	2.58	*	9	
15-19	57,700	9.58	0.65	0.79	1.04	7.10	90.22	29.29	55.73	5.20	0.20	67	
20-24	216,365	8.64	0.54	0.69	0.87	6.54	91.21	29.33	57.00	4.88	0.15	178	
25-29	283,198	9.15	0.56	0.77	0.95	6.87	90.70	29.89	56.45	4.36	0.15	218	
30-34	253,011	10.42	0.64	0.94	1.12	7.72	89.41	31.16	54.34	3.91	0.17	220	
35-39	136,132	12.31	0.68	1.14	1.40	9.09	87.56	33.51	51.29	2.76	0.13	149	
40-44	34,648	14.91	0.81	1.37	1.64	11.09	85.00	37.42	46.46	1.12	0.10	49	
45-54	2,253	22.65	1.33	2.22	2.80	16.30	77.26	37.79	38.59	0.89	*	1	

* Estimate does not meet NCHS standards of reliability.

- Quantity zero.

\1Expressed in completed weeks based on the obstetric estimate of gestation.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\4Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 26. Preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2024

[By place of residence. Preterm is less than 37 completed weeks of gestation based on the obstetric estimate.]

Area	All races and origins\2	Non-Hispanic, single race\1					Hispanic\3
		American Indian and Alaska Native	Asian	Black	Native Hawaiian or Other Pacific Islander	White	
	Percent						
United States\4	10.41	12.64	9.16	14.86	12.54	9.49	10.07
Alabama	12.74	10.24	11.62	17.48	20.51	11.20	10.51
Alaska	10.03	15.71	9.64	13.46	10.93	7.80	8.22
Arizona	9.66	11.64	10.05	12.65	11.30	8.87	9.60
Arkansas	12.13	8.74	7.98	17.13	12.09	11.47	10.34
California	9.08	12.76	8.68	12.79	12.29	7.74	9.32
Colorado	9.96	10.06	11.09	14.48	12.11	9.04	10.32
Connecticut	9.82	*	10.11	13.79	*	8.60	10.34
Delaware	10.55	*	7.85	13.87	*	9.28	9.72
District of Columbia	11.80	*	6.43	15.09	*	7.78	12.09
Florida	10.70	7.76	9.16	15.27	8.44	9.49	9.79
Georgia	11.80	*	9.75	15.44	15.05	10.40	9.56
Hawaii	10.03	*	10.85	10.96	13.38	6.61	10.67
Idaho	9.08	13.04	9.07	11.29	*	8.59	10.35
Illinois	10.38	*	8.79	15.29	*	9.41	10.03
Indiana	10.93	*	9.67	14.54	*	10.43	10.06
Iowa	10.09	14.81	11.05	11.32	11.69	9.81	10.25
Kansas	10.27	16.11	10.48	14.96	9.09	9.82	10.19
Kentucky	11.74	*	10.63	14.13	14.16	11.70	10.09
Louisiana	13.99	16.85	10.13	18.19	*	12.12	10.10
Maine	9.71	*	13.54	12.16	*	9.51	9.32
Maryland	10.48	13.92	9.04	13.67	*	8.83	10.09
Massachusetts	8.90	*	8.62	11.01	*	8.31	9.05
Michigan	10.68	9.69	9.02	16.04	*	9.63	10.10
Minnesota	9.73	17.93	9.44	11.49	*	9.11	9.98
Mississippi	15.00	17.02	12.88	19.02	*	12.62	11.19
Missouri	10.95	16.48	9.79	15.45	12.16	10.32	9.64
Montana	9.41	14.00	9.92	*	*	8.70	10.60
Nebraska	11.06	13.71	11.60	15.45	21.74	10.58	10.81
Nevada	10.97	14.63	11.58	15.78	9.44	9.07	10.86
New Hampshire	7.93	*	7.66	9.23	*	7.85	7.67
New Jersey	9.39	*	9.22	12.95	*	8.00	10.06
New Mexico	9.98	10.84	11.17	13.26	*	8.95	10.11
New York	9.49	13.29	9.23	13.47	*	8.21	10.09
North Carolina	10.68	12.64	8.33	14.56	15.83	9.72	9.49
North Dakota	9.40	13.82	8.06	10.25	*	8.75	10.33
Ohio	10.98	14.29	9.43	15.05	13.82	10.14	10.65
Oklahoma	11.00	10.49	9.06	15.19	13.41	10.66	10.10
Oregon	8.90	14.41	8.28	9.26	14.11	8.39	9.42
Pennsylvania	9.77	11.04	8.77	14.38	*	8.73	10.18
Rhode Island	8.96	*	7.62	13.28	*	8.20	9.17
South Carolina	11.65	*	9.49	16.43	20.25	10.13	9.82
South Dakota	11.21	15.71	10.20	13.62	*	10.44	10.14
Tennessee	10.89	*	9.04	15.23	12.05	10.22	9.59
Texas	11.09	14.90	9.26	14.69	12.66	9.91	11.14
Utah	9.52	11.80	10.39	12.48	13.20	8.99	10.34
Vermont	8.19	*	*	10.71	*	7.90	11.33
Virginia	10.07	11.97	8.78	14.12	12.21	8.91	9.89
Washington	9.00	12.02	9.06	9.83	11.53	8.35	9.59
West Virginia	13.41	*	13.71	16.21	*	13.42	10.75
Wisconsin	9.99	14.03	9.76	15.24	*	9.12	10.39
Wyoming	10.50	12.18	*	*	*	10.42	10.67
Puerto Rico	12.23	*	*	*	*	8.25	12.31
Virgin Islands	10.19	*	*	9.76	*	*	11.97
Guam	10.85	*	7.54	*	12.44	9.38	*
American Samoa	5.95	---	---	---	---	---	---
Northern Marianas	7.55	*	5.93	*	9.16	*	*

See footnotes at end of table.

Table 26. Preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2024--Con.

[By place of residence. Preterm is less than 37 completed weeks of gestation based on the obstetric estimate.]

Area	All races and origins\2	Non-Hispanic, single race\1					Hispanic\3
		American Indian and Alaska Native	Asian	Black	Native Hawaiian or Other Pacific Islander	White	
		Number					
United States\4	377,204	3,030	20,764	70,231	1,299	168,964	98,970
Alabama	7,379	13	111	2,570	16	3,720	809
Alaska	896	240	45	28	34	349	65
Arizona	7,594	371	282	559	26	2,599	3,464
Arkansas	4,289	16	70	979	63	2,580	482
California	36,468	151	5,092	2,265	174	7,927	18,289
Colorado	6,398	31	297	424	31	3,103	2,191
Connecticut	3,398	*	193	543	*	1,536	1,040
Delaware	1,113	*	47	376	*	429	215
District of Columbia	898	*	24	481	*	188	169
Florida	23,803	17	644	6,486	13	8,504	7,729
Georgia	14,907	*	587	6,070	14	5,537	2,306
Hawaii	1,494	*	384	33	191	186	287
Idaho	2,113	27	37	36	*	1,479	458
Illinois	13,042	*	782	2,637	*	6,078	3,196
Indiana	8,766	*	257	1,465	*	5,631	1,150
Iowa	3,672	20	109	306	45	2,624	478
Kansas	3,488	24	106	314	10	2,212	718
Kentucky	6,209	*	116	682	16	4,632	571
Louisiana	7,454	45	106	3,342	*	3,202	635
Maine	1,125	*	26	97	*	919	33
Maryland	6,896	11	404	2,504	*	2,240	1,530
Massachusetts	6,048	*	481	853	*	2,915	1,495
Michigan	10,619	31	394	2,479	*	6,529	836
Minnesota	6,039	128	440	839	*	3,646	721
Mississippi	5,017	40	55	2,439	*	2,171	263
Missouri	7,441	30	171	1,271	31	5,023	606
Montana	1,066	128	12	*	*	788	83
Nebraska	2,741	34	94	229	10	1,678	605
Nevada	3,552	30	286	632	32	953	1,432
New Hampshire	932	*	34	24	*	781	67
New Jersey	9,516	*	960	1,481	*	3,645	3,127
New Mexico	2,128	227	45	48	*	475	1,277
New York	19,458	42	1,916	3,443	*	8,366	5,238
North Carolina	13,112	155	449	3,618	22	6,041	2,418
North Dakota	905	85	20	57	*	593	87
Ohio	13,914	10	374	2,963	17	8,903	1,146
Oklahoma	5,273	424	119	512	33	2,669	942
Oregon	3,466	50	169	105	56	1,913	882
Pennsylvania	12,417	17	553	2,164	*	7,131	2,005
Rhode Island	897	*	32	94	*	445	283
South Carolina	6,844	*	121	2,363	16	3,274	873
South Dakota	1,282	219	20	50	*	846	98
Tennessee	9,127	*	187	1,979	10	5,433	1,293
Texas	43,344	87	2,181	6,542	77	11,744	21,824
Utah	4,444	38	128	81	108	2,844	1,067
Vermont	411	*	*	15	*	352	23
Virginia	9,467	14	625	2,444	16	4,379	1,711
Washington	7,467	104	868	371	156	3,519	1,737
West Virginia	2,281	*	24	95	*	2,040	62
Wisconsin	5,955	63	272	831	*	3,715	855
Wyoming	639	19	*	*	*	478	99
Puerto Rico	2,217	*	*	*	*	34	2,170
Virgin Islands	80	*	*	45	*	*	28
Guam	253	*	43	*	179	12	*
American Samoa	45	---	---	---	---	---	---
Northern Marianas	42	*	14	*	25	*	*

*Estimate does not meet NCHS standards of reliability.

--- Data not available.

\1Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Includes all people of Hispanic origin of any race.

\4Excludes data for the territories.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 27. Late preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2024

[By place of residence. Late preterm is 34-36 completed weeks of gestation based on the obstetric estimate.]

Area	All races and origins\2	Non-Hispanic, single race\1					Hispanic\3
		American Indian and Alaska Native	Asian	Black	Native Hawaiian or Other Pacific Islander	White	
		Percent					
United States\4	7.7	9.3	6.9	10.0	9.1	7.2	7.5
Alabama	9.4	7.9	8.2	12.0	*	8.6	8.1
Alaska	7.5	11.3	7.5	8.7	8.7	5.9	6.2
Arizona	7.2	9.4	7.2	8.3	10.0	6.6	7.3
Arkansas	9.0	7.1	5.2	11.8	8.4	8.8	7.8
California	6.8	8.5	6.6	8.7	9.0	6.0	7.0
Colorado	7.4	6.8	8.4	9.7	9.4	6.9	7.7
Connecticut	7.1	*	7.2	9.1	*	6.5	7.5
Delaware	7.3	*	5.3	9.1	*	6.8	6.6
District of Columbia	8.1	*	5.4	9.7	*	6.1	8.2
Florida	7.8	*	6.8	9.9	7.1	7.3	7.3
Georgia	8.5	*	7.0	10.6	10.8	7.8	7.2
Hawaii	7.5	*	8.2	9.0	9.0	5.0	7.9
Idaho	6.9	9.2	6.9	8.2	*	6.7	7.4
Illinois	7.6	*	6.7	10.4	*	7.2	7.3
Indiana	8.1	*	7.2	9.8	*	7.9	7.4
Iowa	7.5	12.6	7.6	7.6	7.8	7.4	7.5
Kansas	7.8	12.1	7.3	10.2	*	7.5	8.0
Kentucky	8.8	*	7.7	10.0	11.5	8.9	7.5
Louisiana	10.3	12.0	7.4	12.7	*	9.4	7.4
Maine	7.2	*	9.9	7.8	*	7.2	5.4
Maryland	7.6	*	7.0	9.4	*	6.7	7.5
Massachusetts	6.6	*	6.8	7.4	*	6.4	6.6
Michigan	7.8	7.2	6.5	10.6	*	7.2	7.5
Minnesota	7.3	13.2	6.9	7.9	*	6.9	7.4
Mississippi	10.9	10.6	10.8	12.8	*	9.9	8.8
Missouri	8.1	12.1	6.6	10.2	10.2	7.9	7.4
Montana	7.2	10.7	*	*	*	6.7	8.0
Nebraska	8.4	10.1	8.4	11.0	*	8.2	8.2
Nevada	8.1	11.7	8.1	10.2	5.9	7.0	8.3
New Hampshire	6.0	*	5.9	6.9	*	6.0	5.7
New Jersey	7.0	*	7.1	8.5	*	6.3	7.4
New Mexico	7.3	8.2	7.7	8.8	*	6.5	7.4
New York	7.0	10.1	6.9	9.0	*	6.3	7.5
North Carolina	7.8	8.8	6.1	9.8	9.4	7.3	7.1
North Dakota	7.0	10.9	6.5	6.1	*	6.5	8.4
Ohio	8.0	*	6.9	10.0	13.0	7.5	8.0
Oklahoma	8.2	7.5	6.8	10.5	8.1	8.0	7.9
Oregon	6.7	10.1	6.5	5.7	10.8	6.4	7.0
Pennsylvania	7.2	7.8	6.7	9.5	*	6.7	7.4
Rhode Island	6.5	*	4.5	9.3	*	6.2	6.3
South Carolina	8.5	*	7.5	11.2	19.0	7.7	7.7
South Dakota	8.4	11.1	8.2	8.7	*	8.0	7.3
Tennessee	8.1	*	6.3	10.2	*	7.8	7.2
Texas	8.2	10.8	7.0	10.0	10.4	7.5	8.3
Utah	7.2	8.1	7.8	7.6	9.0	6.9	7.7
Vermont	6.2	*	*	8.6	*	6.0	9.4
Virginia	7.3	8.5	6.1	9.3	10.7	6.8	7.2
Washington	6.8	8.8	7.1	6.4	8.3	6.3	7.2
West Virginia	10.0	*	8.6	10.8	*	10.1	7.3
Wisconsin	7.5	9.8	7.6	10.5	*	7.0	7.8
Wyoming	7.8	10.9	*	*	*	7.9	7.8
Puerto Rico	9.0	*	*	*	*	5.8	9.1
Virgin Islands	7.1	*	*	7.2	*	*	7.7
Guam	7.6	*	5.4	*	8.3	7.8	*
American Samoa	4.0	---	---	---	---	---	---
Northern Marianas	5.8	*	4.7	*	7.0	*	*

See footnotes at end of table.

Table 27. Late preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2024--Con.

[By place of residence. Late preterm is 34-36 completed weeks of gestation based on the obstetric estimate.]

Area	All races and origins\2	Non-Hispanic, single race\1					Hispanic\3
		American Indian and Alaska Native	Asian	Black	Native Hawaiian or Other Pacific Islander	White	
		Number					
United States\4	278,575	2,218	15,541	47,318	940	128,686	73,795
Alabama	5,438	10	78	1,762	*	2,850	625
Alaska	669	173	35	18	27	266	49
Arizona	5,693	299	202	367	23	1,943	2,649
Arkansas	3,193	13	46	673	44	1,989	364
California	27,302	100	3,857	1,538	128	6,176	13,640
Colorado	4,778	21	226	284	24	2,362	1,637
Connecticut	2,470	*	137	360	*	1,156	753
Delaware	775	*	32	247	*	313	145
District of Columbia	613	*	20	308	*	147	114
Florida	17,301	10	477	4,203	11	6,539	5,767
Georgia	10,795	*	424	4,183	10	4,167	1,729
Hawaii	1,111	*	292	27	129	140	213
Idaho	1,612	19	28	26	*	1,145	328
Illinois	9,598	*	592	1,786	*	4,636	2,335
Indiana	6,489	*	192	984	*	4,283	849
Iowa	2,743	17	75	205	30	1,991	352
Kansas	2,635	18	74	215	*	1,679	564
Kentucky	4,668	*	84	481	13	3,524	425
Louisiana	5,466	32	77	2,342	*	2,474	464
Maine	836	*	19	62	*	696	19
Maryland	5,017	*	312	1,717	*	1,688	1,132
Massachusetts	4,490	*	382	570	*	2,232	1,087
Michigan	7,720	23	283	1,645	*	4,904	619
Minnesota	4,505	94	321	578	*	2,772	532
Mississippi	3,654	25	46	1,644	*	1,703	208
Missouri	5,529	22	116	843	26	3,831	466
Montana	818	98	*	*	*	609	63
Nebraska	2,075	25	68	163	*	1,297	457
Nevada	2,623	24	200	409	20	733	1,101
New Hampshire	710	*	26	18	*	600	50
New Jersey	7,099	*	742	976	*	2,866	2,309
New Mexico	1,561	171	31	32	*	347	937
New York	14,343	32	1,426	2,299	*	6,379	3,889
North Carolina	9,556	108	331	2,428	13	4,555	1,811
North Dakota	674	67	16	34	*	440	71
Ohio	10,099	*	275	1,976	16	6,596	861
Oklahoma	3,941	302	89	353	20	2,012	737
Oregon	2,602	35	132	65	43	1,466	658
Pennsylvania	9,148	12	421	1,435	*	5,443	1,452
Rhode Island	648	*	19	66	*	336	194
South Carolina	5,017	*	96	1,606	15	2,482	686
South Dakota	955	155	16	32	*	647	71
Tennessee	6,753	*	131	1,330	*	4,158	975
Texas	32,069	63	1,647	4,475	63	8,924	16,273
Utah	3,356	26	96	49	74	2,175	799
Vermont	312	*	*	12	*	269	19
Virginia	6,865	10	435	1,611	14	3,343	1,246
Washington	5,615	76	676	242	112	2,673	1,312
West Virginia	1,695	*	15	63	*	1,532	42
Wisconsin	4,464	44	211	570	*	2,836	645
Wyoming	477	17	*	*	*	362	72
Puerto Rico	1,634	*	*	*	*	24	1,604
Virgin Islands	56	*	*	33	*	*	18
Guam	177	*	31	*	120	10	*
American Samoa	30	---	---	---	---	---	---
Northern Marianas	32	*	11	*	19	*	*

*Estimate does not meet NCHS standards of reliability.

--- Data not available.

\1Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Includes all people of Hispanic origin of any race.

\4Excludes data for the territories.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 28. Births, by birthweight, by age and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin and age of mother	Birthweight (grams)\1														
	Low birthweight														
	Very low birthweight														
	All births	Total under 2,500	Total under 1,500	Less than 500	500-999	1,000-1,499	1,500-1,999	2,000-2,499	2,500-2,999	3,000-3,499	3,500-3,999	4,000-4,499	4,500-4,999	5,000 or more	Not stated
All races and origins\2	Number	Percent													Number
All ages	3,628,934	8.52	1.33	0.13	0.48	0.71	1.64	5.56	19.76	39.12	25.52	6.19	0.81	0.09	2,993
Younger than 15	1,727	13.28	2.73	*	1.10	1.39	2.44	8.12	29.64	39.50	15.49	2.09	*	*	3
15-19	137,273	10.94	1.73	0.16	0.67	0.90	1.91	7.31	26.04	41.02	18.74	2.95	0.28	0.03	93
20-24	611,800	8.91	1.33	0.15	0.50	0.69	1.57	6.01	21.90	40.81	23.13	4.67	0.53	0.06	542
25-29	990,817	7.87	1.21	0.13	0.44	0.64	1.49	5.17	19.14	39.57	26.22	6.32	0.79	0.08	806
30-34	1,112,409	7.99	1.25	0.13	0.45	0.67	1.57	5.18	18.54	38.51	26.97	6.96	0.93	0.11	900
35-39	622,517	8.93	1.42	0.13	0.51	0.78	1.82	5.69	19.08	37.84	26.19	6.87	0.98	0.11	503
40-44	141,515	10.73	1.82	0.15	0.65	1.02	2.27	6.64	20.93	37.54	23.76	6.03	0.88	0.14	136
45-54	10,876	16.75	3.07	0.24	1.15	1.68	4.22	9.45	23.78	34.19	19.80	4.68	0.70	0.10	10
Non-Hispanic, single race\3															
American Indian or Alaska Native:															
All ages	24,021	9.03	1.44	0.12	0.51	0.81	1.92	5.67	17.87	37.29	26.88	7.58	1.18	0.18	21
Younger than 15	30	*	*	*	*	*	*	*	*	*	*	*	*	*	-
15-19	1,769	9.05	1.41	*	*	1.02	2.15	5.49	18.95	40.38	25.40	5.09	1.07	*	1
20-24	6,029	8.43	1.46	*	0.73	0.70	1.58	5.39	18.28	39.29	26.40	6.52	0.98	*	2
25-29	6,807	7.86	1.19	*	0.38	0.71	1.69	4.98	17.29	37.70	28.06	7.92	1.04	*	4
30-34	5,776	9.38	1.51	0.17	0.47	0.87	1.75	6.12	17.61	35.40	26.96	8.93	1.37	0.35	11
35-39	2,967	11.53	1.79	*	0.67	0.91	3.07	6.68	17.54	34.37	26.48	8.26	1.55	*	2
40-44	613	12.25	1.96	*	*	*	2.78	7.52	21.08	35.46	23.86	5.72	*	*	1
45-54	30	*	*	*	*	*	*	*	*	*	*	*	*	*	-
Asian:															
All ages	226,860	9.55	1.20	0.11	0.42	0.67	1.66	6.69	26.02	41.69	19.06	3.29	0.34	0.04	119
Younger than 15	11	*	*	*	*	*	*	*	*	*	*	*	*	*	-
15-19	888	14.08	2.25	*	*	1.46	1.69	10.14	29.73	38.74	15.32	1.91	*	*	-
20-24	9,126	9.70	1.25	0.19	0.45	0.61	1.52	6.93	27.95	41.61	17.62	2.76	0.30	*	4
25-29	41,742	9.05	1.05	0.11	0.38	0.56	1.38	6.63	26.62	41.98	18.70	3.24	0.37	0.04	26
30-34	93,782	9.20	1.07	0.09	0.39	0.59	1.59	6.54	26.05	42.09	19.11	3.20	0.31	0.04	53
35-39	64,989	9.59	1.25	0.11	0.42	0.72	1.74	6.61	25.29	41.55	19.66	3.50	0.37	0.04	25
40-44	14,998	11.76	1.91	0.11	0.59	1.21	2.28	7.57	25.98	39.69	18.55	3.56	0.36	0.11	11
45-54	1,324	19.11	3.55	*	1.51	1.66	5.36	10.20	26.51	35.12	15.94	2.95	*	*	-
Black:															
All ages	473,377	15.01	2.83	0.34	1.12	1.37	2.93	9.25	26.49	37.10	17.46	3.40	0.47	0.07	505
Younger than 15	464	16.41	3.02	*	*	*	3.24	10.15	34.13	36.50	11.88	*	*	*	1
15-19	26,450	17.03	2.82	0.27	1.18	1.37	3.01	11.20	32.15	37.28	11.90	1.51	0.11	*	17
20-24	96,149	15.39	2.62	0.33	1.02	1.28	2.70	10.07	29.18	38.05	14.93	2.21	0.22	0.03	131
25-29	124,237	14.38	2.65	0.33	1.02	1.29	2.74	8.99	26.28	37.87	17.67	3.31	0.43	0.06	137
30-34	128,145	14.37	2.86	0.36	1.13	1.36	2.90	8.62	24.91	36.78	19.13	4.10	0.61	0.09	137
35-39	75,600	15.28	3.08	0.33	1.23	1.51	3.31	8.89	24.42	35.68	19.45	4.39	0.68	0.11	63
40-44	20,422	16.61	3.46	0.41	1.42	1.63	3.74	9.41	25.26	35.47	17.91	4.06	0.58	0.12	16
45-54	1,910	23.70	6.24	*	2.57	3.25	5.14	12.32	25.96	32.51	14.32	2.99	*	*	3
Native Hawaiian or Pacific Islander:															
All ages	10,375	9.49	1.62	0.11	0.61	0.91	1.96	5.91	19.71	37.99	24.58	6.85	1.16	0.22	2
Younger than 15	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-
15-19	453	14.35	*	*	*	*	2.65	10.15	28.26	37.75	17.44	2.21	*	*	-
20-24	2,467	9.98	1.58	*	0.57	0.89	1.70	6.69	21.17	41.36	22.55	4.34	0.53	*	1
25-29	3,055	7.73	0.88	*	*	0.49	1.51	5.34	19.19	38.02	26.46	7.24	1.21	*	1
30-34	2,607	9.51	2.11	*	0.92	1.11	2.03	5.37	17.57	36.79	25.32	8.75	1.69	0.38	-
35-39	1,391	10.21	2.37	*	0.86	1.44	2.59	5.25	17.97	36.52	24.95	8.48	1.58	*	-
40-44	376	12.50	*	*	*	*	3.72	6.91	25.00	30.05	23.94	6.91	*	*	-
45-54	22	*	*	*	*	*	*	*	*	*	*	*	*	*	-

See footnotes at end of table.

Table 28. Births, by birthweight, by age and race and Hispanic origin of mother: United States, 2024--Con.

Race and Hispanic origin and age of mother	Birthweight (grams) ¹														
	Low birthweight														
	Very low birthweight														
	All births	Total under 2,500	Total under 1,500	Less than 500	500-999	1,000-1,499	1,500-1,999	2,000-2,499	2,500-2,999	3,000-3,499	3,500-3,999	4,000-4,499	4,500-4,999	5,000 or more	Not stated
	Number														Number
White:															
All ages	1,783,156	6.97	0.99	0.09	0.33	0.56	1.37	4.61	16.85	38.35	29.03	7.70	1.01	0.10	1,115
Younger than 15	341	12.02	*	*	*	*	*	7.33	26.39	37.83	19.65	4.11	*	*	-
15-19	43,508	9.76	1.67	0.14	0.61	0.92	1.70	6.40	22.49	40.54	22.67	4.12	0.40	0.03	27
20-24	257,486	7.54	1.06	0.11	0.38	0.58	1.41	5.07	19.02	40.29	26.49	5.90	0.70	0.06	165
25-29	497,706	6.51	0.92	0.09	0.31	0.52	1.27	4.32	16.47	38.80	29.48	7.68	0.97	0.09	300
30-34	593,646	6.49	0.91	0.08	0.30	0.53	1.27	4.31	15.81	37.74	30.26	8.45	1.14	0.11	342
35-39	320,734	7.29	1.01	0.08	0.33	0.60	1.48	4.79	16.49	37.18	29.42	8.33	1.17	0.13	218
40-44	65,119	8.65	1.26	0.07	0.43	0.76	1.83	5.56	18.17	37.33	27.16	7.45	1.10	0.14	56
45-54	4,616	12.67	1.93	*	0.65	1.15	2.97	7.77	21.91	35.30	23.13	5.99	0.89	*	7
Hispanic ⁴															
All ages	984,092	7.85	1.23	0.12	0.45	0.65	1.47	5.15	20.35	40.98	24.62	5.44	0.68	0.09	546
Younger than 15	785	12.13	2.68	*	1.28	1.28	1.92	7.54	28.74	42.40	14.81	1.92	*	*	2
15-19	57,700	8.95	1.25	0.12	0.46	0.66	1.52	6.18	26.07	43.32	18.70	2.68	0.25	0.03	41
20-24	216,365	7.54	1.06	0.12	0.39	0.55	1.26	5.23	21.94	42.68	22.99	4.33	0.46	0.06	102
25-29	283,198	7.17	1.12	0.12	0.42	0.58	1.31	4.74	19.57	41.44	25.42	5.66	0.66	0.08	142
30-34	253,011	7.66	1.26	0.12	0.47	0.66	1.53	4.87	18.93	39.95	26.25	6.27	0.83	0.12	164
35-39	136,132	8.74	1.46	0.12	0.54	0.80	1.77	5.50	19.27	39.04	25.53	6.34	0.96	0.11	74
40-44	34,648	10.53	1.83	0.13	0.62	1.08	2.20	6.50	21.41	38.24	23.17	5.67	0.82	0.16	21
45-54	2,253	18.55	2.84	*	1.11	1.46	4.93	10.79	24.23	32.53	19.57	4.04	0.93	*	-

* Estimate does not meet NCHS standards of reliability.

- Quantity zero.

¹Equivalents of gram weights in pounds and ounces are shown in this User Guide.²Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.³Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards.

Single-race is defined as only one race reported on the birth certificate.

⁴Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 29. Low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2024

[By place of residence. Low birthweight is birthweight of less than 2,500 grams]

Area	All races and origins\2	Non-Hispanic, single race\1					Hispanic\3
		American Indian or Alaska Native	Asian	Black	Native Hawaiian or Pacific Islander	White	
		Percent					
United States\4	8.52	9.03	9.55	15.01	9.49	6.97	7.85
Alabama	10.11	7.94	11.20	16.92	17.95	7.56	8.09
Alaska	6.93	9.14	8.76	12.50	7.07	5.74	5.18
Arizona	7.87	8.04	11.38	12.85	8.70	6.96	7.66
Arkansas	9.54	8.74	10.05	17.32	10.17	8.01	7.25
California	7.40	8.79	8.62	12.58	8.47	5.84	7.18
Colorado	9.55	8.12	12.78	16.79	12.11	8.41	9.66
Connecticut	8.10	*	9.85	13.48	*	6.64	8.06
Delaware	9.46	*	8.35	14.84	*	7.18	7.47
District of Columbia	10.99	*	7.51	15.31	*	6.00	10.23
Florida	9.02	7.66	9.89	15.34	7.74	7.10	7.71
Georgia	10.27	*	10.83	15.89	11.83	7.40	7.40
Hawaii	8.99	*	10.68	8.97	10.62	5.29	9.57
Idaho	7.06	10.63	10.54	12.23	*	6.64	7.71
Illinois	8.58	*	10.06	16.04	*	6.82	7.59
Indiana	8.51	*	10.53	14.30	*	7.39	7.92
Iowa	7.30	9.63	11.46	11.31	10.10	6.51	7.98
Kansas	7.81	9.40	9.69	15.02	10.00	7.02	7.56
Kentucky	8.77	*	11.55	14.57	15.04	8.10	7.67
Louisiana	11.63	10.15	9.75	17.56	*	8.43	8.08
Maine	7.55	*	10.42	11.51	*	7.14	11.02
Maryland	8.93	15.19	9.09	13.28	*	6.54	7.77
Massachusetts	7.60	*	8.65	10.75	*	6.48	8.14
Michigan	9.00	8.10	10.65	16.41	*	7.29	8.08
Minnesota	7.47	10.35	9.17	11.77	11.76	6.30	7.63
Mississippi	12.70	10.59	10.07	18.99	*	8.68	8.92
Missouri	8.80	10.44	11.33	16.83	7.81	7.39	7.65
Montana	7.64	9.74	8.26	18.18	*	7.28	8.81
Nebraska	8.01	8.03	9.63	14.86	*	7.11	8.12
Nevada	9.71	10.24	12.31	17.10	9.44	7.70	8.50
New Hampshire	6.65	*	6.76	9.23	*	6.44	7.00
New Jersey	7.83	*	9.95	12.75	*	6.00	7.79
New Mexico	9.24	8.60	12.16	13.26	*	7.59	9.83
New York	8.42	9.21	10.19	14.12	*	6.60	8.44
North Carolina	9.24	13.03	9.37	15.43	15.83	7.25	7.60
North Dakota	7.06	7.95	7.66	9.89	*	6.49	7.60
Ohio	8.81	*	10.47	15.17	8.13	7.37	8.11
Oklahoma	8.19	8.32	9.22	15.15	12.50	7.39	7.12
Oregon	7.05	10.00	8.29	10.41	9.30	6.31	7.39
Pennsylvania	8.33	9.74	9.12	15.12	*	6.68	8.80
Rhode Island	7.78	*	8.10	11.86	*	6.50	8.65
South Carolina	9.73	*	10.27	17.07	*	7.18	6.97
South Dakota	7.28	8.87	9.69	13.90	*	6.72	6.42
Tennessee	8.76	*	10.00	15.84	12.05	7.33	7.17
Texas	8.54	9.08	9.66	13.89	9.54	6.76	8.21
Utah	7.24	10.87	11.05	12.96	7.70	6.53	8.41
Vermont	7.21	*	*	12.14	*	6.98	5.42
Virginia	8.43	11.97	9.13	14.35	9.92	6.53	7.55
Washington	6.98	6.91	8.68	9.26	8.04	6.14	6.93
West Virginia	10.01	*	15.43	15.19	*	9.78	8.49
Wisconsin	7.76	8.46	8.94	16.13	*	6.35	8.36
Wyoming	9.68	11.54	16.92	*	*	9.03	11.84
Puerto Rico	10.87	*	*	*	*	8.74	10.92
Virgin Islands	10.09	*	*	11.04	*	*	10.46
Guam	10.42	*	10.19	*	10.97	*	*
American Samoa	5.53	---	---	---	---	---	---
Northern Marianas	7.54	*	7.20	*	7.66	*	*

See footnotes at end of table.

Table 29. Low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2024--Con.

[By place of residence. Low birthweight is birthweight of less than 2,500 grams]

Area	All races and origins\2	Non-Hispanic, single race\1					Hispanic\3
		American Indian or Alaska Native	Asian	Black	Native Hawaiian or Pacific Islander	White	
		Number					
United States\4	308,966	2,167	21,656	70,984	984	124,145	77,175
Alabama	5,856	10	107	2,485	14	2,510	623
Alaska	620	140	41	26	22	257	41
Arizona	6,193	257	319	568	20	2,040	2,764
Arkansas	3,375	16	88	990	53	1,801	338
California	29,730	104	5,060	2,228	120	5,975	14,102
Colorado	6,120	25	341	490	31	2,878	2,049
Connecticut	2,801	*	188	531	*	1,185	811
Delaware	997	*	50	402	*	332	165
District of Columbia	837	*	28	488	*	145	143
Florida	20,222	17	703	6,571	12	6,424	6,119
Georgia	12,972	*	652	6,244	11	3,937	1,785
Hawaii	1,341	*	378	27	152	149	258
Idaho	1,643	22	43	39	*	1,142	341
Illinois	10,778	*	895	2,769	*	4,405	2,416
Indiana	6,825	*	280	1,440	*	3,991	905
Iowa	2,657	13	113	306	39	1,743	372
Kansas	2,654	14	98	315	11	1,581	533
Kentucky	4,640	*	126	703	17	3,206	434
Louisiana	6,194	27	102	3,225	*	2,228	508
Maine	875	*	20	92	*	690	39
Maryland	5,870	12	406	2,432	*	1,658	1,178
Massachusetts	5,161	*	482	832	*	2,270	1,343
Michigan	8,951	26	465	2,534	*	4,944	669
Minnesota	4,632	74	427	859	10	2,518	552
Mississippi	4,249	25	43	2,435	*	1,494	210
Missouri	5,979	19	198	1,385	20	3,599	481
Montana	865	89	10	12	*	659	69
Nebraska	1,985	20	78	220	*	1,127	454
Nevada	3,144	21	304	685	32	809	1,121
New Hampshire	781	*	30	24	*	640	61
New Jersey	7,931	*	1,036	1,457	*	2,734	2,421
New Mexico	1,970	180	49	48	*	403	1,242
New York	17,262	29	2,116	3,609	*	6,721	4,380
North Carolina	11,345	160	505	3,832	22	4,505	1,937
North Dakota	680	49	19	55	*	440	64
Ohio	11,158	*	415	2,982	10	6,471	872
Oklahoma	3,923	336	121	510	31	1,850	664
Oregon	2,746	35	169	118	37	1,439	692
Pennsylvania	10,594	15	575	2,276	*	5,459	1,733
Rhode Island	778	*	34	84	*	353	267
South Carolina	5,716	*	131	2,454	*	2,322	620
South Dakota	833	124	19	51	*	545	62
Tennessee	7,340	*	207	2,059	10	3,899	968
Texas	33,367	53	2,274	6,182	58	8,004	16,081
Utah	3,380	35	136	84	63	2,067	868
Vermont	362	*	*	17	*	311	11
Virginia	7,928	14	650	2,484	13	3,208	1,306
Washington	5,785	60	829	349	109	2,586	1,256
West Virginia	1,704	*	27	89	*	1,488	49
Wisconsin	4,628	38	249	880	*	2,589	688
Wyoming	589	18	11	*	*	414	110
Puerto Rico	1,970	*	*	*	*	36	1,924
Virgin Islands	81	*	*	52	*	*	25
Guam	243	*	58	*	158	*	*
American Samoa	42	---	---	---	---	---	---
Northern Marianas	42	*	17	*	21	*	*

* Estimate does not meet NCHS standards of reliability.

--- Data not available.

\1Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Includes all people of Hispanic origin of any race.

\4Excludes data for the territories.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 30. Very low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2024

[By place of residence. Very low birthweight is birthweight of less than 1,500 grams]

Area	All races and origins ²	Non-Hispanic, single race ¹					Hispanic ³
		American Indian or Alaska Native	Asian	Black	Native Hawaiian or Pacific Islander	White	
		Percent					
United States ⁴	1.33	1.44	1.20	2.83	1.62	0.99	1.23
Alabama	1.73	*	1.57	3.23	*	1.21	1.12
Alaska	1.03	1.31	*	*	*	0.83	*
Arizona	1.09	1.06	1.61	2.13	*	1.00	0.98
Arkansas	1.56	*	1.26	3.32	*	1.18	1.22
California	1.11	1.35	1.10	2.43	1.55	0.73	1.13
Colorado	1.12	*	1.12	2.57	*	0.90	1.19
Connecticut	1.23	*	1.10	2.56	*	0.91	1.29
Delaware	1.84	*	*	3.29	*	1.32	1.63
District of Columbia	2.09	*	*	3.26	*	0.87	1.79
Florida	1.54	*	1.03	3.31	*	1.02	1.22
Georgia	1.72	*	1.69	2.85	*	1.15	1.14
Hawaii	1.23	*	1.24	*	2.10	0.53	1.48
Idaho	1.03	*	*	*	*	0.91	1.49
Illinois	1.34	*	1.16	2.92	*	1.01	1.18
Indiana	1.34	*	1.20	2.64	*	1.09	1.27
Iowa	1.18	*	1.72	2.18	*	1.01	1.35
Kansas	1.15	*	1.58	2.81	*	1.03	0.97
Kentucky	1.33	*	1.56	2.51	*	1.17	1.36
Louisiana	1.83	*	1.63	3.02	*	1.10	1.43
Maine	1.05	*	*	2.75	*	0.87	*
Maryland	1.47	*	1.25	2.48	*	0.85	1.38
Massachusetts	1.02	*	0.77	2.05	*	0.70	1.23
Michigan	1.40	*	1.17	3.00	*	1.06	1.28
Minnesota	1.13	1.82	1.44	1.97	*	0.92	1.23
Mississippi	2.09	*	*	3.49	*	1.21	1.27
Missouri	1.32	*	1.72	2.64	*	1.08	1.10
Montana	0.88	1.31	*	*	*	0.77	1.28
Nebraska	1.23	*	2.10	2.57	*	0.98	1.25
Nevada	1.37	*	1.42	2.82	*	0.92	1.29
New Hampshire	0.84	*	*	*	*	0.77	*
New Jersey	1.18	*	1.09	2.55	*	0.76	1.26
New Mexico	1.27	1.19	*	*	*	1.02	1.32
New York	1.23	*	1.25	2.70	*	0.80	1.32
North Carolina	1.46	2.36	1.22	2.76	*	1.09	1.12
North Dakota	1.05	*	*	3.24	*	0.86	*
Ohio	1.45	*	1.26	2.88	*	1.15	1.39
Oklahoma	1.35	1.31	0.84	2.94	*	1.23	0.99
Oregon	1.01	*	1.23	1.94	*	0.78	1.22
Pennsylvania	1.29	*	1.00	2.91	*	0.93	1.46
Rhode Island	1.25	*	*	2.82	*	0.83	1.46
South Carolina	1.61	*	0.78	3.22	*	1.06	1.06
South Dakota	1.11	1.72	*	*	*	0.99	1.14
Tennessee	1.40	*	1.50	2.99	*	1.06	1.18
Texas	1.38	1.71	1.21	2.57	*	1.03	1.33
Utah	1.11	*	1.30	3.40	2.20	0.99	1.17
Vermont	0.92	*	*	*	*	0.76	*
Virginia	1.43	*	1.53	2.92	*	0.97	1.26
Washington	1.02	1.27	1.07	2.02	1.47	0.85	1.10
West Virginia	1.45	*	*	3.07	*	1.38	*
Wisconsin	1.20	*	1.26	2.92	*	0.95	1.19
Wyoming	1.02	*	*	*	*	0.89	1.08
Puerto Rico	1.54	*	*	*	*	*	1.54
Virgin Islands	1.62	*	*	*	*	*	*
Guam	1.24	*	*	*	1.60	*	*
American Samoa	*	---	---	---	---	---	---
Northern Marianas	*	*	*	*	*	*	*

See footnotes at end of table.

Table 30. Very low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2024--Con.

[By place of residence. Very low birthweight is birthweight of less than 1,500 grams]

Area	All races and origins ²	Non-Hispanic, single race ¹					Hispanic ³
		American Indian or Alaska Native	Asian	Black	Native Hawaiian or Pacific Islander	White	
		Number					
United States ⁴	48,133	346	2,722	13,368	168	17,559	12,055
Alabama	999	*	15	475	*	402	86
Alaska	92	20	*	*	*	37	*
Arizona	857	34	45	94	*	292	353
Arkansas	550	*	11	190	*	266	57
California	4,451	16	646	430	22	751	2,212
Colorado	717	*	30	75	*	308	252
Connecticut	424	*	21	101	*	162	130
Delaware	194	*	*	89	*	61	36
District of Columbia	159	*	*	104	*	21	25
Florida	3,458	*	73	1,419	*	921	971
Georgia	2,170	*	102	1,120	*	614	274
Hawaii	183	*	44	*	30	15	40
Idaho	240	*	*	*	*	157	66
Illinois	1,686	*	103	504	*	653	376
Indiana	1,071	*	32	266	*	589	145
Iowa	429	*	17	59	*	270	63
Kansas	391	*	16	59	*	232	68
Kentucky	706	*	17	121	*	462	77
Louisiana	977	*	17	554	*	290	90
Maine	122	*	*	22	*	84	*
Maryland	969	*	56	454	*	215	209
Massachusetts	691	*	43	159	*	246	203
Michigan	1,388	*	51	463	*	720	106
Minnesota	702	13	67	144	*	368	89
Mississippi	698	*	*	448	*	208	30
Missouri	897	*	30	217	*	527	69
Montana	100	12	*	*	*	70	10
Nebraska	304	*	17	38	*	156	70
Nevada	444	*	35	113	*	97	170
New Hampshire	99	*	*	*	*	77	*
New Jersey	1,194	*	113	291	*	348	393
New Mexico	271	25	*	*	*	54	167
New York	2,525	*	259	691	*	819	684
North Carolina	1,799	29	66	686	*	675	286
North Dakota	101	*	*	18	*	58	*
Ohio	1,843	*	50	566	*	1,013	149
Oklahoma	647	53	11	99	*	308	92
Oregon	393	*	25	22	*	178	114
Pennsylvania	1,639	*	63	438	*	760	287
Rhode Island	125	*	*	20	*	45	45
South Carolina	945	*	10	463	*	344	94
South Dakota	127	24	*	*	*	80	11
Tennessee	1,169	*	31	389	*	564	159
Texas	5,408	10	285	1,142	*	1,222	2,613
Utah	519	*	16	22	18	314	121
Vermont	46	*	*	*	*	34	*
Virginia	1,342	*	109	506	*	476	218
Washington	848	11	102	76	20	359	199
West Virginia	246	*	*	18	*	210	*
Wisconsin	716	*	35	159	*	386	98
Wyoming	62	*	*	*	*	41	10
Puerto Rico	279	*	*	*	*	*	271
Virgin Islands	13	*	*	*	*	*	*
Guam	29	*	*	*	23	*	*
American Samoa	*	---	---	---	---	---	---
Northern Marianas	*	*	*	*	*	*	*

*Estimate does not meet NCHS standards of reliability.

--- Data not available.

\1Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

\3Includes all people of Hispanic origin of any race.

\4Excludes data for the territories.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 31. Abnormal conditions of the newborn, by age and race and Hispanic origin of mother: United States, 2024

[Rates are number of live births with specified condition per 1,000 live births in specified group]

Abnormal condition and race and Hispanic origin of mother	All births	Condition reported	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
All races\2	Number		per 1,000							Number
Assisted ventilation required immediately following delivery	3,628,934	243,788	67.3	63.5	62.6	65.1	67.3	72.4	83.7	6,953
Assisted ventilation required for more than six hours	3,628,934	79,986	22.1	21.1	20.7	21.5	21.8	23.7	27.9	6,953
Neonatal intensive care unit admission	3,628,934	357,911	98.8	98.4	91.2	92.9	97.5	109.5	133.8	6,953
Surfactant replacement therapy given to newborn	3,628,934	18,408	5.1	5.5	4.9	4.8	4.9	5.6	6.7	6,953
Antibiotics received by newborn for suspected neonatal sepsis	3,628,934	67,539	18.6	21.5	19.1	18.1	18.2	18.7	21.4	6,953
Seizure or serious neurologic dysfunction	3,628,934	1,323	0.4	0.5	0.4	0.4	0.3	0.4	0.3	6,953
Non-Hispanic, single race\3										
American Indian or Alaska Native:										
Assisted ventilation required immediately following delivery	24,021	1,921	80.1	74.1	68.6	75.2	89.4	94.9	104.4	36
Assisted ventilation required for more than six hours	24,021	778	32.4	26.2	25.6	28.9	38.3	40.9	60.7	36
Neonatal intensive care unit admission	24,021	2,769	115.4	96.9	93.5	105.9	129.4	155.7	163.6	36
Surfactant replacement therapy given to newborn	24,021	181	7.5	7.2	6.5	5.9	8.3	11.1	*	36
Antibiotics received by newborn for suspected neonatal sepsis	24,021	572	23.8	23.4	22.9	21.3	26.2	25.3	32.7	36
Seizure or serious neurologic dysfunction	24,021	19	0.8	*	*	*	*	*	*	36
Asian:										
Assisted ventilation required immediately following delivery	226,860	11,646	51.4	70.2	50.2	51.1	49.6	50.4	66.4	309
Assisted ventilation required for more than six hours	226,860	3,220	14.2	26.8	14.9	14.3	13.4	14.0	18.5	309
Neonatal intensive care unit admission	226,860	19,476	86.0	93.6	86.1	83.3	81.6	87.3	112.1	309
Surfactant replacement therapy given to newborn	226,860	685	3.0	*	3.6	3.1	2.7	3.2	3.4	309
Antibiotics received by newborn for suspected neonatal sepsis	226,860	3,534	15.6	26.8	16.0	17.4	14.8	14.5	18.6	309
Seizure or serious neurologic dysfunction	226,860	56	0.2	*	*	0.4	0.2	0.2	*	309
Black:										
Assisted ventilation required immediately following delivery	473,377	37,614	79.6	69.9	70.7	75.7	81.3	90.5	105.0	911
Assisted ventilation required for more than six hours	473,377	13,332	28.2	25.0	24.7	26.8	28.9	32.3	37.6	911
Neonatal intensive care unit admission	473,377	63,333	134.0	124.1	119.3	127.1	135.6	152.0	178.3	911
Surfactant replacement therapy given to newborn	473,377	3,300	7.0	6.4	6.3	6.5	7.1	8.1	9.0	911
Antibiotics received by newborn for suspected neonatal sepsis	473,377	11,824	25.0	25.5	24.4	23.9	25.0	26.2	29.7	911
Seizure or serious neurologic dysfunction	473,377	189	0.4	0.4	0.5	0.3	0.4	0.5	*	911
Native Hawaiian or Pacific Islander:										
Assisted ventilation required immediately following delivery	10,375	831	80.2	83.2	76.0	69.4	88.4	97.9	70.5	17
Assisted ventilation required for more than six hours	10,375	261	25.2	32.8	21.1	20.3	29.2	33.8	*	17
Neonatal intensive care unit admission	10,375	1,159	111.9	118.2	95.1	97.3	115.3	145.4	181.4	17
Surfactant replacement therapy given to newborn	10,375	61	5.9	*	4.5	4.3	7.3	7.2	*	17
Antibiotics received by newborn for suspected neonatal sepsis	10,375	216	20.9	24.1	18.7	16.0	23.1	32.4	*	17
Seizure or serious neurologic dysfunction	10,375	*	*	*	*	*	*	*	*	17
White:										
Assisted ventilation required immediately following delivery	1,783,156	134,067	75.3	77.0	73.2	74.0	73.8	78.5	89.8	2,957
Assisted ventilation required for more than six hours	1,783,156	43,851	24.6	25.6	24.4	24.4	23.7	25.4	30.4	2,957
Neonatal intensive care unit admission	1,783,156	171,382	96.3	97.7	90.0	91.4	94.3	105.5	127.6	2,957
Surfactant replacement therapy given to newborn	1,783,156	9,792	5.5	7.2	5.8	5.3	5.1	5.8	6.8	2,957
Antibiotics received by newborn for suspected neonatal sepsis	1,783,156	33,878	19.0	22.8	20.0	18.8	18.5	18.7	21.6	2,957
Seizure or serious neurologic dysfunction	1,783,156	754	0.4	0.6	0.5	0.4	0.4	0.4	0.4	2,957

See footnotes at end of table.

Table 31. Abnormal conditions of the newborn, by age and race and Hispanic origin of mother: United States, 2024

[Rates are number of live births with specified condition per 1,000 live births in specified group]

Abnormal condition and race and Hispanic origin of mother	All births	Condition reported	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
Hispanic\4	Number		per 1,000							Number
Assisted ventilation required immediately following delivery	984,092	47,738	48.6	47.6	44.8	45.6	49.2	55.6	65.6	1,713
Assisted ventilation required for more than six hours	984,092	15,365	15.6	15.0	13.9	14.7	15.9	18.5	21.5	1,713
Neonatal intensive care unit admission	984,092	86,486	88.0	86.3	79.3	81.0	90.0	103.4	126.3	1,713
Surfactant replacement therapy given to newborn	984,092	3,640	3.7	3.7	3.1	3.4	3.8	4.5	6.3	1,713
Antibiotics received by newborn for suspected neonatal sepsis	984,092	14,895	15.2	18.0	15.3	14.2	14.8	15.8	17.3	1,713
Seizure or serious neurologic dysfunction	984,092	229	0.2	0.4	0.2	0.2	0.2	0.2	*	1,713

* Estimate does not meet NCHS standards of reliability.

\1No response reported for selected characteristic.

\2Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origins not stated.

\3 Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

\4Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 32. Congenital anomalies of the newborn, by age of mother: United States, 2024

[Rates are number of live births with specified anomalies per 100,000 live births in specified group]

Congenital anomaly	All births	Congenital anomalies reported	Age of mother							Not stated\1
			All ages	Younger than 20	20-24	25-29	30-34	35-39	40-54	
	Number		Per 100,000							Number
Anencephaly	3,628,934	338	9.3	15.1	12.1	8.0	8.5	9.0	9.2	9,503
Meningomyelocele/spina bifida\2	3,534,880	474	13.4	11.8	14.1	14.2	11.9	14.8	12.9	9,490
Cyanotic congenital heart disease	3,628,934	2,420	66.9	73.6	63.1	69.4	62.8	64.6	98.1	9,503
Congenital diaphragmatic hernia	3,628,934	503	13.9	10.8	14.8	14.9	13.7	12.4	14.5	9,503
Omphalocele	3,628,934	303	8.4	8.7	7.7	8.0	7.3	11.8	7.2	9,503
Gastroschisis	3,628,934	535	14.8	69.9	35.1	11.2	7.2	4.3	*	9,503
Limb reduction defect	3,628,934	433	12.0	20.2	11.5	11.4	11.4	10.8	19.1	9,503
Cleft lip with or without cleft palate	3,628,934	1,884	52.1	69.2	62.0	52.2	48.3	44.1	55.3	9,503
Cleft palate alone	3,628,934	774	21.4	13.0	23.3	19.8	21.3	23.5	23.7	9,503
Down syndrome	3,628,934	1,883	52.0	29.6	25.9	26.9	34.1	92.0	308.7	9,503
Suspected chromosomal disorder	3,628,934	1,700	47.0	38.2	47.0	37.6	38.8	55.6	139.5	9,503
Hypospadias\3	3,628,934	1,841	50.9	51.9	50.2	49.9	53.8	48.2	48.7	9,503
Males only\4	1,853,969	1,841	99.6	100.9	98.1	97.6	105.4	94.4	96.1	5,016

* Estimate does not meet NCHS standards of reliability.

\1No response reported for selected characteristic.

\2Excludes data for Virginia; see "State-specific data quality issues for 2024."

\3Denominator includes both male and female births.

\4Denominator includes male births only.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 33. Births, by plurality and age and race and Hispanic origin of mother: United States, 2024

Race and Hispanic origin and age of mother	Total	Singleton	Twin	Triplet and higher-order ¹	Multiple-birth rate	Twin birth rate	Triplet and higher-order birth rate ¹
All races and origins ²	Number				Per 1,000		Per 100,000
All ages	3,628,934	3,517,151	109,195	2,588	30.8	30.1	71.3
Younger than 15	1,727	1,714	13	*	7.5	7.5	*
15-19	137,273	135,020	2,220	33	16.4	16.2	24.0
15-17	34,465	33,991	463	11	13.8	13.4	31.9
18-19	102,808	101,029	1,757	22	17.3	17.1	21.4
20-24	611,800	597,650	13,895	255	23.1	22.7	41.7
25-29	990,817	961,631	28,638	548	29.5	28.9	55.3
30-34	1,112,409	1,074,554	36,953	902	34.0	33.2	81.1
35-39	622,517	599,862	22,046	609	36.4	35.4	97.8
40-44	141,515	136,661	4,708	146	34.3	33.3	103.2
45-54	10,876	10,059	722	95	75.1	66.4	873.5
Non-Hispanic, single race ³							
American Indian or Alaska Native:							
All ages	24,021	23,373	628	20	27.0	26.1	83.3
Younger than 15	30	30	*	*	*	*	*
15-19	1,769	1,749	20	*	11.3	11.3	*
15-17	478	475	*	*	*	*	*
18-19	1,291	1,274	17	*	13.2	13.2	*
20-24	6,029	5,889	135	*	23.2	22.4	*
25-29	6,807	6,621	183	*	27.3	26.9	*
30-34	5,776	5,584	183	*	33.2	31.7	*
35-39	2,967	2,870	94	*	32.7	31.7	*
40-44	613	600	13	*	21.2	21.2	*
45-54	30	30	*	*	*	*	*
Asian:							
All ages	226,860	221,449	5,294	117	23.9	23.3	51.6
Younger than 15	11	11	*	*	*	*	*
15-19	888	869	19	*	21.4	21.4	*
15-17	180	180	*	*	*	*	*
18-19	708	689	19	*	26.8	26.8	*
20-24	9,126	8,998	121	*	14.0	13.3	*
25-29	41,742	40,962	764	16	18.7	18.3	38.3
30-34	93,782	91,606	2,126	50	23.2	22.7	53.3
35-39	64,989	63,262	1,697	30	26.6	26.1	46.2
40-44	14,998	14,522	468	*	31.7	31.2	*
45-54	1,324	1,219	99	*	79.3	74.8	*
Black:							
All ages	473,377	452,981	19,874	522	43.1	42.0	110.3
Younger than 15	464	462	*	*	*	*	*
15-19	26,450	25,813	630	*	24.1	23.8	*
15-17	7,445	7,311	132	*	18.0	17.7	*
18-19	19,005	18,502	498	*	26.5	26.2	*
20-24	96,149	92,759	3,322	68	35.3	34.6	70.7
25-29	124,237	118,679	5,476	82	44.7	44.1	66.0
30-34	128,145	122,156	5,867	122	46.7	45.8	95.2
35-39	75,600	71,930	3,559	111	48.5	47.1	146.8
40-44	20,422	19,507	855	60	44.8	41.9	293.8
45-54	1,910	1,675	163	72	123.0	85.3	3,769.6
Native Hawaiian or Pacific Islander:							
All ages	10,375	10,118	254	*	24.8	24.5	*
Younger than 15	*	*	*	*	*	*	*
15-19	453	451	*	*	*	*	*
15-17	87	87	*	*	*	*	*
18-19	366	364	*	*	*	*	*
20-24	2,467	2,423	44	*	17.8	17.8	*
25-29	3,055	2,978	77	*	25.2	25.2	*
30-34	2,607	2,531	73	*	29.2	28.0	*
35-39	1,391	1,351	40	*	28.8	28.8	*
40-44	376	360	16	*	42.6	42.6	*
45-54	22	20	*	*	*	*	*
White:							
All ages	1,783,156	1,726,015	55,792	1,349	32.0	31.3	75.7
Younger than 15	341	333	*	*	*	*	*
15-19	43,508	42,856	637	15	15.0	14.6	34.5
15-17	9,214	9,097	114	*	12.7	12.4	*
18-19	34,294	33,759	523	12	15.6	15.3	35.0
20-24	257,486	251,656	5,702	128	22.6	22.1	49.7
25-29	497,706	482,694	14,715	297	30.2	29.6	59.7
30-34	593,646	572,629	20,496	521	35.4	34.5	87.8
35-39	320,734	308,578	11,823	333	37.9	36.9	103.8
40-44	65,119	62,881	2,193	45	34.4	33.7	69.1
45-54	4,616	4,388	218	10	49.4	47.2	216.6

See tables at end of table.

Table 33. Births, by plurality and age and race and Hispanic origin of mother: United States, 2024--Con.

Race and Hispanic origin and age of mother	Total	Singleton	Twin	Triplet and higher-order ¹	Multiple-birth rate	Twin birth rate	Triplet and higher-order birth rate ¹
Hispanic/ ⁴	Number				Per 1,000		Per 100,000
All ages	984,092	960,531	23,076	485	23.9	23.4	49.3
Younger than 15	785	782	*	*	*	*	*
15-19	57,700	56,902	792	*	13.8	13.7	*
15-17	15,267	15,084	180	*	12.0	11.8	*
18-19	42,433	41,818	612	*	14.5	14.4	*
20-24	216,365	212,363	3,958	44	18.5	18.3	20.3
25-29	283,198	276,761	6,309	128	22.7	22.3	45.2
30-34	253,011	245,958	6,893	160	27.9	27.2	63.2
35-39	136,132	132,029	3,980	123	30.1	29.2	90.4
40-44	34,648	33,655	974	19	28.7	28.1	54.8
45-54	2,253	2,081	167	*	76.3	74.1	*

*Estimate does not meet NCHS standards of reliability.

¹Triplet, quadruplet, quintuplet and higher order multiple deliveries.

²Includes births to race and origin groups not shown separately, such as Hispanic single-race White, Hispanic single-race Black, and non-Hispanic multiple-race women, and births with origin not stated.

³Race groups are single race. Race and Hispanic origin are reported separately on birth certificates. In this table, non-Hispanic women are classified by race. Race categories are consistent with the 1997 Office of Management and Budget standards. Single-race is defined as only one race reported on the birth certificate.

⁴Includes all people of Hispanic origin of any race.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Table 34. Twin and triplet or higher-order multiple births, by state: United States and each state, 2022-2024

Area	Twin		State	Triplet or higher order\1	
	Number	Rate per 1,000 live births		Number	Rate per 100,000 live births
United States	334,071	30.7	United States	8,136	74.7
Alabama	5,810	33.4	Alabama	141	81.1
Alaska	814	29.8	Alaska	20	73.2
Arizona	6,853	29.1	Arizona	182	77.3
Arkansas	3,202	30.2	Arkansas	44	41.5
California	34,248	28.0	California	709	58.1
Colorado	5,357	28.5	Colorado	107	56.9
Connecticut	3,535	33.8	Connecticut	65	62.2
Delaware	922	29.0	Delaware	30	94.4
District of Columbia	801	34.0	District of Columbia	27	114.5
Florida	19,814	29.6	Florida	467	69.7
Georgia	12,447	33.0	Georgia	301	79.7
Hawaii	1,247	27.6	Hawaii	31	68.5
Idaho	2,061	30.3	Idaho	50	73.5
Illinois	12,105	31.9	Illinois	277	73.1
Indiana	7,912	33.1	Indiana	213	89.2
Iowa	3,655	33.5	Iowa	91	83.5
Kansas	3,161	30.9	Kansas	61	59.5
Kentucky	4,907	31.2	Kentucky	106	67.4
Louisiana	5,428	33.0	Louisiana	145	88.0
Maine	1,182	33.5	Maine	15	42.5
Maryland	5,965	29.8	Maryland	185	92.4
Massachusetts	6,500	31.9	Massachusetts	180	88.3
Michigan	10,515	34.9	Michigan	288	95.7
Minnesota	6,152	32.8	Minnesota	215	114.5
Mississippi	3,565	34.7	Mississippi	134	130.6
Missouri	6,730	33.0	Missouri	132	64.7
Montana	968	28.8	Montana	18	53.6
Nebraska	2,403	32.8	Nebraska	95	129.7
Nevada	2,913	29.9	Nevada	65	66.8
New Hampshire	1,136	31.7	New Hampshire	*	*
New Jersey	9,187	30.1	New Jersey	225	73.7
New Mexico	1,662	26.0	New Mexico	36	56.3
New York	19,260	31.2	New York	468	75.9
North Carolina	11,442	31.4	North Carolina	307	84.2
North Dakota	862	29.9	North Dakota	28	97.1
Ohio	12,524	32.8	Ohio	281	73.6
Oklahoma	4,320	30.0	Oklahoma	112	77.7
Oregon	3,546	30.4	Oregon	78	66.8
Pennsylvania	12,016	31.3	Pennsylvania	302	78.5
Rhode Island	948	31.5	Rhode Island	18	59.8
South Carolina	5,524	31.7	South Carolina	125	71.7
South Dakota	1,104	32.6	South Dakota	27	79.8
Tennessee	7,743	31.1	Tennessee	202	81.1
Texas	33,164	28.4	Texas	894	76.5
Utah	4,263	31.0	Utah	96	69.8
Vermont	520	33.8	Vermont	*	*
Virginia	8,615	30.5	Virginia	206	73.0
Washington	7,176	29.0	Washington	143	57.8
West Virginia	1,612	31.9	West Virginia	53	104.8
Wisconsin	5,759	32.1	Wisconsin	129	71.9
Wyoming	516	28.5	Wyoming	*	*

* Estimate does not meet NCHS standards of reliability.

\1Includes triplet and quadruplet and other higher-order multiple births.

SOURCE: National Center for Health Statistics, National Vital Statistics System, natality data file.

Population Table 1. Estimated total population, by race and Hispanic origin and estimated female population, by age and race and Hispanic origin of woman: United States, 2024

[Populations estimated as of July 1]

Race and Hispanic origin	Total population	Female population										
		15-44 years	10-14 years	15-19 years			20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
				Total	15-17 years	18-19 years						
All races and origins\1	340,110,988	67,402,866	10,200,006	10,914,056	6,551,158	4,362,898	10,970,121	11,069,140	11,866,273	11,467,859	11,115,417	10,164,244
Non-Hispanic, single-race\2												
White	195,433,224	35,072,280	4,913,516	5,348,267	3,190,166	2,158,101	5,544,671	5,667,723	6,174,067	6,217,226	6,120,326	5,629,026
Black	42,951,595	9,400,806	1,412,252	1,508,026	913,859	594,167	1,502,679	1,554,965	1,767,522	1,588,508	1,479,106	1,350,343
Native	2,442,428	522,788	81,305	88,853	53,445	35,408	86,973	87,542	95,449	85,241	78,730	70,304
Asian	22,080,844	5,032,518	591,551	610,202	354,031	256,171	716,979	834,093	964,269	983,599	923,376	824,931
Islander	674,821	148,421	22,179	23,389	13,754	9,635	23,518	23,117	26,575	26,699	25,123	21,003
Hispanic\3	68,086,153	15,306,608	2,697,489	2,881,462	1,744,001	1,137,461	2,709,430	2,562,128	2,538,196	2,329,337	2,286,055	2,102,779

--- Data not available.

1 Includes population estimates of race and origin groups not shown separately, such as Hispanic single-race white, Hispanic single-race black, and non-Hispanic multiple-race people.

2 Persons of non-Hispanic origin may be of any race. Race categories are consistent with the 1997 Office of Management and Budget (OMB) standards. Single-race is defined as only one race reported.

3 Includes all persons of Hispanic origin of any race.

NOTES: Populations are based on estimates derived from a base that incorporates the 2020 Census, Vintage 2020 estimates, and 2020 Demographic Analysis estimates.

SOURCE: U.S. Census Bureau. See reference 53.

Population Table 2. Estimated total population, female population aged 15-44 years, and age-specific female population: United States, each state, and territory: July 1, 2024

Geographic Area	Total population	Female population										
		15-44 years	10-14 years	15-19 years			20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
				Total	15-17 years	18-19 years						
United States	340,110,988	67,402,866	10,200,006	10,914,056	6,551,158	4,362,898	10,970,121	11,069,140	11,866,273	11,467,859	11,115,417	10,164,244
Alabama	5,157,699	1,012,010	156,025	172,263	101,463	70,800	171,656	163,140	174,537	166,426	163,988	155,842
Alaska	740,133	147,049	24,652	21,860	14,173	7,687	21,602	24,424	27,587	24,269	24,269	19,622
Arizona	7,582,384	1,480,594	223,801	245,135	145,855	99,280	251,722	251,681	257,745	240,976	233,335	215,166
Arkansas	3,088,354	601,558	96,641	102,497	62,923	39,574	100,977	98,570	102,873	98,383	98,258	90,695
California	39,431,263	8,069,975	1,191,462	1,288,221	765,095	523,126	1,258,246	1,329,995	1,469,564	1,398,325	1,325,624	1,208,591
Colorado	5,957,493	1,246,655	169,006	183,794	108,993	74,801	188,929	216,681	233,185	218,542	205,524	178,031
Connecticut	3,675,069	707,135	101,776	119,543	68,019	51,524	119,409	110,121	117,833	121,481	118,748	109,191
Delaware	1,051,917	196,461	29,955	33,484	19,333	14,151	30,877	30,678	34,719	34,509	32,194	29,544
District of Columbia	702,250	191,552	16,868	20,394	9,158	11,236	27,521	41,734	40,718	34,105	27,080	20,264
	23372215	4298661	625521	660819	399637	261182	670048	694212	764920	765154	743508	696226
Florida												
Georgia	11,180,878	2,312,690	357,768	381,924	234,010	147,914	374,600	375,696	406,270	389,980	384,220	359,811
Hawaii	1,446,146	263,440	41,073	37,823	23,777	14,046	38,749	42,677	47,782	48,784	47,625	42,621
Idaho	2,001,619	397,415	66,544	77,198	43,321	33,877	64,953	61,590	64,646	64,120	64,908	58,152
Illinois	12,710,158	2,529,339	379,007	407,966	249,447	158,519	415,635	420,384	441,530	423,220	420,604	389,305
Indiana	6,924,275	1,357,920	219,417	230,875	141,571	89,304	237,164	219,121	231,305	220,376	219,079	203,383
Iowa	3,241,488	620,022	100,894	111,078	65,337	45,741	112,340	97,256	100,898	97,269	101,181	90,307
Kansas	2,970,606	582,555	97,571	102,945	62,569	40,376	104,578	92,997	93,389	93,593	95,053	83,131
Kentucky	4,588,372	878,135	140,295	145,792	90,673	55,119	147,584	144,908	152,964	142,750	144,137	137,749
Louisiana	4,597,740	916,223	146,000	152,429	93,961	58,468	150,782	143,006	157,922	156,791	155,293	135,583
Maine	1,405,012	250,580	34,440	39,587	22,953	16,634	38,125	39,331	44,658	45,578	43,301	40,203
Maryland	6,263,220	1,234,343	191,322	198,463	121,751	76,712	186,755	192,204	216,276	223,713	216,932	194,920
Massachusetts	7,136,171	1,457,200	188,156	229,075	122,196	106,879	253,697	246,307	249,806	249,272	229,043	209,677
Michigan	10,140,459	1,931,212	294,879	315,567	190,296	125,271	333,118	316,127	343,523	315,027	307,850	289,734
Minnesota	5,793,151	1,125,639	182,350	189,953	116,808	73,145	182,059	177,125	189,006	193,725	193,771	165,880
Mississippi	2,943,045	583,680	92,798	104,896	63,370	41,526	99,411	91,628	98,590	93,548	95,607	90,034
Missouri	6,245,466	1,216,492	190,315	199,233	122,252	76,981	202,827	197,665	211,007	203,812	201,948	181,199
Montana	1,137,233	212,783	33,029	33,581	20,932	12,649	35,596	34,429	36,865	36,110	36,202	31,951
Nebraska	2,005,465	394,057	67,106	69,468	42,261	27,207	70,925	62,724	63,338	64,722	64,722	55,919
Nevada	3,267,467	645,940	96,812	96,886	62,531	34,355	92,553	108,967	121,394	115,567	110,573	99,135
New Hampshire	1,409,032	256,262	35,049	40,384	23,282	17,102	41,746	40,478	45,759	45,277	42,618	39,230
New Jersey	9,500,851	1,820,898	283,438	289,377	181,104	108,273	285,347	293,443	320,865	317,974	313,892	297,190
New Mexico	2,130,256	411,281	64,719	70,961	42,749	28,212	69,660	65,545	69,924	68,064	67,127	59,712
New York	19,867,248	3,947,256	550,085	592,619	342,581	250,038	642,850	692,410	715,586	673,723	630,068	588,470
North Carolina	11,046,024	2,203,253	324,918	361,264	211,732	149,532	363,466	361,800	389,384	371,432	355,907	339,304
North Dakota	796,568	159,549	25,415	27,671	15,381	12,290	30,605	26,094	26,289	25,064	23,826	19,671
Ohio	11,883,304	2,281,292	356,606	374,990	229,254	145,736	371,098	376,188	403,603	383,844	371,569	342,359
Oklahoma	4,095,393	821,935	135,922	140,158	85,730	54,428	139,993	132,307	139,176	134,988	135,313	117,887
Oregon	4,272,371	845,890	117,676	125,913	76,686	49,227	129,955	137,411	153,956	150,787	147,868	132,890
Pennsylvania	13,078,751	2,486,412	368,099	416,257	235,111	181,146	405,043	392,609	432,996	433,233	406,274	369,257
Rhode Island	1,112,308	222,282	27,878	36,309	18,398	17,911	38,357	35,443	39,490	37,615	35,068	31,344
South Carolina	5,478,831	1,059,353	160,595	176,964	105,723	71,241	172,215	168,829	186,316	180,416	174,613	162,568
South Dakota	924,669	171,607	30,361	30,660	18,978	11,682	29,433	27,054	28,047	28,230	28,183	24,558
Tennessee	7,227,750	1,433,656	216,005	225,606	139,959	85,647	232,836	245,812	257,426	240,580	231,396	217,665
Texas	31,290,831	6,593,801	1,068,217	1,094,181	674,161	420,020	1,071,824	1,092,157	1,145,834	1,111,078	1,078,727	969,094
Utah	3,503,613	779,083	131,643	141,300	85,802	55,498	150,004	132,270	113,641	113,641	117,154	107,276
Vermont	648,493	120,548	15,971	20,158	10,655	9,503	21,593	17,940	20,032	20,382	20,443	18,495
Virginia	8,811,195	1,751,319	260,080	279,766	165,739	114,027	283,226	281,800	303,417	305,203	297,907	270,191
Washington	7,958,180	1,621,310	230,015	233,078	144,948	88,130	236,942	275,748	309,363	293,270	272,909	235,781
West Virginia	1,769,979	313,645	49,548	52,731	32,138	20,593	54,188	50,193	53,582	50,017	52,934	53,415
Wisconsin	5,960,975	1,129,895	174,123	191,373	114,256	77,117	199,088	181,352	187,243	183,054	187,785	169,519
Wyoming	587,618	111,024	18,160	19,587	12,126	7,461	18,214	16,879	18,421	18,664	19,259	16,502
Puerto Rico	3,203,295	610,039	78,698	91,246	53,608	37,638	100,172	108,853	111,500	96,995	101,273	106,258
Virgin Islands	104,377	18,495	3,310	3,069	1,964	1,105	2,460	2,703	3,514	3,497	3,497	3,034
Guam	169,532	32,881	7,048	6,462	4,037	2,425	6,092	5,690	5,571	4,846	4,220	4,115
American Samoa	43,895	9,718	1,858	1,913	1,062	851	1,856	1,643	1,831	1,284	1,191	1,174
Northern Marianas	51,118	9,079	1,859	2,308	1,431	877	1,872	1,663	1,325	870	1,041	1,584

SOURCE: U.S. Census Bureau. See references 53-55.

**Population Table 3. Population of the
United States, 2010-2024**

[Population enumerated as of April 1 for
2010 and estimated as of April 1 for 2020
and July 1 for all other years]

Year	United States	
	Population including Armed Forces abroad	Population residing in area
2024	342,279,364	342,034,432
2023	335,160,938	334,914,895
2022	333,537,250	333,287,557
2021	332,140,523	331,893,745
2020	331,693,822	331,449,281
2019	328,475,998	328,239,523
2018	327,403,909	327,167,434
2017	325,939,372	325,719,178
2016	323,348,770	323,127,513
2015	321,654,360	321,418,820
2014	319,133,003	318,857,056
2013	316,432,767	316,128,839
2012	314,250,437	313,914,040
2011	312,008,762	311,591,917
2010	309,178,489	308,745,538

SOURCE: Published data from the U.S.
Census Bureau; see reference 60.