


## Таблица

SQL FiddleMySQL 5.6 -

View Sample FiddleClearText to DDL

```
1 CREATE TABLE Registration (
2   Name varchar (100),
3   Surname varchar (100) NOT NULL,
4   Age int (3) NOT NULL,
5   Login varchar (100) NOT NULL,
6   Password varchar (100) NOT NULL,
7   Email varchar (100) NOT NULL
8 );
9 INSERT INTO Registration ( Name, Surname, Age, Login, Password, Email )
10 VALUES
11 ('Nick', 'Brown', '32', 'LogNick', '12pass', 'nick@gmail.com'),
12 ('Mike', 'Tobler', '26', 'SunF', '12qwerty', 'sunF@mail.ru'),
13 ('Kate', 'Brown', '28', 'Katitty', '4test*12', 'KateBrown@mail.ru'),
14 ('Nick', 'Bonner', '21', 'FIQSt', '12qweq', 'BonNick@yandex.ru'),
15 ('Tom', 'Boyer', '40', 'preSTOM', '4test*12', 'preSTOM@tut.by'),
16 ('Alex', 'Lord', '26', 'nutt7', '2floppynut', 'lord@gmail.com');
```

Build Schema ⬇️Edit Fullscreen ↗️Browser 🌐[ : ] ▼

Run SQL ▶️▼Edit Fullscreen ↗️[ : ] ▼

Name	Surname	Age	Login	Password	Email
Nick	Brown	32	LogNick	12pass	nick@gmail.com
Mike	Tobler	26	SunF	12qwerty	sunF@mail.ru
Kate	Brown	28	Katitty	4test*12	KateBrown@mail.ru
Nick	Bonner	21	FIQSt	12qweq	BonNick@yandex.ru
Tom	Boyer	40	preSTOM	4test*12	preSTOM@tut.by
Alex	Lord	26	nutt7	2floppynut	lord@gmail.com

✔ Record Count: 6; Execution Time: 6ms + View Execution Plan ➡ link

```
1 SELECT * From Registration
```

```
1 CREATE TABLE Registration (  
2   Name varchar (100),  
3   Surname varchar (100) NOT NULL,  
4   Age int (3) NOT NULL,  
5   Login varchar (100) NOT NULL,  
6   Password varchar (100) NOT NULL,  
7   Email varchar (100) NOT NULL  
8 );  
9 INSERT INTO Registration ( Name, Surname, Age, Login, Password, Email )  
10 VALUES  
11 ('Nick', 'Brown', '32', 'LogNick', '12pass', 'nick@gmail.com'),  
12 ('Mike', 'Tobler', '26', 'SunF', '12qwerty', 'sunF@mail.ru'),  
13 ('Kate', 'Brown', '28', 'Katitty', '4test*12', 'KateBrown@mail.ru'),  
14 ('Nick', 'Bonner', '21', 'FlQSt', '12qweq', 'BonNick@yandex.ru'),  
15 ('Tom', 'Boyer', '40', 'preSTOM', '4test*12', 'preSTOM@tut.by'),  
16 ('Alex', 'Lord', '26', 'nutt7', '2floppynut', 'lord@gmail.com');
```

Build Schema

Edit Fullscreen

Browser

[ : ]

```
1 SELECT Name, Email, Age FROM Registration  
2 WHERE Age > 30
```

Run SQL

Edit Fullscreen

[ : ]

Name	Email	Age
Nick	nick@gmail.com	32
Tom	preSTOM@tut.by	40

Record Count: 2; Execution Time: 9ms [View Execution Plan](#) [link](#)

1. Вывести имена и емейл людей старше 30 лет.

```
1 CREATE TABLE Registration (  
2   Name varchar (100),  
3   Surname varchar (100) NOT NULL,  
4   Age int (3) NOT NULL,  
5   Login varchar (100) NOT NULL,  
6   Password varchar (100) NOT NULL,  
7   Email varchar (100) NOT NULL  
8 );  
9 INSERT INTO Registration ( Name, Surname, Age, Login, Password, Email )  
10 VALUES  
11 ('Nick', 'Brown', '32', 'LogNick', '12pass', 'nick@gmail.com'),  
12 ('Mike', 'Tobler', '26', 'SunF', '12qwerty', 'sunF@mail.ru'),  
13 ('Kate', 'Brown', '28', 'Katitty', '4test*12', 'KateBrown@mail.ru'),  
14 ('Nick', 'Bonner', '21', 'FIQSt', '12qweq', 'BonNick@yandex.ru'),  
15 ('Tom', 'Boyer', '40', 'preSTOM', '4test*12', 'preSTOM@tut.by'),  
16 ('Alex', 'Lord', '26', 'nutt7', '2floppynut', 'lord@gmail.com');
```

```
1 SELECT Login,Password,Surname FROM Registration  
2 WHERE Surname like "B%"
```

Build Schema

Edit Fullscreen

Browser

[ : ]

Run SQL

Edit Fullscreen

[ : ]

Login	Password	Surname
LogNick	12pass	Brown
Katitty	4test*12	Brown
FIQSt	12qweq	Bonner
preSTOM	4test*12	Boyer

```
1 CREATE TABLE Registration (  
2   Name varchar (100),  
3   Surname varchar (100) NOT NULL,  
4   Age int (3) NOT NULL,  
5   Login varchar (100) NOT NULL,  
6   Password varchar (100) NOT NULL,  
7   Email varchar (100) NOT NULL  
8 );  
9 INSERT INTO Registration ( Name, Surname, Age, Login, Password, Email )  
10 VALUES  
11 ('Nick', 'Brown', '32', 'LogNick', '12pass', 'nick@gmail.com'),  
12 ('Mike', 'Tobler', '26', 'SunF', '12qwerty', 'sunF@mail.ru'),  
13 ('Kate', 'Brown', '28', 'Katitty', '4test*12', 'KateBrown@mail.ru'),  
14 ('Nick', 'Bonner', '21', 'FlQSt', '12qweq', 'BonNick@yandex.ru'),  
15 ('Tom', 'Boyer', '40', 'preSTOM', '4test*12', 'preSTOM@tut.by'),  
16 ('Alex', 'Lord', '26', 'nutt7', '2floppynut', 'lord@gmail.com');
```

Build Schema

Edit Fullscreen

Browser

[:]

```
1 SELECT Password FROM Registration  
2 WHERE Password like "%12"
```

Run SQL

Edit Fullscreen

[:]

**Password**

4test\*12

4test\*12

✔ Record Count: 2; Execution Time: 11ms + View Execution Plan ➔ link

3. Вывести пароли, которые заканчиваются на "12"

```
1 CREATE TABLE Registration (  
2   Name varchar (100),  
3   Surname varchar (100) NOT NULL,  
4   Age int (3) NOT NULL,  
5   Login varchar (100) NOT NULL,  
6   Password varchar (100) NOT NULL,  
7   Email varchar (100) NOT NULL  
8 );  
9 INSERT INTO Registration ( Name, Surname, Age, Login, Password, Email )  
10 VALUES  
11 ('Nick', 'Brown', '32', 'LogNick', '12pass', 'nick@gmail.com'),  
12 ('Mike', 'Tobler', '26', 'SunF', '12qwerty', 'sunF@mail.ru'),  
13 ('Kate', 'Brown', '28', 'Katitty', '4test*12', 'KateBrown@mail.ru'),  
14 ('Nick', 'Bonner', '21', 'FIQSt', '12qweq', 'BonNick@yandex.ru'),  
15 ('Tom', 'Boyer', '40', 'preSTOM', '4test*12', 'preSTOM@tut.by'),  
16 ('Alex', 'Lord', '26', 'nutt7', '2floppynut', 'lord@gmail.com');
```

Build Schema

Edit Fullscreen

Browser

[.]

```
1 SELECT * FROM Registration  
2 WHERE Email like "%nick%"
```

Run SQL

Edit Fullscreen

[.]

Name	Surname	Age	Login	Password	Email
Nick	Brown	32	LogNick	12pass	nick@gmail.com
Nick	Bonner	21	FIQSt	12qweq	BonNick@yandex.ru

✓ Record Count: 2; Execution Time: 7ms + View Execution Plan link

4. Вывести все записи, где email содержит nick

```
1 CREATE TABLE Registration (  
2   Name varchar (100),  
3   Surname varchar (100) NOT NULL,  
4   Age int (3) NOT NULL,  
5   Login varchar (100) NOT NULL,  
6   Password varchar (100) NOT NULL,  
7   Email varchar (100) NOT NULL  
8 );  
9 INSERT INTO Registration ( Name, Surname, Age, Login, Password, Email )  
10 VALUES  
11 ('Nick', 'Brown', '32', 'LogNick', '12pass', 'nick@gmail.com'),  
12 ('Mike', 'Tobler', '26', 'SunF', '12qwerty', 'sunF@mail.ru'),  
13 ('Kate', 'Brown', '28', 'Katitty', '4test*12', 'KateBrown@mail.ru'),  
14 ('Nick', 'Bonner', '21', 'FlQSt', '12qweq', 'BonNick@yandex.ru'),  
15 ('Tom', 'Boyer', '40', 'preSTOM', '4test*12', 'preSTOM@tut.by'),  
16 ('Alex', 'Lord', '26', 'nutt7', '2floppynut', 'lord@gmail.com');
```

```
1 SELECT DISTINCT AGE FROM Registration  
2
```

Build Schema

Edit Fullscreen

Browser

[ : ]

Run SQL

Edit Fullscreen

[ : ]

AGE

32

26

28

21

40

```
1 CREATE TABLE Registration (
2 Name varchar (100),
3 Surname varchar (100) NOT NULL,
4 Age int (3) NOT NULL,
5 Login varchar (100) NOT NULL,
6 Password varchar (100) NOT NULL,
7 Email varchar (100) NOT NULL
8 );
9 INSERT INTO Registration ( Name, Surname, Age, Login, Password, Email )
10 VALUES
11 ('Nick', 'Brown', '32', 'LogNick', '12pass', 'nick@gmail.com'),
12 ('Mike', 'Tobler', '26', 'SunF', '12qwerty', 'sunF@mail.ru'),
13 ('Kate', 'Brown', '28', 'Katitty', '4test*12', 'KateBrown@mail.ru'),
14 ('Nick', 'Bonner', '21', 'FIQSt', '12qweq', 'BonNick@yandex.ru'),
15 ('Tom', 'Boyer', '40', 'preSTOM', '4test*12', 'preSTOM@tut.by'),
16 ('Alex', 'Lord', '26', 'nutt7', '2floppynut', 'lord@gmail.com');
```

Build Schema

Edit Fullscreen

Browser

[:]

```
1 SELECT Name,Login,Password,Email FROM Registration
2 ORDER BY Name DESC
```

Run SQL

Edit Fullscreen

[:]

Name	Login	Password	Email
Tom	preSTOM	4test*12	preSTOM@tut.by
Nick	LogNick	12pass	nick@gmail.com
Nick	FIQSt	12qweq	BonNick@yandex.ru
Mike	SunF	12qwerty	sunF@mail.ru
Kate	Katitty	4test*12	KateBrown@mail.ru
Alex	nutt7	2floppynut	lord@gmail.com



```
1 CREATE TABLE Registration (  
2   Name varchar (100),  
3   Surname varchar (100) NOT NULL,  
4   Age int (3) NOT NULL,  
5   Login varchar (100) NOT NULL,  
6   Password varchar (100) NOT NULL,  
7   Email varchar (100) NOT NULL  
8 );  
9 INSERT INTO Registration ( Name, Surname, Age, Login, Password, Email )  
10 VALUES  
11 ('Nick', 'Brown', '32', 'LogNick', '12pass', 'nick@gmail.com'),  
12 ('Mike', 'Tobler', '26', 'SunF', '12qwerty', 'sunF@mail.ru'),  
13 ('Kate', 'Brown', '28', 'Katitty', '4test*12', 'KateBrown@mail.ru'),  
14 ('Nick', 'Bonner', '21', 'FIQSt', '12qweq', 'BonNick@yandex.ru'),  
15 ('Tom', 'Boyer', '40', 'preSTOM', '4test*12', 'preSTOM@tut.by'),  
16 ('Alex', 'Lord', '26', 'nutt7', '2floppynut', 'lord@gmail.com');
```

Build Schema

Edit Fullscreen

Browser

[:]

```
1 SELECT * FROM Registration  
2 WHERE Name = "Nick" AND Surname = "Bonner"
```

Run SQL

Edit Fullscreen

[:]

Name	Surname	Age	Login	Password	Email
Nick	Bonner	21	FIQSt	12qweq	BonNick@yandex.ru

✓ Record Count: 1; Execution Time: 4ms + [View Execution Plan](#) [link](#)

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!

## 7. Вывести всю информацию о Nick Bonner