


MYSQL

CREATE

READ



UPDATE

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

SCHEMAS

- akshitha
 - Tables
 - a_table
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - department
 - student
 - students
 - year
 - Views
 - Stored Procedures
 - Functions
 - genai
 - sakila
 - sys
 - world

Administration Schemas

Information

Table: **a_table**

Columns:

- EMP_ID int PK
- EMP_NAME varchar(45)
- CITY varchar(45)

Query 1 a_table a_table x

Limit to 1000 rows

1 • `SELECT * FROM akshitha.a_table;`

Result Grid

	EMP_ID	EMP_NAME	CITY
▶	10	sony	hyd
*	NULL	NULL	NULL

Filter Rows: Edit: Result Grid Form Editor Field Types Query Stats

Output Action Output

Automatic context help is disabled. Use the manually get help for the current caret position toggle automatic help.

Context Help Snippets

DELETE

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

SCHEMAS

- akshitha
 - Tables
 - a_table
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - department
 - student
 - students
 - year
 - Views
 - Stored Procedures
 - Functions
- genai
- sakila
- sys
- world

Administration Schemas

Information:

Schema: sakila

Query 1 a_table a_table x

Limit to 1000 rows

1 • `SELECT * FROM akshitha.a_table;`

Result Grid

	EMP_ID	EMP_NAME	CITY
*	NULL	NULL	NULL

Form Editor

Field Types

Query Stats

a_table 3 x Apply Revert Context Help Snippets

Output

Action Output

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or toggle automatic help.