Sequência executada dos códigos:

```sql
CREATE USER 'Mateus'@'localhost' identified BY '1234';
CREATE USER 'Kanana'@'localhost' identified BY '1234';
CREATE USER 'Lucas'@'localhost' identified BY '1234';
CREATE USER 'Bruna'@'localhost' identified BY '1234';
CREATE USER 'Leticia'@'localhost' identified BY '1234';
CREATE USER 'Pedro'@'localhost' identified BY '1234';

GRANT ALL
ON *.*
TO 'Kanana'@'localhost';

GRANT DELETE
ON *.*
TO 'Mateus'@'localhost';

GRANT INSERT
ON *.*
TO 'Lucas'@'localhost';

GRANT DELETE, UPDATE
ON *.*
TO 'Bruna'@'localhost';

GRANT INSERT, DELETE
ON *.*
TO 'Leticia'@'localhost';

GRANT UPDATE
ON *.*
TO 'Pedro'@'localhost';

use mydb;
```

✅	10	15:00:58	GRANT ALL ON *.* TO 'Kanana'@'localhost'	0 row(s) affected
✅	11	15:02:21	GRANT DELETE ON *.* TO 'Mateus'@'localhost'	0 row(s) affected
✅	12	15:02:23	GRANT INSERT ON *.* TO 'Lucas'@'localhost'	0 row(s) affected
✅	13	15:02:24	GRANT DELETE, UPDATE ON *.* TO 'Bruna'@'lo...	0 row(s) affected
✅	14	15:02:25	GRANT INSERT, DELETE ON *.* TO 'Leticia'@'lo...	0 row(s) affected
✅	15	15:02:27	GRANT UPDATE ON *.* TO 'Pedro'@'localhost'	0 row(s) affected

```sql
ALTER USER 'Pedro'@'localhost' identified by '2244';

ALTER USER 'Lucas'@'localhost' identified by '1133';
```

✅	17	15:12:35	ALTER USER 'Pedro'@'localhost' identified by '2244'	0 row(s) affected
✅	18	15:12:37	ALTER USER 'Lucas'@'localhost' identified by '1133'	0 row(s) affected

```sql
RENAME USER 'Lucas'@'localhost' to 'Joao'@'localhost';

RENAME USER 'Pedro'@'localhost' to 'Mario'@'localhost';
```

✅	19	15:15:49	RENAME USER 'Lucas'@'localhost' to 'Joao'@'localhost'
✅	20	15:16:14	RENAME USER 'Pedro'@'localhost' to 'Mario'@'localhost'

```sql
REVOKE insert
ON *.*
FROM 'Kanana'@'localhost';

REVOKE DELETE
ON *.*
FROM 'Mateus'@'localhost';

REVOKE INSERT
ON *.*
FROM 'Joao'@'localhost';

REVOKE UPDATE
ON *.*
FROM 'Bruna'@'localhost';

REVOKE DELETE
ON *.*
FROM 'Leticia'@'localhost';

REVOKE UPDATE
ON *.*
FROM 'Mario'@'localhost';
```

✓	21 15:21:39	REVOKE insert ON *.* FROM 'Kanana'@'localhost'	0 row(s) affected
✓	22 15:21:40	REVOKE DELETE ON *.* FROM 'Mateus'@'localhost'	0 row(s) affected
✗	23 15:21:51	REVOKE INSERT ON *.* FROM 'Lucas'@'localhost'	Error Code: 1141. There is no such grant defined for user 'Lucas' on host 'localhost'
✓	24 15:22:03	REVOKE INSERT ON *.* FROM 'Joao'@'localhost'	0 row(s) affected
✓	25 15:22:11	REVOKE UPDATE ON *.* FROM 'Bruna'@'localhost'	0 row(s) affected
✓	26 15:22:27	REVOKE DELETE ON *.* FROM 'Leticia'@'localhost'	0 row(s) affected
✗	27 15:22:28	REVOKE UPDATE ON *.* FROM 'Pedro'@'localhost'	Error Code: 1141. There is no such grant defined for user 'Pedro' on host 'localhost'
✓	28 15:22:38	REVOKE UPDATE ON *.* FROM 'Mario'@'localhost'	0 row(s) affected

```sql
GRANT ALL
ON *.*
TO 'Kanana'@'localhost';
```

Mateus

👤 Kanana

🖧 127.0.0.1:3306

```sql
1 •    CREATE DATABASE teste;
2 •    USE teste;
3
4 • ⊖ CREATE TABLE Criadores(
5      idCriador INT PRIMARY KEY  AUTO_INCREMENT,
6      nome VARCHAR(45),
7      nomePropriedade VARCHAR(45)
8    └ );
9
10 •   INSERT INTO Criadores(nome, nomePropriedade)
11     VALUES('Hasmund', 'VidaFeliz'),
12     ('Pedro', 'ArcoIris'),
13     ('Camille', 'Canastra'),
14     ('Aurora', 'LensVille');
15 •   SELECT * FROM Criadores;
```

Result Grid | Filter Rows: | Edit:

	idCriador	nome	nomePropriedade
▶	1	Hasmund	VidaFeliz
	2	Pedro	ArcoIris
	3	Camille	Canastra
	4	Aurora	LensVille
	5	Hasmund	VidaFeliz
*	NULL	NULL	NULL

Leticia

👤 Leticia
🖧 127.0.0.1:3306

```sql
use teste;


INSERT INTO Criadores(nome, nomePropriedade)
VALUES('Hasmund', 'VidaFeliz');
```

```sql
use teste;


DELETE FROM Criadores WHERE nome = 'Pedro';
```

✅	1	15:28:18	use teste	0 row(s) affected
❌	2	15:28:18	Error loading schema content	Error Code: 1142 SELECT command denied to user 'Leticia'@'localhost' for table 'criadores'
✅	3	15:29:00	INSERT INTO Criadores(nome, nomePropriedade) VALUES('Hasmund', 'VidaFeliz')	1 row(s) affected
❌	4	15:29:56	DELETE FROM Criadores WHERE nome = 'Pedro'	Error Code: 1142. DELETE command denied to user 'Leticia'@'localhost' for table 'criadores'