

You could leave a comment if you were logged in.

Attachments:

Document generated by Confluence on Jul 30, 2024 06:22

HID SAFE Wiki : BSS test Page

Attachments:

Document generated by Confluence on Jul 30, 2024 06:33

HID SAFE Wiki : HID SAFE Managed Service How to Setup Collector Monitoring

Collector Host

Monitored Host

Check Powershell version and install latest PS 5.1

Grant dedicated account WMI namespace permission

Grant dedicated account DCOM permission

configure snmp service on host

Logic Monitor

SAFE Windows Service Monitoring

RabbitMQ Monitoring

06 Aug 2020

RESTRICTED

DRAFT

Collector Host

Monitored Host

Check Powershell version and install latest PS 5.1

Grant dedicated account WMI namespace permission

Grant dedicated account DCOM permission

configure snmp service on host

Logic Monitor

SAFE Windows Service Monitoring

RabbitMQ Monitoring

run the following command on the RabbitMQ server to create port exception and create RabbitMQ service account. the version of rabbitmq installed maybe different. open browser and go to <http://127.0.0.1:15672/> → login with guest or admin → retrieve password from SAFE config tool → check admin tab to ensure logicmonitor users have require permission.

Attachments:

Document generated by Confluence on Jul 30, 2024 07:46

HID SAFE Wiki : Build error with Angular1.d.ts

Some of the developers end up getting a build error as shown below (after they do a full git clean and restore again)

```
4>C:\Code\SAFE_vNext\Src\UI\Web\Web.Safe\wwwroot\node_modules\@angular\upgrad
e\static\src\common\angular1.d.ts(10,18):      error      TS2430:      Build:Interface
'IAnnotatedFunction' incorrectly extends interface 'Function'.
```

```
4>C:\Code\SAFE_vNext\Src\UI\Web\Web.Safe\wwwroot\node_modules\@angular\upgrad
e\static\src\common\angular1.d.ts(10,18):      error      TS2430:      Build:Interface
'IAnnotatedFunction' incorrectly extends interface 'Function'.
```

This can be resolved by modifying / correcting the angular1.d.ts as shown below.

Attachments:

Document generated by Confluence on Jul 30, 2024 06:31

HID SAFE Wiki : Nimbus - SnapShell Configure fields to be Scanned from ID in VMO Check In

Configuration of fields to be Scanned from ID(DL/Passport) using Snap Shell can be configured in VMO CheckIn screen by using below Master data.

Login to SAFE as System Administrator

Navigate to Admin application

Navigate to Master Data

Search for VMSCONFIG

Further Search for VISITORS_IDSCANNING_FIELDS as shown below

Edit the configuration and provide the fields to be scanned in comma separated string.

NOTE : We can only configure fields from below list.

FirstName

LastName

IdNumber

ExpirationDate

IssuedBy

IssueState

Picture

PUBLISHED

IAMS Engineering and Product Teams

Product IT

RESTRICTED

Attachments:

Document generated by Confluence on Jul 30, 2024 06:17

HID SAFE Wiki : Authentication

Authentication

Attachments:

Document generated by Confluence on Jul 30, 2024 06:20

HID SAFE Wiki : DB Script: Oracle - Delete all objects in an user

Document generated by Confluence on Jul 30, 2024 06:30

