01 / BUSINESS PROBLEM

Problem statement

A cloud-neutral framework for governing autonomous AI agents across their full lifecycle.

The problem

Enterprises are adopting AI agents that can plan tasks, invoke tools, access enterprise data and delegate work to other agents. Existing identity and access controls primarily address human users and conventional service accounts. Without consistent agent registration, accountable ownership, purpose-bound authorization and connected audit evidence, agent activity can become difficult to control and explain.

The supplied material describes a European banking client anticipating a large increase in agentic applications. Its central concern is the absence of a unified way to monitor agents from onboarding and deployment through runtime access, agent-to-agent interactions and data transfers. The transcript mentions roughly 2,000-5,000 applications by 2027; this is an unverified planning estimate, not a measured workload or agreed capacity target. [S1, S2]

Formal problem statement

Proposed statement for project use

Design and demonstrate a vendor-neutral agentic AI governance framework that gives each onboarded agent a verified identity, an accountable human owner, an approved business purpose and managed lifecycle controls. The framework must enforce context-aware, least-privilege access to tools and data; constrain agent-to-agent delegation; govern sensitive information sharing; and provide end-to-end evidence of decisions and actions through a unified management view. It should integrate with enterprise identity and cloud platforms while enabling approved agent use without blanket restrictions.

Why this matters

Security and control. Unmanaged identities, persistent privileges and unconstrained delegation can expose data or enable actions beyond an agent's approved purpose.

Accountability and investigation. The enterprise needs to identify who owns an agent, what it was allowed to do, what it actually did and which rule allowed or denied an action.

Scalable adoption. A reusable onboarding and enforcement framework can reduce repeated governance work across agent teams and cloud environments.

Status: requirements synthesis and proposed design. No software has been built, tested or deployed as part of these documents.

02 / REQUIRED OUTCOMES

What the framework must do

The following requirements are derived from the image and the available meeting excerpt. Implementation details remain proposals.

ID / capability	Required outcome	Source
R01 - Registry	Record every onboarded agent, its purpose, owner, version, environment and lifecycle state.	S1; S2 2:19
R02 - Identity	Bind agent records to verified runtime identities; distinguish an agent definition from a running instance.	S1; design detail
R03 - Ownership	Assign accountable human ownership and expose unowned or overdue records for review.	S1
R04 - Lifecycle	Govern onboarding, approval, deployment, suspension, review and retirement.	S1; S2 2:19
R05 - Purpose and intent	Evaluate requested action and context against the agent's approved purpose.	S1
R06 - Temporary access	Grant narrow access when needed and withdraw it on expiry or suspension.	S1
R07 - Tool control	Control calls to MCP servers, APIs and other approved enterprise tools.	S1; S2 1:59
R08 - Delegation	Authorize agent-to-agent work without silently expanding privileges; preserve the actor chain.	S1; S2 1:59-2:19
R09 - Data sharing	Make agent-to-tool and agent-to-agent data movement visible and apply destination and data rules.	S2 2:19; S1
R10 - Evidence	Connect identities, owners, requests, policy decisions and outcomes for investigation.	S1; S2 1:35-2:19
R11 - Unified operations	Provide one view for inventory, access decisions, activity, alerts and control actions.	S2 1:35-2:19
R12 - Portability	Keep the design adaptable to AWS, Azure, GCP and mixed-cloud deployments. No named vendor product is mandatory.	S2 24:29-25:38

Interpretation boundary

"Intent-aware" is interpreted as checking an explicit, authorized task context against the concrete action, resource and destination. It does not mean trusting an agent's description of its own intentions. "End-to-end" applies to the onboarded and instrumented execution path; unmanaged workloads require discovery and integration before coverage can be claimed.

03 / DELIVERY BOUNDARY

Scope and success criteria

Prove the complete governance loop in a small demonstration, then validate production requirements with the client.

Recommended first demonstration

Use a synthetic banking service case with three agents: a case coordinator, a knowledge-retrieval agent and a case-update agent. Integrate two mock tools: a read-only knowledge service and a case service with masked reads and approval-gated writes. The coordinator delegates retrieval, requests a controlled update and produces an auditable result. No real customers, money movement or production banking systems are needed.

In the first version	Later enterprise extensions
Registry, human ownership, lifecycle states and roles	Automated discovery, owner-directory synchronization and enterprise recertification
One identity provider, protected gateway, deterministic policies and temporary grants	Multiple identity providers, attested workload identity and regional enforcement
Two tools, bounded delegation, request and response data checks	Broader connectors, organization-wide data classification and additional protocols
Approval queue, suspension, audit timeline and seeded tests	High availability, operational recovery drills, external audit integration and scale certification

Proposed acceptance criteria - to be agreed

Complete inventory. All three demo agents have an owner, approved purpose, version and status. An unknown or suspended agent cannot execute a protected action.

Real enforcement. An allowed call reaches the tool; a forbidden call produces no tool execution. A direct bypass attempt is denied by the runtime network boundary.

Controlled delegation. An approved child task succeeds; expanded scope, changed destination, expired grant and excessive depth are rejected.

Data and approval controls. Sensitive test fields are blocked or masked as specified. A write runs only after an authorized reviewer approves the exact request and the request is revalidated.

Reconstructable evidence. Every protected demo attempt has a decision and correlation ID; completed tool calls have an outcome. A timeline shows the requester, agent chain, owner, rule version and result.

Operational response. Suspension blocks new protected calls within a proposed five-second demonstration target. Existing external side effects may require separate cancellation or remediation.

Exclusions: model training, a replacement for enterprise IAM, automatic regulatory certification, unrestricted third-party agent discovery and production-scale proof from a small demo. Business benefit and performance targets must be measured; they are not established results.

04 / EVIDENCE AND OPEN POINTS

What is known and what is assumed

This baseline preserves the distinction between the supplied context, interpretation and design recommendations.

Evidence or uncertainty	Treatment in this project
Image: problem description	Primary statement of agent ownership, identity, lifecycle, intent-aware rules, just-in-time access, delegation and monitoring.
Meeting excerpt: 0:18-2:19	Supports a reusable governance framework, banking context, unified control and visibility into external calls and transferred data.
Meeting excerpt: 24:29-25:38	Explicitly supports cloud portability and says named vendor products are not mandatory.
Transcript gap: about 2:19-24:01	The missing discussion may contain scope or judging details. It cannot be reconstructed from the supplied material.
Speech-recognition errors	Terms such as "HNDK", "identity application" and "DZP" appear corrupted. Agentic applications is a contextual interpretation; exact wording needs confirmation.
Application count and 2027	Retained as a reported estimate. Agent definitions, running instances, concurrent tasks and request volume must be measured separately.
Proposed technology, demo and metrics	Recommendations in the implementation plan, not commitments made by the meeting speakers.

Source register

[S1] User-supplied PS.jpeg. Visible section: "2. Problem Description / a. Description" and the beginning of "b. Business Context". Only the visible material was used; the rest of the original document was not supplied.

[S2] User-supplied Pasted text.txt. Partial meeting transcript attributed to Karthikeyan Vijayarajan and other participants. Relevant segments: 0:18-2:19 and 24:29-25:38. Duplicate lines and recognition errors were treated as transcription artifacts.

Decisions needed before implementation

Confirm the deadline and judging criteria, the preferred demo use case, available team and technology skills, hosting restrictions, existing identity/tool integrations, data restrictions and the authority to route agent traffic through an enforcement gateway. The implementation plan contains a numbered questionnaire with recommended defaults.

Companion documents

Read the implementation plan to decide how to build the framework and what inputs are needed. Use the project handbook to understand the architecture, runtime behavior, design decisions and operating procedures. All three start at v0.1 and should be revised together when scope is confirmed.