#### Content Menu ▼

# THE TOEFL® TEST Fair, valid & reliable scores.





Servlet Login and Logout Example us

A **cookie** is a kind of information that is stored at client side.

In the previous page, we learned a lot about cookie e.g. how to create to get cookie etc.

Here, we are going to create a login and logout example using servlet d

In this example, we are creating 3 links: login, logout and profile. Uhe/she is logged in. If user is logged out, he need to login again to visit

In this application, we have created following files.

- 1. index.html
- 2. link.html
- 3. login.html
- 4. LoginServlet.java
- 5. LogoutServlet.java
- 6. ProfileServlet.java
- 7. web.xml

File: index.html

- <!DOCTYPE html>
- <html>
- <head>
- <meta charset="ISO-8859-1">
- <title>Servlet Login Example</title>
- </head>
- <body>
- <h1>Welcome to Login App by Cookie</h1>
- <a href="login.html">Login</a>|
- <a href="LogoutServlet">Logout</a>|
- <a href="ProfileServlet">Profile</a>
- </body>
- </html>



PLAY

NOW

lete cookie, how

rofile page until

File: link.html

```
<a href="login.html">Login</a> |
<a href="LogoutServlet">Logout</a> |
<a href="ProfileServlet">Profile</a> <a href="ProfileServlet">hr>
```

File: login.html

```
<form action="LoginServlet" method="post">
Name:<input type="text" name="name"><br>
Password:<input type="password" name="password"><br>
<input type="submit" value="login">
</form>
```

File: LoginServlet.java

```
package com.javatpoint;
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.Cookie;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
public class LoginServlet extends HttpServlet {
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
                   throws ServletException, IOException {
     response.setContentType("text/html");
     PrintWriter out=response.getWriter();
     request.getRequestDispatcher("link.html").include(request, response);
     String name=request.getParameter("name");
     String password=request.getParameter("password");
     if(password.equals("admin123")){
        out.print("You are successfully logged in!");
        out.print("<br>>Welcome, "+name);
        Cookie ck=new Cookie("name",name);
        response.addCookie(ck);
     }else{
        out.print("sorry, username or password error!");
```

```
request.getRequestDispatcher("login.html").include(request, response);
}
out.close();
}
```

### File: LogoutServlet.java

```
package com.javatpoint;
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.Cookie;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
public class LogoutServlet extends HttpServlet {
  protected void doGet(HttpServletRequest request, HttpServletResponse response)
                 throws ServletException, IOException {
     response.setContentType("text/html");
     PrintWriter out=response.getWriter();
     request.getRequestDispatcher("link.html").include(request, response);
     Cookie ck=new Cookie("name","");
     ck.setMaxAge(0);
     response.addCookie(ck);
     out.print("you are successfully logged out!");
  }
}
```

#### File: ProfileServlet.java

```
package com.javatpoint;

import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.Cookie;
import javax.servlet.http.HttpServlet;
```

```
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
public class ProfileServlet extends HttpServlet {
  protected void doGet(HttpServletRequest request, HttpServletResponse response)
                  throws ServletException, IOException {
     response.setContentType("text/html");
      PrintWriter out=response.getWriter();
     request.getRequestDispatcher("link.html").include(request, response);
     Cookie ck[]=request.getCookies();
     if(ck!=null){
      String name=ck[0].getValue();
     if(!name.equals("")||name!=null){
        out.print("<b>Welcome to Profile</b>");
        out.print("<br>Welcome, "+name);
      }
      }else{
        out.print("Please login first");
        request.getRequestDispatcher("login.html").include(request, response);
      }
     out.close();
  }
}
```

File: web.xml


```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</pre>
xmlns="http://java.sun.com/xml/ns/javaee" xsi:schemaLocation="http://java.sun.com/xml/ns/javaee
http://java.sun.com/xml/ns/javaee/web-app_2_5.xsd" id="WebApp_ID" version="2.5">
 <servlet>
  <description></description>
  <display-name>LoginServlet</display-name>
  <servlet-name>LoginServlet/servlet-name>
  <servlet-class>com.javatpoint.LoginServlet/servlet-class>
 </servlet>
 <servlet-mapping>
  <servlet-name>LoginServlet/servlet-name>
  <url><url-pattern>/LoginServlet</url-pattern>
 </servlet-mapping>
 <servlet>
  <description></description>
```


```
<display-name>ProfileServlet</display-name>
  <servlet-name>ProfileServlet/servlet-name>
  <servlet-class>com.javatpoint.ProfileServlet/servlet-class>
 </servlet>
 <servlet-mapping>
  <servlet-name>ProfileServlet/servlet-name>
  <url-pattern>/ProfileServlet</url-pattern>
 </servlet-mapping>
 <servlet>
  <description></description>
  <display-name>LogoutServlet</display-name>
  <servlet-name>LogoutServlet/servlet-name>
  <servlet-class>com.javatpoint.LogoutServlet/servlet-class>
 </servlet>
 <servlet-mapping>
  <servlet-name>LogoutServlet/
  <url-pattern>/LogoutServlet</url-pattern>
 </servlet-mapping>
</web-app>
```


download this example (developed using Eclipse IDE)


## **Output**














If again you click on the profile link, you need to login first.

