Cucumber Report

| Start : Aug 21, 12:25:30.764 PM	End : Aug 21, 12:25:47.546 PM	Duration : 16.782 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 19

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login page feature	16.782 s	3	0	3	0	19	0	0	19

#	Feature Name	Scenario Name
1	*Login page feature*	*Login page validation*
2		*Login with correct credentials*
3		*open Find Patient Record app*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@LoginPage	3	0	3	0	1	0	1	0
@T1	1	0	1	0	1	0	1	0
@T2	1	0	1	0	1	0	1	0
@T3	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	16.782 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login page feature	Login page validation	3	0	0	3	6.820 s
2		Login with correct credentials	7	0	0	7	5.237 s
3		open Find Patient Record app	9	0	0	9	4.692 s

Login page feature

FAILED	DURATION - 16.782 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 19 Pass - 0 Fail - 0 Skip - 19	19
/ 12:25:30.764 PM // 12:25:47.546 PM /					

Login page validation

FAILED	DURATION - 6.820 s	Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	3
/ 12:25:30.767 PM // 12:25:37.587 PM /			
Login page feature			
@LoginPage @T1			

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.ApplicationHooks.launchBrowser()	FAILED	6.794 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.96 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'USHYDMBKAUSHIK4', ip: '192.168.29.198', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x00A6A813+48355] (No symbol) [0x009FC4B1] (No symbol) [0x00905358] (No symbol) [0x009261AC] (No symbol) [0x00921EF3] (No symbol) [0x00920579] (No symbol) [0x00950C55] (No symbol) [0x0095093C] (No symbol) [0x0094A536] (No symbol) [0x009282DC] (No symbol) [0x009293DD] GetHandleVerifier [0x00CCAABD+2539405] GetHandleVerifier [0x00D0A78F+2800735] GetHandleVerifier [0x00D0456C+2775612] GetHandleVerifier [0x00AF51E0+616112] (No symbol) [0x00A05F8C] (No symbol) [0x00A02328] (No symbol) [0x00A0240B] (No symbol) [0x009F4FF7] BaseThreadInitThunk [0x754700C9+25] RtlGetAppContainerNamedObjectPath [0x77247B1E+286] RtlGetAppContainerNamedObjectPath [0x77247AEE+238]
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	  at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	  at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	  at java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:193)		

| #	Step / Hook Details	Status	Duration
	at java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:498) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:485) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:471) at java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at stepDefinition.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given user is on login page	SKIPPED	0.000 s
2	When user gets the title of the page	SKIPPED	0.000 s
3	Then page title should be "Login"	SKIPPED	0.001 s
	AFTER - stepDefinition.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException at stepDefinition.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.002 s
	AFTER - stepDefinition.ApplicationHooks.quitBrowser() java.lang.NullPointerException at stepDefinition.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.000 s

Login with correct credentials

FAILED	DURATION - 5.237 s
/ 12:25:37.608 PM // 12:25:42.845 PM /	
Login page feature	
@LoginPage @T2	

Steps

Total - 7

Pass - 0

Fail - 0

Skip - 7

7

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.ApplicationHooks.launchBrowser()	FAILED	5.226 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.96 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'USHYDMBKAUSHIK4', ip: '192.168.29.198', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x00A6A813+48355] (No symbol) [0x009FC4B1] (No symbol) [0x00905358] (No symbol) [0x009261AC] (No symbol) [0x00921EF3] (No symbol) [0x00920579] (No symbol) [0x00950C55] (No symbol) [0x0095093C] (No symbol) [0x0094A536] (No symbol) [0x009282DC] (No symbol) [0x009293DD] GetHandleVerifier [0x00CCAABD+2539405] GetHandleVerifier [0x00D0A78F+2800735] GetHandleVerifier [0x00D0456C+2775612] GetHandleVerifier [0x00AF51E0+616112] (No symbol) [0x00A05F8C] (No symbol) [0x00A02328] (No symbol) [0x00A0240B] (No symbol) [0x009F4FF7] BaseThreadInitThunk [0x754700C9+25] RtlGetAppContainerNamedObjectPath [0x77247B1E+286] RtlGetAppContainerNamedObjectPath [0x77247AEE+238] at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:193) at java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:498) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:485) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:471) at java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at stepDefinition.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given user is on login page	SKIPPED	0.000 s
2	When I enter "username" and "password"	SKIPPED	0.000 s
3	And user selects location "Inpatient Ward" session	SKIPPED	0.000 s
4	And user clicks on "Login" button	SKIPPED	0.000 s
5	Then user gets the title of the page	SKIPPED	0.000 s
6	And page title should be "Home"	SKIPPED	0.001 s
7	Then the user should be able to view "Find Patient Record"	SKIPPED	0.001 s
	AFTER - stepDefinition.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at stepDefinition.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - stepDefinition.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at stepDefinition.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

open Find Patient Record app

FAILED	DURATION - 4.692 s
/ 12:25:42.854 PM // 12:25:47.546 PM /	
Login page feature	
@LoginPage @T3	

Steps
Total - 9
Pass - 0
Fail - 0
Skip - 9

9

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinition.ApplicationHooks.launchBrowser()	FAILED	4.686 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114		

#	Step / Hook Details	Status	Duration

	Current browser version is 116.0.5845.96 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'USHYDMBKAUSHIK4', ip: '192.168.29.198', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x00A6A813+48355] (No symbol) [0x009FC4B1] (No symbol) [0x00905358] (No symbol) [0x009261AC] (No symbol) [0x00921EF3] (No symbol) [0x00920579] (No symbol) [0x00950C55] (No symbol) [0x0095093C] (No symbol) [0x0094A536] (No symbol) [0x009282DC] (No symbol) [0x009293DD] GetHandleVerifier [0x00CCAABD+2539405] GetHandleVerifier [0x00D0A78F+2800735] GetHandleVerifier [0x00D0456C+2775612] GetHandleVerifier [0x00AF51E0+616112] (No symbol) [0x00A05F8C] (No symbol) [0x00A02328] (No symbol) [0x00A0240B] (No symbol) [0x009F4FF7] BaseThreadInitThunk [0x754700C9+25] RtlGetAppContainerNamedObjectPath [0x77247B1E+286] RtlGetAppContainerNamedObjectPath [0x77247AEE+238]
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	  at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	  at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	  at java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:193)
	  at java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:958)
	  at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126)
	  at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:498)
	  at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:485)
	  at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:471)
	  at java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:152)
	  at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	  at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123)
	  at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29)
	  at stepDefinition.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		

1	Given user is on login page	SKIPPED	0.000 s
2	When I enter "username" and "password"	SKIPPED	0.000 s
3	And user selects location "Inpatient Ward" session	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And user clicks on "Login" button	SKIPPED	0.000 s
5	Then user gets the title of the page	SKIPPED	0.000 s
6	And page title should be "Home"	SKIPPED	0.000 s
7	And user clicks the app "Find Patient Record"	SKIPPED	0.000 s
8	Then user gets the title of the page	SKIPPED	0.001 s
9	Then page title should be "OpenMRS Electronic Medical Record"	SKIPPED	0.000 s
	AFTER - stepDefinition.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at stepDefinition.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - stepDefinition.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException at stepDefinition.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		