DOMEBOX · BISCS INDIA

The Deploy Book

How to put the new Domebox online.
Simple words. One step at a time. Pictures for every screen.

How to use this book. Read one step. Do it. Tick the box ☐. Then go to the next step. Do not skip steps. Do not do two steps at once. The pictures are drawings of the screens — your screen may look a little different, but the buttons have the same names. **Red numbers** show what to click, in order.

Chapter 0 — What you already have

You already have **two Google Sheets**. And every customer has **their own sheet** with their tasks.

📄 Template sheet

An empty pattern. When a new company signs up, Domebox makes a copy of it for them.

Like a blank exam paper that gets photocopied.

Do not change it.

📒 Master sheet

The list of every company, their login and their plan. It also has your **OLD script** inside it.

Like the school register.

Do not touch the old script.

🆕 NEW script — its own separate project

You make it at **script.google.com**. It is **not inside any sheet**. It only needs to know the **ID** of your Template and Master sheets.

Picture 1 — Your three things. The new script reads your two sheets. It does not live inside them.

The three rules of this book

1. Old script: leave it.

The old script inside your Master sheet is your live website. Customers use it right now.

2. Customer sheets: never edit.

The new script upgrades them safely. You never open them.

3. New script: own project.

Made at script.google.com in Step 3. Not inside a sheet.

Words used in this book

Word	Meaning
ID	The long code in a sheet's web address — the sheet's roll number. See Step 1.
Script	The program. Your file `code.gs` is a script.
Project	A box that holds scripts.
Run	Press the ▶ Run button to make the script do one job.
Log	The messages the script writes after Run. They appear at the bottom.
Script Properties	A small settings list inside the project — like a notebook.

What you need

- A computer with Google Chrome
- Logged in to Google with the account that owns **info@biscsindia.com**
- The file **domebox-complete.zip**, unzipped into a folder
- Your Netlify login, your Razorpay login, your GitHub login
- Notepad open, to write down codes
- About 2 hours, with no hurry


There are **two parts**. **Part 1 — Practice:** you build the new system next to the old one and test it. Customers notice nothing. **Part 2 — Switch:** you point the new system at your real Master sheet and move the website (about 45 minutes).

PART 1 — PRACTICE

Customers notice nothing. Nothing real is changed.

1 Write down your sheet IDs

1. Open your **Template sheet**.
2. Look at the web address at the top. The **ID** is the part between `/d/` and `/edit`.
3. Select it with the mouse, press **Ctrl + C**. In Notepad write `Template ID =` and press **Ctrl + V**.
4. Do the same for your **Master sheet**: `Master ID =`



Picture 2 — The yellow part is the ID. Copy only that part.

☐ **I have Template ID and Master ID in Notepad.**

2 Make a practice Master sheet

We practise on a **new, empty** sheet so the real customer list stays safe.


1. Go to **sheets.google.com** → click **Blank** (the big **+**).
2. Click *Untitled spreadsheet* at the top and type **PRACTICE Master**.
3. Copy its ID like in Step 1. In Notepad: `Practice ID =`

☐ **I have Practice ID in Notepad.**

3 Make the NEW script project

1. Go to **script.google.com**. Click **New project** 1 .

2. Click *Untitled project* 2 and name it **Domebox NEW**.
3. Click inside the code, press **Ctrl + A** then **Delete** 3 .
4. On your computer open the zip folder → **dist** → **code.gs** with Notepad. **Ctrl + A**, **Ctrl + C**.
5. Back in the browser click inside the empty code area and press **Ctrl + V**.
6. Click 💾 **Save** 4 .



Picture 3 — A new project at script.google.com. The code goes into Code.gs.

❗ You did this at **script.google.com** — NOT inside your Master sheet. That is correct.


☐ **Domebox NEW has the long code in it, saved, with no red lines.**

4 Fill in the settings notebook

1. On the left, click the ⚙ **gear** (Project Settings) 1 .
2. **Time zone** → choose **(GMT+05:30) India Standard Time** 2 .
3. Scroll down to **Script Properties** → **Add script property** 3 . Add these rows:

Property (left box)	Value (right box)
`MASTER_DB_ID`	your **Practice ID** (Step 2) — *not* the real Master yet
`TEMPLATE_ID`	your **Template ID** (Step 1)
`SITE_URL`	`https://www.domebox.in`
`MAIL_FROM`	`info@biscsindia.com`
`SELLER_LEGAL_NAME`	`BISCS India`
`SELLER_ADDRESS`	your office address, in one line
`SELLER_STATE`	`West Bengal`

4. Click **Save script properties** 4 .




Picture 4 — Project Settings: time zone, then the settings list.

☐ **Seven rows saved. Time zone is India.**


5 Run the setup check

1. Click **<> Editor** on the left.
2. In the function box at the top 1 choose **setupDomeBox**.

3. Click ▶ **Run** (2).
4. Google asks for permission (Picture 6): **Review permissions** → your account → **Advanced** → **Go to Domebox NEW (unsafe)** → **Allow**. It says “unsafe” only because you made the app yourself.
5. Read the **Execution log** at the bottom (3). Some lines say **ok**, some say **MISSING**. That is normal now — the next steps fix them.



Picture 5 — Choose the function, press Run, read the log.



Picture 6 — The permission screens, only the first time.

6. Go back to ⚙ **Project Settings**. A new row **AUTH_PEPPER** has appeared. **Copy its value into Notepad and keep it forever.** If it is lost, every customer must reset their password.

☐ **setupDomeBox ran. AUTH_PEPPER is in Notepad.**

6 Let it send emails from info@biscsindia.com


Only if the log says **not a verified send-as alias**:

1. Open **Gmail** → ⚙ → **See all settings** → tab **Accounts and Import**.
2. **Send mail as** → **Add another email address** → type `info@biscsindia.com` → follow the steps.
3. Open the email Google sends and click the link inside it.
4. Back in the script: run **setupDomeBox** again.

☐ **The log says: every email will leave from info@biscsindia.com**

7 Put the new script on the internet

1. Top right: **Deploy** 1 → **New deployment** 2 .
2. Click the ⚙ next to *Select type* → **Web app** 3 .
3. **Execute as: Me**. **Who has access: Anyone** 4 . Click **Deploy**.
4. Copy the **Web app URL** that ends with ***/exec*** 5 . In Notepad: `API URL =`



Picture 7 — Deploy → New deployment → Web app → Me → Anyone → Deploy. Copy the /exec address.


> Later, whenever you change the code: **Deploy → Manage deployments → ✏ pencil → Version: New version → Deploy**. Just pressing Save is **not** enough.

☐ **I have the API URL in Notepad.**

8 Add the reminders file

A **second file in the same project**. It sends the 9 am, 3 pm and 5 pm reminders and makes repeating tasks.

1. Next to **Files** click **+ → Script** 1 . Name it `reminders`.
2. Delete what is inside. Paste all of **domebox → reminders.gs** from the zip.
3. Near the top change two lines 2 (see picture): put your **Practice ID** inside the quotes after `SHEET_ID:`, and change `DRY_RUN: true` to `DRY_RUN: false`.
4. 💾 **Save**. Choose **installDomeBoxSchedules → ▶ Run**.
5. Choose **setupDomeBox → ▶ Run**.



Picture 8 — The only two things you change in reminders.gs.

❗ Never add the file `payments-secure.gs`. It is old and breaks payments.

☐ **The log says: all scheduled jobs are installed (task reminders at 9, 15 and 17)**


9 Connect Razorpay — in TEST mode

❗ **Do not regenerate your live keys now.** Your old system collects real payments with them. In the practice run you use Razorpay's **Test Mode** — pretend money, separate keys. Live keys are only touched on switch day (Steps 18 and 20).

1. Razorpay Dashboard → top of the screen, switch **Live Mode** → **Test Mode** 1 .
2. **Account & Settings** → **API Keys** → **Generate Test Key**. Copy the Test **Key ID** (starts with `rzp_test_`) and **Key Secret**.
3. Make up a long password, e.g. `dbx-Hq27-Kolkata-91`. In Notepad: `Webhook secret =`
4. Script → ⚙ **Project Settings** → Script Properties → add:

Property	Value
`RAZORPAY_KEY_ID`	the **Test** Key ID (`rzp_test_…`)
`RAZORPAY_KEY_SECRET`	the **Test** Key Secret
`RAZORPAY_WEBHOOK_SECRET`	the password you made up
`SELLER_GSTIN`	your GST number (skip if not GST registered)

5. Still in **Test Mode**: **Webhooks** → **Add New Webhook** → URL = your **API URL**, Secret = the made-up password, tick **payment.captured**, **Create**.



Picture 9 — In Test Mode: your API URL, your made-up secret, one event.

6. Run **setupDomeBox** again. In Step 11 you can buy a plan on the practice site with a Razorpay **test card** — no real money moves.

☐ **No Razorpay line says MISSING. Test keys are in, live keys untouched.**

10 Make a practice website on Netlify

1. **app.netlify.com** → **Add new site** → **Import an existing project** → **GitHub** → choose **stockpilot**.
2. Fill the boxes exactly as in Picture 10.

3. **Add environment variables**: `API_URL` = your API URL, and `ALLOW_MISSING_LEGAL` = `1` (only for practice — Step 15 removes it).
4. Click **Deploy**. Wait until it says **Published**. Click the link ending in **.netlify.app**.



Picture 10 — Type these exactly. The branch name is long; copy it from here.

☐ **The practice website opens.**

11 Test it like a customer

1. On the practice website, **Sign up** a test company with a second email address you own.
2. Add one team member. Assign them a task.
3. Log out. Log in again.
4. Check your email: did the welcome email come from **info@biscsindia.com**?

☐ **Sign up, login, task and email all work.**

🎉 **Part 1 is done.** Customers are still on the old system and noticed nothing.

PART 2 — THE SWITCH

About 45 minutes. Do it on a quiet day, for example Sunday evening.


12 Copy your Master sheet (safety copy)

1. Open your real **Master sheet** → **File** → **Make a copy**.
2. Name it **Master BACKUP** and today's date. Do not use this copy for anything — it is only for safety.

☐ **Master BACKUP exists.**

13 Point the NEW script at your REAL Master sheet

1. **Domebox NEW** → ⚙ **Project Settings** → Script Properties → `MASTER_DB_ID` → change it from the Practice ID to your **real Master ID** (Step 1). **Save**.
2. Open the `reminders` file → change `SHEET_ID` to the same **real Master ID**. **Save**.
3. Choose **ensureRegistry** → ▶ **Run**. (It only adds missing tabs. It never deletes.)



Picture 11 — The same ID goes in two places.

This does **not** change your old script. It only tells the new script where the real customer list is.

☐ **Both places have the real Master ID.**

14 Back up every customer's sheet

1. **Files +** → **Script** → name it `backup`. Paste all of **domebox** → **backup.gs**. **Save**.
2. Choose **backupAllTenants** → ▶ **Run**. Wait. It makes a copy of every customer's sheet in a Drive folder called **Domebox Backups**.
3. Choose **verifyLatestBackup** → ▶ **Run**. Every company should have a good copy.

> Many customers? If the log says *Hit MAX_PER_RUN*, just run **backupAllTenants** again — it skips the ones already copied today.

☐ **verifyLatestBackup shows no "NO BACKUP AT ALL".**

15 Fill in your company details for the website

1. **github.com** → your repository **stockpilot**.
2. Click the branch button that says **main** 1 → choose **claude/obfuscated-html-content-aywe2k**.
3. Open folder **netlify** → file **site-config.json** → click the ✏ **pencil** 2 .
4. Fill every empty `""` 3 : address, phone, GSTIN, entity type (e.g. `Proprietorship`), registration number, grievance officer's name, city, state.
5. Click **Commit changes** 4 .
6. Netlify (practice site) → **Site configuration** → **Environment variables** → **delete** `ALLOW_MISSING_LEGAL`.
7. **Deploys** → **Trigger deploy** → **Deploy site**.



Picture 12 — Pick the branch, edit site-config.json, fill the 8 empty quotes, commit.

☐ **It says Published, and the footer links (Privacy, Terms, Refund, Contact) open.**

16 Preview the upgrade (changes nothing)

1. Choose **previewMigration** → ▶ **Run**. Read the log. It lists every customer.
2. If there is a section **NEEDS A LOOK**: someone added an extra column by hand to that company's sheet. The log says which column and where. Move that column to the far right of their Tasks tab, then run **previewMigration** again. Repeat until **NEEDS A LOOK** is gone.

```
=== MIGRATION PREVIEW — nothing is changed ===
--- WILL BE UPGRADED (11) ---
  Sharma Precision Works    Tasks +14 columns …
--- ALREADY CURRENT (2) ---
--- NEEDS A LOOK (1) — LEFT EXACTLY AS THEY ARE ---
  Gupta Traders — Tasks column 20 is "Remarks" where Domebox needs "Project ID"
```

Picture 13 — Fix anything under NEEDS A LOOK, then preview again.

☐ **previewMigration shows no NEEDS A LOOK.**

17 Do the upgrade

1. Choose **migrateAllTenants** → ▶ **Run**.
2. Every company should be under **UPGRADED** or **ALREADY CURRENT**.

Customers keep their own sheets. Nothing is deleted. New columns and tabs are only **added**.

☐ **Every company is UPGRADED or ALREADY CURRENT.**

18 Give the new script your CURRENT live Razorpay key


For the switch, the new script uses the same live key your old system uses today. Nothing changes in Razorpay yet, so payments never stop.

1. Open your **Master sheet** → **Extensions** → **Apps Script** (the OLD script). Press **Ctrl + F** and search `rzp_live`. Copy the Key ID and the Key Secret next to it. **Change nothing**, close the tab.
2. **Domebox NEW** → ⚙ **Project Settings** → Script Properties → replace the **test** `RAZORPAY_KEY_ID` and `RAZORPAY_KEY_SECRET` with these **live** ones. **Save**.
3. Razorpay Dashboard → switch to **Live Mode** → **Webhooks** → **Add New Webhook**: URL = your new **API URL**, Secret = your made-up password, tick **payment.captured**, **Create**.
4. Run **setupDomeBox**.

☐ **The new script has the live key. Razorpay has a live webhook to the new API URL.**

19 Move www.domebox.in to the new website

1. Netlify → your **OLD** site → **Domain management** → remove `www.domebox.in` and `domebox.in`.
2. Your **NEW** site → **Domain management** → **Add a domain** → `www.domebox.in`, then `domebox.in`.
3. Wait for the 🔒 **HTTPS** certificate (up to an hour).
4. Open **www.domebox.in** and **log in with your existing account and password**.



Picture 14 — The address moves from the old site to the new one.

> **If something goes wrong:** put the domain back on the OLD site. Your old script is still there, untouched. Keep it for one week before deleting anything.

☐ **www.domebox.in shows the new site, and your old login works.**

20 Replace the old Razorpay key with a new one

The old key was written inside the old code, so anyone who ever saw that code could use it. Now that the website runs on the new script, replace it.

1. Razorpay Dashboard → **Live Mode** → **Account & Settings** → **API Keys** → **Regenerate**. If Razorpay asks when the old key should stop, you may choose **immediately** — nothing uses it any more.
2. Copy the new **Key ID** (`rzp_live_…`) and **Key Secret**.
3. **Domebox NEW** → ⚙ **Project Settings** → replace `RAZORPAY_KEY_ID` and `RAZORPAY_KEY_SECRET`. **Save**. Run **setupDomeBox**.
4. Razorpay → **Webhooks**: if there is an old webhook pointing to the **old** script's address, delete it. Keep the new one.
5. Buy the cheapest plan once on www.domebox.in with a real card to be sure, then refund it from the Razorpay Dashboard.

> Do this **after** Step 19, never before. If you regenerate while the old site still has the domain, the old site's payments stop.

☐ **New live key in. Old key replaced. One real test payment worked.**

21 Close the old “anyone with the link” sharing

1. **Files +** → **Script** → name it `sharing`. Paste all of **domebox** → **remediate-sharing.gs**.
2. At the top find `MASTER_DB_ID: '…'`. Make sure the ID inside the quotes is your **real Master ID**. **Save**.
3. Choose **auditSharing** → ▶ **Run**. It only looks.
4. Change `DRY_RUN: true` to `DRY_RUN: false`. **Save**. Choose **lockDownAllTenants** → ▶ **Run**.
5. Run **auditSharing** again.

☐ **auditSharing shows nothing shared publicly.**

22 Tell your customers

Open **MIGRATING-CUSTOMERS.md** from the zip. Copy the ready email and send it. Customers log in with the **same email and password**.

☐ **Email sent.**

23 One week later

1. Run **previewTaskArchive**, read it. Then **archiveOldTasks**. Then **installTaskArchiveSchedule** once. (Tasks finished over a year ago move to a tab called *Tasks_Archive* in each customer's own sheet.)
2. Run **createDemoAccount** for sales calls. It prints the login.
3. On GitHub, merge **Pull Request #2** into `main`.

🎉 Finished!

If something goes wrong

You see	Do this
Red error when you press Run	Check the function name in the box at the top. Run again.
“MASTER_DB_ID is not set”	Step 4 — the property name must be exactly `MASTER_DB_ID`.
“not a verified send-as alias”	Step 6.
Netlify says **Build failed**	Click the failed deploy. The last lines say what is missing: API_URL or site-config.
Website opens but login fails	API_URL in Netlify is wrong — or you changed code and did not do **Deploy → New version**.
No reminder emails	Step 8: `DRY_RUN: false`, `SHEET_ID` filled, **installDomeBoxSchedules** run, time zone India.
Emails stop in the afternoon	Free Gmail sends only 100 emails a day. Use a Google **Workspace** account.
Anything else	Run **setupDomeBox**. Read the last part, **WHAT IS LEFT**. It tells you the next thing to do.

Your Notepad at the end

```
Template ID = 1AbC…
Master ID = 1qO3…
Practice ID = 1PqR…
AUTH_PEPPER = (long code — secret, keep forever)
API URL = https://script.google.com/macros/s/…/exec
Webhook secret = dbx-…
```

Picture 15 — Keep this file safe. Do not email it to anyone.