







L5 random draw #1 (run.py convention: conductances base*10^u, e_pas/cm linear); largest |u|: g_pas_som=+0.99, gNap_Et2_Nap_Et2_ax=-0.99, gSKv3_1_SKv3_1_api=+0.79, gK_Tst_K_Tst_ax=+0.75, gSK_E2_SKv3_1_ax=+0.75



L5 random draw #2 (run.py convention: conductances base*10^u, e_pas/cm linear); largest |u|: e_pas_all=-0.99, gNaTs2_t_NaTs2_t_api=+0.98, gSKv3_1_SKv3_1_som=-0.98, gK_Tst_K_Tst_ax=-0.93, gNaTa_t_NaTa_t



L5 random draw #3 (run.py convention: conductances base*10^u, e_pas/cm linear); largest |u|: gNaTs2_t_NaTs2_t_som=-0.88, gCa_HVA_Ca_HVA_ax=-0.82, glh_lh_dend=+0.76, g_pas_ax=+0.74, cm_som=-0.70, g



L5 random draw #4 (run.py convention: conductances base*10^u, e_pas/cm linear); largest |u|: gSKv3_1_SKv3_1_api=+0.96, g_pas_ax=+0.94, gCa_LVast_Ca_LVast_ax=-0.81, gCa_LVast_Ca_LVast_som=+0.75, cm

