

# **Индивидуальный проект**

## **Часть 4**

Казаначеев Сергей Ильич

# Содержание

|          |               |          |
|----------|---------------|----------|
| <b>1</b> | <b>Цель</b>   | <b>5</b> |
| <b>2</b> | <b>Задачи</b> | <b>6</b> |
| <b>3</b> | <b>Выводы</b> | <b>9</b> |

# Список иллюстраций

|     |   |       |   |
|-----|---|-------|---|
| 2.1 | 1 | ..... | 6 |
| 2.2 | 2 | ..... | 6 |
| 2.3 | 3 | ..... | 6 |
| 2.4 | 4 | ..... | 7 |
| 2.5 | 5 | ..... | 7 |
| 2.6 | 6 | ..... | 7 |
| 2.7 | 7 | ..... | 8 |
| 2.8 | 8 | ..... | 8 |

## **Список таблиц**

# 1 Цель

Использовать nikto

## 2 Задачи

Для начала откроем терминал и установим nikto

```
(sikaznacheev@sikaznacheev)-[~]
$ sudo apt update
Сущ:1 http://http.kali.org/kali kali-rolling InRelease
Может быть обновлено 1905 пакетов. Запустите «apt list --upgradable» для их показа.

(sikaznacheev@sikaznacheev)-[~]
$ nikto -Version
Nikto 2.5.0 (LW 2.5)
```

Рис. 2.1: 1

После чего проверим сканирование веб-сервера

```
(sikaznacheev@sikaznacheev)-[~]
$ nikto -h http://example.com
- Nikto v2.5.0

+ Multiple IPs found: 8.47.69.0, 8.6.112.0, 2a06:98c1:3122:8000::, 2a06:98c1:3123:8000::
+ Target IP: 8.47.69.0
+ Target Hostname: example.com
+ Target Port: 80
+ Start Time: 2026-04-24 12:22:11 (GMT3)

+ Server: cloudflare
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
```

Рис. 2.2: 2

Далее проверим детальное сканирование с выводом в файл

```
(sikaznacheev@sikaznacheev)-[~]
$ nikto -h http://example.com -o result_nikto.txt -Format txt
- Nikto v2.5.0

+ Multiple IPs found: 8.47.69.0, 8.6.112.0, 2a06:98c1:3122:8000::, 2a06:98c1:3123:8000::
+ Target IP: 8.47.69.0
+ Target Hostname: example.com
+ Target Port: 80
+ Start Time: 2026-04-24 12:22:52 (GMT3)

+ Server: cloudflare
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
^C
```

Рис. 2.3: 3

Затем сделаем сканирование с игнорированием ошибок SSL

```
(sikaznacheev@sikaznacheev)-[~]
$ nikto -h https://example.com -ssl -nointeractive
- Nikto v2.5.0

+ Multiple IPs found: 8.47.69.0, 8.6.112.0, 2a06:98c1:3123:8000::, 2a06:98c1:3122:8000::
+ Target IP: 8.47.69.0
+ Target Hostname: example.com
+ Target Port: 443

+ SSL Info: Subject: /CN=example.com
Ciphers: TLS_AES_256_GCM_SHA384
Issuer: /C=US/O=CLOUDFLARE, INC./CN=Cloudflare TLS Issuing ECC CA 1
+ Start Time: 2026-04-24 12:23:39 (GMT3)

+ Server: cloudflare
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The site uses TLS and the Strict-Transport-Security HTTP header is not defined. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: opening stream: can't connect: SSL negotiation failed: error:0A000410:SSL routines::ssl/tls alert handshake failure at /var/lib/nikto/plugins/LW2.pm line 5254.
; at /var/lib/nikto/plugins/LW2.pm line 5254.
+ Scan terminated: 20 error(s) and 3 item(s) reported on remote host
+ End Time: 2026-04-24 12:24:18 (GMT3) (39 seconds)
```

Рис. 2.4: 4

После чего сделаем сканирование конкретного порта, я выбрал 8080

```
(sikaznacheev@sikaznacheev)-[~]
$ nikto -h http://example.com -p 8080
- Nikto v2.5.0

- ERROR: The -port option cannot be used with a full URI
```

Рис. 2.5: 5

Далее сделаем ускоренное сканирование

```
(sikaznacheev@sikaznacheev)-[~]
$ nikto -h http://example.com -maxtime 60
- Nikto v2.5.0

+ Multiple IPs found: 8.47.69.0, 8.6.112.0, 2a06:98c1:3122:8000::, 2a06:98c1:3123:8000::
+ Target IP: 8.47.69.0
+ Target Hostname: example.com
+ Target Port: 80
+ Start Time: 2026-04-24 12:24:55 (GMT3)

+ Server: cloudflare
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Host maximum execution time of 60 seconds reached
+ Scan terminated: 0 error(s) and 2 item(s) reported on remote host
+ End Time: 2026-04-24 12:25:56 (GMT3) (61 seconds)

+ 1 host(s) tested
```

Рис. 2.6: 6

Затем сделаем проверку конкретной уязвимости или файла

```

(sikaznacheev@sikaznacheev)-[~]
$ nikto -h http://example.com -tuning 4
- Nikto v2.5.0

+ Multiple IPs found: 8.47.69.0, 8.6.112.0, 2a06:98c1:3122:8000::, 2a06:98c1:3123:8000::
+ Target IP: 8.47.69.0
+ Target Hostname: example.com
+ Target Port: 80
+ Start Time: 2026-04-24 12:26:31 (GMT3)

+ Server: cloudflare
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type
+ See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ 871 requests: 0 error(s) and 2 item(s) reported on remote host
+ End Time: 2026-04-24 12:27:04 (GMT3) (33 seconds)

+ 1 host(s) tested

```

Рис. 2.7: 7

И в последней проверке отсканируем конкретный сервер, сохраним отчет в формате html и максимально время 120

```

(sikaznacheev@sikaznacheev)-[~]
$ nikto -h http://192.168.1.100 -o project_scan.html -Format html -maxtime 120
- Nikto v2.5.0

+ 0 host(s) tested

(sikaznacheev@sikaznacheev)-[~]
$

```

Рис. 2.8: 8



## **3 Выводы**

В результате выполнения лабораторной работы я получил навыки работы с  
nikto