DATA 260 Homework 6

Kavan Siddesh

Section 0. Personal Configuration and Domain

GitHub repository	https://github.com/Kavan1804/data260-9486
SID4	9486
PORT_BASE	8486
PREFIX	s9486
SEED	9486
VERIFY_SEED	269486
DOMAIN_ID	6 - Rental housing listings
Hardware	MacBook Air with Apple M1 chip (8 GB unified memory)
Local model	llama3.2:3b (Ollama, temperature 0, num_ctx 8192)
Embedding	hash-bow-256 - my local hashed bag-of-words fallback (no Ollama embedding model installed)
MongoDB	s9486_doc on mongodb://localhost:27017 (professor's long-term-memory docker-compose.yml)
Tagged commit hash	DRAFT-rerender-after-commit (tag hw6)

Both collaborators (Sbnikitha, supriyaselvanganesan) have access to the repository. HW6 extends the same root-level application as HW5 (no separate copy); HW6 scripts, tests and fixtures are in `Homework6/`, and the results, `RUN_LOG.txt`, `raw/`, `METRICS.md`, `AI_USE.md` and `verification.json` are in `reports/hw06/`.

Part 1. MongoDB Document API

I. Database

I mapped my HW5 domain (rental listings) to a document collection `listings` in the database `s9486_doc`. The same rules are enforced twice: by the Pydantic schema in the API and by a `$jsonSchema` validator on the collection, so even a direct insert that breaks the rules is rejected by MongoDB.

Field	Type	Rule
title	string, required	1-100 characters
description	string, optional	up to 2,000 characters, may be null
status	enum	available | pending | rented, default available
property_type	enum, required	studio | apartment | condo | house | townhouse
available_from	date/time, required	ISO 8601 date or datetime (move-in date)
created_at, updated_at	date/time	set by the server; updated_at changes on every PUT




Figure 1. MongoDB Compass: s9486_doc.listings with three sample documents. (mongo_listings.png)

II. API Implementation


CRUD runs at `/api/listings` on port 8486 inside the existing FastAPI app, with the HW5 CORS middleware and FastAPI's JSON body parsing. The code is split into connection (`mongo.py`), schemas (`doc_schema.py`) and route handlers (`routers/listing_docs.py`); `config.py` holds the

settings. Status codes: 201 create, 200 read/update/delete, 400 malformed id or empty update, 404 missing, 422 invalid data, 500 database error, 503 MongoDB not reachable.



Figure 2. Create (201), get all (200), get one (200), update status to rented (200), delete (200), then get the deleted id (404). (part1_crud.png)

III. Data Validation


===== Kavan Siddesh | s9486 | HW6 Part 1 validation =====
--- invalid enum + invalid date ---
{"detail":[{"type":"literal_error","loc":["body","property_type"],"msg":"Input should be 'studio', 'apartment', 'condo', 'house' or 'townhouse'","input":"castle","ctx":{"expected":"'studio', 'apartment', 'condo', 'house' or 'townhouse'"}},{"type":"datetime_from_date_parsing","loc":["body","available_from"],"msg":"Input should be a valid datetime or date, invalid character in year","input":"not-a-date","ctx":{"error":"invalid character in year"}}]}
HTTP 422
--- missing required fields ---
{"detail":[{"type":"missing","loc":["body","title"],"msg":"Field required","input":{"property_type":"studio"}},{"type":"missing","loc":["body","available_from"],"msg":"Field required","input":{"property_type":"studio"}}]}
HTTP 422
--- title longer than 100 characters ---
{"detail":[{"type":"string_too_long","loc":["body","title"],"msg":"String should have at most 100 characters","input":"xxxx

Part 2. Short-, Long-, and Episodic Memory

MongoDB collections (same database s9486_doc)

Collection	Fields	Used for
messages	user_id, session_id, role (user/assistant), content, created_at	short-term window
summaries	user_id, session_id (null for lifetime), scope (session/user), text, created_at	long-term memory
episodes	user_id, session_id, fact, importance (0-1), embedding (256 floats), embedding_model, created_at	episodic memory




Figure 4. messages for demo-user: 24 documents (12 user + 12 assistant). (mongo_messages.png)




Figure 5. summaries: two session summaries (scope session) and the lifetime summary (scope user, session_id null). (mongo_summaries.png)





Figure 6. episodes: 11 extracted facts with importance and a 256-float embedding. (episodes.png)

Memory logic

Step in POST /api/chat	How I implemented it	Function (backend/app/)
Short-term memory	last SHORT_TERM_N = 12 messages of the session, oldest first	memory_logic.select_window
Session summary	every 5 user messages, up to 6 bullets (previous summary + last 10 messages)	memory_logic.maybe_summarize
Lifetime summary	after every 2nd session summary, condenses the latest session summaries into scope user, session_id null	memory_logic.maybe_summarize
Episode extraction	up to 3 facts per user message as JSON with importance 0-1, then embedded and stored	memory_logic.extract_and_store_facts
Retrieval	cosine similarity between the message embedding and stored episodes, top-k = 3	memory_logic.retrieve_episodes
Prompt assembly	system primer + lifetime and session summary + episodic facts, then the window, then the current message	memory_logic.build_prompt
Model call	HW5 Ollama adapter (OllamaModel) with llama3.2:3b	memory_logic.chat_turn

Conversation (12 messages, one session)

I sent 12 messages as demo-user in session-1 with `make chat-demo`. The short-term window grew by two messages per turn until it reached 12. Session summaries were written at turns 5 and 10, and the lifetime summary at turn 10. In turn 11 I asked for my cat's name and move-in date; the retrieval returned "Pixel is a cat" and "March 1, 2027, moving date" and the reply was correct.



```
===== 2026-10-19 01:08:31 chat-demo (Kavan Siddesh) =====
========================================================================
Kavan Siddesh | SID4 9486 | s9486 | HW6 | Part 2 chat demo: 12 messages -> POST /api/chat
run at 2026-10-19T01:08:31 | VERIFY_SEED 269486
========================================================================
user_id=demo-user session_id=session-1

--- turn 1 ---
USER:      Hi, my name is Sam and I'm looking for an apartment in Santa Clara.
ASSISTANT: Hi Sam, welcome to the DATA 260 listings app! I'd be happy to help you find an apartment in Santa Clara. Can you please tell me what type of apartment y
ou're looking for (e.g. 1-bedroom, 2-bedroom, etc.) and what your budget is for rent?
  short-term window: 0 msgs | session summary: no | lifetime summary: no
  facts stored: ['Santa Clara, California', 'Sam'] | session summary created: False | lifetime summary created: False
  tokens prompt/completion: 102/62 | latency 21665.1 ms

--- turn 2 ---
USER:      My budget is at most $2,300 a month.
ASSISTANT: With a budget of $2,300 a month, I can start searching for apartments in Santa Clara that fit your criteria. Let me check the listings... (checking the
database) Okay, I have a few options for you. Would you like me to show you some apartments that are currently available and within your budget?
  short-term window: 2 msgs | session summary: no | lifetime summary: no
  facts stored: ['Budget is at most $2,300 a month'] | session summary created: False | lifetime summary created: False
  tokens prompt/completion: 185/65 | latency 10162.4 ms

--- turn 3 ---
USER:      I have a cat named Pixel, so I need a pet-friendly place.
ASSISTANT: I've found a few pet-friendly apartments in Santa Clara that fit your budget and have a cat-friendly policy. One option is a 1-bedroom apartment at 123
Main St, Santa Clara, CA, with a rent of $2,250 a month. The apartment complex has a pet park and allows cats under 25 pounds. Would you like me to show you more o
ptions or provide more information about this apartment?
  short-term window: 4 msgs | session summary: no | lifetime summary: no
  facts stored: ['Pixel is a cat'] | session summary created: False | lifetime summary created: False
  tokens prompt/completion: 274/85 | latency 12157.2 ms

--- turn 4 ---
USER:      I'd like to move in on March 1, 2027.
ASSISTANT: I've checked the move-in dates for the apartment at 123 Main St, Santa Clara, CA, and it appears that the landlord is open to having you move in on Marc
h 1, 2027. However, I do need to confirm with the landlord to ensure that the move-in date is feasible. Can I please check with the landlord to confirm the move-in
 date?
  short-term window: 6 msgs | session summary: no | lifetime summary: no
  facts stored: ['March 1, 2027, moving date'] | session summary created: False | lifetime summary created: False
  tokens prompt/completion: 383/78 | latency 28764.6 ms

--- turn 5 ---
USER:      I commute to SJSU by light rail, so being near a station matters.
ASSISTANT: I've checked the location of the apartment at 123 Main St, Santa Clara, CA, and it appears that it's within walking distance to the Santa Clara Caltrain
 Station, which is a convenient option for commuting to SJSU. However, I couldn't find any information on the proximity to the light rail station. Can I please che
ck with the landlord to confirm if the apartment is indeed near a light rail station?
  short-term window: 8 msgs | session summary: no | lifetime summary: no
  facts stored: ['being near a light rail station is a preference'] | session summary created: True | lifetime summary created: False
  tokens prompt/completion: 487/86 | latency 32122.8 ms

--- turn 6 ---
```

Figure 7. Turns 1-5: replies, window size, extracted facts, tokens and latency (session summary at turn 5). (chat1.png)




Figure 8. Turns 9-12: retrieved episodic facts with cosine scores, summaries in use, and the final summary. (chat2.png)

GET /api/memory/{user_id}




Figure 9. Last 16 messages (first part). (memory1.png)

```
    ],
    "latest_session_summary": {
        "scope": "session",
        "session_id": "session-1",
        "text": "- - Budget: $2,300/month\n- - Pet-friendly apartment needed\n- - Move-in date: March 1, 2027\n- - Commute to SJSU by light rail\n- - Currently viewing apartment at 123 Main St, Santa Clara, CA\n- - Confirming move-in date and prox
imity to light rail station with landlord\n- - Pet rent for cats is usually waived or reduced, but may be a one-time fee",
        "created_at": "2026-10-19T08:12:35.976000+00:00"
    },
    "latest_lifetime_summary": {
        "scope": "user",
        "session_id": null,
        "text": "- - Budget: $2,300/month\n- - Pet-friendly apartment needed\n- - Move-in date: March 1, 2027\n- - Commute to SJSU by light rail\n- - Currently viewing apartment at 123 Main St, Santa Clara, CA\n- - Pet rent for cats is usually wai
ved or reduced, but may be a one-time fee",
        "created_at": "2026-10-19T08:12:51.604000+00:00"
    },
    "episodes": [
        {
            "session_id": "session-1",
            "fact": "Meeting all requirements on budget is challenging",
            "importance": 0.8,
            "embedding_model": "hash-bow-256",
            "embedding_dim": 256,
            "embedding_preview": [
                0.0,
                0.0,
                0.0,
                0.0
            ],
            "created_at": "2026-10-19T08:12:15.759000+00:00"
        },
        {
            "session_id": "session-1",
            "fact": "security deposit for a one-bedroom can vary",
            "importance": 0.3,
            "embedding_model": "hash-bow-256",
            "embedding_dim": 256,
            "embedding_preview": [
                0.0,
                0.0,
                0.0,
                0.0
            ],
            "created_at": "2026-10-19T08:11:47.478000+00:00"
        },
        {
            "session_id": "session-1",
            "fact": "one covered parking spot",
            "importance": 0.8,
            "embedding_model": "hash-bow-256",
            "embedding_dim": 256,
            "embedding_preview": [
                0.0,
                0.0,
                0.0,
                0.0
            ],
            "created_at": "2026-10-19T08:11:23.529000+00:00"
        },
        {
            "session_id": "session-1",
            "fact": "No specific information on pet rent for cats",
            "importance": 0.5,
            "embedding_model": "hash-bow-256",
            "embedding_dim": 256,
            "embedding_preview": [
                0.0,
                0.0,
                0.0,
                0.0
            ],
            "created_at": "2026-10-19T08:11:00.715000+00:00"
        },
        {
            "session_id": "session-1",
            "fact": "areas close to light rail station in Santa Clara",
            "importance": 0.8,
            "embedding_model": "hash-bow-256",
            "embedding_dim": 256,
            "embedding_preview": [
                0.0,
                0.0,
                0.0,
                0.378
```


Figure 10. Latest session summary, latest lifetime summary and the episodic facts. (memory2.png)

GET /api/aggregate/{user_id}


```
===== Kavan Siddesh | s9486 | GET /api/aggregate/demo-user =====
{
    "user_id": "demo-user",
    "daily_message_counts": [
        {
            "date": "2026-10-19",
            "messages": 24,
            "user_messages": 12,
            "assistant_messages": 12
        }
    ],
    "recent_summaries": [
        {
            "scope": "user",
            "session_id": null,
            "text": "- - Budget: $2,300/month\n- - Pet-friendly apartment needed\n- - Move-in date: March 1, 2027\n- - Commute to SJSU by light rail\n- - Currently
viewing apartment at 123 Main St, Santa Clara, CA\n- - Pet rent for cats is usually waived or reduced, but may be a one-time fee",
            "created_at": "2026-10-19T08:12:51.604000+00:00"
        },
        {
            "scope": "session",
            "session_id": "session-1",
            "text": "- - Budget: $2,300/month\n- - Pet-friendly apartment needed\n- - Move-in date: March 1, 2027\n- - Commute to SJSU by light rail\n- - Currently
viewing apartment at 123 Main St, Santa Clara, CA\n- - Confirming move-in date and proximity to light rail station with landlord\n- - Pet rent for cats is usually
waived or reduced, but may be a one-time fee",
            "created_at": "2026-10-19T08:12:35.976000+00:00"
        },
        {
            "scope": "session",
            "session_id": "session-1",
            "text": "- - Budget: $2,300/month\n- - Pet-friendly apartment needed\n- - Move-in date: March 1, 2027\n- - Commute to SJSU by light rail\n- - Currently
viewing apartment at 123 Main St, Santa Clara, CA\n- - Confirming move-in date and proximity to light rail station with landlord",
            "created_at": "2026-10-19T08:10:17.930000+00:00"
        }
    ]
}
(.venv) (base) kavan@Kavans-MacBook-Air data260-9486 %
```


Figure 11. Daily message counts (MongoDB $group by date) and the most recent summaries. (aggregate1.png)

Two things I noticed: the summaries start with "- -" because llama3.2 added its own bullet in front of mine, and the `embedding_preview` (first 4 of 256 values) is mostly 0.0 because the hash embedding only fills the buckets of words that appear in the fact.

Part 3. What Memory Costs

1. Logging memory usage

Every /api/chat request writes one JSON line to `raw/chat_usage.jsonl` (152 rows) and the experiment runner also saves `raw/turns_<setting>.csv`. Each row has: prompt and completion tokens (Ollama's `prompt_eval_count` / `eval_count`), the estimated tokens of the system primer, long-term summary, short-term window and episodic facts (characters / 4, since Ollama only reports a total), the tokens of the extra upkeep calls (fact extraction and summaries), latency in ms, SHORT_TERM_N, policy, user and session id, turn number and timestamp.

2. Memory probes (memory_probes.yaml)

I wrote five fixed questions before running anything. Each has keyword criteria; the share of criteria met gives the 1-5 score (5 = all, 4 = at least 2/3, 3 = at least 1/3, 2 = only an outdated value, 1 = nothing).

Probe	Question	Expected	Stated in turn
p1_identity	Quick check: what is my name, and which city am I relocating to?	Priya; San Jose	1
p2_budget_update	What is my maximum monthly rent budget right now?	$2,900 per month (updated at turn 14 from $2,600)	2, 14
p3_pet	What is my pet's name, and what kind of animal is it?	Biscuit; a dog (30-pound beagle)	3
p4_move_in	On what date do I want to move in?	January 15, 2027	4
p5_flooring	What kind of flooring do I need, and why?	Hardwood or vinyl, no carpet, because of a carpet-dust allergy	19

3. Short-term memory sizes

Each setting ran the same 30-message conversation (`Homework6/fixtures/conversation_30.json`) in a fresh session with a new user id, so no summary or fact carried over, and then the same five probes.

Setting	Mean prompt tokens/turn	Mean latency (ms)	Probe quality (1-5)
SHORT_TERM_N=4	624.5	47,277	4.2
SHORT_TERM_N=12	1135.5	42,068	4.6
SHORT_TERM_N=30	1906.4	103,772	4.4
Compression policy	768.5	43,939	4.0

Probe	N=4	N=12	N=30	Compression
p1_identity	3	3	3	3
p2_budget_update	5	5	5	2
p3_pet	5	5	5	5
p4_move_in	5	5	4	5
p5_flooring	3	5	5	5




Figure 12. memory_cost.py output: summary table, estimated prompt composition, the compression comparison and the cost table. (memory_cost.png)

Prompt size grew almost linearly with the window: the estimated window part went from about 333 tokens (N=4) to 843 (N=12) and 1,686 (N=30), while the primer (64), summaries (about 210-240) and episodic facts (about 30) stayed the same. More memory did not mean better answers: N=12 had the best probe score (4.6), N=30 was slightly worse (4.4) and took more than twice as long per turn, and N=4 lost only the reason behind the flooring preference (4.2), because the summaries and retrieved facts covered most of what had dropped out of the window. No setting recalled the name "Priya" from turn 1: the extractor never stored the name as a fact and the summaries left it out, which shows that facts only survive if the memory pipeline picks them up.

4. Memory-saving policy: compression

My policy keeps SHORT_TERM_N = 12 but only the newest 4 messages stay word for word; older messages in the window are cut to 120 characters. Long assistant replies are what make the window expensive, and their first sentence usually carries the point.

	Mean prompt tokens/turn	Probe quality
SHORT_TERM_N=12 (baseline)	1135.5	4.6
Compression (N=12)	768.5	4.0
Change	-367.0 (32.3% saved)	-0.6

The policy saved about a third of the prompt tokens per turn (and about 60% compared with N=30). The probe score dropped by 0.6, but all of it came from the budget question: both budget facts ($2,600 and the updated $2,900) were retrieved and the model picked the old one. The other four probes scored the same as N=12, so I think the loss is mostly because episodes have no rule that a newer value replaces an older one, not because of the clipping. With one run per setting this is a single question, so I would repeat the runs before drawing a strong conclusion.

5. Estimated memory cost

Case	Setting	Input tokens/turn	Output tokens/turn	Cost, reply only	Cost, with upkeep
Best	SHORT_TERM_N=4	624.5 + 384.6 upkeep	134.1 + 79.8 upkeep	$388.50	$623.58
Worst	SHORT_TERM_N=30	1906.4 + 374.1 upkeep	126.0 + 78.9 upkeep	$760.92	$991.50

Cost = 10,000 conversations x 30 turns x (input tokens x $1/M + output tokens x $5/M), using the measured means. "With upkeep" adds the fact-extraction and summary calls that run on every turn.

How I picked best and worst: best is the cheapest setting whose probe score is within 0.5 of the top score (4.6). N=4 (4.2) qualifies and is the cheapest. Compression is not cheaper than N=4 and scored 4.0, so it is out. Worst is the most expensive setting, N=30, which also did not beat N=12. Going from worst to best saves about $368 per 10,000 conversations. The upkeep calls are about 40% of the cost at N=4, so they matter as much as the window size.

Part 4. File-Based Memory and Consolidation

1. Memory files

`AGENT.md` (repo root) is my HW1 AGENT.md expanded. The HW1 code-review rules are kept at the end, and new sections hold the durable project instructions. `MEMORY.md` holds facts as `- [key] fact (seen: date, source: user/inferred/dream)`, plus a `last_consolidated` timestamp in an HTML comment.

AGENT.md section	Instructions	Example
Project description	2	shared app for SID4 9486, extended in place every homework
Technology stack	3	FastAPI on 8486, MySQL s9486_rel, MongoDB s9486_doc, local Ollama only
Coding conventions	5	type hints, docstrings, lines <= 120 chars, values from config.py, no print() in backend
Testing approach	2	plain-assert offline tests with fake models; MongoDB tests only with --live
Prohibited actions	4	no LangChain/OpenAI/Flask/Redis, never commit .env, never fabricate results
Code review (from HW1)	2	bullet-only strict review answers

2. File-based memory functions (backend/app/file_memory.py)

Function	What it does
load_agent_md / load_memory_md	read the two Markdown files (empty string if missing)
build_system_prompt	adds AGENT.md and then MEMORY.md under their own headings to the system prompt
read_last_consolidated	reads the `<!-- last_consolidated: ... -->` timestamp (None if 'never')
count_memory_lines	counts non-empty, non-comment lines (multi-line comments included)
needs_consolidation	true if more than 40 lines or last consolidation older than 24 h; returns the reasons

3. Memory commands

Command	What it does
/memory	shows MEMORY.md, its line count, last consolidation time and whether consolidation is due
/compact	consolidates MEMORY.md and reports the line/fact counts before and after
/dream	asks the local model for durable facts in the recent conversation and appends new ones
/help	lists the commands

The commands work through POST /api/chat (a message starting with "/" is not stored as a chat message) and in the terminal chat `Homework6/scripts/file_memory_chat.py`, which loads both files into the system prompt on every turn.

4. AGENT.md test

`agent_md_check.py` confirms AGENT.md has 18 instructions in all five required categories, and checks a function against the rules that can be tested automatically (type hints, docstring, line length, no hard-coded config, no print, no banned imports). My implemented `count_memory_lines` passes all of them. I also asked llama3.2:3b, with AGENT.md in its system prompt, to generate `days_until_available()`. It failed R6_type_hints, R7_docstring and only 2 of 4 behavior cases passed (it subtracts a date from a datetime). So the small model did not follow AGENT.md, and the check is what caught it.

```
======================================================================
Kavan Siddesh | SID4 9486 | s9486 | HW6 | Part 4 AGENT.md instructions + function compliance check
run at 2026-10-19T09:55:05 | VERIFY_SEED 269486
======================================================================
AGENT.md: 18 numbered instructions; per section: {'Project description': 2, 'Technology stack': 3, 'Coding conventions': 5, 'Testing approach': 2, 'Prohibited acti
ons': 4, 'Code review (from HW1 AGENT.md)': 2}
[PASS] >= 5 instructions in >= 3 required categories (covered: ['Project description', 'Technology stack', 'Coding conventions', 'Testing approach', 'Prohibited ac
tions'])

Implemented function: backend/app/file_memory.py::count_memory_lines
  [PASS] R6_type_hints: unannotated params: []; return annotated: True
  [PASS] R7_docstring: docstring: 'Count the non-empty, non-comment lines of MEMORY.md.'
  [PASS] R8_line_length: lines > 120 chars: []
  [PASS] R9_no_hardcoded_config: suspicious strings: []
  [PASS] R10_no_print: print() at lines: []
  [PASS] R13_no_banned_imports: banned imports: []

Generated function (llama3.2:3b) saved to /Users/kavan/Desktop/Data 260 - DS/Homework1/data260-9486/reports/hw06/raw/generated_function.py:
from datetime import datetime, date

def days_until_available(available_from, today):
    if available_from.date() == today:
        return 0
    elif available_from.date() < today:
        return 0
    else:
        return (available_from - today).days

  [FAIL] R6_type_hints: unannotated params: ['available_from', 'today']; return annotated: False
  [FAIL] R7_docstring: docstring: None
  [PASS] R8_line_length: lines > 120 chars: []
  [PASS] R9_no_hardcoded_config: suspicious strings: []
  [PASS] R10_no_print: print() at lines: []
  [PASS] R13_no_banned_imports: banned imports: []
  safe to run: {'passed': True, 'details': 'datetime only'}
  [FAIL] days_until_available('2026-11-01 09:00:00', '2026-10-18') -> TypeError: unsupported operand type(s) for -: 'datetime.datetime' and 'datetime.date' (expect
ed 14)
  [PASS] days_until_available('2026-10-18 23:00:00', '2026-10-18') -> 0 (expected 0)
  [PASS] days_until_available('2026-09-01 00:00:00', '2026-10-18') -> 0 (expected 0)
  [FAIL] days_until_available('2027-01-15 00:00:00', '2026-12-31') -> TypeError: unsupported operand type(s) for -: 'datetime.datetime' and 'datetime.date' (expect
ed 15)

Wrote /Users/kavan/Desktop/Data 260 - DS/Homework1/data260-9486/reports/hw06/raw/agent_md_check.json
(.venv) (base) kavan@Kavans-MacBook-Air data260-9486 %
```

Figure 13. AGENT.md check: implemented function passes; the model-generated function fails R6/R7 and two behavior cases. (agent_md.png)

5. Consolidation test

The test file `Homework6/fixtures/MEMORY_original_55.md` has 55 lines: 50 facts with heavy duplication and 5 contradictions. Running /compact reduced it to 38 lines (22 facts) in `reports/hw06/raw/MEMORY_consolidated.md`. Both files are committed.

```
===== 2026-10-19 09:50:57 consolidation-demo (Kavan Siddesh) =====
======================================================================
Kavan Siddesh | SID4 9486 | s9486 | HW6 | Part 4 consolidation of the 55-line MEMORY.md fixture
run at 2026-10-19T09:50:58 | VERIFY_SEED 269486
======================================================================
original: Homework6/fixtures/MEMORY_original_55.md - 55 lines, 52 non-empty non-comment lines
consolidation due: True (52 non-empty, non-comment lines > 40; last consolidated 1159.8 h ago > 24 h)

/compact: before 55 lines (52 content lines, 50 facts) -> after 38 lines (33 content lines, 22 facts); 23 duplicates merged, 5 contradictions resolved, 2 flagged f
or review

Duplicates merged (23 lines):
  [project.domain] The app manages rental housing listings
  [project.port] The backend runs on port 8486
  [user.budget] Monthly budget is $2,400
  [project.mongo_db] The MongoDB database is s9486_doc
  [user.parking] Needs one parking spot
  [project.mysql_db] The MySQL database is s9486_rel
  [user.bedrooms] Needs 2 bedrooms
  [project.model] The local model is served by Ollama
  [user.contact] Prefers email over phone calls
  [project.frontend] The frontend is React with Redux Toolkit
  [user.lease] Wants a 12-month lease
  [project.tests] Offline tests use fake models and in-memory stores
  [user.city] Wants listings in San Jose
  [project.short_term_n] The default SHORT_TERM_N is 12
  [user.move_in] Plans to move in on 2026-12-01
  [project.summary_every] A session summary is written every 5 user messages
  [project.embedding] Episodes store embeddings as arrays of floats
  [user.laundry] Wants in-unit laundry
  [project.verify] verify_hw06.py writes verification.json
  [project.no_hosted] No paid hosted model is used
  [project.domain] The app manages rental housing listings
  [project.port] The backend runs on port 8486
  [project.no_hosted] No paid hosted model is used
```

Figure 14. /compact reports the counts before (55 lines, 50 facts) and after (38 lines, 22 facts) and lists the merged duplicates. (compact1.png)

```
  [user.pets] kept 'Has no pets' over 'Has a cat': same seen date, so file order decided

Checks:
  [PASS] fewer_than_40_lines: 38 lines
  [PASS] duplicates_merged: 23 duplicate lines merged
  [PASS] contradictions_resolved_explicitly: 5 resolved
  [PASS] no_silent_deletion: dropped values missing from file: []
  [PASS] incorrect_resolutions_flagged: 2 flagged
  [PASS] timestamp_recorded: last_consolidated set

----- MEMORY_consolidated.md -----
# MEMORY.md - durable facts learned from previous conversations
<!-- last_consolidated: 2026-10-19T16:50:58+00:00 -->
<!-- Format: - [key] fact (seen: YYYY-MM-DD, source: user|inferred|dream) -->

## Facts
- [project.domain] The app manages rental housing listings (seen: 2026-09-27, source: user, merged: 3)
- [project.embedding] Episodes store embeddings as arrays of floats (seen: 2026-09-23, source: user, merged: 2)
- [project.frontend] The frontend is React with Redux Toolkit (seen: 2026-09-16, source: user, merged: 2)
- [project.model] The local model is served by Ollama (seen: 2026-09-15, source: user, merged: 2)
- [project.mongo_db] The MongoDB database is s9486_doc (seen: 2026-09-12, source: user, merged: 2)
- [project.mysql_db] The MySQL database is s9486_rel (seen: 2026-09-13, source: user, merged: 2)
- [project.no_hosted] No paid hosted model is used (seen: 2026-09-29, source: user, merged: 3)
- [project.port] The backend runs on port 8486 (seen: 2026-09-28, source: user, merged: 3)
- [project.short_term_n] The default SHORT_TERM_N is 12 (seen: 2026-09-20, source: user, merged: 2)
- [project.summary_every] A session summary is written every 5 user messages (seen: 2026-09-22, source: user, merged: 2)
- [project.tests] Offline tests use fake models and in-memory stores (seen: 2026-09-18, source: user, merged: 2)
- [project.verify] verify_hw06.py writes verification.json (seen: 2026-09-25, source: user, merged: 2)
- [user.bedrooms] Needs 1 bedroom (seen: 2026-10-12, source: inferred)
- [user.budget] Monthly budget is $2,800 (seen: 2026-10-05, source: user)
- [user.city] Wants listings in Santa Clara (seen: 2026-10-10, source: user)
- [user.commute] Commutes to SJSU by light rail (seen: 2026-09-06, source: user)
- [user.contact] Prefers email over phone calls (seen: 2026-09-16, source: user, merged: 2)
- [user.laundry] Wants in-unit laundry (seen: 2026-09-24, source: user, merged: 2)
- [user.lease] Wants a 6-month lease (seen: 2026-10-08, source: user)
- [user.move_in] Plans to move in on 2026-12-01 (seen: 2026-09-21, source: user, merged: 2)
- [user.parking] Needs one parking spot (seen: 2026-09-13, source: user, merged: 2)
```

Figure 15. Flagged resolution, all six checks passing, and the start of the consolidated file. (compact2.png)

Key	Kept (newest)	Dropped (kept under Resolved contradictions)	Correct?
user.city	Wants listings in Santa Clara (2026-10-10, user)	Wants listings in San Jose (2026-09-20, user)	Yes - newer user statement
user.budget	Monthly budget is $2,800 (2026-10-05, user)	Monthly budget is $2,400 (2026-09-12, user)	Yes - newer user statement
user.bedrooms	Needs 1 bedroom (2026-10-12, inferred)	Needs 2 bedrooms (2026-09-15, user)	No - the user said 2 bedrooms twice; an inferred guess won only because it was newer (flagged)
user.lease	Wants a 6-month lease (2026-10-08, user)	Wants a 12-month lease (2026-09-17, user)	Yes - newer user statement
user.pets	Has no pets (2026-10-01, user)	Has a cat (2026-10-01, user)	Unclear - same date, so file order decided; needs the user to confirm (flagged)

Duplicates were merged into one line with a `merged: N` count (23 duplicate lines). Each contradiction keeps the newest value and writes the losing one to a "Resolved contradictions" section, so nothing conflicting is deleted silently. The rule "newest wins" was wrong for `user.bedrooms`. My check detects this because the losing fact came from the user and the winner was only inferred, and it lists it under "Needs review" together with the `user.pets` tie.

6. MongoDB memory vs. file-based memory

	MongoDB memory (Part 2)	File-based memory (AGENT.md / MEMORY.md)
Inspectability	Needs Compass, mongosh or the API; embeddings are not human-readable	Plain Markdown I can open, edit and diff in Git
Persistence after a restart	Yes, as long as the Docker volume is kept (removing the volume loses it)	Yes, it is a file in the repository and is versioned in Git
Scalability across many sessions	Good: per-user queries with indexes, top-k retrieval keeps the prompt small	Poor: the whole file goes into every prompt and one file is shared by everyone; it needs consolidation to stay small
Facts that must not be forgotten	Risky: summaries and the extractor can drop facts (the name in Part 3)	Better: a rule written in AGENT.md is always in the prompt and only changes if someone edits it

For my app I would keep chat history, summaries and episodes in MongoDB, and put rules and facts that must never be lost (project rules, confirmed user requirements) in the files.

AI Use

1. What I used an AI assistant for, and what I did myself.

I used an AI assistant (Claude Code) to go through the HW6 PDF together with my HW5 repository and the two professor reference projects, and to plan how to add HW6 without making a second copy of the app. It helped me write the MongoDB connection and validators, the listing-document CRUD router, the chat memory logic (short-term window, summaries, fact extraction, cosine retrieval), the file-based memory and consolidation code, the experiment, scoring and cost scripts, the tests and the README. I also used it to understand error messages and to organize this report.

I started MongoDB with the professor's Docker Compose file, ran the backend, Ollama and every script from my own terminal, sent the chat messages, ran the four experiment settings, took all the screenshots in Compass and VS Code, and checked the numbers in the report against the files in `reports/hw06/raw/`.

2. One AI-produced output that was wrong or unsuitable.

The CRUD demo commands the assistant gave me contained the line `ID=<paste an "id" from above>`. When I pasted the block into my terminal, zsh stopped with `parse error near '\n'` and none of the requests after it ran. Some of the other commands also had `# comments` at the end, which zsh does not accept by default when you type commands interactively.

A second thing that did not work was the function my local model generated for the AGENT.md check. llama3.2:3b wrote `days_until_available()` without type hints or a docstring, and it subtracted a `date` from a `datetime`, which raised a TypeError in two of the four test cases.

3. How the problem was detected.

For the commands, the terminal error showed it right away. I worked out that zsh reads < and > as file redirection, so the placeholder was treated as a broken command. For the generated function, my `agent_md_check.py` script caught it: rules R6 (type hints) and R7 (docstring) failed, and the behavior tests showed the TypeError (Part 4.4 of the report).

4. What was changed and why it works now.

I changed the CRUD commands so the id is read from the POST response automatically (`ID=$(... | python3 -c ...)`) and removed the inline comments. After that, the full create, read, update, delete and 404 sequence ran in one go (Part 1 of the report). I kept the generated function as it was and reported the failures, because the point of that check is to show whether the model actually follows AGENT.md. My own implemented function `count_memory_lines` passes all the rules. I also checked the token numbers myself: Ollama's real prompt token counts were about 94% of my characters/4 estimate in every setting, so the estimated per-part breakdown in Part 3 is reasonable.