Project Name	daily logger
Client	daily logger
Reference Document	FRS (BRS Document not provided)
Created By	Kavana kk
Creation Date	DD-MM-YYYY
Approval Date	DD-MM-YYYY

Test Scenario ID	Reference	Test Scenario Description	Priority
(TS_001) Register Functionality	FRS	Validate the working of Register Account functionality	P0
(TS_005) Dashboard navigation	FRS	Validate the working of Dashboard	P1
(TS_006) OR code scanning	FRS	Validate the working of QR code scanning	P4
(TS_007) Data validation	FRS	Validate the working of Data validation	P1

1.	Test Case ID	Test Scenario	Test Case Title	Pre-requisites	Test Stens	Test Data	Expected Result (ER)
The column of	<< Test Scenari	(TS_001)	verify Registering an Account by providing	1. Open the	Click on 'My Account' Drop menu Click on 'Register' option Enter new Account Details into the Mandstory Fields (First Name, Last Name, E-Mail, Telephone, Password, Password Confirm and Privacy Policy Factory Continued button (ER-1) Click on Continued button hart is disclaused in the		User should be logged in, take to */account Succoser page and proper data*is should be displayed on the page page and be taken to */account* page and a confirm email should be sent to the registed email address.
Company	TC_RF_002	Register	verify "Thank you for registering" email is sent to the registered email address as a confirmation for registering the account	Application in any	4. Click on 'Continue' button 5. Check the email address used for registering the	Not Applicable	1. verify a confirmation email for registering the account is sent to the registered email address. 2. verify the Email subject, body and from address of the received email. 3. verify there is a link to the login page provided in the Email body 4. User should be taken to the Login page
The color of the	TC_RF_003			Application in any	6. Click on the Login page link from the Email body 1. Click on "My Account" Drop menu 2. Click on "Register" option 3. Enter new Account Details into all the Fields (First Name, Last Name, E-Mail, Telephone, Password, Password Confirm, Newsletter and Privacy Policy	Not Applicable	User should be logged in, taken to 'Account Success' page and proper details should be displayed on the page 2. User should be taken to 'Account' page
Total 100 10	TC_RF_004	Register	displayed for the mandatory fields, when	Application in any	Click on 'My Account' Drop menu Click on 'Register' option	Not Applicable	For First Name field, the warring mescage First Name must be between 1 and 24 characterist Vande the displayed For Last Name Field, the warring mescage Last Name end to between 1 and 24 characterist Vande the displayed For Last Name Field, the warring mescage Last Name end of the Control of
T. S. J. So. Controlled by South Processing Assembly to make the control of t	TC_RF_005			Open the Application in any Browser	3. Enter new Account Details into all the Fields (First Name, Last Name, E-Mall, Fieldsphne, Password, Password Confirm and Privacy Policy Fields). 4.Click on Yest radio option for Newsdetter Newsdetter (Account Successi	Not Applicable	Liuar rhould be logged in, taken to "Account Success" page and propose drists Sendals de logslywyd on the page Liuar rhould be taken to "Account" page T. Var option Inducib de displayed as selected by default in the Newsletter page
T.C. M. 200 Production Pr	TC_RF_006	(TS_001) Register Functionality	option is selected for Newsletter field	Open the Application in any Browser	1. Click on 1%4 Account? Drop menu 2. Click on Register Option 3. Enter new Account Details into all the Fields (First Name, Last Name, E-Mal), Telephone, Pascoword, Passoword Confirm and Privacy Policy Fields) 4. Click on 1%0 riadio option for Newelster 5. Click on "Confinue" button (EN-1) 6. Click on "Confinue" button that is displayed in the Account Success page (ER-2) 7. Click on "Salverine" jumping the tone was experienced to neweletter 7. Click on "Salverine" jumping the tone neweletter 8. Click on "Confirm Jumping the tone new letter 9. Click on "Salverine" jumping the tone neweletter 9. Click on "Salverine" jumping the tone new letter 9. Click on "Salverine Jumping the tone new letter 9. Click on "Salverine Jumping the tone new letter 9. Click on "Salverine Jumping the tone new letter"	Not Applicable	
To AP 200 Professional programs of a control of processing and a control of processing	TC_RF_007	Register	verify different ways of navigating to 'Register Account' page	Open the Application in any Browser		Not Applicable	User should be taken to 'Register Account' page
C. C. S. D. D. C. C. S. D. D. C.	TC_RF_008	(TS_001) Register Functionality	verify Registering an Account by entering different passwords into Password and Password Confirm' fields			Not Applicable	1.Account should not be created, instead a warning messa; - Password commation does not match password! should be displayed under "Password Confirm" field
In a minute area desired and selection of the selection o	TC_RF_009		email address)	Application in any Browser	3. Enter existing Account Details into all the Fields (First Name, Last Name, E-Mail,Telephone, Password, Password Confirm, Newsletter and Privacy Policy Fields) - Refer Test Data> 4. Click on 'Continue' button (ER-1)	Last Name - B E-Mail - kavanak972@gmail.com@g mail.com Telephone - 944970XXXX Password - 12345	
TC_SF_SI_12 TC_SF_SI_22 TC_SF_SI_23 TC_SF_SI_23 TC_SF_SI_23 TC_SF_SI_24 TC_SF_SI_25 TC_SF	TC_RF_010			Application in any Browser	3. Enter new Account Details into all the Fields (First Name, Last Name, Telephone, Password, Password Confirm, Newsletter and Privacy Policy Fields) 4. Enter invalid email address into the E-Mail Field - <refer data="" test=""> 5. Click on 'Continue' button (ER-1)</refer>	address formats: 1) kavanaol 2) kavanak 3) kavanak 4) kavanaol@gmail.com	level warning message or page level warning message to provide valid email address should be displayed
Application in Pr. 2. Obts on Singapar reform. Application in Pr. 2. Obts on	TC_RF_011	Register	werify Registering an Account by providing an invalid phone number	Application in any	2. Click on 'Ragistar' option 3. Enter new Account Details into all the Fields (First Name, Last Name,E-Mail, Password, Password Confirm, Newelstert and Drivacy Policy Fields) 4. Enter invalid phone number into the Telephone Field - Keter Test Data 5. Click on 'Confirme' button (ER-1)	formats:	message should be displayed
TC_8F_012 TC_8F_012 TC_8F_013 TC_8F_014 TC_8F_014 TC_8F_015 TC_8F_015 TC_8F_015 TC_8F_015 TC_8F_016 TC_8F_015 TC_8F_016 TC_8F_016 TC_8F_017 TC_8F_017 TC_8F_017 TC_8F_018	TC_RF_012		Keyboard keys	Application in any Browser	Click on "Register" option Senter new Account Details into all the Fields (First Name, Last Name, F-Mail, Telephone, Password, Password Confirm, Newsletter and Privacy Policy Fields) by using Keyboard keys (Tab, Spacebar and Enter)	Not Applicable	page and proper details should be displayed on the page
TC_8F_301 (TS_601) Register Account page are marked with red follows: * general follows	TC_RF_013		page have the proper placeholders	Application in any Browser	Click on 'Register' option View the First Name, Last Name, E-Mail, Telephone, Password, Password Confirm fields for Name of Password Confirm fields for	Not Applicable	fields
REGISTER PLANT OF THE PROJECT OF THE	TC_RF_014		Register Account page are marked with red color * symbol	Application in any Browser	Click on 'Register' option Check the Fields - First Name, Last Name, E-Mail, Telephone, Password, Password Confirm and Privacy	Not Applicable	marked with red color * symbol
TC_SF_301 TC_F_302 TC_F_303 TC_F_	TC_RF_015		Registering an Account are stored in the Database	Application in any Browser	Click on 'Register' option Senter new Account Details into all the Fields (First Name, Last Name, E-Mail, Telephone, Password, Password Confirm, Newsletter and Privacy Policy Fields) Click on 'Continue' button (ER-1)	Not Applicable	successfully stored in the Database
TC_RF_302 (TS_00) with yellow the facility for the facility first filter for the Account for Section (Filter filter) for the Account for Section (Filter) for the Account for Section (Filtr) for the Account for Section (Filt) for the Account for	TC_RF_016	Register	verify whether the Mandatory hads in the Register Account page are accepting only spaces	1. Open the Application in any Browser	Enter spaces into the Mandatory Fields (First Name, Last Name, E-Mail, Telephone, Password and Password Confirm)	Not Applicable	Mandatory fields
TC_RF_201 Page and pa	TC_RF_017	(TS_001) Register Functionality		Application in any Browser	Name, Last Name, C-Mail, lesephone, Newsietter and Privacy Policy Fleids) 4. Check entering simple passwords (Not following Password Complexity Standars' i.e. Size of password as 8, password should contain atleat one number, symbol, lower case letter and upper case letters) = /Refer Test Data-	12345	Warning message should be displayed for following Password Complexity Standards
well of the property of the pr	TC_RF_018	(TS_001) Register Functionality		Browser	Click on 'My Account' Drop menu Click on 'Register' option Check all the fields (First Name, Last Name, E-Mail, Telephone, Password, Password Confirm, Newsletter and Privacy Policy Fields) including the	Not Applicable	Text fields should abide to the Client requirements
welfy Registering the Annual Foundation of the September 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	TC_RF_019	(TS_001) Register Functionality	worlfy whether the leading and trailing spaces entered into the Register Account fields are trimmed		Name, Last Name, "	Not Applicable	The leading and trailing spaces entered into these fields should automatically get trimmed on successful account creation
TC_RF_2021 TC_RF_2021 TC_RF_2021 TC_RF_2021 TC_RF_2021 TC_RF_2022 TC_RF_2022 TC_RF_2022 TC_RF_2022 TC_RF_2023 TC_RF_	TC_RF_020			1. Open the	1. Click on 'My Account' Drop menu	Not Applicable	Privacy Policy' checkbox option is not selected by defaul Warning message - 'Warning: You must agree to the
TC_SF_5222 1. Complete The Secure of and Teasoned Conferent field of the Security of the Secur	TC_RF_021	Register	selecting the "Privacy Policy" checkbox option	Application in any Browser	2. Click on 'Register' option	Not Applicable	Privacy Policy! should be displayed
TC_RF_303 (TS_001) coptions or link provided on the Nagoliar Page (Inclination in any 1-2 Click or Wipsglarer option flowers) (TS_001) coptions of link provided in the Nagoliar Page (Inclination in any 1-2 Click or Wipsglarer option flowers) (Inc	TC_RF_022	Register Functionality	'Password' and 'Password Confirm' field of 'Register Account' functionality is toggled to hide its visibility verify navigating to other pages using the	Application in any Browser 1. Open the	Click on 'Register' option Enter some Password text into the 'Password' and 'Password Confirm' fields (FR-1) Click on 'My Account' Drop menu	Not Applicable	Confirm' fields need to be toggled to hide its visibility (It should be hidden by displaying * or . Symbols) 1. User should be navigated to the respective pages withou
TC. SF. 204 TC. SF. 204 TC. SF. 204 TC. SF. 204 TC. SF. 205 TC. S	TC_RF_023	(TS_001) Register Functionality	options or links provided on the 'Register Account' page	Application in any Browser	Click on 'Register' option Try clicking on 'login page' link, 'privacy policy' link, 'Right Column' options, Menu options, Header and Easter portions and page 1. Click on 'My Account' Drop menu	Not Applicable	any problems
ILD, Page Title of Register Account* Page Application in any 1.2 Click on Register Account* Page Application in any 1.2 Click on Register Account* Page Application in any 1.2 Click on Register Account* Page Application in any 1.2 Click on Register Account* Page Application in any 1.2 Click on Register Account* Page Acc	TC_RF_024	Register Functionality	Password field and not filling 'Password Confirm' field	Application in any Browser	Lick on Yeegster Option S. Enter new Account Details into all the Fields (First Name, Last Name, E-Mail, Telephone, Password, Newsletter and Privacy Policy Fields) L Don't enter into 'Password Confirm' field Click on 'Continue' button (ER-1)	Not Applicable	
IC_NP_026 Register Application in any 2. Click on 'Register' option Not Applicable Account' page		Register	URL, Page Title of 'Register Account' Page	Application in any	2. Click on 'Register' option		Title should be displayed
TC_RF_027 (TS_001) verify Register Account functionality in all 1. Open the LOIKs on Register in the supported environments 1. Register Account functionality should work in all the Application in any 2. Click on Register option Not Applicable supported environments		Register Functionality (TS_001) Register Functionality	verify 'Register Account' functionality in all the supported environments	Application in any Drouger 1. Open the Application in any	Click on 'Register' option Click on 'My Account' Drop menu Click on 'Register' option		1. Register Account' functionality should work in all the

est Case II	Test Scenario	Test Case Title	Pre-requisites	Test Steps	Expected Result (ER)	Actual Result	Priority	Result	Comment
<< Test Sce	narios	Verify that the dashboard loads correctly after login.	Open the Application URL in any supported browser	Launch the application.	The dashboard should load without any errors or delays.				
		correctly after login.	supported browser	Enter valid Employee ID and Password in the login form.	All available store sections should				
TC_DN_001				Click on the "Login" button.	be visible on the dashboard				
	functionality			Observe the dashboard loading					
		Varify that the deephoard loads	Open the Application URL in any	Launch the application and log in using valid credentials.	All store sections should be visible				_
		correctly after login.	supported browser	Once on the dashboard, verify the number of store sections	on the dashboard.				
	(TS_005)			displayed.	No sections should be missing or hidden.				
TC_DN_002	dashboard navigation functionality			Compare the visible sections against the expected list of store sections (e.g., Frozen Foods, Snacks, Beverages).					
		Verify that the correct section	Open the Application URL in any	Launch the application and log in using valid credentials.	All section names should be				
TC_DN_003	(TS_005) dashboard navigation	names are displayed for each store area.	supported browser	Review the names of all sections displayed on the dashboard.	correct and displayed in a user- friendly format.				
	functionality	Verify that clicking on a store	Open the Application URL in any	Ensure that each section name is spelled correctly and Log in to the application.	No spelling or naming mistakes The application should redirect to				-
TC_DN_004	(TS_005) dashboard navigation functionality	section redirects to the SKU scanning page.	supported browser 2. Login to the Application	Click on a store section (e.g., Electronics).	the SKU scanning page related to the selected section.				
	functionality								
	(TS 005)	a search criteria which results in mulitple products	Open the Application URL in any supported browser	Log in to the application. Select a store section (e.g., Clothing).	All other store sections should remain visible and accessible.				
TC_DN_005	dashboard navigation functionality	in multiple products		Observe other store sections					
	,								
TC_DN_006	(TS_005) dashboard navigation	Verify that selecting one store section does not affect the visibility of other sections.	Open the Application URL in any supported browser	Log in to the application. Review the order of store sections displayed on the	Store sections should be displayed in the predefined order (e.g., Groceries, Clothing, Electronics).				
	functionality	, , , , , , , , , , , , , , , , , , , ,		dashboard.					
	(TS_005)	Verify that sections are displayed in the correct order.	Open the Application URL in any supported browser	Log in to the application.	The application should respond correctly to both touch and click				
TC_DN_007	dashboard navigation functionality			Tap and click on a store section	inputs, navigating to the selected section.				
	· ·	Verify that the section selection	Open the Application URL in any	Log in to the application.	The user should be redirected		-		
	(TS_005)	button works for both touch and click input.	supported browser	Navigate to a store section (e.g., Groceries).	back to the main dashboard without issues				
TC_DN_008	(15_005) dashboard navigation functionality			Click the "Back to Dashboard" button					
	rancionality								
		Verify that the user can return to the dashboard from any	Open the Application URL in any supported browser	Log in to the application.	The user should be redirected back to the main dashboard				
		store section.	aupported browser	Navigate to a store section (e.g., Groceries).	without issues.				
	(TS_005)			Click the "Back to Dashboard" button.					
TC_DN_009	dashboard navigation functionality								
	(TS 005)	Verify that the dashboard remains responsive when	Open the Application URL in any supported browser	Log in to the application.	The dashboard should remain responsive with no lag or				
TC_DN_010	dashboard navigation functionality	switching between sections.		Navigate between different store sections multiple times.	performance issues.				
	, , , ,	Verify that sections can be	Open the Application URL in any	Access the application on different devices (mobile, tablet,	Store sections should be				-
TC_DN_011	(TS_005) dashboard navigation	accessed with different screen sizes (mobile, tablet, desktop)	supported browser	desktop).	accessible and properly formatted on all devices.				
	functionality			Log in and observe the store sections					
		Verify that sections load correctly even with slow	Open the Application URL in any supported browser	Simulate a slow network connection.	The section should load successfully, albeit with a possible				
TC_DN_012	(TS_005) dashboard navigation functionality	network connectivity.		Log in to the application and navigate to a store section.	delay.				
	roncodifficy	Verify that an error message is	Open the Application URL in any	Simulate a failure in loading a store section.	An appropriate error message				<u> </u>
TC_DN_013	(TS_005) dashboard navigation	displayed when a section fails to load.	Open the Application URL in any supported browser	Simulate a failure in loading a store section. Log in and attempt to access the failed section.	An appropriate error message should be displayed indicating the failure to load the section.				
	functionality								
		Verify that an incorrect section cannot be selected (e.g., disabled sections).	Open the Application URL in any supported browser	Log in to the application. Attempt to click on a disabled store section.	The application should not allow selection, and no navigation should occur				
TC_DN_014	(TS_005) dashboard navigation functionality	ossured sections).		CHECK OIL & UIDADIEU STOPE SECTION.	arroadd docur				
	runctionality								
	(TS_005)	Verify that all sections load without UI glitches or delays.	Open the Application URL in any supported browser	Log in to the application.	All sections should load smoothly without any UI glitches or				
TC_DN_015	dashboard navigation functionality			Navigate through all store sections.	noticeable delays.				
		Verify that a log entry is created when a section is	Open the Application URL in any supported browser	Log in to the application.	A log entry should be created indicating the timestamp and the				
TC_DN_016	(TS_005) dashboard navigation	accessed for auditing purposes.	Japported browser	Access a store section (e.g., Clothing).	section accessed.				
	functionality			Check the audit logs.					
			I.	1	1		1		
		1							

Total Octava (Cal	Test Scenario	Test Case Title	Pre-requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Comments
< rest Scenari	US.	Verify Successful Scanning of a	Open the Application URL in any supported browser	Launch the application and log in.		The valid QR code is scanned without errors.				
		Valid SKU QR Code	supported browser	Navigate to the SKU scanning section.		SKU details are displayed correctly (e.g., product				
				Select a valid SKU QR code.		name, quantity, SKU number)				
TC_PC_001	(TS_006)				Product Name: iMac					
10_10_001	QR code scanning			Point the device's camera at the QR code and allow the scanner to process it.	Product Name. IPIac					
				Verify the SKU details (product name, SKU number,						
				etc.) after scanning.						
		Verify the Error Message for	Open the Application URL in any	Launch the application and log in.		The system should display an error message				
		Scanning an Invalid SKU QR Code	supported browser	Navigate to the SKU scanning section.		indicating that the QR code is invalid.				
				Select an invalid SKU OR code.		No SKU data should be populated.				
TC PC 002	(TS 006)				Product Name: iMac					
IC_PC_002	QR code scanning			Point the device's camera at the QR code and allow the scanner to process it.	Product Name: iMac					
				Observe the error message or behavior after scanning.						
		Verify the Time Taken to Scan a	Open the Application URL in any	Launch the application and log in.		The scanning process should complete within 2-3				
		Valid QR Code (Performance)	supported browser			seconds (or according to the performance				
				Navigate to the SKU scanning section.		criteria).				
TC_PC_003	(TS_006) OR code scanning			Select a valid SKU QR code.	Product Name: iMac					
	QR code scanning			Point the device's camera at the QR code and measure the time taken from scanning to displaying the SKU						
				details.						
		Verify that the Scanned SKU Information Is Accurate	Open the Application URL in any supported browser	Launch the application and log in.		All displayed SKU information should be accurate and consistent with the system database.				
				Navigate to the SKU scanning section.						
TC PC 004	(TS_006)			Scan a valid SKU QR code.	Not Applicable					
10,70,004	QR code scanning			Compare the displayed SKU details (name, number,	Not Applicable					
				quantity) with the expected database values.						
		Verify that QR Code Scanning Is Functional When the Camera	Open the Application URL in any supported browser	Launch the application and log in.		The QR code should still be scanned successfully even when the camera is not perfectly aligned				
	(TS_006)	Is Not Aligned Properly		Navigate to the SKU scanning section.						
TC_PC_005	QR code scanning			Scan a valid QR code, intentionally tilting the camera	Not Applicable					
				slightly off-axis						
		Verify That the User Can	Open the Application URL in any	Launch the application and log in.		The user should be able to manually enter the SKU				
		Manually Enter the SKU if Scanning Fails	supported browser	Navigate to the SKU scanning section.		when scanning fails, and the system should accept it without errors.				
		Scanning rais				t water circly.				
TC PC 006	(TS_006)			Simulate a failed QR code scan (e.g., cover the camera).	Product Name: iMac					
10_FC_000	QR code scanning			Try to manually input the SKU in the text field provided.	Product Name. Ind.					
		Verify That Invalid QR Codes	Open the Application URL in any	Launch the application and log in.		The invalid QR code should not be accepted, and				
		Do Not Result in Data Entry	supported browser	Navigate to the SKU scanning section.		no data should be entered or saved in the SKU fields.				
	(TS 006)			Scan an invalid OR code.						
TC_PC_007	QR code scanning			Verify that no data is recorded in the SKU entry fields.	Not Applicable					
				verify that no data is recorded in the SkU entry fields.						
		Are Rejected (e.g., a Random	Open the Application URL in any supported browser	Launch the application and log in.		The non-SKU QR code should be rejected, and the system should display an appropriate error				
	(TS_006)	QR Code)		Navigate to the SKU scanning section.		message.				
TC_PC_008	QR code scanning			Scan a non-SKU QR code (e.g., a QR code for a	Product Name: iMac					
				website).						
		Verify That Scanning Can Be	Open the Application URL in any	Launch the application and log in.		The QR code scanner should stop, and the user				
		Canceled or Skipped If Necessary	supported browser	Navigate to the SKU scanning section.		should be returned to the previous screen or given the option to manually enter SKU details.				
	(TS 006)	,		Open the OR code scanner.						
TC_PC_009	QR code scanning				Not Applicable					
				Press the cancel or skip button while the QR code scanner is active						
		Verify That QR Code Scanning Is Interrupted If the Camera	Open the Application URL in any supported browser	Launch the application and log in.		The QR code scanning should be interrupted when the camera loses focus, and an error or retry				
		Loses Focus		Navigate to the SKU scanning section.		option should be displayed.				
TC_PC_010	(TS_006)			Start scanning a QR code.	Not Applicable					
	QR code scanning			Intentionally make the camera lose focus (e.g., by						
				moving the device rapidly).						
		Verify That Data Entered After	Open the Application URL in any	Launch the application and log in.		The entered data should be saved accurately		-		
		Scanning Is Saved Correctly	supported browser	Navigate to the SKU scanning section.		without errors				
TC_PC_011	(TS_006)			Scan a valid QR code.	Not Applicable					
1.0.001	QR code scanning			Enter the corresponding inventory quantity or details.	Not Applicable					
				Save the information						
			·	1	·	-		-		
		1								

	Test Scenario	Test Case Title	Pre-requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result
<< Test Scenarios									
TC_DV_001	(TS_008) data validation	Verify Entering Valid Numbers (Positive Integers) in the Inventory Field	1. Open the Application URL	Navigate to the inventory input field after scanning a valid SKU. Enter a positive integer (e.g., 100) in the inventory count field. Save the data.	The system should accept the positive integer and save the data without errors				
TC_DV_002	(TS_008) data validation	Verify the Error Message When Entering Negative Numbers	Open the Application URL and Login	Navigate to the inventory input field. Enter a negative number (e.g., -50). Try to save the data.	The system should reject the negative number and display an appropriate error message.				
TC_DV_003	(TS_008) data validation	Verify the Error Message When Entering Decimal Numbers	1. Open the Application URL	Navigate to the inventory input field. Enter a decimal number (e.g., 12.5). Try to save the data.	The system should reject decimal numbers and display an appropriate error message				
TC_DV_004	(TS_008) data validation	Verify the Error Message When Entering Non-Numeric Characters	1. Open the Application URL	Navigate to the inventory input field. Enter non-numeric characters (e.g., "abc"). Try to save the data.	The system should reject non- numeric input and display an error message.				
TC_DV_005	(TS_008) data validation	Verify That the Input Field Accepts a Maximum of 4 Digits (Boundary Condition)	Open the Application URL	Navigate to the inventory input field. Enter a 4-digit number (e.g., 9999). Try to save the data.	Success message with text - "Success: You have added Product Name to your shopping cart!" should be displayed Product should be successfully displayed in the "Shopping Cart" page				
TC_DV_006	(TS_008) data validation	Verify the Behavior When Entering Extremely Large Numbers (e.g., More Than Allowed Digits)	Open the Application URL	Navigate to the inventory input field. Enter an extremely large number (e.g., 123456). Try to save the data.	The system should reject the large number and display an appropriate error message				
TC_DV_007	(TS_008) data validation	Verify Entering 0 as the Inventory Count and the System's Response	Open the Application URL	Navigate to the inventory input field. Enter "0" in the inventory count field. Try to save the data.	The system should accept 0 as a valid input and save the data correctly.				
TC_DV_008	(TS_007) Product Display Page	the Inventory Count	Open the Application URL in any supported browser	Navigate to the inventory input field. Leave the inventory count blank. Try to save the data.	The system should display an error message and prevent the blank value from being saved.				
TC_DV_009	(TS_007) Product Display Page	Verify That Confirmation of Data Is Successful With Valid Input	Open the Application URL in any supported browser	Navigate to the inventory input field. Enter a valid inventory count (e.g., 50). Confirm and save the data.	The system should confirm the input and display a success message after saving the data.				