
(a)
raw-input 0.2528
chance 0.2338
matrix profile discord (raw) 0.2630
latent isoforest 0.2605
moving variance 0.2595
LSTM autoencoder (scored separately) 0.2591
supervised reference 0.2555
hampel mad 0.2528
raw-input baseline 0.2528
squared difference 0.2521
elliptic envelope 0.2519
mahalanobis 0.2517
pca autoencoder 0.2515
ensemble 4 0.2511
spectral pca 0.2486
matrix profile motif 0.2480
local outlier factor 0.2457
one class svm 0.2456
isolation forest 0.2456
hmm 3state 0.2441
zscore 0.2400
untrained autoencoder 0.2340
matrix profile discord 0.2299
matrix profile motif raw 0.2221
0.22
0.24
0.26
Held-out PR-AUC
(b)
raw-input 0.0325
chance 0.0141
spectral pca 0.0355
hampel mad 0.0325
raw-input baseline 0.0325
zscore 0.0323
squared difference 0.0310
moving variance 0.0294
matrix profile motif 0.0291
pca autoencoder 0.0289
matrix profile discord (raw) 0.0247
matrix profile discord 0.0217
garch residual 0.0198
untrained autoencoder 0.0196
isolation forest 0.0195
latent isoforest 0.0192
ensemble 2 0.0183
local outlier factor 0.0180
supervised reference 0.0172
hmm 3state 0.0161
one class svm 0.0161
mahalanobis 0.0154
elliptic envelope 0.0153
matrix profile motif raw 0.0143
0.00
0.01
0.02
0.03
0.04
Held-out PR-AUC