

Rajalakshmi Engineering College

Name: KAVIARASI M
Email: 240701241@rajalakshmi.edu.in
Roll no: 240701241
Phone: 8754534017
Branch: REC
Department: I CSE FC
Batch: 2028
Degree: B.E - CSE

Scan to verify results



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt : 2
Total Mark : 20
Marks Obtained : 20

Section 1 : MCQ

1. What is the output of the below Python code?

```
list1 = [1, 2, 3]
list2 = [5, 6, 7]
list3 = [10, 11, 12]
set1 = set(list2)
set2 = set(list1)
set1.update(set2)
set1.update(list3)
print(set1)
```

Answer

{1, 2, 3, 5, 6, 7, 10, 11, 12}

Status : Correct

Marks : 1/1

2. What is the output of the following code?

```
a={"a":1,"b":2,"c":3}
b=dict(zip(a.values(),a.keys()))
print(b)
```

Answer

```
{1: 'a', 2: 'b', 3: 'c'}
```

Status : Correct

Marks : 1/1

3. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Answer

Removes an arbitrary element

Status : Correct

Marks : 1/1

4. What will be the output of the following program?

```
set1 = {1, 2, 3}
set2 = set1.copy()
set2.add(4)
print(set1)
```

Answer

```
{1, 2, 3}
```

Status : Correct

Marks : 1/1

5. What will be the output of the following code?

```
a=(1,2,3,4)
print(sum(a,3))
```

Answer

```
13
```

Status : Correct

Marks : 1/1

6. Which of the following statements is used to create an empty tuple?

Answer

()

Status : Correct

Marks : 1/1

7. What is the output of the following code?

```
a={1:"A",2:"B",3:"C"}  
b=a.copy()  
b[2]="D"  
print(a)
```

Answer

{1: 'A', 2: 'B', 3: 'C'}

Status : Correct

Marks : 1/1

8. What is the result of print(type({}) is set)?

Answer

False

Status : Correct

Marks : 1/1

9. What will be the output?

```
a={'B':5,'A':9,'C':7}  
print(sorted(a))
```

Answer

['A', 'B', 'C'].

Status : Correct

Marks : 1/1

10. Fill in the code in order to get the following output.

Output:

Tuple: (1, 3, 4)

Max value: 4

t=(1,)

```
_____  
print("Tuple:" ,t)  
print("Max value:",_____)
```

Answer

1) t=t+(3,4) max(t)

Status : Correct

Marks : 1/1

11. What will be the output for the following code?

t1 = (1, 2, 4, 3)

t2 = (1, 2, 3, 4)

print(t1 < t2)

Answer

False

Status : Correct

Marks : 1/1

12. Predict the output of the following Python program

init_tuple_a = 1, 2, 8

init_tuple_b = (1, 2, 7)

set1=set(init_tuple_b)

set2=set(init_tuple_a)

print (set1 | set2)

print (init_tuple_a | init_tuple_b)

Answer

{1, 2, 7, 8}TypeError: unsupported operand type

Status : Correct

Marks : 1/1

13. What will be the output for the following code?

```
a=(1,2,3)
b=('A','B','C')
c=zip(a,b)
```

```
print(c)
print(tuple(c))
```

Answer

```
((1, 'A'), (2, 'B'), (3, 'C'))
```

Status : Correct

Marks : 1/1

14. Which of the following isn't true about dictionary keys?

Answer

Keys must be integers

Status : Correct

Marks : 1/1

15. Suppose $t = (1, 2, 4, 3)$, which of the following is incorrect?

Answer

```
t[3] = 45
```

Status : Correct

Marks : 1/1

16. Which of the statements about dictionary values is false?

Answer

Values of a dictionary must be unique

Status : Correct

Marks : 1/1

17. What is the output of the following code?

```
a=(1,2,(4,5))  
b=(1,2,(3,4))  
print(a<b)
```

Answer

False

Status : Correct

Marks : 1/1

18. What is the output of the following?

```
set1 = {10, 20, 30, 40, 50}  
set2 = {60, 70, 10, 30, 40, 80, 20, 50}  
print(set1.issubset(set2))  
print(set2.issuperset(set1))
```

Answer

TrueTrue

Status : Correct

Marks : 1/1

19. Set $s_1 = \{1, 2, 4, 3\}$ and $s_2 = \{1, 5, 4, 6\}$, find $s_1 \& s_2$, $s_1 - s_2$, $s_1 \mid s_2$ and $s_1 \wedge s_2$.

Answer

$s_1 \& s_2 = \{1, 4\}$ $s_1 - s_2 = \{2, 3\}$ $s_1 \wedge s_2 = \{2, 3, 5, 6\}$ $s_1 \mid s_2 = \{1, 2, 3, 4, 5, 6\}$

Status : Correct

Marks : 1/1

20. Which of the following is a Python tuple?

Answer

(1, 2, 3)

Status : Correct

Marks : 1/1