Question 9
Not yet answered
Marked out of 10.00
Flag question

Discuss the value of the use of web services, SOAP, and REST

- Web services are exposed via well-defined and Choose... APIs providing Choose... integration
- Different types of clients like Choose... clients and mobile apps can communicate with web services via the Choose...
- Web services provide Choose... integration opposed to the Choose... integration of the web applications
- The Choose... capability of the web services is more Choose... than the Choose... web applications
- SOAP supports both message oriented and Choose... oriented communication
- Choose... is used to describe the API of the Choose... services using the standard format using XML
- Choose... uses Choose... on Java Choose... when developing SOAP web services
- REST uses Choose... to depict Choose... , which are Choose... by URIs
- The Choose... interfaces of REST web services are based on the URL and Choose...

Construct a client-side event handler for a SAVE button (id of this button is "btnSave") of a browser based Rich Web-based Application, using JS and jQuery, to implement insert operation. This event handler sends the data using DC (AJAX) to a web service to be inserted into a database.

```
[ ]([ ]).[ ]("[ ]", "[ ]", [ ]([ ])
{
    $.[ ](
    {
        [ ] : "www.bank.com/accounts/1234/transactions",
        [ ] : $("#formCheckout").[ ](),
        [ ] : "text",
        type : "[ ]",
        [ ] : [ ]([ ], [ ])
        {
            onCheckoutComplete([ ].responseText, [ ]);
        }
    [ ]
});
```

Select the advantages and features of the use of web-based applications

- Choose... can be used to add widgets to web pages rapidly
- Web-site is a collection of Choose... web pages where a Choose... can interact with the users and Choose... data
- The Choose... of the views is Choose... using HTML and Choose... using CSS for a nice presentation
- Choose... fonts in Choose... allow using any font type for the text on web pages other than the Choose... fonts
- Web-based applications utilize the network based on Choose... and related technologies
- Choose... queries in CSS allow developing content Choose... which match to different types of Choose...
- Choose... can be used as a server-side Choose... to implement the Choose... of web-based applications
- The content of the Choose... web pages can be generated using Choose... in backend and Choose... code in the frontend

Question 3
Not yet answered
Marked out of 10.00
Flag question

Fill the correct word(s) in to value the use of frameworks, libraries, and plug-ins indicating their features.

NOTE: all the characters should be lowercase, no spaces at the beginning or end of the answer.

HINTS: Wordlist – api, calls, configurations, control, drives, framework, inverse of control, libraries, plugins, your code

- Plugins use [configurations] to set up the behavior easily
- The framework [calls] your code, which is referred to as the [invers of control]
- [libraries] contain code for pre-developed and tested features
- [plugins] are developed and tested small application programs, to add features rapidly
- Libraries are called by [your code] providing the [drives] to your code
- [framework] is a collection of libraries, rules, structures, and control, which provides tools to manage the software developmen
- A library provides an [api] for the coder to use its features
- The framework [control] the solution by dictating the overall architecture of the solution

Moodle

Online Exams

Sri Lanka Institute of Information Technology

Question 1
Not yet answered
Marked out of 10.00
Flag question

Differentiate the features of 3 different models of version control systems and GIT.

- A branch in a repo is an active line of development, which is a label pointing to a commit
- Users cannot collaborate using local VCSs
- Using GIT, a remote repo can be cloned to local disk for working
- centralized VCSs can enable user collaboration but has a single point of failure
- GIT is a distributed VCS, which enables collaboration and eliminates single point of failure
- A repository contains the project and object database to store history and configurations
- Version control systems are used to manage the changes to the source code
- The changed files and folders should be first staged and then commit before pushing to the remote repo
- A distributed VCS supports distributed and non-linear workflows for speed and integrity
- The local project contains files in the working area, which will be added to the staging area before committing

Quiz navigation

1 2 3 4 5 6 7 8 9 10

Finish attempt ...

Time left 1:43:27

answered

out of

question

Construct a client-side event handler for a SAVE button (id of this button is "btnSave") of a browser-based Rich Web-based Application, using JS and jQuery, to implement insert operation. This event handler sends the data using DC (AJAX) to a web service to be inserted into a database.

```
$ ( document ). on (" click ", " #btnsave ", function ( event )
{
  $. ajax (
  {
      url : "www.bank.com/accounts/1234/transactions",
      type : $("#formCheckout"). [ ]().
      datatype : "text",
      type : " [ ] ",
      complete : function ( response , status )
      {
          onCheckoutComplete( response .responseText, status );
      }
  [ ]
});
```

Sri Lanka Institute of Information Technology

Differentiate the features of 3 different models of version control systems and GIT

- A Choose... in a repo is an active line of development, which i
- Users cannot collaborate using Choose... VCSs
- Using GIT, a remote repo can be Choose... to Choose...
- Choose... VCSs can enable user collaboration but has a sin
- GIT is a Choose... VCS, which enables Choose...
- A Choose... contains the project and Choose...
- Version control systems are used to manage the Choose...
- The changed files and Choose... should be first Choose Choose... to the remote repo
- A distributed VCS supports distributed and Choose... w
- The local project contains files in the Choose... area. w

Distinguish the use of AngularJS in client-side development of Rich Web-based Applications

- Angular uses [Typescript], which overcomes the issues in [JavaScript] such as no [Compilation] errors, hence difficult to find
- TypeScript uses [static] types and [supports] OOP, therefore, good for [large] applications development
- Angular has a [data-binding] feature, which enables automatic synchronization of data between the view and [model] components
- Dependency injection in Angular allows injecting the [service classes] to the [components]

service classes | model | JavaScript | compilation | TypeScript | large | data-binding | supports | components | static

Online Exams

Sri Lanka Institute of Information Technology

Question 1

Not yet answered

Marked out of 10.00

Flag question

Differentiate the features of 3 different models of version control systems and GIT.

- A branch in a repo is an active line of development, which is a label pointing to a commit
- Users cannot collaborate using local VCSs
- Using GIT, a remote repo can be centralized to Choose... for working
- centralized VCSs can enable user collaboration but has a single point of failure
- GIT is a distributed VCS, which enables integrity and eliminates single point of failure
- A repository contains the project and Choose... to store history and Choose...
- Version control systems are used to manage the changes to the source code
- The changed files and folders should be first staged and then commit before pushing to the remote repo
- A distributed VCS supports distributed and non-linear workflows for speed and collaboration
- The local project contains files in the working area, which will be added to the staging area before commiting

Quiz navigation

1 2 3 4 5 6 7 8 9 10

Finish attempt ...

Time left 1:47:09

02 VIEW DEVELOPMENT PLUG-INS

- Plug-ins are mainly to add widgets to the Views
  - However, may contain interactive components as well
  - Therefore, can be seen as micro-applications

- MODAAL - http://humaan.com/modaal/
- DateDropper - https://felicegattuso.com/datedropper/

- https://www.cssdesignawards.com/blog/10-cool-css-and-javascript-tuts-and-plugins/50/
- https://www.creativeblog.com/jquery/top-jquery-plugins-6133175

Online Exams

Sri Lanka Institute of Information Technology

Distinguish the use of AngularJS in client-side development of Rich Web-based Applications

- Angular uses [TypeScript], which overcomes the issues in [JavaScript] such as no [compilation], hence difficult to find errors
- TypeScript uses [static] types and [supports] OOP, therefore, good for [large] applications development
- Angular has a [data binding] feature, which enables automatic synchronization of data between the view and [model] components
- Dependency injection in Angular allows injecting the [components] to the [service classes]

Next page

wered
of
estion

Distinguish the industry practices in software development and tools by their advantages

- Forums are used to communicate and discuss related matters online
- runtimes provide application-level virtualization
- plugin improve the efficiency by distributing the libraries of web-based systems
- Dockers are a type of virtualization, which provides containers level virtualization
- Quality code increases the efficiency by unnecessary recourses elimination
- virtualization can be used to minimize the difference in development and OS environments
- Documenting and refactoring can improve the quality of the code
- Website content can be improved by distributing content closer to the visitors
- dependency management tools help to manage external artefacts like plugin
- Maven saves the dependency and content details in POM using XML
- VMs are used to virtualize hardware systems, similar to emulators


Moodle
Question 3
Not yet answered
Marked out of 10.00
Flag question
State the advantages and features of the use of web-based applications
plug-ins can be used to add widgets to web pages rapidly
Web-site is a collection of static web pages where a web application can interact with the users and formatted data
The content of the views is developed using HTML and JavaScript using CSS for a nice presentation
web fonts in CSS allow using any font type fo ges other than the device fonts
Web-based applications utilize the network based on HTTP and
media queries in CSS allow developing content structures o different types of screens
Java can be used as a server-side framework to imp model of web-based applications
The content of the dynamic web pages can be generated using Je backend and JavaScript code in the frontend
Choose...
formatted
developed
content
CSS
device
web application
web
structures
plug-ins
static
dynamic
HTTP
media
screens
Java code
Java
server-model
process
JavaScript
Quiz navigation
1 2 3 4 5 6 7 8 9 10
Finish attempt ...
Time left 1:15:10

Online Exams

Sri Lanka Institute of Information Technology

Differentiate the features of 3 different models of version control systems and GIT.

- A [branch] in a repo is an active line of development, which is a [label] pointing to a commit
- Users cannot collaborate using [local] VCSs
- Using GIT, a remote repo can be [cloned] to [local] for working
- [centralized] VCSs can enable user collaboration but has a single point of failure
- GIT is a [distributed] VCS, which enables [collaboration] and eliminates [single point of failure]
- A [repository] contains the project and [object database] to store history and [configurations]
- Version control systems are used to manage the [Choose...] to the source code
- The changed files and [folders] should be first [commit] and then [staged] before [pushing] to the remote repo
- A distributed VCS supports distributed and [non-linear] workflows for speed and [integrity]
- The local project contains files in the [local disk] area, which will be added to the staging area before committing

Question **3**
Not yet answered
Marked out of 10.00
Flag question

Fill the correct word(s) in to value the use of frameworks, libraries, and plug-ins indicating their features.

NOTE: all the characters should be lowercase, no spaces at the beginning or end of the answer.

HINTS: Wordlist – api, calls, configurations, control, drives, framework, inverse of control, libraries, plugins, your code

- Plugins use _____ to set up the behavior easily
- The framework _____ your code, which is referred to as the _____
- _____ contain code for pre-developed and tested features
- _____ are developed and tested small application programs, to add features rapidly
- Libraries are called by _____ providing the _____ to your code
- _____ is a collection of libraries, rules, structures, and control, which provides tools to manage the software development
- A library provides an _____ for the coder to use its features
- The framework _____ the solution by dictating the overall architecture of the solution

Next page

Online Exams

Sri Lanka Institute of Information Technology

Distinguish the use of AngularJS in client-side development of Rich Web-based Applications

- Angular uses [TypeScript], which overcomes the issues in [JavaScript] such as no [compilation], hence difficult to find errors
- TypeScript uses [static] types and [supports] OOP, therefore, good for [large] applications development
- Angular has a [data-binding] feature, which enables automatic synchronization of data between the view and [model] components
- Dependency injection in Angular allows injecting the [components] to the [service classes]

of

stion

...tures of the distributed systems.

- Choose... architecture extends the basic Choose... architecture by adding a Choose...
- XML can be used to Choose... and transport Choose... and readable by both human and Choose...
- In Choose... architecture, the Views deliver the Choose... , the Model implements the Choose... , and the Controllers handle the Choose...
- Choose... improve the scalability of the system compared to Choose... architecture
- SOAP is Choose... -oriented, REST is Choose... -oriented, and CORBA is Choose... -oriented communication techniques/technologies
- Distributed systems use Choose... for processing, Choose... for communications, and Choose... to link them
- REST uses Choose... based data passing where SOAP uses Choose... based data passing

Moodle

Question 3

Not yet answered

Marked out of 10.00

Flag question

State the advantages and features of the use of web-based applications

- plug-ins can be used to add widgets to web pages rapidly
- Web-site is a collection of static web pages where a web application can interact with the users and formatted data
- The content of the views is developed using HTML and javaScript using CSS for a nice presentation
- web fonts in CSS allow using any font type for the text on web pages other than the device fonts
- Web-based applications utilize the network based on HTTP and related technologies
- media queries in CSS allow developing content structures which match to different types of screens
- java can be used as a server-side framework to implement the server-model of web-based applications
- The content of the dynamic web pages can be generated using java code in backend and javaScript code in the frontend

Quiz navigation

1 2 3 4 5 6 7 8 9 10

Finish attempt ...

Time left 0:14:47

2
nswered
out of
question

Differentiate the features of 3 different models of version control systems and GIT.

- A branch in a repo is an active line of development, which is a label pointing to a commit
- Users cannot collaborate using local VCSs
- Using GIT, a remote repo can be cloned to local disk for working
- centralized VCSs can enable user collaboration but has a single point of failure
- GIT is a distributed VCS, which enables collaboration and eliminates single point of failure
- A repository contains the project and object database to store history and configurations
- Version control systems are used to manage the changes to the source code
- The changed files and folders should be first staged and then commit before pushing to the remote repo
- A distributed VCS supports distributed and non-linear workflows for speed and integrity
- The local project contains files in the cloned area, which will be added to the staging area before committing

Distinguish the industry practices in software development and tools by their advantages

- Forums are used to communicate and [discuss] related matters online
- [runtimes] provide application-level virtualization
- [availability] improve the [loading time] by distributing the [content] of web-based systems
- Dockers are a type of [containers], which provides [OS] level virtualization
- Quality code increases the [efficiency] by unnecessary recourses [elimination]
- [virtualization] can be used to minimize the difference in development and [implementation] environments
- Documenting and [refactoring] can improve the quality of the code
- Website [CDNs] can be improved by distributing content closer to the [visitors]
- [dependency management] tools help to manage external artefacts like [plugin]
- Maven saves the dependency and [libraries] details in [POM] using XML
- VMs are used to virtualize [hardware] systems, similar to [emulators]

≡ Quiz navig

1 2 3 9 10

Finish attem

Time left 1:21:25

vered

of

stion

Fill the correct word(s) in to value the use of frameworks, libraries, and plug-ins indicating their features.

NOTE: all the characters should be lowercase, no spaces at the beginning or end of the answer.

HINTS: Wordlist – api, calls, configurations, control, drives, framework, inverse of control, libraries, plugins, your code

- Plugins use configurations to set up the behavior easily
- The framework calls your code, which is referred to as the inverse of control
- libraries contain code for pre-developed and tested features
- plugins are developed and tested small application programs, to add features rapidly
- Libraries are called by your code providing the control to your code
- framework is a collection of libraries, rules, structures, and control, which provides tools to manage the software development
- A library provides an api for the coder to use its features
- The framework drives the solution by dictating the overall architecture of the solution

1
answered
out of
question

Separate different program paradigms by their unique characteristics.

- Imperative programming uses a list of code without any blocks
- Non-structured programming uses different types of blocks to structure the code
- Procedures can be used to implement a single complete algorithm
- Structured programming has side-effects
- Object-oriented programming uses inheritance to show the parent-child relationship
- Event-driven programming can respond to user actions like button clicks
- Declarative programming uses functions and origins from Lambda calculus
- Functional programming code has the referential transparent property

t yet answered

rked out of
00

Flag question

Construct a client-side event handler for a SAVE button (id of this button is "btnSave") of a browser-based Rich Web-based Application, JS and jQuery, to implement insert operation. This event handler sends the data using DC (AJAX) to a web service to be inserted into a database.

```
$ ( document ). on (" click ", " #btnSave ", function ( event )
{
    $. ajax (
    {
        url : "www.bank.com/accounts/1234/transactions",
        data : $("#formCheckout"). serialize (),
        dataType : "text",
        type : " post ",
        success : function ( data , status )
        {
            onCheckoutComplete( response .responseText, status );
        }
    });
});
```

Online Exams

Sri Lanka Institute of Information Technology

Construct a client-side event handler for a SAVE button (id of this button is "btnSave") of a browser-based F
JS and jQuery, to implement insert operation. This event handler sends the data using DC (AJAX) to a web s
database.

```
$ ( document ). on (" click ", " #btnSave ", function ( event )
{
    $. ajax (
    {
        url : "www.bank.com/accounts/1234/transactions",
        type : $("#formCheckout"). serialize (),
        dataType : "text",
        type : " ",
        complete : function ( response , status )
        {
            onCheckoutComplete( response .responseText, status );
        }
    });
});
```

Question 1

Not yet answered

Marked out of 10.00

Flag question

State the advantages and features of the use of web-based applications

- plug-ins can be used to add widgets to web pages rapidly
- Web-site is a collection of Choose... web pages where a web application can interact with the users and Choose... data
- The Choose... of the views is Choose... using HTML and Choose... using CSS for a nice presentation
- Choose... fonts in Choose... allow using any font type for the text on web pages other than the Choose... fonts
- Web-based applications utilize the network based on HTTP and related technologies
- Choose... queries in CSS allow developing content Choose... , which match to different types of Choose...
- Choose... can be used as a server-side Choose... to implement the Choose... of web-based applications
- The content of the dynamic web pages can be generated using Java on backend and CSS code in the frontend

Quiz navig

1 2 3 9 10

Finish attempt ...

Time left 1:44:45

Sri Lanka Institute of Information Technology

on 10
et answered
ed out of
g question

Discuss the value of the use of web services, SOAP, and REST

- Web services are exposed via well-defined and [APIs] APIs providing [encapsulated] integration
- Different types of clients like [browser-based] clients and mobile apps can communicate with web services via the [APIs]
- Web services provide [dynamic] integration opposed to the [static] integration of the web applications
- The [Choose...] capability of the web services is more [Choose...] than the [Choose...] web applications
- SOAP supports both message oriented and [functional] oriented communication
- [WSDL] is used to describe the API of the [WSDL] services using the standard format using XML
- [Choose...] uses [Choose...] on Java [Choose...] when developing SOAP web services.
- REST uses [Choose...] to depict [Choose...], which are [Choose...] by URIs
- The [Choose...] interfaces of REST web services are based on the URL and [Choose...]

Quiz na

1 2 9 10

Finish attem

Time left 0:2

SERVICES

- Web services are server-side applications, which provides a related set of features
  - The services of the web service are exposed via an API
  - modular, well-defined, encapsulated interfaces are used for loosely coupled integration between systems
  - Loosely coupled architecture, and interacts with client-side components via the API
  - Multiple types of clients can communicate with the web-service via the API
    - Browser-based clients, non-browser-based clients (mobile apps), other web services

Online Exams

Sri Lanka Institute of Information Technology

Design a REST API for a RESTful web service to be used by a media player on

NOTE: HTTP verbs are all caps, URL segments are all lower case, and names

- Load the song ABC

  GET : www.player.com/ songs /ABC

- Edit the song ABC's singer

  PUT : www.player.com/songs/ABC/meta/ singer

- Upload songs to the album XYZ

  POST : www.player.com/ album /XYZ

- Remove the song ABC

  DELETE : www.player.com/songs/ ABC

- Load the song LMN in album IJK

  GET: www.player.com/ ijk / LMN

Online Exams

Sri Lanka Institute of Information Technology

Fill the correct word(s) in to value the use of frameworks, libraries, and plug-ins indicating their features.

NOTE: all the characters should be lowercase, no spaces at the beginning or end of the answer.

HINTS: Wordlist – api, calls, configurations, control, drives, framework, inverse of control, libraries, plugins.

- Plugins use configurations to set up the behavior easily
- The framework calls your code, which is referred to as the inverse of control
- libraries contain code for pre-developed and tested features
- plugins are developed and tested small application programs, to add features rapidly
- Libraries are called by your code providing the control to your code
- framework is a collection of libraries, rules, structures, and control, which provides tools to man
- A library provides an api for the coder to use its features
- The framework drives the solution by dictating the overall architecture of the solution

Online Exams

Sri Lanka Institute of Information Technology

wered

of

estion

State the advantages and features of the use of web-based applications

- Choose... can be used to add widgets to web pages rapidly
- Web-site is a collection of Choose... web pages where a Choose... Choose... data
- The Choose... of the views is Choose... using HTML and Choose...
- Choose... fonts in Choose... allow using any font type for the text Choose... fonts
- Web-based applications utilize the network based on Choose... and related t
- Choose... queries in CSS allow developing content Choose... , wh Choose...
- Choose... can be used as a server-side Choose... to implement th
- The content of the Choose... web pages can be generated using Choose... code in the frontend