Details

Supporting document for summary.pdf

System	supervisor_research_math
Runs from	Oct 2, 2026 (UTC)
Runs analyzed	20 runs
Models used by the agents	claude-haiku-4-5-20251001 (100 model calls)
Analysis cost	$1.13 for 165 AI judge answers (includes cached results, paid once)

1. How to read this report

summary.pdf shows what to fix first. This document holds the evidence behind it: every finding, every run, and every check. Everything here was computed from the traces you gave tracedoc.

Words used in the report

- A run is one request to your system, from the user's message to the final answer.
- An agent is a part of your system that calls a model, named exactly as in your code.
- A step is one thing an agent does inside a run: a model call, a tool call, or passing control to another agent (a handoff).
- A finding is one problem found in one run. Findings of the same kind, at the same agent, are grouped into one problem.

The scorecard

- Runs with a serious problem: runs with at least one serious finding found with high or medium confidence, out of all runs.
- Median cost per run: the middle value of each run's model cost, from the token counts in the traces and the configured prices.
- Median time per run: the middle value of each run's duration, from its first to its last recorded event.
- Median steps per run: the middle value of the number of agent and tool steps each run took.
- Share of total cost spent in runs with a serious problem: the cost of those runs as a share of the cost of all runs.

What counts as serious

A serious problem is a finding with high severity: the run failed, gave no answer, or went wrong in a way the user would notice. Moderate and minor findings make runs slower, costlier or less reliable.

How findings are found

- Rules: fixed checks that read the traces, with no model involved. A rule finding is certain about what happened; whether it hurts depends on your system.
- AI judge: for problems no rule can see, a fast model first screens a few steps around each candidate, and a stronger model confirms or rejects what it flags, twice and independently: a finding is kept when both reviews confirm it. Judges run at temperature 0 and every verdict is cached, so the same traces give the same report.
- The AI judge writes only three short parts of each of its findings (what happened, what to change, and one quote from the trace), each with a length limit. Everything else in the report is fixed text or computed from the traces.

Confidence

- High: found by a rule, or confirmed by the AI judge with confidence of 0.8 or more.
- Medium: confirmed by the AI judge with confidence from 0.6 to 0.8.
- Low: confirmed with less confidence, confirmed by one of the AI judge's two reviews but not the other ("judge disagreed"), or a rule candidate the AI judge did not review. Low-confidence findings appear only in this document, never on page 1 of summary.pdf.

How problems are ranked

Problems are ranked by severity (serious first), then by the number of runs affected, then by the cost of those runs, then alphabetically by check. The same inputs always give the same order.

Which problems become fixes on page 1

Up to three, in ranking order: serious or moderate problems found with high or medium confidence. A cost or token problem also has to be material: the cost it is about must be at least 10% of the system's total cost. When fewer qualify, page 1 shows fewer fixes; minor findings and the rest are under Other findings on page 2.

Analysis cost

The model cost of the AI judge answers behind this report, at the configured prices. Answers reused from the cache are counted at what they cost when they were made, so running the analysis again gives the same figure. When it includes reused answers, the cost is labeled "includes cached results, paid once": you paid for those answers once, when they were first made, and nothing again this time.

What the AI judge did not review

- 13 rule findings were not reviewed (at most 5 per problem pattern). They are listed with low confidence.
- 22 handoffs were not reviewed (at most 4 per run and 5 per pair of agents).

2. Every finding

Findings with high or medium confidence

These are the findings summary.pdf is built from, grouped into problems in ranking order. Each problem is explained once, with its fix, then shown in one worked example with the full evidence, then listed run by run.

Supervisor can't see which agent replied · supervisor · 20 of 20 runs

What it looks for	A langgraph-supervisor system whose supervisor runs on a model that is not OpenAI's, with include_agent_name left at its default. The library then marks who wrote each message only in the message's name attribute, which only OpenAI's API passes to the model.
Why it matters	The supervisor's model sees the other agents' replies with no names, so it can mistake whose work it is reading, redo it, or drop it from the answer.
What to change	Pass include_agent_name="inline" to create_supervisor, so supervisor's model sees each agent's name in the message text.
Documentation	langgraph-supervisor, create_supervisor(include_agent_name): "None: Relies on the LLM provider using the name attribute on the AI message. Currently, only OpenAI supports this. 'inline': Add the agent name directly into the content field of the AI message using XML-style tags." https://github.com/langchain-ai/langgraph-supervisor-py
Also found at the same step	Final answer was empty (16 runs) Run finished before the task was done (16 runs) Agent ignored another agent's output (11 runs) Agent ignored its instructions (1 run) Agent lost earlier context (1 run)

Worked example: F1 · Supervisor can't see which agent replied

Serious · High confidence · found by rule

Agent and step	supervisor, final reply
Run	R1: what's the combined headcount of the FAANG companies in 2024?
What happened	In R1, supervisor runs on claude-haiku-4-5-20251001 and received research_expert's reply with its name only in the name attribute, which this model never sees (include_agent_name is not set).
Tool calls and results	1. web_search({"query": "Netflix employees headcount 2024"}) returned: Here are the headcounts for each of the FAANG companies in 2024: 1. **Facebook (Meta)**: 67,317 employees. 2. **Apple**: 164,000 employees. 3. **Amazon**: 1,551,000 employees. 4. **Netflix**: 14,000 employees. 5. **Google (Alphabet)**: 181,269 employees. 2. web_search({"query": "Amazon headcount employees 2024"}) returned: Here are the headcounts for each of the FAANG companies in 2024: 1. **Facebook (Meta)**: 67,317 employees. 2. **Apple**: 164,000 employees. 3. **Amazon**: 1,551,000 employees. 4. **Netflix**: 14,000 employees. 5. **Google (Alphabet)**: 181,269 employees. 3. web_search({"query": "Google Alphabet headcount employees 2024"}) returned: Here are the headcounts for each of the FAANG companies in 2024: 1. **Facebook (Meta)**: 67,317 employees. 2. **Apple**: 164,000 employees. 3. **Amazon**: 1,551,000 employees. 4. **Netflix**: 14,000 employees. 5. **Google (Alphabet)**: 181,269 employees.
Agent's output	(no text)
Also found at this step	Agent ignored another agent's output (found by AI judge): Supervisor received research_expert's full headcount table and combined total of 1,977,586 but output nothing; the run ended with status 'no_answer' and an empty final output. Final answer was empty (found by rule): supervisor's final reply had no text, so the user got no answer. Run finished before the task was done (found by AI judge): Run ended with status 'no_answer' and an empty final output; the supervisor never relayed the combined FAANG headcount to the user after research_expert returned it.
Finding ID	F1 · reference 6c877a8b8275

Every affected run (20 of 20 runs)

Run	Request	What happened	Finding ID
R1	what's the combined headcount of…	supervisor runs on claude-haiku-4-5-20251001 and received…	F1
R2	How many more employees did…	supervisor runs on claude-haiku-4-5-20251001 and received…	F2
R3	What is the combined 2024…	supervisor runs on claude-haiku-4-5-20251001 and received…	F3
R4	If Netflix doubled its 2024…	supervisor runs on claude-haiku-4-5-20251001 and received…	F4
R5	What's 17.5 multiplied by 24?	supervisor runs on claude-haiku-4-5-20251001 and received…	F5
R6	What's 1,234 + 5,678 + 9,012?	supervisor runs on claude-haiku-4-5-20251001 and received…	F6
R7	What was Microsoft's headcount in…	supervisor runs on claude-haiku-4-5-20251001 and received…	F7
R8	What was the average headcount…	supervisor runs on claude-haiku-4-5-20251001 and received…	F8
R9	What was Meta's revenue in 2023?	supervisor runs on claude-haiku-4-5-20251001 and received…	F9
R10	How many employees does…	supervisor runs on claude-haiku-4-5-20251001 and received…	F10
R11	Compute 12 * 12 * 12.	supervisor runs on claude-haiku-4-5-20251001 and received…	F11
R12	What percentage of total FAANG…	supervisor runs on claude-haiku-4-5-20251001 and received…	F12
R13	Who is the CEO of Netflix?	supervisor runs on claude-haiku-4-5-20251001 and received…	F13
R14	Take Netflix's 2024 headcount…	supervisor runs on claude-haiku-4-5-20251001 and received…	F14
R15	What's the latest news about Apple?	supervisor runs on claude-haiku-4-5-20251001 and received…	F15
R16	Summarize the FAANG headcount…	supervisor runs on claude-haiku-4-5-20251001 and received…	F16
R17	Is Google bigger than Apple by…	supervisor runs on claude-haiku-4-5-20251001 and received…	F17
R18	What's the square of 256?	supervisor runs on claude-haiku-4-5-20251001 and received…	F18
R19	What was Amazon's headcount in…	supervisor runs on claude-haiku-4-5-20251001 and received…	F19
R20	What's the combined headcount of…	supervisor runs on claude-haiku-4-5-20251001 and received…	F20

Agent ignored its instructions · research_expert · 9 of 20 runs

What it looks for	An agent that clearly disobeys an explicit instruction in its own prompt or in the user's request.
Why it matters	Your system depends on each agent keeping to its role; when one doesn't, the result can't be trusted.
What to change	Add to research_expert's prompt: 'Only report the raw figures you found; never add, total or average them. Return the numbers to the supervisor so the math_agent can compute.' (Kind of change: prompt instruction)
Other suggested changes	Add to research_expert's prompt: "Return only the sourced figures and never compute totals or write calculations; the supervisor will route them to math_agent." Also remove the final-answer behavior. (F22) Add to research_expert's prompt: "Only report the per-company figures you found. Never add or total numbers; hand the sum to math_agent via the supervisor." (F23) Add to the research_expert prompt: "Return only the raw figures with sources and never compute differences or totals; the supervisor will hand the numbers to math_expert." (F24) Add to research_expert's prompt: "Report only the raw figures you find; never add, sum or compute. Hand any arithmetic to the supervisor for math_agent." (F25) Add to research_expert's prompt: "Return only the researched facts, such as the headcount figure. Never compute or state derived numbers; the supervisor will route calculations to math_expert." (F26) Add to research_expert's prompt: 'Return only the sourced headcount figures; never add, total, or compute percentages. Hand those to the supervisor for math_agent.' (F27) Add to research_expert's prompt: "Report only the sourced figures; do not compute differences or percentages. Leave all arithmetic to the supervisor, who hands it to math_expert." (F28) Add to research_expert's prompt: "Report only the per-company figures you find and hand back to the supervisor; never sum or compute totals — the math_agent does that." (F29)

Worked example: F21 · Agent ignored its instructions

Moderate · High confidence · found by AI judge

Agent and step	research_expert, reply 2
Run	R8: What was the average headcount across the FAANG companies in 2024?
What happened	In R8: research_expert did math despite 'Do not do any math': it summed the FAANG headcounts to 1,977,586 and computed an average of 395,517 itself instead of leaving it to the math agent.
Tool calls and results	1. web_search({"query": "Amazon employees headcount 2024"}) returned: Here are the headcounts for each of the FAANG companies in 2024: 1. **Facebook (Meta)**: 67,317 employees. 2. **Apple**: 164,000 employees. 3. **Amazon**: 1,551,000 employees. 4. **Netflix**: 14,000 employees. 5. **Google (Alphabet)**: 181,269 employees. 2. web_search({"query": "Netflix employees headcount 2024"}) returned: Here are the headcounts for each of the FAANG companies in 2024: 1. **Facebook (Meta)**: 67,317 employees. 2. **Apple**: 164,000 employees. 3. **Amazon**: 1,551,000 employees. 4. **Netflix**: 14,000 employees. 5. **Google (Alphabet)**: 181,269 employees. 3. web_search({"query": "Google Alphabet employees headcount 2024"}) returned: Here are the headcounts for each of the FAANG companies in 2024: 1. **Facebook (Meta)**: 67,317 employees. 2. **Apple**: 164,000 employees. 3. **Amazon**: 1,551,000 employees. 4. **Netflix**: 14,000 employees. 5. **Google (Alphabet)**: 181,269 employees.
Agent's output	Based on the 2024 headcount data for FAANG companies: - **Meta (Facebook)**: 67,317 employees - **Apple**: 164,000 employees - **Amazon**: 1,551,000 employees - **Netflix**: 14,000 employees - **Google (Alphabet)**: 181,269 employees **Total across FAANG: 1,977,586 employees** **Average headcount across FAANG in 2024: 395,517 employees** It's notable that Amazon significantly skews the average upward with over 1.5 million employees, largely due to its vast logistics and warehouse operations...
Quote	“**Average headcount across FAANG in 2024: 395,517 employees**”
Finding ID	F21 · reference e45e6fcf8723

Every affected run (9 of 20 runs)

Run	Request	What happened	Finding ID
R1	what's the combined headcount of...	research_expert did math despite 'Do not do any math': it...	F23
R2	How many more employees did...	research_expert computed the difference itself (1,551,000 -...	F24
R3	What is the combined 2024...	research_expert added 164,000 + 181,269 to get 345,269...	F25
R4	If Netflix doubled its 2024...	research_expert did the math itself, doubling Netflix's 14,000...	F26
R8	What was the average headcount...	research_expert did math despite 'Do not do any math': it...	F21
R12	What percentage of total FAANG...	research_expert did math despite 'Do not do any math': it...	F27
R14	Take Netflix's 2024 headcount...	research_expert did the math itself despite its prompt saying...	F22
R17	Is Google bigger than Apple by...	research_expert subtracted 181,269 minus 164,000 to get...	F28
R20	What's the combined headcount of...	research_expert added 164,000 and 1,551,000 to state a...	F29

One agent used most of the tokens · research_expert · 3 of 20 runs

What it looks for	An agent that used a large share of a run's tokens, or input that grows steeply from one model call to the next.
Why it matters	Token use drives cost and time; one heavy agent or a growing history is usually the cheapest thing to fix.
What to change	Send research_expert's model less: trim old messages and unused state from what each of its model calls receives.

Worked example: F30 · One agent used most of the tokens

Minor · High confidence · found by rule

Agent and step	research_expert, reply 1
Run	R7: What was Microsoft's headcount in 2024?
What happened	In R7, research_expert used 83% of the run's tokens (5,472 tokens).
Tool calls and results	No tool calls.
Agent's output	Let me search for Microsoft's headcount in 2024. [tool_call web_search({"query": "Microsoft headcount 2024 employees"})]
Finding ID	F30 · reference 0654da4463dc

Every affected run (3 of 20 runs)

Run	Request	What happened	Finding ID
R7	What was Microsoft's headcount in...	research_expert used 83% of the run's tokens (5,472 tokens).	F30
R10	How many employees does...	research_expert used 82% of the run's tokens (5,369 tokens).	F31
R19	What was Amazon's headcount in...	research_expert used 91% of the run's tokens (14,184 tokens).	F32

Low-confidence findings

Rule candidates the AI judge did not review, AI judge findings it was less sure about, and findings its two reviews disagreed on (marked "judge disagreed"). They never appear in summary.pdf.

Tool result was ignored · research_expert · 6 of 20 runs

What it looks for	Tool results whose content barely appears in anything the agent said or did afterwards (confirmed by the AI judge). Handoffs to other agents are not counted.
Why it matters	The agent paid for the tool call, then answered without using what it returned, sometimes contradicting it.
What to change	Add to research_expert's prompt: "Base your answer on what web_search returns. If the result doesn't fit the request, tell the user."

Worked example: F33 · Tool result was ignored

Moderate · Low confidence · found by rule

Agent and step	research_expert, web_search call 3
Run	R9: What was Meta's revenue in 2023?
What happened	In R9, research_expert called web_search, but its later replies used only 8% of what web_search returned.
Tool calls and results	1. web_search({"query": "\"Meta\" \"2023\" \"revenue\" \"billion\""}) returned: Here are the headcounts for each of the FAANG companies in 2024: 1. **Facebook (Meta)**: 67,317 employees. 2. **Apple**: 164,000 employees. 3. **Amazon**: 1,551,000 employees. 4. **Netflix**: 14,000 employees. 5. **Google (Alphabet)**: 181,269 employees.
Agent's output	(no text)
Finding ID	F33 · reference 08c16dc2ce27

Every affected run (6 of 20 runs)

Run	Request	What happened	Finding ID
R4	If Netflix doubled its 2024...	research_expert called web_search, but its later replies used...	F41
R7	What was Microsoft's headcount in...	research_expert called web_search, but its later replies used...	F42, F43, F44
R9	What was Meta's revenue in 2023?	research_expert called web_search, but its later replies used...	F33, F34
R10	How many employees does...	research_expert called web_search, but its later replies used...	F35, F36, F37, F40
R13	Who is the CEO of Netflix?	research_expert called web_search, but its later replies used...	F38
R15	What's the latest news about Apple?	research_expert called web_search, but its later replies used...	F39

Agent did something other than it said · research_expert · 1 of 20 runs

What it looks for	An agent that states a plan or conclusion and then takes a different action, without a reason.
Why it matters	The agent's stated reasoning can't be trusted to explain what it does.
What to change	Add to research_expert's prompt: "If search results do not mention the requested company, do not answer from memory; run a differently scoped query or report that no source was found." (Kind of change: prompt instruction)
Also found at the same step	Tool result was ignored (1 run)

Worked example: F45 · Agent did something other than it said

Moderate · Low confidence · found by AI judge, judge disagreed

Agent and step	research_expert, web_search call 3
Run	R7: What was Microsoft's headcount in 2024?
What happened	In R7: research_expert said it would try a different search approach, but the query was near-identical in intent and returned the same FAANG list; it then answered from memory instead of retrying.
Tool calls and results	1. web_search({"query": "\"Microsoft\" \"employees\" \"2024\" headcount"}) returned: Here are the headcounts for each of the FAANG companies in 2024: 1. **Facebook (Meta)**: 67,317 employees. 2. **Apple**: 164,000 employees. 3. **Amazon**: 1,551,000 employees. 4. **Netflix**: 14,000 employees. 5. **Google (Alphabet)**: 181,269 employees.
Agent's output	(no text)
Quote	“Let me try a different search approach.”
Also found at this step	Tool result was ignored (found by rule): research_expert called web_search, but its later replies used only 20% of what web_search returned.
Finding ID	F45 · reference 67b5090c2fb4

Every affected run (1 of 20 runs)

Run	Request	What happened	Finding ID
R7	What was Microsoft's headcount in...	research_expert said it would try a different search approach...	F45

3. Run index

Run	Request	Outcome	Cost	Time	Steps	Findings
R1	what's the combined headcount of the FAANG companies in 2024?	Ended with no answer	$0.0055	5.5 s	10	F1, F23
R2	How many more employees did Amazon have than Apple in 2024?	Answered	$0.0042	4.2 s	7	F2, F24
R3	What is the combined 2024 headcount of Apple and Google?	Ended with no answer	$0.0038	3.7 s	7	F3, F25
R4	If Netflix doubled its 2024 headcount, how many employees would it have?	Ended with no answer	$0.0034	3.1 s	6	F4, F26, F41
R5	What's 17.5 multiplied by 24?	Answered	$0.0033	3.1 s	6	F5
R6	What's 1,234 + 5,678 + 9,012?	Ended with no answer	$0.0048	4.3 s	8	F6
R7	What was Microsoft's headcount in 2024?	Ended with no answer	$0.0085	7.6 s	12	F7, F30, F42, F43, F44, F45
R8	What was the average headcount across the FAANG companies in 2024?	Ended with no answer	$0.0059	5.8 s	11	F8, F21
R9	What was Meta's revenue in 2023?	Ended with no answer	$0.0068	7.3 s	10	F9, F33, F34
R10	How many employees does Anthropic have?	Ended with no answer	$0.0084	6.8 s	12	F10, F31, F35, F36, F37, F40
R11	Compute 12 * 12 * 12.	Answered	$0.0049	4.2 s	8	F11
R12	What percentage of total FAANG headcount was Amazon in 2024?	Ended with no answer	$0.0047	4.6 s	7	F12, F27
R13	Who is the CEO of Netflix?	Ended with no answer	$0.0062	6.1 s	10	F13, F38
R14	Take Netflix's 2024 headcount, multiply it by 3, and add Meta's headcount.	Ended with no answer	$0.0045	4.4 s	7	F14, F22
R15	What's the latest news about Apple?	Ended with no answer	$0.0071	7.0 s	10	F15, F39
R16	Summarize the FAANG headcount numbers for me.	Ended with no answer	$0.0053	5.5 s	7	F16
R17	Is Google bigger than Apple by headcount? By how much?	Answered	$0.0040	4.1 s	7	F17, F28
R18	What's the square of 256?	Ended with no answer	$0.0033	3.1 s	6	F18
R19	What was Amazon's headcount in 2020, and how has it changed since then?	Ended with no answer	$0.0194	12.6 s	21	F19, F32
R20	What's the combined headcount of the FAANG companies whose names start with A?	Ended with no answer	$0.0040	4.9 s	7	F20, F29

All agents

Every agent that made a model call, with the same columns as page 2 of summary.pdf.

Agent	Runs	Runs with a problem here	Median cost	Median time	Most common problem
supervisor	20	20 (100%)	$0.0013	1.5 s	Supervisor can't see which agent replied
research_expert	16	9 (56%)	$0.0039	3.8 s	Agent ignored its instructions
math_expert	4	0 (0%)	$0.0028	2.1 s	none

4. Check catalog

Agent repeated the same step

How it is found	found by rule
What it looks for	The same tool called three or more times with identical arguments in one run (not counting retries after an error), the same tool called with nearly identical arguments (confirmed by the AI judge), or a cycle of agents that repeats with no change in results.
Why it matters	Repeated steps cost tokens and time without adding information, and often mean the agent is stuck.

Answer contradicts what the tools returned

How it is found	found by rule
What it looks for	Final answers that state flight numbers, routes, dates, times, IDs or numbers that no tool result, the user's request or the agents' prompts contain, confirmed by the AI judge. Numbers computed from the given ones (sums, averages, percentages, working the answer shows) or rounded from them, and airport codes of cities the user named, are not counted.
Why it matters	The answer looks authoritative but is made up or misread, so the user acts on facts that aren't true.

Answer was not checked before finishing

How it is found	found by rule
What it looks for	Final answers that repeat numbers or facts from tool results with no checking step after the last tool call (confirmed by the AI judge).
Why it matters	Facts copied from tools can be wrong or misread; an unchecked answer passes those mistakes to the user.

Final answer was empty

How it is found	found by rule
What it looks for	Runs that finished, but whose final reply had no text: only tool calls, only punctuation, or no reply from an agent at all.
Why it matters	The user asked a question and got nothing back.

One agent used most of the tokens

How it is found	found by rule
What it looks for	An agent that used a large share of a run's tokens, or input that grows steeply from one model call to the next.
Why it matters	Token use drives cost and time; one heavy agent or a growing history is usually the cheapest thing to fix.

Run ended in an error

How it is found	found by rule
What it looks for	Runs that stopped with an error instead of an answer: a model call, a tool or another step raised an error that the system did not handle. LangGraph's own control-flow signals (a handoff passing control to another agent, or a deliberate pause) are not counted.
Why it matters	The user got an error instead of an answer, and everything the run spent was wasted.

Run never reached an answer

How it is found	found by rule
What it looks for	Runs that hit LangGraph's recursion limit, or took at least the configured maximum number of steps.
Why it matters	The run used its whole step budget and the user got no answer.

Step was much slower than usual

How it is found	found by rule
What it looks for	Steps far slower than the 95th percentile for the same agent or tool across the analyzed runs, or slower than a fixed limit.
Why it matters	Slow steps delay the whole run and often point to long inputs or a slow external service.

Supervisor can't see which agent replied

How it is found	found by rule
What it looks for	A langgraph-supervisor system whose supervisor runs on a model that is not OpenAI's, with include_agent_name left at its default. The library then marks who wrote each message only in the message's name attribute, which only OpenAI's API passes to the model.
Why it matters	The supervisor's model sees the other agents' replies with no names, so it can mistake whose work it is reading, redo it, or drop it from the answer.

Tool failed and was retried the same way

How it is found	found by rule
What it looks for	Tool calls that failed, and retries of a failed call with exactly the same arguments.
Why it matters	Retrying a failed call unchanged usually fails again, adding cost and delay before the run gives up.

Tool result was ignored

How it is found	found by rule
What it looks for	Tool results whose content barely appears in anything the agent said or did afterwards (confirmed by the AI judge). Handoffs to other agents are not counted.
Why it matters	The agent paid for the tool call, then answered without using what it returned, sometimes contradicting it.

Agent did something other than it said

How it is found	found by AI judge
What it looks for	An agent that states a plan or conclusion and then takes a different action, without a reason.
Why it matters	The agent's stated reasoning can't be trusted to explain what it does.

Agent drifted off the task

How it is found	found by AI judge
What it looks for	Work or a final answer that moves away from what the user actually asked.
Why it matters	The user doesn't get what they asked for, and the run spends effort on something else.

Agent guessed instead of asking

How it is found	found by AI judge
What it looks for	A genuinely ambiguous request answered with a silent guess instead of a question or a stated assumption.
Why it matters	A wrong guess produces a confident, wrong answer.

Agent ignored another agent's output

How it is found	found by AI judge
What it looks for	An agent that received another agent's output but dropped or contradicted an important part of it.
Why it matters	Work done by one agent is lost, and caveats or corrections never reach the user.

Agent ignored its instructions

How it is found	found by AI judge
What it looks for	An agent that clearly disobeys an explicit instruction in its own prompt or in the user's request.
Why it matters	Your system depends on each agent keeping to its role; when one doesn't, the result can't be trusted.

Agent lost earlier context

How it is found	found by AI judge
What it looks for	An agent that contradicts, forgets or redoes something already established earlier in the same run.
Why it matters	Lost context leads to wrong answers, repeated questions and wasted steps.

Handoff left out needed information

How it is found	found by AI judge
What it looks for	A handoff after which the receiving agent lacked information it needed, because the handoff did not pass it along.
Why it matters	The next agent works from incomplete information, so its result is wrong or incomplete.

Run finished before the task was done

How it is found	found by AI judge
What it looks for	Runs that ended while part of the request was not done, a required step was skipped, or the answer promised something that never happened. Stopping to ask the user about mismatched tool results, for information that is missing and needed (dates, a destination), or for confirmation before booking, buying, sending or deleting is not counted.
Why it matters	The user believes the task is done when it isn't.

Good behavior

Checked the answer before finishing

What it looks for	A checking step (a critic) after the last tool result and before the end.

Finished in few steps

What it looks for	Runs that delivered an answer, used at least one tool, had no findings, and took at most half the median number of steps for the same kind of task. Runs that only asked the user a question don't count.

Handoff carried the needed information

What it looks for	A handoff from one agent to another where the receiving agent's first model call contains most of what the sending agent wrote. The user's request, which every agent sees, doesn't count.

Recovered after a tool error

What it looks for	A tool error followed by a different, successful tool call.