

TABLE OF CONTENTS

S.NO	TOPIC	PAGE NO
1	INTRODUCTION	1
1.1	Overview of the project	
2	SYSTEM STUDY	2
2.1	Existing system	
	Disadvantage of Existing System	
2.2	Proposed System	
	Advantages of Proposed System	
	Project Description	
3	SYSTEM REQUIREMENT	3
3.1	Hardware specification	
3.2	Software specification	
3.3	Module description	
4	SYSTEM DESIGN	5
4.1	Data Flow Diagram/System Fow Diagram	
4.2	Table Design	
5	TESTING AND IMPLEMENTATION PHASE	8
6	CONCLUSION	9
7	SCOPE FOR FUTURE ENHANCEMENT	10
8	BIBLIOGRAPHY	11
9	APPENDICES	12
	A. Screen Shots	
	B. Sample Code	

1. INTRODUCTION

1.1 Over view of the Project

The project is about sale and purchase of the organic vegetable's items online. The user can upload his/her product ad online free of cost to sale it. After creating an account, the user can purchase and sale product online. This project is used to connect all the small business peoples and formers. They will decide the price number of items and develop the whole business globally. Our project helps to develop Indian economy. We create user friendly website so everyone has handled easily.

1.2 Over view of Organization

Computer plays an important role in our daily life. Anything we want we can get only in one mouse click. Speed, reliability and accuracy of the computer make it a powerful tool for different purposes. A very important and basic need of today's modern business world is the quick availability and processing of information using computer. One can easily get the type of required information within a fraction of a second. The project that I have taken is also in this category which is used in our daily life whenever we want to purchase some items, we can easily get them at our home. E-commerce (electronic commerce) is the buying and selling of goods and services, or the transmitting of funds or data, over an electronic network, primarily the internet. These business transactions occur either as business-to-business (B2B), business-to-consumer (B2C), consumer to-consumer or consumer- to-business. The terms e-commerce and e-business are often used interchangeably. The term e-tail is also sometimes used in reference to the transactional processes for online shopping.

2.SYSTEM STUDY

2.1 Existing System

The current system for shopping is to visit the shop manually or online mode. But they don't give aware of picking fruits and vegetables, the system focuses on selling products only, it's not give opportunity to formers and small business peoples.

2.1.1 Disadvantages of Existing System

- ☒ It is less user-friendly
- ☒ Those platforms only used for buying.
- ☒ The small shop owners are not satisfied.
- ☒ Not in reach of distant users
- ☒ The shipping date didn't mention.

2.2 Proposed System

2.2.1 Advantages of Proposed System

- ☒ It's very user-friendly website
- ☒ Everyone creates business account easily
- ☒ The formers decide everything by using a single smartphone
- ☒ The village people are get more benefits
- ☒ This platform handled both buying and selling

2.2.2 Project Description

Our projects uniqueness is Everyone starts business and they decide the value of product. In the proposed system customer need not go to the shop for buying and selling the products. He can order and sell the product instantly. He wishes to buy through the application in his Smartphone. The shop owner will be admin of the system. Shop owner can appoint moderators who will help owner in managing the customers and product orders. The system also recommends a home delivery system for the purchased products.

3.SYSTEM REQUIREMENT

3.1 Hardware Requirement

3.1.1 For developers

1. OS: Windows XP above
2. Emulator: any android emulator
3. System architecture: 32/64 bit.
4. IDE: Visual Studio Code

3.1.2. For users

1. OS: Android Version (7.0) and above
2. Hardware: any Android phone
3. Size on disk: minimum 70 MB.

3.2 Software Requirement

3.2.1 About the Front End

PHP is used as front-end for the Jobs application. The PHP is used for server-side processing on the web server. PHP is a set of components that provide developers with a framework to implement complex functionality. PHP provides state services that can be utilized to manage session variables across multiple Web servers in a server form. The programming language used in development of project is PHP. Xampp is main the mail tool to connect PHP and MYSQL.

3.2.2 About the Back End

Tool: xampp

MySQL is one of the leading database management systems available on the market today. In this data is stored in the form of tables which can be created and manipulated by using various commands. The database itself has been redesigned to automatically perform many tuning functions, leaving you free to focus on most important tasks. MySQL is the world's most popular open-source database. According to DB- Engines, MySQL ranks as the second-most-popular database, behind Oracle Database. MySQL powers many of the most accessed applications, including Airbnb, Shopify, Booking.com

3.2.3 Module Description

After careful analysis the system has been identified to have the following modules:

1. User Module
2. Admin Module
3. Product Module
4. Order Module

User Module

The User Module is the gateway for customer interaction with the platform. It includes the entire user lifecycle — from account creation to managing profile and order history. Once registered, users can log in to access personalized features such as viewing past orders, saving delivery addresses, and managing contact details. Security features such as password hashing and email verification are implemented to protect user data.

Admin Module

The Admin Module is responsible for backend management. Admins can manage the platform's content and operations. Through the dashboard, administrators can monitor system statistics, perform CRUD operations on products and categories, and handle user accounts and orders. Role-based access ensures only authorized users can access admin functionalities.

Product Module


This module displays all available products to customers. Products are organized by category and include detailed descriptions, pricing, images, availability, and reviews. Users can browse or search for products using filters (price range, category, etc.) for a more efficient shopping experience.

Order Module

This module handles the entire ordering process, from checkout to confirmation. During checkout, users confirm delivery details and payment options. After placing an order, they receive a summary and can view the status in their order history. Admins can update order progress manually or via automation.

4.SYSTEM DESIGN

4.1 Data Flow Diagram:



4.2 Table Design

User

Field	Type	Key
User Id	Int(10)	Primary
First Name	varchar(100)	User First Name
Last Name	varchar(100)	User Last Name
Email	varchar(300)	Unique(user email)
Password	varchar(10)	-----
Mobile No	Varchar(300)	10 digit mobile no
Address1)	House
Address2	Varchar(11)	State

Admin

Field	Type	Key
Admin Id	Int(10)	Primary
Admin Name	varchar(100)	Admin Name
Admin Email	varchar(300)	Admin
Admin Password)	Email
	varchar(300)	Unique
)	

Categories

Field	Type	Key
Cart Id	Int(10)	Primary
Cart Title	Text	Product Name

Product

Field	Type	Key
Product Id	Int(100)	Primary
Product cat	Int(100)	Organic Vege/Frui/Oil
Product Title	varchar(100)	Product Name
Product Price)	Amount
Product Image	Int(100)	Product Image

Text

Orders Confirmation

Field	Type Int(10)	Key
Order Id	Int(11)	Primary
User Id	varchar(255)	Unique
F Name)	Buyer Name
Email	varchar(225)	Unique
Address)	House Address
Ciry	varchar(225)	Current City
State)	Current State
Zip	varchar(225)	Postel Code
Cardname)	Bank Name
Cardnumber	varchar(225)	16 Digit No
Expdate)	Expire Date
Prod count	Int(10)	Quantity of items
Total Amt	varchar(225)	Total Cart Amount
CVV)	xxx

varchar(225)
)

Order Product (In Cart)

varchar(225)

Field	Type	Key
Order Pro Id	Int(15)	Primary
Order Id	Int(15)	-----
Product Id	Int(11)	-----
Quantity	Int(15)	Unique
Amount	Int(15)	Total Amount

5. TESTING AND IMPLEMENTATION PHASE

Software Reliability

Software that handles essential functions for e-commerce is needed. These functions include building a storefront and a shopping cart, gathering client information, and offering a payment gateway. The program must work well since improper rendering can lead customers to lose faith in the product, which will cost the client money. Our project performs well in software reliability.

Software Quality:

Software quality is crucial for program logic and implementation, starting with testing during development. Developers must verify test values and boundary conditions, then conduct interface testing to check for functional errors. Early detection saves rework and prevents problems from becoming more complex. Errors during system operation incur greater direct and indirect costs. Higher-level testing ensures the interaction of individual components, such as indicating transaction status when a customer reconnects to an E-commerce site. Accurate tax and shipping calculations are also critical, as integrating tax structures with multi-location shipping increases complexity and increases the risk of errors. We use basic level of logic programs so the errors are easily found out and solved.

System Assurance:

System assurance aims to deliver quality products and increase organizational confidence. In an e-commerce system, the interdependency of the bank, transaction clearinghouse, and customer makes transactions critical. If faith in these parties dwindles, entrepreneurs can lose money and reputation. Testing must ensure correct partial order fulfilment and billing, as a faulty system can result in immediate billing for the complete order. In this Process we create a realistic approach to bank. This app billing is followed by credit card's for avoiding unwanted or unexpected scams.

Optimum performance and capacity utilization:

Testing ensures optimal performance and capacity utilization of E-commerce system components, ensuring acceptable peak performance and stress/capacity planning for optimal performance. Our goal is every human are becoming an entrepreneur. This app is working all the season because its fully based formers and house wife's.

6.CONCLUSION

Online grocery services meet several consumer needs including providing products for niche markets or helping the time starved consumer shop for the mundane weekly groceries. By delivering products to consumers' homes, the homebound aged and handicapped can participate in the shopping experience. Even though there has been a great decline in the number of pure-play online stores, there appears to be a solid market for shopping online. The major business model that is working today requires the support of the established bricks-and-mortar supermarkets. This model is effective as it creates distribution efficiencies and leverages reputation, which is an important consideration for consumers considering the perishable nature of many grocery products. Finally, self-employment will have increased in future by using this online buying selling method.

7.SCOPE FOR FUTURE ENHANCEMENT

- ☒ This platform gives business opportunity to every human being.
- ☒ The consumer gets organic vegetables & fruits short period.
- ☒ The formers get major advantages because they decide the value of product.
- ☒ House wives are become an independent woman.

8.BIBLIOGRAPHY



1. www.javatutpoint.com
2. www.w3schools.com
3. www.getbootstrap.com
4. www.codeigniter.com
5. www.stackoverflow.com
6. www.fontawesome.io
7. www.php.net
8. Head first with PHP (Lynn Beighley and Michael Morrison)
9. Learn HTML and CSS faster (Mark Myers)



9.APPENDIX



A. Screen Shots

SS

USER SIDE:







ADMIN SIDE:

ADMIN

JACQUELINE ROSE

DASHBOARD

ADD USER

PRODUCT LIST

ORDERS

ADD PRODUCTS

MANAGE USER

LOGOUT

Add Users

Complete User Profile

First Name

Last Name

Email

Password

Phone number

City

Address

UPDATE USER

ADMIN

JACQUELINE ROSE

DASHBOARD

ADD USER

PRODUCT LIST










ORDERS

ADD PRODUCTS

MANAGE USER

LOGOUT

Products List

RANGE	NAME	PRICE	ADD NEW
	GREEN BEAN	100	DELETE
	CABBAGE	115	DELETE
	green capsicum 500gms	40	DELETE
	broccoli	70	DELETE
	potato	40	DELETE
	cucumber bruch 50g 200g	10	DELETE
	brinjal	12	DELETE
	tomato	40	DELETE
	eggplant		DELETE

ADMIN

JACQUELINE ROSE

DASHBOARD

ADD USER

PRODUCT LIST

ORDERS

ADD PRODUCTS

MANAGE USER

LOGOUT

Add Product

Product Title

Add Image

Choose FileNO FILE CHOSEN

Description

Pricing

Categories

Product Category

Product Brand

Product Keywords

UPDATE PRODUCT

ADMIN

JACQUELINE ROSE

DASHBOARD

ADD USER

PRODUCT LIST

ORDERS

ADD PRODUCTS

MANAGE USER

LOGOUT

Manage User

USER NAME	USER PASSWORD	ADD NEW
ashish@gmail.com	ashish123@	<div></div> <div></div>
ashish1@gmail.com	ashish123@	<div></div> <div></div>
avodkayash123@gmail.com	Deryak@123	<div></div> <div></div>
msmstrathak1@gmail.com	Kakashi141@	<div></div> <div></div>

B. Sample coding

USER SIDE CODING:

```
<div class="main ">
<div class="container mainn-raised" style="width:100%;">

<div id="myCarousel" class="carousel slide" data-ride="carousel">
<!-- Indicators -->

<!-- Wrapper for slides -->
<div class="carousel-inner">

<div class="item active">


</div>

<div class="item">


</div>

<div class="item">


</div>
<div class="item">


</div>
<div class="item">


</div>

</div>
```

```

<!-- Left and right controls -->
<a class="left carousel-control _26sdfg" href="#myCarousel" data-slide="prev">
<span class="glyphicon glyphicon-chevron-left"></span>
<span class="sr-only" >Previous</span>
</a>
<a class="right carousel-control _26sdfg" href="#myCarousel" data-slide="next">
<span class="glyphicon glyphicon-chevron-right"></span>
<span class="sr-only">Next</span>
</a>
</div>
</div>

```

```

<!-- SECTION -->
<div class="section mainn mainn-raised">

```

```

<!-- container -->
<div class="container">

```

```

<!-- row -->
<div class="row">
<!-- shop -->
<div class="col-md-4 col-xs-6">
<a href="product.php?p=78"><div class="shop">
<div class="shop-img">

</div>
<div class="shop-body">
<h3>Home Made Fruites<br>Collection</h3>
<a href="product.php?p=78" class="cta-btn">Shop now <i class="fa fa-arrow-circle-right"></i></a>
</div>
</div></a>
</div>
<!-- /shop -->

```

```

<!-- shop -->
<div class="col-md-4 col-xs-6">
<a href="product.php?p=72"><div class="shop">
<div class="shop-img">

```

```


</div>
<div class="shop-body">
<h3>Home Made Vegetables<br>Collection</h3>

<a href="product.php?p=72" class="cta-btn">Shop now <i class="fa fa-arrow-circle-right"></i></a>
</div>
</div></a>
</div>
<!-- /shop -->

```

```

<!-- shop -->
<div class="col-md-4 col-xs-6">
<a href="product.php?p=79"><div class="shop">
<div class="shop-img">

</div>
<div class="shop-body">
<h3>Home made oil items<br>Collection</h3>
<a href="product.php?p=79" class="cta-btn">Shop now <i class="fa fa-arrow-circle-right"></i></a>
</div>
</div></a>
</div>
<!-- /shop -->
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->

```

```

<!-- SECTION -->
<div class="section">
<!-- container -->
<div class="container">
<!-- row -->
<div class="row">

<!-- section title -->
<div class="col-md-12">
<div class="section-title">
<h3 class="title">Fresh Fruites & Vegetables</h3>
</div>

```

```

</div>
<!-- /section title -->

<!-- Products tab & slick -->
<div class="col-md-12 mainn mainn-raised">
<div class="row">

    < div class="products-tabs">
<!-- tab -->
<div id="tab1" class="tab-pane active">
<div class="products-slick" data-nav="#slick-nav-1" >

<?php include 'db.php';

$product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id AND product_id BETWEEN 70
AND 75";
$run_query = mysqli_query($con,$product_query); if(mysqli_num_rows($run_query) > 0){

while($row = mysqli_fetch_array($run_query)){
$pro_id      = $row['product_id'];
$pro_cat = $row['product_cat'];
$pro_brand = $row['product_brand'];
$pro_title = $row['product_title'];
$pro_price = $row['product_price'];
$pro_image = $row['product_image'];

$cat_name = $row["cat_title"];

echo "

<div class='product'>
<a href='product.php?p=$pro_id'><div class='product-img'>
<img src='product_images/$pro_image' style='max-height: 190px;' alt=''>
<div class='product-label'>

<span class='new'>NEW</span>
</div>
</div></a>
<div class='product-body'>
<p class='product-category'>$cat_name</p>
<h3 class='product-name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
<h4 class='product-price header-cart-item-info'>$pro_price RWF<del class='product-old- price'>00.00</del></h4>

```

```

<div class='product-
rating'> <i class='fa fa-
star'></i> <i class='fa fa-
star'></i> <i class='fa fa-
star'></i> <i class='fa fa-
star'></i>
< i class='fa fa-star'></i>
<i class='fa fa-star' style='color:grey;'></i>
</div>
<div class='product-btns'>
<button class='add-to-wishlist'><i class='fa fa-heart-o'>256</i><span class='tooltipp'>add to
wishlist</span></button>
<button class='quick-view'><i class='fa fa-eye'>3,561</i><span class='tooltipp'>quick
view</span></button>
</div>
</div>
<div class='add-to-cart'>
<button pid='$pro_id' id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-
cart'></i>
add to cart</button> </div> </div> <!-- product --> <!-- /product --> <!-- /product -->
</div>
<div id="slick-nav-1" class="products-slick-nav"></div>
</div>
<!-- /tab -->
</div>
</div>
</div>
<!-- Products tab & slick -->
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->

```

```

<!-- HOT DEAL SECTION -->
<!-- /HOT DEAL SECTION -->

```

```

<!-- SECTION -->
<div class="section">
<!-- container -->
<div class="container">
<!-- row -->

```

```

<div class="row">

<!-- section title -->
<div class="col-md-12">
<div class="section-title">
<h3 class="title">Fresh Fruites & Vegetables </h3>
<!-- <div class="section-nav">
<ul class="section-tab-nav tab-nav">
<li class="active"><a data-toggle="tab" href="#tab2">Formals</a></li>
<li><a data-toggle="tab" href="#tab2">Shirts</a></li>
<li><a data-toggle="tab" href="#tab2">T-Shirts</a></li>
<li><a data-toggle="tab" href="#tab2">Pants</a></li>
</ul>
</div> -->
</div>
</div>
<!-- /section title -->

```

```

<!-- Products tab & slick -->
<div class="col-md-12 mainnn mainnn-raised">
<div class="row">
<div class="products-tabs">
<!-- tab -->
<div id="tab2" class="tab-pane fade in active">
<div class="products-slick" data-nav="#slick-nav-2">
<!-- product -->
<?php include 'db.php';

```

```

$product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id AND product_id BETWEEN 59
AND 65";

```

```

$run_query = mysqli_query($con,$product_query); if(mysqli_num_rows($run_query) > 0){

```

```

while($row = mysqli_fetch_array($run_query)){
$pro_id      = $row['product_id'];
$pro_cat = $row['product_cat'];

```

```

$pro_brand = $row['product_brand'];
$pro_title = $row['product_title'];
$pro_price = $row['product_price'];
$pro_image = $row['product_image'];

```

```

$cat_name = $row["cat_title"];

```


echo "

```
<div class='product'>
<a href='product.php?p=$pro_id'><div class='product-img'>
<img src='product_images/$pro_image' style='max-height: 190px;' alt="">
<div class='product-label'>
<span class='new'>NEW</span>
</div>
</div></a>
<div class='product-body'>
<p class='product-category'>$cat_name</p>
<h3 class='product-name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
<h4 class='product-price header-cart-item-info'>$pro_price<del class='product-old- price'>$990.00</del></h4>
<div class='product-rating'>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
</div>
<div class='product-btns'>
<button class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltip'>add to
wishlist</span></button>
compare</span></button> view</span></button>

<button class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltip'>add to

<button class='quick-view'><i class='fa fa-eye'></i><span class='tooltip'>quick

</div>
</div>
<div class='add-to-cart'>
<button pid='$pro_id' id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-cart'></i>
add to cart</button>
</div>
</div>

";
}
```

```
;
}
?>
```

```
<!-- /product -->
</div>
<div id="slick-nav-2" class="products-slick-nav"></div>
</div>
<!-- /tab -->
</div>
</div>
</div>
<!-- /Products tab & slick -->
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
```

```
<div class="container mainn-raised" style="width:100%;">
```

```
<div id="myCarousel" class="carousel slide" data-ride="carousel">
<!-- Indicators -->
```

```
<!-- Left and right controls -->
<a class="left carousel-control _26sdfg" href="#myCarousel" data-slide="prev">
<span class="glyphicon glyphicon-chevron-left"></span>
<span class="sr-only" >Previous</span>
</a>
<a class="right carousel-control _26sdfg" href="#myCarousel" data-slide="next">
<span class="glyphicon glyphicon-chevron-right"></span>
<span class="sr-only">Next</span>
</a>
</div>
</div>
```

```
<!-- SECTION -->
<div class="section mainn mainn-raised">
```

```
<!-- container -->
```

```
<!-- /SECTION -->
```

```
<!-- SECTION -->
```

```
<div class="section">
```

```
<!-- container -->
```

```
<div class="container">
```

```
<!-- row -->
```

```
<div class="row">
```

```
<!-- section title
```

```
<div class="col-md-12">
```

```
<div class="section-title">
```

```
<h3 class="title">New Products</h3>
```

```
<div class="section-nav">
```

```
<ul class="section-tab-nav tab-nav">
```

```
<li class="active"><a data-toggle="tab" href="#tab1">Laptops</a></li>
```

```
<li><a data-toggle="tab" href="#tab1">Smartphones</a></li>
```

```
<li><a data-toggle="tab" href="#tab1">Cameras</a></li>
```

```
<li><a data-toggle="tab" href="#tab1">Accessories</a></li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div> -->
```

```
<!-- /section title -->
```

```
<!-- Products tab & slick -->
```

```
<div class="col-md-12 mainnn mainnn-raised">
```

```
<div class="row">
```

```
<div class="products-tabs">
```

```
<!-- tab -->
```

```
<div id="tab1" class="tab-pane active">
```

```
<div class="products-slick" data-nav="#slick-nav-1" >
```

```
<?php include 'db.php';
```

```
$product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id AND product_id BETWEEN 70 AND 75";
```

```
$run_query = mysqli_query($con,$product_query);
```

```
if(mysqli_num_rows($run_query) > 0){
```

```

while($row = mysqli_fetch_array($run_query)){
$pro_id      = $row['product_id'];
$pro_cat = $row['product_cat'];
$pro_brand = $row['product_brand'];
$pro_title = $row['product_title'];
$pro_price = $row['product_price'];
$pro_image = $row['product_image'];

```

```

$cat_name = $row["cat_title"];

```

```

echo "

```

```

<div class='product'>
<a href='product.php?p=$pro_id'><div class='product-img'>
<img src='product_images/$pro_image' style='max-height: 170px;' alt="">
<div class='product-label'>
<span class='sale'>-.30%</span>
<span class='new'>NEW</span>
</div>
</div></a>
<div class='product-body'>
<p class='product-category'>$cat_name</p>
<h3 class='product-name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
<h4 class='product-price header-cart-item-info'>$pro_price<del class='product-old- price'>$990.00</del></h4>
<div class='product-rating'>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
</div>
<div class='product-btns'>
<button class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
wishlist</span></button> compare</span></button>
view</span></button>

<button class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
<button class='quick-view'><i class='fa fa-eye'></i><span class='tooltipp'>quick

```

```
</div>
</div>
```

```
<div class='add-to-cart'>
<button pid='$pro_id' id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-cart'></i>
add to cart</button>
</div>
</div>
```

```
";
}
;

}
?>
<!-- product -->
```

```
<!-- /product -->
```

```
<!-- /product -->
</div>
<div id="slick-nav-1" class="products-slick-nav"></div>
</div>
<!-- /tab -->
</div>
</div>
</div>
<!-- Products tab & slick -->
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->
```

```
<!-- HOT DEAL SECTION -->
```

```
<!-- /HOT DEAL SECTION -->
```

```
<!-- SECTION -->
```

```

<div class="section">
<!-- container -->
<div class="container">
<!-- row -->

<div class="row">

<!-- section title
<div class="col-md-12">
<div class="section-title">
<h3 class="title">Top selling</h3>
<div class="section-nav">
<ul class="section-tab-nav tab-nav">
<li class="active"><a data-toggle="tab" href="#tab2">Formals</a></li>
<li><a data-toggle="tab" href="#tab2">Shirts</a></li>
<li><a data-toggle="tab" href="#tab2">T-Shirts</a></li>
<li><a data-toggle="tab" href="#tab2">Pants</a></li>
</ul>
</div>
</div>
</div> -->
<!-- /section title -->

<!-- Products tab & slick -->
<div class="col-md-12 mainnn mainnn-raised">
<div class="row">
<div class="products-tabs">
<!-- tab -->
<div id="tab2" class="tab-pane fade in active">
<div class="products-slick" data-nav="#slick-nav-2">
<!-- product -->
<?php include 'db.php';

```

```

$product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id AND product_id BETWEEN 59
AND 65";
$run_query = mysqli_query($con,$product_query); if(mysqli_num_rows($run_query) > 0){

while($row = mysqli_fetch_array($run_query)){
$pro_id      = $row['product_id'];
$pro_cat     = $row['product_cat'];
$pro_brand   = $row['product_brand'];
$pro_title   = $row['product_title'];
$pro_price   = $row['product_price'];
$pro_image   = $row['product_image'];

```

```
$cat_name = $row["cat_title"];
```

```
echo "
```

```
<div class='product'>
```

```
<a href='product.php?p=$pro_id'><div class='product-img'>
```

```
<img src='product_images/$pro_image' style='max-height: 170px;' alt="">
```

```
<div class='product-label'>
```

```
<span class='sale'>-30%</span>
```

```
<span class='new'>NEW</span>
```

```
</div>
```

```
</div></a>
```

```
<div class='product-body'>
```

```
<p class='product-category'>$cat_name</p>
```

```
<h3 class='product-name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
```

```
<h4 class='product-price header-cart-item-info'>$pro_price<del class='product-old-price'>$990.00</del></h4>
```

```
<div class='product-rating'>
```

```
<i class='fa fa-star'></i>
```

```
<i class='fa fa-star'></i>
```

```
<i class='fa fa-star'></i>
```

```
<i class='fa fa-star'></i>
```

```
<i class='fa fa-star'></i>
```

```
</div>
```

```
<div class='product-btns'>
```

```
<button class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
```

```
wishlist</span></button> compare</span></button>
```

```
view</span></button>
```

```
<button class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
```

```
<button class='quick-view'><i class='fa fa-eye'></i><span class='tooltipp'>quick
```

```
</div>
```

```
</div>
```

```
<div class='add-to-cart'>
```

```
<button pid='$pro_id' id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-cart'></i>  
add to cart</button>
```

```
</div>
```

```
</div>
```

```
",";
}
;

}
```

```
?>
```

```
<!-- /product -->
</div>
<div id="slick-nav-2" class="products-slick-nav"></div>
</div>
<!-- /tab -->
</div>
</div>
</div>
<!-- /Products tab & slick -->
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->
```

```
<!-- SECTION -->
```

```
<div class="container mainnn-raised" style="width:100%;">
```

```
<div id="myCarousel" class="carousel slide" data-ride="carousel">
<!-- Indicators -->
```

```
<!-- Left and right controls -->
<a class="left carousel-control _26sdfg" href="#myCarousel" data-slide="prev">
<span class="glyphicon glyphicon-chevron-left"></span>
<span class="sr-only">Previous</span>
</a>
<a class="right carousel-control _26sdfg" href="#myCarousel" data-slide="next">
<span class="glyphicon glyphicon-chevron-right"></span>
<span class="sr-only">Next</span>
</a>
</div>
```


</div>

<!-- SECTION -->

<div class="section mainn mainn-raised">

<!-- container -->

<!-- /SECTION -->

<!-- SECTION -->

<div class="section">

<!-- container -->

<div class="container">

<!-- row -->

<div class="row">

<!-- section title

<div class="col-md-12">

<div class="section-title">

<h3 class="title">New Products</h3>

<div class="section-nav">

<ul class="section-tab-nav tab-nav">

<li class="active"><a data-toggle="tab" href="#tab1">Laptops

<a data-toggle="tab" href="#tab1">Smartphones

<a data-toggle="tab" href="#tab1">Cameras

<a data-toggle="tab" href="#tab1">Accessories

</div>

</div>

</div> -->

<!-- /section title -->

<!-- Products tab & slick -->

<div class="col-md-12 mainn mainn-raised">

<div class="row">

<div class="products-tabs">

<!-- tab -->

<div id="tab1" class="tab-pane active">

<div class="products-slick" data-nav="#slick-nav-1" >

```
<?php include 'db.php';
```

```
$product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id AND product_id BETWEEN 70 AND 75";
```

```
$run_query = mysqli_query($con,$product_query); if(mysqli_num_rows($run_query) > 0){
```

```
while($row = mysqli_fetch_array($run_query)){
```

```
$pro_id      = $row['product_id'];
```

```
$pro_cat = $row['product_cat'];
```

```
$pro_brand = $row['product_brand'];
```

```
$pro_title = $row['product_title'];
```

```
$pro_price = $row['product_price'];
```

```
$pro_image = $row['product_image'];
```

```
$cat_name = $row["cat_title"];
```

```
echo "
```

```
<div class='product'>
```

```
<a href='product.php?p=$pro_id'><div class='product-img'>
```

```
<img src='product_images/$pro_image' style='max-height: 170px;' alt="">
```

```
<div class='product-label'>
```

```
<span class='sale'>-30%</span>
```

```
<span class='new'>NEW</span>
```

```
</div>
```

```
</div></a>
```

```
<div class='product-body'>
```

```
<p class='product-category'>$cat_name</p>
```

```
<h3 class='product-name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
```

```
<h4 class='product-price header-cart-item-info'>$pro_price<del class='product-old- price'>$990.00</del></h4>
```

```
<div class='product-rating'>
```

```
<i class='fa fa-star'></i>
```

```
<i class='fa fa-star'></i>
```

```
<i class='fa fa-star'></i>
```

```
<i class='fa fa-star'></i>
```

```
<i class='fa fa-star'></i>
```

```
</div>
```

```
<div class='product-btns'>
```

```
<button class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
```

```
wishlist</span></button> compare</span></button>
```

view</button>

<button class='add-to-compare'><i class='fa fa-exchange'></i>add to

<button class='quick-view'><i class='fa fa-eye'></i>quick

</div>

</div>

<div class='add-to-cart'>

<button pid='\$pro_id' id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-cart'></i>
add to cart</button>

</div>

</div>

,";

}

;

}

?>

<!-- product -->

<!-- /product -->

<!-- /product -->

</div>

<div id="slick-nav-1" class="products-slick-nav"></div>

</div>

<!-- /tab -->

</div>

</div>

</div>

<!-- Products tab & slick -->

</div>

<!-- /row -->

</div>

<!-- /container -->

</div></div>

<!-- /SECTION -->

```

<!-- SECTION -->
<div class="section">
<!-- container -->
<div class="container">
<!-- row -->
<div class="row">

<!-- section title
<div class="col-md-12">
<div class="section-title">
<h3 class="title">Top selling</h3>
<div class="section-nav">
<ul class="section-tab-nav tab-nav">

<li class="active"><a data-toggle="tab" href="#tab2">Formals</a></li>
<li><a data-toggle="tab" href="#tab2">Shirts</a></li>
<li><a data-toggle="tab" href="#tab2">T-Shirts</a></li>
<li><a data-toggle="tab" href="#tab2">Pants</a></li>
</ul>
</div>
</div>
</div> -->
<!-- /section title -->

<!-- Products tab & slick -->
<div class="col-md-12 mainnn mainnn-raised">
<div class="row">
<div class="products-tabs">
<!-- tab -->
<div id="tab2" class="tab-pane fade in active">
<div class="products-slick" data-nav="#slick-nav-2">
<!-- product -->
<?php include 'db.php';

```

```

$product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id AND product_id BETWEEN 59
AND 65";
$run_query = mysqli_query($con,$product_query); if(mysqli_num_rows($run_query) > 0){

while($row = mysqli_fetch_array($run_query)){
$pro_id      = $row['product_id'];
$pro_cat = $row['product_cat'];
$pro_brand = $row['product_brand'];

```

```
$pro_title = $row['product_title'];
$pro_price = $row['product_price'];
$pro_image = $row['product_image'];
```

```
$cat_name = $row["cat_title"];
```

```
echo "
```

```
<div class='product'>
<a href='product.php?p=$pro_id'><div class='product-img'>
<img src='product_images/$pro_image' style='max-height: 170px;' alt="">
<div class='product-label'>
<span class='sale'>-30%</span>

<span class='new'>NEW</span>
</div>
</div></a>
<div class='product-body'>
<p class='product-category'>$cat_name</p>
<h3 class='product-name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
<h4 class='product-price header-cart-item-info'>$pro_price<del class='product-old- price'>$990.00</del></h4>
<div class='product-rating'>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
<i class='fa fa-star'></i>
</div>
<div class='product-btns'>
<button class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to

wishlist</span></button> compare</span></button>
view</span></button>

<button class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to

<button class='quick-view'><i class='fa fa-eye'></i><span class='tooltipp'>quick

</div>
</div>
<div class='add-to-cart'>
<button pid='$pro_id' id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-cart'></i>
```

```
add          to
cart</button>
</div> </div>
```

```
";
}
;

}
?>
```

```
<!-- /product -->
</div>
<div id="slick-nav-2" class="products-slick-nav"></div>
</div>
<!-- /tab -->
</div>
```

```
</div>
</div>
<!-- /Products tab & slick -->
</div>
<!-- /row -->
</div>
<!-- /container -->
</div></div> </div> </div> </div>
<!-- /SECTION -->
```

```
<!-- SECTION -->
```

```
<!-- SECTION -->
<div class="section">
<!-- container -->
<div class="container">
<!-- row -->
<div class="row">
<div class="col-md-4 col-xs-6">
<div class="section-title">
<h4 class="title">Top selling</h4>
<div class="section-nav">
<div id="slick-nav-3" class="products-slick-nav"></div>
</div>
```

</div>

<div class="products-widget-slick" data-nav="#slick-nav-3">

<div id="get_product_home">

<!-- product widget -->

<!-- product widget -->

</div>

<div id="get_product_home2">

<!-- product widget -->

<div class="product-widget">

<div class="product-img">

</div>

<div class="product-body">

<p class="product-category">Category</p>

<h3 class="product-name">product name goes here</h3>

<h4 class="product-price"> <del class="product-old-price">280Rs</h4>

</div>

</div>

<!-- /product widget -->

<!-- product widget -->

<div class="product-widget">

<div class="product-img">

</div>

<div class="product-body">

<p class="product-category">Category</p>

<h3 class="product-name">product name goes here</h3>

<h4 class="product-price">\$980.00 <del class="product-old-price">\$990.00</h4>

</div>

</div>

<!-- /product widget -->

<!-- product widget -->

<div class="product-widget">

<div class="product-img">

</div>

<div class="product-body">

<p class="product-category">Category</p>

```

<h3 class="product-name"><a href="#">product name goes here</a></h3> <h4
class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div> </div> <!-- product widget --> </div>
</div>
</div>

```

```

<div class="col-md-4 col-xs-6">
<div class="section-title">
<h4 class="title">Top selling</h4>
<div class="section-nav">
<div id="slick-nav-4" class="products-slick-nav"></div>
</div>
</div>

```

```

<div class="products-widget-slick" data-nav="#slick-nav-4">
<div>
<!-- product widget -->
<div class="product-widget">
<div class="product-img">


</div>

```

```

<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- /product widget -->

```

```

<!-- product widget -->
<div class="product-widget">
<div class="product-img">

</div>
<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- /product widget -->

```



```

<!-- product widget --> <div class="product-widget"> <div class="product-img">
 </div>
<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del>
</h4>
</div>
</div>
<!-- product widget -->
</div>

```

```

<div>
<!-- product widget -->
<div class="product-widget">
<div class="product-img">

</div>
<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- /product widget -->

```

```

<!-- product widget -->
<div class="product-widget">
<div class="product-img">

</div>
<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- /product widget -->

```

```

<!-- product widget -->
<div class="product-widget">

```

```

<div class="product-img">  </div> <div
class="product-body"> <p class="product-category">Category</p> <h3
class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">980RWF <del class="product-old-price">0RWF</del>
</h4>
</div>
</div>
<!-- product widget -->
</div>
</div>
</div>

```

```

<div class="clearfix visible-sm visible-xs">

```

```

</div>

```

```

<div class="col-md-4 col-xs-6">
<div class="section-title">
<h4 class="title">Top selling</h4>
<div class="section-nav">
<div id="slick-nav-5" class="products-slick-nav"></div>
</div>
</div>

```

```

<div class="products-widget-slick" data-nav="#slick-nav-5">

```

```

<div>
<!-- product widget -->
<div class="product-widget">
<div class="product-img">

</div>
<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- /product widget -->

```

```

<!-- product widget -->
<div class="product-widget">
<div class="product-img">

```

```

 </div> <div class="product-body"> <p
class="product-category">Category</p> <h3 class="product-name"><a
href="#">product name goes here</a></h3> <h4 class="product-price">$980.00
<del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- /product widget -->

```

```

<!-- product widget -->
<div class="product-widget">
<div class="product-img">

</div>
<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- product widget -->
</div>

```

```

<div>
<!-- product widget -->
<div class="product-widget">
<div class="product-img">


</div>
<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- /product widget -->

```

```

<!-- product widget -->
<div class="product-widget">
<div class="product-img">

</div>

```

```

<div class="product-body"> <p class="product-category">Category</p> <h3
class="product-name"><a href="#">product name goes here</a></h3> <h4
class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div> </div>
<!-- /product widget -->

```

```

<!-- product widget -->
<div class="product-widget">
<div class="product-img">

</div>
<div class="product-body">
<p class="product-category">Category</p>
<h3 class="product-name"><a href="#">product name goes here</a></h3>
<h4 class="product-price">$980.00 <del class="product-old-price">$990.00</del></h4>
</div>
</div>
<!-- product widget -->
</div>
</div>
</div>
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /SECTION -->
</div>

```

ADMIN SIDE CODING:

```

<?php session_start(); include("../db.php");

include "sidenav.php"; include "topheader.php";
?>

```

```

<!-- End Navbar -->
<div class="content">
<div class="container-fluid">
<div class="panel-body">
<a>
<?php //success message if(isset($_POST['success'])) {
$success = $_POST["success"];
echo "<h1 style='color:#0C0'>Your Product was added successfully &nbsp;&nbsp; <span class='glyphicon glyphicon-
ok'></h1></span>";
}
?></a>
</div>
<div class="col-md-14">
<div class="card ">
<div class="card-header card-header-primary">
<h4 class="card-title"> Users List</h4>
</div>
<div class="card-body">
<div class="table-responsive ps">
<table class="table table-hover tablesorter " id="">
<thead class=" text-primary">
<tr><th>ID</th><th>FirstName</th><th>LastName</th><th>Email</th><th>Password</th><th>Contact</
th><th>Address</th><th>City</th>
</tr></thead>
<tbody>
<?php
$result=mysqli_query($con,"select * from user_info")or die ("query 1 incorrect
");

rray($result))

while(list($user_id,$first_name,$last_name,$email,$password,$phone,$address1,$address2)=mysqli_fetch_a

{
echo

"<tr><td>$user_id</td><td>$first_name</td><td>$last_name</td><td>$email</td><td>$password</td><td>$phone</td>
<td>$address1</td><td>$address2</td>

</tr>";
}
?>
</tbody>
</table>
<div class="ps rail-x" style="left: 0px; bottom: 0px;"><div class="ps thumb-x" tabindex="0" style="left: 0px; width:

```

```

0px;"></div></div><div class="ps rail-y" style="top: 0px; right: 0px;"><div class="ps thumb-y" tabindex="0"
style="top: 0px; height: 0px;"></div></div></div>
</div>
</div>
</div>
<div class="row">
<div class="col-md-6">
<div class="card ">
<div class="card-header card-header-primary">
<h4 class="card-title"> Categories List</h4>
</div>
<div class="card-body">
<div class="table-responsive ps">
<table class="table table-hover tableorter " id="">
<thead class=" text-primary">
<tr><th>ID</th><th>Categories</th><th>Count</th>
</tr></thead>
<tbody>
<?php
$result=mysqli_query($con,"select * from categories")or die ("query 1 incorrect");
$i=1; while(list($cat_id,$cat_title)=mysqli_fetch_array($result))
{
$sql = "SELECT COUNT(*) AS count_items FROM products WHERE product_cat=$i";
$query = mysqli_query($con,$sql);
$row = mysqli_fetch_array($query);
$count=$row["count_items"];
$i++;
echo "<tr><td>$cat_id</td><td>$cat_title</td><td>$count</td>

</tr>";
}
?>

</tbody>
</table>
<div class="ps rail-x" style="left: 0px; bottom: 0px;"><div class="ps thumb-x" tabindex="0" style="left: 0px; width:
0px;"></div></div><div class="ps rail-y" style="top: 0px; right: 0px;"><div class="ps thumb-y" tabindex="0" style="top:
0px; height: 0px;"></div></div></div>
</div>
</div>
<div class="col-md-6">
<div class="card ">
<div class="card-header card-header-primary">
<h4 class="card-title">Brands List</h4>

```

```

</div>
<div class="card-body">
<div class="table-responsive ps">
<table class="table table-hover tablesorter " id="">
<thead class=" text-primary">
<tr><th>ID</th><th>Brands</th><th>Count</th>
</tr></thead>
<tbody>
<?php
$result=mysqli_query($con,"select * from brands")or die ("query 1 incorrect ");
$i=1; while(list($brand_id,$brand_title)=mysqli_fetch_array($result))
{

$sql = "SELECT COUNT(*) AS count_items FROM products WHERE product_brand=$i";
$query = mysqli_query($con,$sql);
$row = mysqli_fetch_array($query);
$count=$row["count_items"];
$i++;
echo "<tr><td>$brand_id</td><td>$brand_title</td><td>$count</td>

</tr>";
}
?>
</tbody>
</table>
<div class="ps rail-x" style="left: 0px; bottom: 0px;"><div class="ps thumb-x" tabindex="0" style="left: 0px; width:
0px;"></div></div><div class="ps rail-y" style="top: 0px; right: 0px;"><div class="ps thumb-y" tabindex="0" style="top:
0px; height: 0px;"></div></div></div>
</div>
</div>
</div>
<div class="col-md-5">

<div class="card ">
<div class="card-header card-header-primary">
<h4 class="card-title">Subscribers</h4>
</div>
<div class="card-body">
<div class="table-responsive ps">
<table class="table table-hover tablesorter " id="">
<thead class=" text-primary">
<tr><th>ID</th><th>email</th>
</tr></thead>
<tbody>

```

```

<?php
$result=mysqli_query($con,"select * from email_info")or die ("query 1 incorrect ");

while(list($brand_id,$brand_title)=mysqli_fetch_array($result))
{
echo "<tr><td>$brand_id</td><td>$brand_title</td>

</tr>";
}
?>
</tbody>
</table>
<div class="ps rail-x" style="left: 0px; bottom: 0px;"><div class="ps thumb-x" tabindex="0" style="left: 0px; width:
0px;"></div></div><div class="ps rail-y" style="top: 0px; right: 0px;"><div class="ps thumb-y" tabindex="0" style="top:
0px; height: 0px;"></div></div></div>
</div>
</div>
<?php
include "footer.php";
?>

```