

Python Lists Mastery

100 Multiple Choice Questions (Append, Pop, Slicing, 2D Lists, Updating)

1. What is the output of the following code?

```
lst = [34, 79, 55, 69, 16, 94]
val = lst.pop()
print(val)
```

- A) 94
- B) 34
- C) None
- D) [34, 79, 55, 69, 16, 94]

2. What is the output of the following code?

```
lst = [72, 98, 37, 52, 66]
lst.pop(0)
print(lst)
```

- A) [37, 52, 66]
- B) [98, 37, 52, 66]
- C) [72, 98, 37, 52, 66]
- D) Error: IndexError

3. What is the output of the following code?

```
lst = [66, 78, 56, 34]
print(lst[1:3])
```

- A) [78, 56, 34]
- B) [78, 56]
- C) [78]
- D) [56]

4. What is the output of the following code?

```
lst = [36, 18, 65, 69, 48]
lst[1] = 213
print(lst)
```

- A) [36, 18, 65, 69, 48]
- B) [213]
- C) [36, 213, 65, 69, 48]
- D) [36, 18, 65, 69, 48, 213]

5. Consider the 2D list:

```
matrix = [[7, 1, 8], [4, 9, 2], [6, 1, 6]]
print(matrix[2][1])
```

What is printed?

- A) [1]
- B) 1
- C) [6, 1, 6]
- D) 2

6. What is the output of the following code?

```
matrix = [[3, 7, 6], [8, 3, 8], [9, 5, 3]]
matrix[2][2] = 97
print(matrix[2])
```

- A) [[3, 7, 6], [8, 3, 8], [9, 5, 3]]
- B) [97]
- C) [9, 5, 97]
- D) [9, 5, 3]

7. What is the output of the following code?

```
lst = [83, 54, 78, 66]
print(lst[::-2])
```

- A) [66, 54]
- B) [54, 66]
- C) [83, 66]
- D) [83, 78]

8. What is the output of the following code?

```
lst = [32, 35, 80, 67, 27, 20]
lst.pop(1)
print(lst)
```

- A) [32, 35, 80, 67, 27, 20]
- B) [32, 80, 67, 27, 20]
- C) [32, 67, 27, 20]
- D) Error: IndexError

9. What is the output of the following code?

```
lst = [17, 80, 98, 54]
lst.append(574)
print(lst)
```

- A) [17, 80, 98, 54]
- B) [17, 80, 98, 54, [574]]
- C) [17, 80, 98, 54, 574]
- D) [574, 17, 80, 98, 54]

10. What is the output of the following code?

```
lst = [51, 21, 45, 29, 42, 69]
lst.append(309)
print(lst)
```

- A) [51, 21, 45, 29, 42, 69]
- B) [51, 21, 45, 29, 42, 69, [309]]
- C) [309, 51, 21, 45, 29, 42, 69]
- D) [51, 21, 45, 29, 42, 69, 309]

11. What is the output of the following code?

```
lst = [22, 45, 93, 32]
val = lst.pop()
print(val)
```

- A) None
- B) [22, 45, 93, 32]
- C) 32
- D) 22

12. What is the output of the following code?

```
lst = [68, 93, 82, 15, 53, 40]
lst.pop(2)
print(lst)
```

- A) [68, 93, 53, 40]
- B) [68, 93, 82, 15, 53, 40]
- C) Error: IndexError
- D) [68, 93, 15, 53, 40]

13. What is the output of the following code?

```
lst = [85, 78, 50, 52, 12, 27]
print(lst[1:4])
```

- A) [78, 50, 52, 12]
- B) [78, 50, 52]
- C) [50, 52]
- D) [78, 50]

14. What is the output of the following code?

```
lst = [16, 38, 76, 18, 37, 28]
lst[5] = 223
print(lst)
```

- A) [16, 38, 76, 18, 37, 28, 223]
- B) [16, 38, 76, 18, 37, 28]
- C) [16, 38, 76, 18, 37, 223]
- D) [223]

15. Consider the 2D list:

```
matrix = [[6, 9, 9], [4, 3, 8], [9, 9, 6]]
print(matrix[1][2])
```

What is printed?

- A) 9
- B) [4, 3, 8]
- C) 8
- D) [8]

16. What is the output of the following code?

```
matrix = [[1, 4, 1], [6, 8, 8], [1, 5, 9]]  
matrix[2][0] = 14  
print(matrix[2])
```

- A) [[1, 4, 1], [6, 8, 8], [1, 5, 9]]
- B) [1, 5, 9]
- C) [14]
- D) [14, 5, 9]

17. What is the output of the following code?

```
lst = [62, 67, 95, 45]  
print(lst[::-2])
```

- A) [45, 67]
- B) [67, 45]
- C) [62, 45]
- D) [62, 95]

18. What is the output of the following code?

```
lst = [98, 44, 87, 91]  
lst.pop(0)  
print(lst)
```

- A) [44, 87, 91]
- B) [87, 91]
- C) Error: IndexError
- D) [98, 44, 87, 91]

19. What is the output of the following code?

```
lst = [76, 19, 28, 70, 63]
lst.append(211)
print(lst)
```

- A) [76, 19, 28, 70, 63, [211]]
- B) [76, 19, 28, 70, 63, 211]
- C) [211, 76, 19, 28, 70, 63]
- D) [76, 19, 28, 70, 63]

20. What is the output of the following code?

```
lst = [37, 92, 78, 22, 39]
lst.append(851)
print(lst)
```

- A) [37, 92, 78, 22, 39, 851]
- B) [851, 37, 92, 78, 22, 39]
- C) [37, 92, 78, 22, 39]
- D) [37, 92, 78, 22, 39, [851]]

21. What is the output of the following code?

```
lst = [85, 95, 34, 67]
val = lst.pop()
print(val)
```

- A) 67
- B) None
- C) 85
- D) [85, 95, 34, 67]

22. What is the output of the following code?

```
lst = [97, 75, 39, 23, 85, 77]
lst.pop(0)
print(lst)
```

- A) [39, 23, 85, 77]
- B) [97, 75, 39, 23, 85, 77]
- C) [75, 39, 23, 85, 77]
- D) Error: IndexError

23. What is the output of the following code?

```
lst = [94, 71, 26, 24, 15, 67]
print(lst[0:4])
```

- A) [71, 26, 24]
- B) [94, 71, 26]
- C) [94, 71, 26, 24, 15]
- D) [94, 71, 26, 24]

24. What is the output of the following code?

```
lst = [46, 97, 77, 17]
lst[0] = 404
print(lst)
```

- A) [404]
- B) [404, 97, 77, 17]
- C) [46, 97, 77, 17]
- D) [46, 97, 77, 17, 404]

25. Consider the 2D list:

```
matrix = [[6, 1, 4], [5, 7, 4], [8, 4, 4]]  
print(matrix[1][0])
```

What is printed?

- A) 1
- B) [5]
- C) 5
- D) [5, 7, 4]

26. What is the output of the following code?

```
matrix = [[4, 5, 9], [5, 1, 7], [3, 5, 6]]  
matrix[1][2] = 43  
print(matrix[1])
```

- A) [5, 1, 43]
- B) [43]
- C) [[4, 5, 9], [5, 1, 7], [3, 5, 6]]
- D) [5, 1, 7]

27. What is the output of the following code?

```
lst = [32, 94, 12, 57]  
print(lst[::-1])
```

- A) [32, 12]
- B) [57, 12, 94, 32]
- C) [32, 94, 12, 57]
- D) [94, 32]

28. What is the output of the following code?

```
lst = [17, 39, 10, 58, 26]
lst.pop(3)
print(lst)
```

- A) [17, 39, 10]
- B) Error: IndexError
- C) [17, 39, 10, 58, 26]
- D) [17, 39, 10, 26]

29. What is the output of the following code?

```
lst = [98, 94, 66, 44, 57]
lst.append(941)
print(lst)
```

- A) [941, 98, 94, 66, 44, 57]
- B) [98, 94, 66, 44, 57, 941]
- C) [98, 94, 66, 44, 57]
- D) [98, 94, 66, 44, 57, [941]]

30. What is the output of the following code?

```
lst = [27, 31, 76, 94, 72]
lst.append(404)
print(lst)
```

- A) [27, 31, 76, 94, 72]
- B) [404, 27, 31, 76, 94, 72]
- C) [27, 31, 76, 94, 72, 404]
- D) [27, 31, 76, 94, 72, [404]]

31. What is the output of the following code?

```
lst = [77, 23, 11, 72]
val = lst.pop()
print(val)
```

- A) 77
- B) 72
- C) [77, 23, 11, 72]
- D) None

32. What is the output of the following code?

```
lst = [46, 27, 56, 71, 41, 66]
lst.pop(0)
print(lst)
```

- A) Error: IndexError
- B) [56, 71, 41, 66]
- C) [46, 27, 56, 71, 41, 66]
- D) [27, 56, 71, 41, 66]

33. What is the output of the following code?

```
lst = [79, 17, 96, 68]
print(lst[1:3])
```

- A) [96]
- B) [17]
- C) [17, 96, 68]
- D) [17, 96]

34. What is the output of the following code?

```
lst = [39, 78, 75, 63, 32, 98]
lst[0] = 483
print(lst)
```

- A) [483]
- B) [39, 78, 75, 63, 32, 98, 483]
- C) [483, 78, 75, 63, 32, 98]
- D) [39, 78, 75, 63, 32, 98]

35. Consider the 2D list:

```
matrix = [[9, 4, 9], [2, 4, 3], [1, 9, 4]]
print(matrix[1][0])
```

What is printed?

- A) 4
- B) [2]
- C) 2
- D) [2, 4, 3]

36. What is the output of the following code?

```
matrix = [[8, 1, 3], [6, 2, 5], [3, 1, 1]]
matrix[1][0] = 29
print(matrix[1])
```

- A) [[8, 1, 3], [6, 2, 5], [3, 1, 1]]
- B) [29, 2, 5]
- C) [6, 2, 5]
- D) [29]

37. What is the output of the following code?

```
lst = [62, 41, 91, 35, 51, 28]
print(lst[::-1])
```

- A) [41, 62]
- B) [62, 41, 91, 35, 51, 28]
- C) [28, 51, 35, 91, 41, 62]
- D) [62, 91, 51]

38. What is the output of the following code?

```
lst = [38, 83, 48, 47, 46]
lst.pop(3)
print(lst)
```

- A) [38, 83, 48, 46]
- B) [38, 83, 48, 47, 46]
- C) Error: IndexError
- D) [38, 83, 48]

39. What is the output of the following code?

```
lst = [11, 58, 23, 77, 65, 33]
lst.append(356)
print(lst)
```

- A) [356, 11, 58, 23, 77, 65, 33]
- B) [11, 58, 23, 77, 65, 33]
- C) [11, 58, 23, 77, 65, 33, 356]
- D) [11, 58, 23, 77, 65, 33, [356]]

40. What is the output of the following code?

```
lst = [36, 26, 23, 20, 63, 97]
lst.append(921)
print(lst)
```

- A) [36, 26, 23, 20, 63, 97]
- B) [36, 26, 23, 20, 63, 97, [921]]
- C) [921, 36, 26, 23, 20, 63, 97]
- D) [36, 26, 23, 20, 63, 97, 921]

41. What is the output of the following code?

```
lst = [89, 26, 74, 86]
val = lst.pop()
print(val)
```

- A) None
- B) [89, 26, 74, 86]
- C) 89
- D) 86

42. What is the output of the following code?

```
lst = [20, 97, 32, 36, 81, 96]
lst.pop(2)
print(lst)
```

- A) [20, 97, 81, 96]
- B) Error: IndexError
- C) [20, 97, 36, 81, 96]
- D) [20, 97, 32, 36, 81, 96]

43. What is the output of the following code?

```
lst = [56, 74, 35, 92, 77]
print(lst[1:3])
```

- A) [74]
- B) [74, 35, 92]
- C) [74, 35]
- D) [35]

44. What is the output of the following code?

```
lst = [73, 69, 91, 95]
lst[1] = 416
print(lst)
```

- A) [73, 69, 91, 95, 416]
- B) [73, 69, 91, 95]
- C) [416]
- D) [73, 416, 91, 95]

45. Consider the 2D list:

```
matrix = [[6, 8, 1], [2, 6, 6], [6, 2, 1]]
print(matrix[0][1])
```

What is printed?

- A) [8]
- B) 2
- C) [6, 8, 1]
- D) 8

46. What is the output of the following code?

```
matrix = [[9, 9, 5], [5, 2, 3], [6, 1, 3]]  
matrix[2][1] = 95  
print(matrix[2])
```

- A) [6, 1, 3]
- B) [[9, 9, 5], [5, 2, 3], [6, 1, 3]]
- C) [6, 95, 3]
- D) [95]

47. What is the output of the following code?

```
lst = [82, 53, 28, 63, 95]  
print(lst[::2])
```

- A) [95, 28, 82]
- B) [82, 63]
- C) [53, 63]
- D) [82, 28, 95]

48. What is the output of the following code?

```
lst = [57, 35, 40, 52, 31]  
lst.pop(0)  
print(lst)
```

- A) [35, 40, 52, 31]
- B) [40, 52, 31]
- C) [57, 35, 40, 52, 31]
- D) Error: IndexError

49. What is the output of the following code?

```
lst = [44, 29, 54, 12, 38, 40]
lst.append(819)
print(lst)
```

- A) [44, 29, 54, 12, 38, 40, [819]]
- B) [44, 29, 54, 12, 38, 40, 819]
- C) [44, 29, 54, 12, 38, 40]
- D) [819, 44, 29, 54, 12, 38, 40]

50. What is the output of the following code?

```
lst = [90, 84, 61, 20, 68]
lst.append(450)
print(lst)
```

- A) [90, 84, 61, 20, 68, 450]
- B) [90, 84, 61, 20, 68]
- C) [90, 84, 61, 20, 68, [450]]
- D) [450, 90, 84, 61, 20, 68]

51. What is the output of the following code?

```
lst = [52, 63, 18, 83, 23]
val = lst.pop()
print(val)
```

- A) 52
- B) 23
- C) [52, 63, 18, 83, 23]
- D) None

52. What is the output of the following code?

```
lst = [19, 63, 35, 29, 12, 38]
lst.pop(3)
print(lst)
```

- A) [19, 63, 35, 12, 38]
- B) Error: IndexError
- C) [19, 63, 35, 29, 12, 38]
- D) [19, 63, 35, 38]

53. What is the output of the following code?

```
lst = [30, 77, 85, 46, 34, 58]
print(lst[1:3])
```

- A) [77, 85, 46]
- B) [77]
- C) [77, 85]
- D) [85]

54. What is the output of the following code?

```
lst = [30, 21, 35, 97, 92, 88]
lst[5] = 828
print(lst)
```

- A) [828]
- B) [30, 21, 35, 97, 92, 828]
- C) [30, 21, 35, 97, 92, 88]
- D) [30, 21, 35, 97, 92, 88, 828]

55. Consider the 2D list:

```
matrix = [[3, 7, 9], [1, 9, 4], [3, 4, 8]]  
print(matrix[0][2])
```

What is printed?

- A) [9]
- B) [3, 7, 9]
- C) 3
- D) 9

56. What is the output of the following code?

```
matrix = [[9, 2, 2], [9, 1, 7], [3, 9, 8]]  
matrix[2][2] = 94  
print(matrix[2])
```

- A) [3, 9, 8]
- B) [3, 9, 94]
- C) [94]
- D) [[9, 2, 2], [9, 1, 7], [3, 9, 8]]

57. What is the output of the following code?

```
lst = [82, 80, 68, 25, 33, 23]  
print(lst[::-1])
```

- A) [23, 33, 25, 68, 80, 82]
- B) [82, 68, 33]
- C) [80, 82]
- D) [82, 80, 68, 25, 33, 23]

58. What is the output of the following code?

```
lst = [76, 91, 87, 10]
lst.pop(0)
print(lst)
```

- A) [91, 87, 10]
- B) [87, 10]
- C) [76, 91, 87, 10]
- D) Error: IndexError

59. What is the output of the following code?

```
lst = [71, 20, 25, 16]
lst.append(744)
print(lst)
```

- A) [71, 20, 25, 16, 744]
- B) [744, 71, 20, 25, 16]
- C) [71, 20, 25, 16]
- D) [71, 20, 25, 16, [744]]

60. What is the output of the following code?

```
lst = [81, 67, 24, 56, 18]
lst.append(348)
print(lst)
```

- A) [81, 67, 24, 56, 18, 348]
- B) [348, 81, 67, 24, 56, 18]
- C) [81, 67, 24, 56, 18, [348]]
- D) [81, 67, 24, 56, 18]

61. What is the output of the following code?

```
lst = [87, 66, 33, 45]
val = lst.pop()
print(val)
```

- A) [87, 66, 33, 45]
- B) None
- C) 45
- D) 87

62. What is the output of the following code?

```
lst = [18, 19, 27, 90]
lst.pop(2)
print(lst)
```

- A) Error: IndexError
- B) [18, 19, 27, 90]
- C) [18, 19]
- D) [18, 19, 90]

63. What is the output of the following code?

```
lst = [17, 26, 93, 81, 24, 73]
print(lst[1:5])
```

- A) [26, 93, 81, 24]
- B) [93, 81, 24]
- C) [26, 93, 81, 24, 73]
- D) [26, 93, 81]

64. What is the output of the following code?

```
lst = [29, 53, 66, 83, 87]
lst[1] = 428
print(lst)
```

- A) [29, 53, 66, 83, 87, 428]
- B) [29, 428, 66, 83, 87]
- C) [29, 53, 66, 83, 87]
- D) [428]

65. Consider the 2D list:

```
matrix = [[4, 4, 1], [3, 8, 8], [6, 9, 9]]
print(matrix[1][0])
```

What is printed?

- A) 4
- B) [3]
- C) [3, 8, 8]
- D) 3

66. What is the output of the following code?

```
matrix = [[4, 6, 1], [9, 3, 6], [4, 2, 7]]
matrix[2][2] = 98
print(matrix[2])
```

- A) [98]
- B) [[4, 6, 1], [9, 3, 6], [4, 2, 7]]
- C) [4, 2, 7]
- D) [4, 2, 98]

67. What is the output of the following code?

```
lst = [40, 77, 14, 12, 56]
print(lst[::-2])
```

- A) [56, 14, 40]
- B) [77, 12]
- C) [40, 12]
- D) [40, 14, 56]

68. What is the output of the following code?

```
lst = [32, 69, 11, 45, 27]
lst.pop(3)
print(lst)
```

- A) [32, 69, 11]
- B) [32, 69, 11, 45, 27]
- C) [32, 69, 11, 27]
- D) Error: IndexError

69. What is the output of the following code?

```
lst = [23, 46, 27, 83, 80, 10]
lst.append(285)
print(lst)
```

- A) [23, 46, 27, 83, 80, 10, [285]]
- B) [23, 46, 27, 83, 80, 10]
- C) [285, 23, 46, 27, 83, 80, 10]
- D) [23, 46, 27, 83, 80, 10, 285]

70. What is the output of the following code?

```
lst = [56, 43, 98, 73]
lst.append(169)
print(lst)
```

- A) [169, 56, 43, 98, 73]
- B) [56, 43, 98, 73]
- C) [56, 43, 98, 73, 169]
- D) [56, 43, 98, 73, [169]]

71. What is the output of the following code?

```
lst = [62, 29, 35, 45, 79, 84]
val = lst.pop()
print(val)
```

- A) 62
- B) [62, 29, 35, 45, 79, 84]
- C) None
- D) 84

72. What is the output of the following code?

```
lst = [32, 62, 72, 96, 24, 41]
lst.pop(2)
print(lst)
```

- A) [32, 62, 72, 96, 24, 41]
- B) [32, 62, 24, 41]
- C) Error: IndexError
- D) [32, 62, 96, 24, 41]

73. What is the output of the following code?

```
lst = [13, 45, 65, 71]
print(lst[1:3])
```

- A) [65]
- B) [45, 65, 71]
- C) [45]
- D) [45, 65]

74. What is the output of the following code?

```
lst = [26, 95, 85, 25, 49]
lst[1] = 728
print(lst)
```

- A) [26, 95, 85, 25, 49]
- B) [728]
- C) [26, 95, 85, 25, 49, 728]
- D) [26, 728, 85, 25, 49]

75. Consider the 2D list:

```
matrix = [[8, 1, 4], [6, 6, 4], [8, 5, 5]]
print(matrix[1][1])
```

What is printed?

- A) 7
- B) [6, 6, 4]
- C) 6
- D) [6]

76. What is the output of the following code?

```
matrix = [[7, 3, 7], [5, 6, 3], [9, 7, 8]]  
matrix[1][1] = 75  
print(matrix[1])
```

- A) [[7, 3, 7], [5, 6, 3], [9, 7, 8]]
- B) [75]
- C) [5, 6, 3]
- D) [5, 75, 3]

77. What is the output of the following code?

```
lst = [19, 22, 38, 71]  
print(lst[::2])
```

- A) [71, 22]
- B) [19, 38]
- C) [22, 71]
- D) [19, 71]

78. What is the output of the following code?

```
lst = [38, 17, 41, 90]  
lst.pop(1)  
print(lst)
```

- A) [38, 17, 41, 90]
- B) Error: IndexError
- C) [38, 90]
- D) [38, 41, 90]

79. What is the output of the following code?

```
lst = [19, 56, 14, 27, 83]
lst.append(646)
print(lst)
```

- A) [19, 56, 14, 27, 83]
- B) [19, 56, 14, 27, 83, 646]
- C) [19, 56, 14, 27, 83, [646]]
- D) [646, 19, 56, 14, 27, 83]

80. What is the output of the following code?

```
lst = [18, 62, 71, 61, 98, 27]
lst.append(738)
print(lst)
```

- A) [18, 62, 71, 61, 98, 27, [738]]
- B) [18, 62, 71, 61, 98, 27, 738]
- C) [18, 62, 71, 61, 98, 27]
- D) [738, 18, 62, 71, 61, 98, 27]

81. What is the output of the following code?

```
lst = [31, 24, 30, 79, 49, 74]
val = lst.pop()
print(val)
```

- A) 31
- B) None
- C) 74
- D) [31, 24, 30, 79, 49, 74]

82. What is the output of the following code?

```
lst = [39, 32, 18, 62, 38, 88]
lst.pop(3)
print(lst)
```

- A) [39, 32, 18, 62, 38, 88]
- B) Error: IndexError
- C) [39, 32, 18, 38, 88]
- D) [39, 32, 18, 88]

83. What is the output of the following code?

```
lst = [50, 48, 80, 31, 92]
print(lst[1:4])
```

- A) [48, 80, 31, 92]
- B) [80, 31]
- C) [48, 80, 31]
- D) [48, 80]

84. What is the output of the following code?

```
lst = [43, 74, 87, 35, 78, 71]
lst[1] = 527
print(lst)
```

- A) [43, 74, 87, 35, 78, 71, 527]
- B) [43, 527, 87, 35, 78, 71]
- C) [527]
- D) [43, 74, 87, 35, 78, 71]

85. Consider the 2D list:

```
matrix = [[6, 7, 4], [5, 1, 5], [4, 1, 6]]  
print(matrix[0][0])
```

What is printed?

- A) [6, 7, 4]
- B) 7
- C) [6]
- D) 6

86. What is the output of the following code?

```
matrix = [[4, 3, 3], [3, 1, 6], [1, 9, 6]]  
matrix[1][1] = 25  
print(matrix[1])
```

- A) [25]
- B) [[4, 3, 3], [3, 1, 6], [1, 9, 6]]
- C) [3, 25, 6]
- D) [3, 1, 6]

87. What is the output of the following code?

```
lst = [84, 26, 38, 75, 33, 62]  
print(lst[::-1])
```

- A) [84, 26, 38, 75, 33, 62]
- B) [62, 33, 75, 38, 26, 84]
- C) [84, 38, 33]
- D) [26, 84]

88. What is the output of the following code?

```
lst = [12, 46, 55, 58, 76]
lst.pop(3)
print(lst)
```

- A) Error: IndexError
- B) [12, 46, 55]
- C) [12, 46, 55, 58, 76]
- D) [12, 46, 55, 76]

89. What is the output of the following code?

```
lst = [67, 22, 83, 32, 56, 15]
lst.append(291)
print(lst)
```

- A) [67, 22, 83, 32, 56, 15, 291]
- B) [67, 22, 83, 32, 56, 15, [291]]
- C) [291, 67, 22, 83, 32, 56, 15]
- D) [67, 22, 83, 32, 56, 15]

90. What is the output of the following code?

```
lst = [45, 86, 85, 23, 98]
lst.append(849)
print(lst)
```

- A) [45, 86, 85, 23, 98, [849]]
- B) [45, 86, 85, 23, 98]
- C) [45, 86, 85, 23, 98, 849]
- D) [849, 45, 86, 85, 23, 98]

91. What is the output of the following code?

```
lst = [27, 62, 94, 60, 18, 39]
val = lst.pop()
print(val)
```

- A) [27, 62, 94, 60, 18, 39]
- B) 39
- C) None
- D) 27

92. What is the output of the following code?

```
lst = [41, 63, 87, 22, 23]
lst.pop(2)
print(lst)
```

- A) [41, 63, 87, 22, 23]
- B) [41, 63, 23]
- C) [41, 63, 22, 23]
- D) Error: IndexError

93. What is the output of the following code?

```
lst = [20, 40, 14, 75]
print(lst[0:3])
```

- A) [40, 14]
- B) [20, 40, 14, 75]
- C) [20, 40]
- D) [20, 40, 14]

94. What is the output of the following code?

```
lst = [91, 98, 41, 46, 55, 23]
lst[4] = 335
print(lst)
```

- A) [91, 98, 41, 46, 335, 23]
- B) [335]
- C) [91, 98, 41, 46, 55, 23, 335]
- D) [91, 98, 41, 46, 55, 23]

95. Consider the 2D list:

```
matrix = [[4, 2, 9], [8, 1, 9], [7, 9, 2]]
print(matrix[2][2])
```

What is printed?

- A) 2
- B) [7, 9, 2]
- C) 8
- D) [2]

96. What is the output of the following code?

```
matrix = [[7, 9, 5], [6, 9, 8], [1, 8, 2]]
matrix[1][0] = 40
print(matrix[1])
```

- A) [40, 9, 8]
- B) [40]
- C) [[7, 9, 5], [6, 9, 8], [1, 8, 2]]
- D) [6, 9, 8]

97. What is the output of the following code?

```
lst = [78, 87, 38, 54, 34]
print(lst[::-1])
```

- A) [34, 54, 38, 87, 78]
- B) [78, 38, 34]
- C) [78, 87, 38, 54, 34]
- D) [87, 78]

98. What is the output of the following code?

```
lst = [85, 10, 54, 95, 90, 80]
lst.pop(3)
print(lst)
```

- A) [85, 10, 54, 95, 90, 80]
- B) Error: IndexError
- C) [85, 10, 54, 90, 80]
- D) [85, 10, 54, 80]

99. What is the output of the following code?

```
lst = [48, 98, 49, 69]
lst.append(795)
print(lst)
```

- A) [48, 98, 49, 69]
- B) [48, 98, 49, 69, 795]
- C) [795, 48, 98, 49, 69]
- D) [48, 98, 49, 69, [795]]

100. What is the output of the following code?

```
lst = [79, 60, 47, 81, 88]  
lst.append(404)  
print(lst)
```

- A) [79, 60, 47, 81, 88]
- B) [404, 79, 60, 47, 81, 88]
- C) [79, 60, 47, 81, 88, 404]
- D) [79, 60, 47, 81, 88, [404]]

Answer Key

Q#	Ans	Q#	Ans	Q#	Ans	Q#	Ans	Q#	Ans	Q#	Ans	Q#	Ans	Q#	Ans	Q#	Ans	Q#	Ans
1	A	11	C	21	A	31	B	41	D	51	B	61	C	71	D	81	C	91	B
2	B	12	D	22	C	32	D	42	C	52	A	62	D	72	D	82	C	92	C
3	B	13	B	23	D	33	D	43	C	53	C	63	A	73	D	83	C	93	D
4	C	14	C	24	B	34	C	44	D	54	B	64	B	74	D	84	B	94	A
5	B	15	C	25	C	35	C	45	D	55	D	65	D	75	C	85	D	95	A
6	C	16	D	26	A	36	B	46	C	56	B	66	D	76	D	86	C	96	A
7	D	17	D	27	B	37	C	47	D	57	A	67	D	77	B	87	B	97	A
8	B	18	A	28	D	38	A	48	A	58	A	68	C	78	D	88	D	98	C
9	C	19	B	29	B	39	C	49	B	59	A	69	D	79	B	89	A	99	B
10	D	20	A	30	C	40	D	50	A	60	A	70	C	80	B	90	C	100	C