Exp: 10a. Internetworking with routers with simulator
29/9/26. CISCO PACKET TRACER Simulator.

Aim:
To design and configure a simple internetwork using a router in cisco packet tracer and test connectivity between two PCs.

Procedure.

Step 1: Configure Router 1
* Select the router and open CLI
* Press Enter to start configuring Router 1
* Type enable to activate the previleged mode

Step 2:
* Assign IP address to every PC in the network
* Select the PC, Go to the desktop and select IP configuration and assign and IP address, Default gateway, subnet mask
* Assign the default gateway of PC0 as 192.168.10.1
* Assign the default gateway of PC1 as 192.168.20.1

Step 3:
* Connect Fast Ethernet 1/0 port of PC0 with fast ethernet 0/0 port of Router 1 using a copper straight through cable.
* Connect Fast Ethernet 1/0 port of PC1 with Fast Ethernet 0/1 port of Router 1 using a copper straight through cable.

29/9/25

Exp. 10b Design and configure an Internetwork using wireless router, DHCP server and Internet cloud

Aim:

To design and configure an Internetwork using a wireless router, DHCP server and Internet cloud in Cisco packet Tracer.


Procedure:

* Open Cisco Packet Tracer and Create the required network topology
* Connect PC, laptop, Wireless Router, Cable Modem, Internet Cloud and server.
* Configure the wireless Router with SEED Home network and enable DHCP
* Connect the laptop to the wireless network and set the PC to DHCP
* Configure the server with IP 208.67.220.220 and enable DHCP and DNS
* Verify connectivity using ipconfig and ping cisco.com


Result:


The Internetwork was successfully designed and configured using a wireless router. DHCP server and Internet cloud and connectivity was successfully verified using ping cisco.com.

10.a



10.b




PC0
Physical
Config
Desktop
Programming
Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping cisco.com
Pinging 208.67.220.220 with 32 bytes of data:
Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
Ping statistics for 208.67.220.220:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\>