

GE23131-Programming Using C-2024

Quiz navigation



Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Friday, 13 December 2024, 9:34 AM
Duration	10 days 7 hours

Question **1**

Correct

Marked out of 3.00

 Flag question

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.

The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2

3

5

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int T,size;
5     scanf("%d",&T);
6     while(T--){
7         scanf("%d",&size);
8         for(int i=0;i<size;i++){
9             for(int j=0;j<size;j++){
10                if((i+j)%2==0){
11                    printf("W");
12                }
13                else
14                {
15                    printf("B");
16                }
17            }
18            printf("\n");
19        }
20    }
21 }
22
23
24 }
```

	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✓

Question **2**

Correct

Marked out of
5.00

🚩 Flag question

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int T;
5     scanf("%d",&T);
6     while(T--){
7         int N;
8         char C;
```

```

8      char S;
9      scanf("%d %c",&N,&S);
10     char first =S;
11     char secondchar=(S=='B')?'W':'B';
12     for(int i=0;i<N;i++)
13     {
14         for(int j=0;j<N;j++)
15         {
16             if((i+j)%2==0)
17             {
18                 printf("%c",first);
19             }
20             else
21             {
22                 printf("%c",secondchar);
23             }
24         }
25         printf("\n");
26     }
27 }
28

```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

Question **3**

Correct

Marked out of
7.00

🚩 Flag question

Decode the logic and print the Pattern that corresponds to given input.

If N= 3

then pattern will be :

10203010011012

**4050809

****607

If N= 4, then pattern will be:

```
1020304017018019020
**50607014015016
****809012013
*****10011
```

Constraints

$2 \leq N \leq 100$

Input Format

First line contains T, the number of test cases

Each test case contains a single integer N

Output

First line print Case #i where i is the test case number

In the subsequent line, print the pattern

Test Case 1

```
3
3
4
5
```

Output

Case #1

```
10203010011012
**4050809
****607
```

****607

Case #2

1020304017018019020

**50607014015016

****809012013

*****10011

Case #3

102030405026027028029030

**6070809022023024025

****10011012019020021

*****13014017018

*****15016

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int t,n,x,y,z=1,i,ans,c;
4     scanf("%d",&t);
5     while(z<=t){
6         scanf("%d",&n);
7         printf("Case #%d\n",z);
8         y=1;
9         i=1;
10        c=0;
11        while(y<=n){
12            x=1;
13            ans=(n*n);
14            ans=ans-c;
15            while(x<=2*n)
16            {
17                if(x<=n)
18                {
19                    if(x<y)
20                        printf("***");
21                    else if(x<=n){
22                        printf("%d",i*10);
23                        i++;
24                    }
25                }
26                else
27                {
28                    if((x+y)==(2*n+1)){
29                        printf("%d", (ans+y));
30                        ans++;
31                        c ++;
32                    }
33                    else if(x+y < (2*n+1))
```

```

33         else if(x+y<=(2*n+1))
34         {
35             printf("%d", (ans+y)*10);
36             ans++;
37             c++;
38         }
39     }
40     x++;
41 }
42 y++;
43 printf("\n");
44 }
45 z++;
46 }
47 }
48
49

```

	Input	Expected	Got	
✓	3	Case #1	Case #1	✓
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	
		**50607014015016	**50607014015016	
		*****009012013	*****009012013	
		*****10011	*****10011	
		Case #3	Case #3	
		102030405026027028029030	102030405026027028029030	
		**6070809022023024025	**6070809022023024025	
		****10011012019020021	****10011012019020021	
		*****13014017018	*****13014017018	
		*****15016	*****15016	

Passed all tests! ✓

Finish review