



Registration for now[dev]26 is officially open, and we want you in the room.

[Register Now](#)

Unleash your vision with Build Agent

🔗 Built-in governance ⚙️ No coding required 📱 Native to ServiceNow Platform

For example, I want to create...

[+ Create](#)

[+ Network Outage Reporting Workflow](#)

[+ Supply Chain Optimization](#)

[+ Store Associate Training](#)



Search



ENG
IN

Build anywhere with Build Agent


ServiceNow Studio, Cursor, Claude Code and others.

Global scope with full governance

Changes to existing applications

Tests and documentations

Build Agent



GO FURTHER

Power your workflow applications



Search



ENG
IN

rs

ServiceNow

Ask Gen

06595.service-now.com/now/nav/ui/classic/params/target/sys_update_set_list.do%3Fsysparm_userpref_module%3D50047c06c0a8016c0135a14cebc8191b%26sys

AllFavoritesHistoryWorkspaces

ServiceNow

Search

NameSearch

Actions on sel

Application	State	Installed from	Created	Created by	Parent
Global	In progress		2026-06-13 02:55:17	system	(empty)

<<<

<

1 to 1 of 1

>

>>>

Windows Taskbar

Search

Icons

System Tray

< Name

New Update Set

State

In progress ▼

Parent

🔍

ase date

📅

Description

Application

Global

Make Current

et

Name	Project Update Set
Project Update Set	

Application	Global
-------------	--------

State	In progress
-------	-------------

Created 2026-09-26 22:09:27

Parent

Created by admin

use date

Merged to

call date

ed from

cription

Set

Rate Set Logs

Child Update Sets

Install History

	Name ▲	Extends table	Extensible	Updated
Subscription Entitlement	account_subscription_entitlement	(empty)	false	2026-01-01
Authentication Event	adaptive_auth_event	(empty)	false	2026-01-01
Recommendation	agent_assist_recommendation	Application File	false	2026-01-01
	agent_file	(empty)	false	2026-01-01
	aig_access_policy	Application File	false	2026-01-01
Scope Mapping	aig_access_policy_scope_mapping	Application File	false	2026-01-01
Tool Mapping	aig_scope_tool_mapping	Application File	false	2026-01-01
Configuration	aisa_rp_config	Application File	false	2026-01-01
	aisa_ui_action	Application File	false	2026-01-01
Overrides	ais_acl_overrides	Application File	false	2026-01-01
Active Table Ingestion Tracker	ais_active_table_ingestion_tracker	(empty)	false	2026-01-01
Transaction Log	ais_api_transaction_log	(empty)	false	2026-01-01
Genius Result	ais_async_genius_result	(empty)	false	2026-01-01
Request	ais_async_request	(empty)	false	2026-01-01

Records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records

Label

Name

Table

Application

Global

Create module

☒

Create mobile module

☒

Add module to menu

-- Create new --

New menu name

Remote Table

☐

Application Access

Columns

for text

Search

Column label	Type	Reference	Max length	Default value
--------------	------	-----------	------------	---------------

of digits 7

required if anyone other than an administrator needs to work with this table. Creating default security rules will grant full access to this table to anyone with the use

controls ☒ user role u_incident_workflow_user

ete All Records

Input Switch Notification

Input language switching
Typing Left Alt + Shift changes the input language sequence by selecting Custom

Customize

of digits 7

Delete Up

required if anyone other than an administrator needs to work with this table. Creating default security rules will grant full access to this table to anyone with the use

controls ☒

ser role u_incident_workflow_user

ete All Records

Default view

Form Design

Incident WorkFlow [u_incident_workflow]

Number

Default view Form Design

Incident WorkFlow [u_incident_workflow]

Number

Caller

Properties

Label

Caller

Name

u_Caller

Type

Reference

Reference

User [sys_user]

Default

Mandatory

☐

Read Only

☐

Dependent

Default view Form Design

Incident WorkFlow [u_incident_workflow]

Number

Caller

Category

Properties

Read Only ☐

Dependent

Choices

Choice type

Network	[	network	]	+	x
Hardware	[	hardware	]	+	x
Access	[	access	]	+	x
Performance	[	performance	]	+	x
	[		]		

Incident WorkFlow [u_incident_workflow]

Number

Caller

Category

SubCategory

Short Description

Description

State

Assigned Group

Assigned to

Default view

Form Design

Incident WorkFlow [u_incident_workflow]

Number

Caller

Category

SubCategory

Short Description

Description

State

Assigned Group

Assigned to

ow

Number	INC0001001
Caller	
Category	-- None --
Category	-- None --
Description	
Description	
State	-- None --
d Group	
igned to	

how ServiceNow stores data in tables and fields (columns). For new dictionary entries, select a Table and the field Type of the new column. Also enter a column label name. If necessary, set a Max length for text String type fields, make the field Mandatory to save a record, and make the field a Display Value for reference fields so [More Info](#)

* Table

Incident WorkFlow [u_incident_w...

* Type

String

Column label

SubCategory

Column name

u_choice_5

Max length

40

Application

Global

Active

☒

Function field

☐

Read only

☐

Mandatory

☐

Display

☐

and or functionality that depends on the field. [More Info](#)

Attributes

edge_encryption_enabled=true

Dependent Field

Calculated Value

Default Value

ew: Advanced

tributes edge_encryption_enabled=true

Create Choice List

Dependent Field Calculated Value Default Value

is used to determine choice list options for this field. [More Info](#)

ent field ☒

on field Category

Create Column Update

s (4) Attributes (1) Labels (1)

Search

how ServiceNow stores data in tables and fields (columns). For new dictionary entries, select a **Table** and the field **Type** of the new column. Also enter a column label name. If necessary, set a **Max length** for text String type fields, make the field **Mandatory** to save a record, and make the field a **Display Value** for reference fields so [More Info](#)

Table

Incident WorkFlow [u_incident_w...

Type

String

Column label

SubCategory

Column name

u_choice_5

Max length

40

Application

Global

Active

☒

Function field

☐

Read only

☐

Mandatory

☐

Display

☐

and or functionality that depends on the field. [More Info](#)

tributes

edge_encryption_enabled=true

Dependent Field

Calculated Value

Default Value

ete Column

Update

s (4)	Attributes (1)	Labels (1)
-------	----------------	------------

▼ Search

Actions on selecte

	Value	Language	Sequence	Inactive	Updated	Dependence
rd	wi-fi	en	0	false	2026-09-26 23:13:38	Network
	forget password	en	2	false	2026-09-26 23:13:38	Access
	slow compter	en	3	false	2026-09-26 23:13:38	Performa
	projector	en	1	false	2026-09-26 23:13:38	Haedwar



Let's get the details for your flow

Flow name * ⓘ

Auto Classify School IT Tickets

Application * ⓘ

Global

Description ⓘ

Describe your flow.

> Show additional properties

Can

Auto Classify School IT Tickets

Inactive



View:  

Workflow Created where (Category is)

le

ion, Flow Logic, or Subflow

our flow, the actions you add here will run.

Data [Collapse All](#)

► Flow Variables

▼ Trigger - Record Created

► Incident WorkFlow Reco

Incident WorkFlow Table

Run Start Time UTC

Run Start Date/Time

ServiceNow

Auto Classify School IT Tickets

Create INC00010

Form Design

Project Update S

Ask Gen

06595.service-now.com/now/workflow-studio/builder%3Ftable%3Dsys_hub_flow%26sysId%3D647ee6ca93ef03101bba704efaba1006%26

Auto Classify School IT Tickets

Flow • Global

Inactive

View: [Diagram] [Code]

Test

Workflow Created where (Category is)

le

i or Network *

If

Condition Label: SD is Wifi or Network

Condition 1: Drag and drop a data pill [is] [or] [and]

Add another condition set(OR)

Delete Cancel Done

Data Collapse All

Flow Variables

Trigger - Record Created

Incident Workflow Reco

Incident Workflow Table

Run Start Time UTC

Run Start Date/Time

1 - If

2 - If

ation: Global

Search

W

ENG IN

ServiceNow

Auto Classify School IT Tickets

Create INC00010

Form Design

Project Update S

Ask Gen

06595.service-now.com/now/workflow-studio/builder%3Ftable%3Dsys_hub_flow%26sysId%3D647ee6ca93ef03101bba704efaba1006%26

Auto Classify School IT Tickets

Flow • Global

Inactive

View: [Diagram] [Code]

Test

Workflow Created where (Category is)

le

i or Network *

If

Condition Label: SD is Wifi or Network

Condition 1: Trigger - ... Short Descri... Wi-Fi or and

OR

Condition 2: Trigger - ... Short Descri... Network or and

Data

Collapse All

Flow Variables

Trigger - Record Created

Incident WorkFlow Reco

Incident WorkFlow Table

Run Start Time UTC

Run Start Date/Time

1 - If

2 - If

ation: Global

Search

Icons: File Explorer, VS Code, Edge, Word, Chrome, WhatsApp

System Tray: Network, Volume, Bluetooth, Refresh, Language (ENG IN)

Auto Classify School IT Tickets

Inactive

Workflow Created where (Category is)

or Network *

If SD is Wifi or Network

×

➔ Action

⚙️ Flow Logic

🔗 Subflow

ion, Flow Logic, or Subflow

our flow, the actions you add here will run.

Data Collapse All

▶ Flow Variables

▼ Trigger - Record Created

▶ Incident WorkFlow Reco

Incident WorkFlow Table

Run Start Time UTC

Run Start Date/Time

▶ 1 - If

▶ 2 - If

Auto Classify School IT Tickets

Inactive

View: [List View] [Grid View] [Test] [Dropdown]

If SD is Wifi or Network

then Update Incident WorkFlow Record

Action Properties

Action: Update Record

Action Inputs

* Record: Trigger... Incident WorkFlow... [X] [Icon] [Icon]

* Table: Incident WorkFlow [u_incident_w... [X] [Icon] [Icon]

* Fields:

Category	[X]	Network	[Icon] [Icon] [Minus]
SubCategory	[X]	Wi-Fi	[Icon] [Icon] [Minus]

+ Add field value

Data

Collapse All

- Flow Variables
- Trigger - Record Created
 - Incident WorkFlow Reco
 - Incident WorkFlow Table
 - Run Start Time UTC
 - Run Start Date/Time
- 1 - If
- 2 - If
- 3 - Update Record
 - Incident WorkFlow Reco
 - Incident WorkFlow Table
 - Action Status

ation: Global

ServiceNow

Auto Classify School IT Tickets

Create INC00010

Form Design

Project Update

Ask Gen

06595.service-now.com/now/workflow-studio/builder%3Ftable%3Dsys_hub_flow%26sysId%3D647ee6ca93ef03101bba704efaba1006%26

Auto Classify School IT Tickets

Flow • Global

Inactive

Test

If SD is Wifi or Network

then

Update Incident WorkFlow Record

SD is Projector or Hardware

Trigger - ... Short Descri... is Projector or and

Collapse Action 4 - Else If

Data

Collapse All

Flow Variables

Trigger - Record Created

Incident WorkFlow Reco

Incident WorkFlow Table

Run Start Time UTC

Run Start Date/Time

1 - If

2 - If

3 - Update Record

Incident WorkFlow Reco

Incident WorkFlow Table

Action Status

Global

Search


W

ENG IN

Auto Classify School IT Tickets

Inactive

View: [Diagram] [Code] [Test] [Dropdown]



Data [Collapse All](#)

- ▶ Flow Variables
- ▼ Trigger - Record Created
 - ▶ Incident WorkFlow Reco
 - ▶ Incident WorkFlow Table
 - ▶ Run Start Time UTC
 - ▶ Run Start Date/Time
- ▶ 1 - If
- ▶ 2 - If
- ▼ 3 - Update Record
 - ▶ Incident WorkFlow Reco
 - ▶ Incident WorkFlow Table
 - ▶ Action Status

Auto Classify School IT Tickets

Inactive

Projector or Hardware

Update Incident WorkFlow Record

Properties

Action: Update Record

Inputs

* Record: Trigger... Incident WorkFlow...

* Table: Incident WorkFlow [u_incident_w...]

* Fields:

Category	X	Hardware		
SubCategory	X	Projector		

+ Add field value

Data


Collapse All

- Flow Variables
- Trigger - Record Created
 - Incident WorkFlow Reco
 - Incident WorkFlow Table
 - Run Start Time UTC
 - Run Start Date/Time
- 1 - If
- 2 - If
- 3 - Update Record
 - Incident WorkFlow Reco
 - Incident WorkFlow Table
 - Action Status

Auto Classify School IT Tickets

Inactive

View: [Diagram View] [Code View] [Test]



Data

Collapse All

- Flow Variables
- Trigger - Record Created
 - Incident WorkFlow Reco
 - Incident WorkFlow Table
 - Run Start Time UTC
 - Run Start Date/Time
- 1 - If
- 2 - If
- 3 - Update Record
 - Incident WorkFlow Reco
 - Incident WorkFlow Table
 - Action Status

Auto Classify School IT Tickets

Inactive

View:

Test

Projector or Hardware

Update Incident WorkFlow Record

Forgot Password

ion, Flow Logic, or Subflow

our flow, the actions you add here will run.

Data [Collapse All](#)

► Flow Variables

▼ Trigger - Record Created

► Incident WorkFlow Reco

Incident WorkFlow Table

Run Start Time UTC

Run Start Date/Time

► 1 - If

► 2 - If

▼ 3 - Update Record

► Incident WorkFlow Reco

Incident WorkFlow Table

► Action Status

Auto Classify School IT Tickets

Inactive

Inputs

Action: Update Record

* Record: Trigger... Incident WorkFlow... [X] [Icons]

* Table: Incident WorkFlow [u_incident_w... [X] [Icons]

* Fields:

Category	X	Access	[Icons]	[Minus]
SubCategory	X	Forget Password	[Icons]	[Minus]

+ Add field value

Delete Cancel Done

Data [Collapse All](#)

- ▶ Flow Variables
- ▼ Trigger - Record Created
 - ▶ Incident WorkFlow Reco
 - Incident WorkFlow Table
 - Run Start Time UTC
 - Run Start Date/Time
- ▶ 1 - If
- ▶ 2 - If
- ▼ 3 - Update Record
 - ▶ Incident WorkFlow Reco
 - Incident WorkFlow Table
 - Action Status

ServiceNow

Auto Classify School IT Tickets

Create INC00010

Form Design

Project Update S

Ask Gen

06595.service-now.com/now/workflow-studio/builder%3Ftable%3Dsys_hub_flow%26sysId%3D647ee6ca93ef03101bba704efaba1006%26

Auto Classify School IT Tickets

Flow • Global

Inactive

View: [Diagram] [Code]

Test

Update Incident WorkFlow Record

SD is Performance

Condition 1: Trigger - ... Short Descri... is Slow Computer or and

Add another condition set(OR)

Data

Collapse All

Flow Variables

Trigger - Record Created

Incident WorkFlow Reco

Incident WorkFlow Table

Run Start Time UTC

Run Start Date/Time

1 - If

2 - If

3 - Update Record

Incident WorkFlow Reco

Incident WorkFlow Table

Action Status

Global

Auto Classify School IT Tickets

Inactive

View: [Diagram View] [Code View] [Test]

Performance *

Performance

Update Incident WorkFlow Record ⓘ

?

ion, Flow Logic, or Subflow

our flow, the actions you add here will run.

n: Global

Data Collapse All

- ▶ 4 - Else If
- ▼ 5 - Update Record
 - ▶ Incident WorkFlow Reco
 - ▶ Incident WorkFlow Table
 - ▶ Action Status
- ▶ 6 - Else If
- ▼ 7 - Update Record
 - ▶ Incident WorkFlow Reco
 - ▶ Incident WorkFlow Table
 - ▶ Action Status
- ▶ 8 - Else If
- ▶ 9 - Else If

ServiceNow

Auto Classify School IT Tickets

Create INC00010

Form Design

Project Update

Ask Gen

06595.service-now.com/now/workflow-studio/builder%3Ftable%3Dsys_hub_flow%26sysId%3D647ee6ca93ef03101bba704efaba1006%26

Auto Classify School IT Tickets

Flow • Global

Test

Are you sure you want to activate the flow?

Your flow will start running when the trigger conditions are met.

☐ Don't show me this again

Cancel

Activate

Data

Collapse All

4 - Else If

5 - Update Record

Incident WorkFlow Reco

Incident WorkFlow Table

Action Status

6 - Else If

7 - Update Record

Incident WorkFlow Reco

Incident WorkFlow Table

Action Status

8 - Else If

9 - Else If

ion, Flow Logic, or Subflow

our flow, the actions you add here will run.

Global

Search

VS Code

Edge

File Explorer

Outlook

Word

Chrome

WhatsApp

ENG IN

Number

INC0001003

Caller

Category

-- None --

Category

-- None --

Description

Network not working in library

Description

State

-- None --

Assigned Group

Assigned to

ServiceNow

Auto Classify Sch

INC0001003 | Inc

Form Design

Project Update S

Ask Gen

06595.service-now.com/now/workflow-studio/builder%3Ftable%3Dsys_hub_flow%26sysId%3D647ee6ca93ef03101bba704efaba1006%26

Auto Classify School IT Ticket
Flow • Global

Deactivate

Collapse All

ables

Record Created

nt WorkFlow Reco

nt WorkFlow Table

art Time UTC

art Date/Time

mail

email

Action Status

ation: Global

our flow, the actions you add here will run.

Test flow

×

Run your flow to make sure it has no errors before you activate it. When the test finishes running, check the execution details to see each action's configuration, runtime values, and the log messages for any errors that occurred.

* Incident WorkFlow Record

INC0001004

×

🔍

+

ℹ️

Create new record

☐ Run test in background ⓘ

Cancel

Run Test

Auto Classify School IT Tickets
Flow • Global

Auto Classify School IT Tickets
Flow execution • None

+

Auto Classify School IT Tickets

Test Run - Completed ●

Open flow

	State	Start time
Run as: System Administrator Open flow logs	Completed	2026-09-27 00:3

Workflow Created

[Open current record](#)

Completed 2026-09-27 00:3

orkFlows Number Search Actions on sel

Caller	Category	SubCategory	State	Assigned to	Assigned Group	Short Description
Abraham Lincoln				(empty)	(empty)	Network Issue
(empty)				(empty)	(empty)	Network not working in libra

Auto Classify School IT Tickets

Test Run - Completed ● [Open flow](#)

	State	Start time
Run as: System Administrator Open flow logs	Completed	2026-09-27 00:3

Workflow Created

[Open current record](#)

Information

NAME	VALUE
Source	Flow Designer Test

Condition Details

NAME	RUNTIME VALUE	CONFIGURATION	TYPE
n	u_choice_4=	u_choice_4=	conditi
	u_incident_workflow	u_incident_workflow	table_
_in	any	any	choice
extended	false	false	choice