

SOURCE CODE

```
<!DOCTYPE html>
<html class="wide wow-animation" lang="en">

<head>
  <title>Home</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, height=device-height, initial-
scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <script src="/cdn-cgi/apps/head/3ts2ksMwXvKRuG480KNifJ2_JNM.js"></script>
  <link rel="icon" href="images/favicon.ico" type="image/x-icon">
  <link                                rel="stylesheet"                                type="text/css"
href="//fonts.googleapis.com/css?family=Oswald:200,300,400,500,700%7CMontserrat:400,5
00,600">
  <link rel="stylesheet" href="css/bootstrap.css">
  <link rel="stylesheet" href="css/fonts.css">
  <link rel="stylesheet" href="css/style.css">
  <script                                src="https://kit.fontawesome.com/1fb451dce7.js"
crossorigin="anonymous"></script>
<style>
  .ie-panel {
    display: none;
    background: #212121;
    padding: 10px 0;
    box-shadow: 3px 3px 5px 0 rgba(0, 0, 0, .3);
    clear: both;
    text-align: center;
    position: relative;
    z-index: 1;
  }
```

```

        html.ie-10 .ie-panel,
        html.lt-ie-10 .ie-panel {
            display: block;
        }
    </style>
</head>

<body>
    <div class="ie-panel"><a href="https://windows.microsoft.com/en-US/internet-explorer/"></a></div>
    <div class="preloader">
        <div class="preloader-body">
            <div class="cssload-container">
                <div class="cssload-speeding-wheel"></div>
            </div>
            <p>Loading...</p>
        </div>
    </div>
    <div class="page">
        <header class="section page-header">
            <!--RD Navbar-->
            <div class="rd-navbar-wrap">
                <nav class="rd-navbar rd-navbar-classic" data-layout="rd-navbar-fixed" data-sm-layout="rd-navbar-fixed" data-md-layout="rd-navbar-fixed" data-md-device-layout="rd-navbar-fixed" data-lg-layout="rd-navbar-static" data-lg-device-layout="rd-navbar-static" data-xl-layout="rd-navbar-static" data-xl-device-layout="rd-navbar-static" data-xxl-stick-up-offset="46px" data-xxl-stick-up="true" data-xxl-stick-up="true">
                    <div class="rd-navbar-collapse-toggle rd-navbar-fixed-element-1" data-rd-navbar-toggle=".rd-navbar-collapse"><span></span></div>
                    <div class="rd-navbar-main-outer">

```

```

<div class="rd-navbar-main">
  <!--RD Navbar Panel-->
  <div class="rd-navbar-panel">
    <!--RD Navbar Toggle-->
    <button class="rd-navbar-toggle" data-rd-navbar-toggle=".rd-navbar-nav-
wrap"><span></span></button>
    <!--RD Navbar Brand-->
    <div class="rd-navbar-brand">
      <!--Brand--><h2 style="color:white">TOURIST GUIDE BOOK</h2>
    </div>
  </div>
  <div class="rd-navbar-main-element">
    <div class="rd-navbar-nav-wrap">
      <ul class="rd-navbar-nav">
        <li class="rd-nav-item active"><a class="rd-nav-link"
href="index.php">Home</a> </li>
        <li class="rd-
nav-item"><a class="rd-nav-link" href="guide.php">Guide</a></li>
        <li class="rd-nav-item"><a class="rd-nav-link"
href="user.php">User</a></li>
      </ul>
    </div>
    <!--RD Navbar Search-->
    <div class="rd-navbar-search">
      </div>
    </div>
  </div>

```

```

        </div>
    </nav>
</div>
</header>
<!--Swiper-->
<section class="section swiper-container swiper-slider swiper-slider-1" data-
swiper="{ 'loop': 'true', 'dataTouch': false, 'autoplay': { 'delay': 5000 } }">
    <div class="swiper-wrapper text-center">
        <div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-1.jpg">
            <div class="swiper-slide-caption section-md">
                <div class="container">
                    <div class="row justify-content-lg-center">
                        <div class="col-lg-8">
                            <div class="intro-box">
                                <div class="intro-box__floating-text">Journey</div>
                                <div class="intro-box__title"><span data-caption-
animate="fadeInUp" data-caption-delay="200">Exploring</span><span data-caption-
animate="fadeInUp" data-caption-delay="300">the world</span></div>
                                <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        <div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-2.jpg">
            <div class="swiper-slide-caption section-md">
                <div class="container">
                    <div class="row justify-content-lg-center">
                        <div class="col-lg-8">
                            <div class="intro-box">
                                <div class="intro-box__floating-text">Journey</div>

```

```

                <div                class="intro-box__title"><span                data-caption-
animate="fadeInUp"                data-caption-delay="200">Best</span><span                data-caption-
animate="fadeInUp" data-caption-delay="300">Destinations</span></div>
                <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
            </div>
        </div>
    </div>
</div>
<div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-3.jpg">
    <div class="swiper-slide-caption section-md">
        <div class="container">
            <div class="row justify-content-lg-center">
                <div class="col-lg-8">
                    <div class="intro-box">
                        <div class="intro-box__floating-text">Journey</div>
                        <div                class="intro-box__title"><span                data-caption-
animate="fadeInUp"                data-caption-delay="200">Memorable</span><span                data-caption-
animate="fadeInUp" data-caption-delay="300">Experiences</span></div>
                        <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<!--Swiper Pagination-->
<div class="swiper-pagination"></div>

```

```

<!--Swiper Navigation-->
<div class="swiper-button-prev fa-arrow-left"></div>
<div class="swiper-button-next fa-arrow-right"></div>
</section>
<!--Way to Travel-->
<section class="section section-custom-1 bg-image-1">
  <div class="container">
    <div class="row row-30">
      <div class="col-xl-5">
        <h2><span class="wow fadeInLeft d-xl-block">Explore a
different</span><span class="wow fadeInLeft d-xl-block" data-wow-delay=".2s">way to
travel</span></h2>
        <p class="wow fadeInLeft offset-xl" data-wow-delay=".3s">Discover new
cultures and have a wonderful rest with Backpack Story! Select the country you'd like to visit
and provide our agents with estimated time – they'll find and offer the most suitable tours and
hotels.</p>
        <p class="wow fadeInLeft" data-wow-delay=".4s">During our work, we
organized countless journeys for our clients. We started as a small tour bureau, and soon we
expanded our offers list. Today we have valuable experience travelling and we can advise the
most stunning resorts,
        cities and countries to visit!</p>
        <div class="offset-top-25 wow fadeInUp" data-wow-delay=".5s">
        </div>
      </div>
      <div class="col-xl-7">
        <div class="image-box inset-xl-1 wow fadeInUp">
          <div class="image-box__static">
          </div>
          <div class="image-box__float">
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
    </div>
</div>
</section>
<!--Call to action creative-->
<section class="section bg-image-2 section-lg">
    <div class="container">
        <div class="row row-30 flex-column-reverse flex-lg-row">
            <div class="col-lg-4 d-flex flex-column justify-content-lg-center justify-content-
xl-end wow fadeInLeft z-index align-items-center"><a class="floating-video-box"
href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-lightgallery="item"><span
class="icon fa fa-play"></span></a></div>
            <div class="col-lg-8 column-bg-1">
                <div class="quote-classic-wrap">
                    <div class="heading-4 wow fadeInUp">At Backpack Story, we personally
plan and create all our tours to offer flexibility and unique impressions that you won't get
anywhere else. Moreover, each tour is tailor-made for our customers to provide the experience
they
                    are looking for.</div>
                    <p class="font-italic wow fadeInUp" data-wow-delay=".2s">John Wilson,
Agency director</p>
                </div>
            </div>
        </div>
    </div>
</section>
<!--Advantages-->
<section class="section section-md bg-default">
    <div class="container">
        <div class="row row-30">
            <div class="col-lg-4 wow fadeInUp" data-wow-delay=".2s">
                <h2><a href="#">01. best Hotels</a></h2>

```

<p class="offset-xl">We guarantee the best hotels and very comfortable rooms, which will be appreciated by every traveller. You will be absolutely happy with the hotel and will have a wonderful vacation there.</p>

</div>

<div class="col-lg-4 wow fadeInUp" data-wow-delay=".3s">

<h2>02. Tourist Guide</h2>

<p class="offset-xl">We provide our clients with such a service as Tourist Guide. Its main goal is to ensure people with all necessary information any time it's needed. This service is similar to Customer Support with emphasis on travelling.</p>

</div>

<div class="col-lg-4 wow fadeInUp" data-wow-delay=".4s">

<h2>03. Flights Tickets</h2>

<p class="offset-xl">You can book tickets on any plane online via our booking system. Here you have an opportunity to select your transport operator. Our representatives will help you with the details.</p>

</div>

</div>

</div>

</section>

<!--Tours-->

<section class="section section-lg bg-image-3">

<div class="creative-bg">

<div class="container">

<div class="row row-30 justify-content-center" data-lightgallery="group">

<div class="d-flex col-sm-6 col-lg-4 ordex-xl-1 order-1 wow fadeInLeft">

<div class="info-box-classic__description">

<div class="heading-4">Canada</div>from\$540

</div></div>

<div class="col-sm-12 col-lg-4 order-3 order-xl-2">

<div class="row row-30">


```
<div class="col-lg-12 col-sm-6 wow fadeInUp" data-wow-delay=".2s"><a
class="info-box-classic" href="images/home-gallery-2-1200x800-original.jpg" data-
lightgallery="item">
```

```
<div class="info-box-classic__description">
<div class="heading-4">India</div><span>from</span><span
class="price">$330</span>
</div></a></div>
```

```
<div class="col-lg-12 col-sm-6 wow fadeInUp" data-wow-delay=".3s"><a
class="info-box-classic" href="images/home-gallery-3-1200x800-original.jpg" data-
lightgallery="item">
```

```
<div class="info-box-classic__description">
<div class="heading-4">China</div><span>from</span><span
class="price">$500</span>
</div></a></div>
```

```
</div>
```

```
</div>
```

```
<div class="d-flex col-sm-6 col-lg-4 ordex-xl-3 order-md-2 wow fadeInRight"
data-wow-delay=".4s"><a class="info-box-classic" href="images/home-gallery-4-1200x800-
original.jpg" data-lightgallery="item">
```

```
<div class="info-box-classic__description">
<div class="heading-4">Paris</div><span>from</span><span
class="price">$720</span>
</div></a></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!--Info Section-->
```

```
<section class="section section-md bg-default">
```

```
<div class="container">
```

```
<h2>Start your journey!</h2>
```

```
<div class="row row-40 offset-lg">
```

```
<div class="col-xl-6 wow fadeInLeft">
```

```
<p>Let us curate an inspiring experience as you enjoy a personally-themed  
adventure with a professional guide catered to your interests. Whether a one-day trip or multi-  
trip journey, you'll be privileged to enjoy this ultimate luxury
```

```
to explore Europe with an expert, as well as the unique bird's eye views from  
a helicopter in Europe, including Rome, the Dalmation Coast, Paris, Prague and 20 top  
destinations.</p>
```

```
</div>
```

```
<div class="col-xl-3 col-sm-6 wow fadeInUp">
```

```
<ul class="list-marked">
```

```
<li>First-class flights</li>
```

```
<li>5-star accommodation</li>
```

```
<li>All-inclusive packages</li>
```

```
<li>Car hire</li>
```

```
<li>Handpicked hotels</li>
```

```
</ul>
```

```
</div>
```

```
<div class="col-xl-3 col-sm-6 wow fadeInUp">
```

```
<ul class="list-marked">
```

```
<li>Leisure travel</li>
```

```
<li>Travel insurance</li>
```

```
<li>Emergency services</li>
```

```
<li>Incentive programs</li>
```

```
<li>Visas</li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<section class="section section-lg bg-image-4">
```

```
<div class="container">
```

```
<div class="row justify-content-xl-end">
```

```
<div class="col-xl-9 column-bg-2">
```

```

<div class="quote-classic-wrap">
  <div class="heading-4 wow fadeInUp">Our team makes every effort to
  deliver outstanding tour services for our numerous clients. With us, you can experience even
  the most exotic destinations in all their beauty.</div>
  <p class="font-italic wow fadeInUp" data-wow-delay=".2s">Jane Peters,
  Tour consultant</p>
</div>
</div>
</div>
</div>
</section>
<!--Blog Post-->
<section class="section section-lg">
  <div class="container">
    <h2 class="text-center text-md-left">Our blog posts</h2>
    <div class="row row-30">
      <div class="col-lg-4 col-md-6">
        <div class="post-classic"><a class="post-classic__media" href="#"></a>
        <div class="post-classic-caption"><span>January 1, 2021</span>
        <h5><a href="#">5 PLACES TO VISIT THIS WINTER</a></h5>
        <p>New Year and Christmas holidays is a great occasion to travel
somewhere. You can either go somewhere with you family or friends, or even alone....</p>
      </div>
    </div>
    </div>
    <div class="col-lg-4 col-md-6">
      <div class="post-classic"><a class="post-classic__media" href="#"></a>
      <div class="post-classic-caption"><span>January 1, 2021</span>
      <h5><a href="#">Budget Trips for Winter Break</a></h5>
      <p>Budget trip doesn't mean boring! There are numerous places worth
visiting even if you don't have much money. The golden sands of Florida and California...</p>
    </div>

```

[illegible]

```

        <input class="form-input" id="subscribe-form-email-5" type="email"
name="email" data-constraints="@Email @Required">
        <label class="form-label" for="subscribe-form-email-5">Enter your e-
mail</label>

        <div class="form-button">
            <button class="button button-primary fa fa-chevron-circle-right"
type="submit"></button>
        </div>
    </div>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
<div class="footer-classic-aside">
    <div class="container">
        <div class="row justify-content-between flex-column-reverse flex-md-row row-
20">

            <div class="col-xl-6 col-md-8">
                <div class="footer-classic-aside__group">
                    <!--Brand--><h2 style="color:white">TOURIST GUIDE BOOK</h2>
                    <p
class="rights"><span>Copyright</span><span>&nbsp;</span><span>&copy;&nbsp;</span>
><span      class="copyright-year"></span><span>&nbsp;</span><span>All      Rights
Reserved</span></p>
                </div>
            </div>
            <div class="col-xl-3 col-md-4">
                <ul class="social-list">
                    <li class="wow fadeInUp" data-wow-delay=".1s"><a href="#"><span
class="icon fa fa-facebook"></span></a></li>
                    <li class="wow fadeInUp" data-wow-delay=".2s"><a href="#"><span
class="icon fa fa-twitter"></span></a></li>

```

```
        <li class="wow fadeInUp" data-wow-delay=".3s"><a href="#"><span
class="icon fa fa-instagram"></span></a></li>
```

```
        <li class="wow fadeInUp" data-wow-delay=".4s"><a href="#"><span
class="icon fa fa-pinterest"></span></a></li>
```

```
    </ul>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</footer>
```

```
</div>
```

```
<div class="snackbars" id="form-output-global"></div>
```

```
<script src="js/core.min.js"></script>
```

```
<script src="js/script.js"></script>
```

```
<!--LIVEDEMO_00 -->
```

```
<script type="text/javascript">
```

```
  var _gaq = _gaq || [];
```

```
  _gaq.push(['_setAccount', 'UA-7078796-5']);
```

```
  _gaq.push(['_trackPageview']);
```

```
  (function() {
```

```
    var ga = document.createElement('script');
```

```
    ga.type = 'text/javascript';
```

```
    ga.async = true;
```

```
    ga.src = ('https:' == document.location.protocol ? 'https://ssl' : 'https://www') + '.google-
analytics.com/ga.js';
```

```
    var s = document.getElementsByTagName('script')[0];
```

```
    s.parentNode.insertBefore(ga, s);
```

```
  })();
```

```
</script>
```

```
<!-- Google Tag Manager --><noscript><iframe
src="//www.googletagmanager.com/ns.html?id=GTM-P9FT69" height="0" width="0"
style="display:none;visibility:hidden"></iframe></noscript>
```

```
<script>
(function(w, d, s, l, i) {
  w[l] = w[l] || [];
  w[l].push({
    'gtm.start': new Date().getTime(),
    event: 'gtm.js'
  });
  var f = d.getElementsByTagName(s)[0],
      j = d.createElement(s),
      dl = l != 'dataLayer' ? '&l=' + l : '';
  j.async = true;
  j.src = '//www.googletagmanager.com/gtm.js?id=' + i + dl;
  f.parentNode.insertBefore(j, f);
})(window, document, 'script', 'dataLayer', 'GTM-P9FT69');
</script>
```

```
<!-- End Google Tag Manager -->
</body>
```

```
</html>
```

```
<?php
```

```
$servername="localhost";
```

```
$username = "root";
```

```
$password = "";
```

```
$mydb = "guide_book";
```

```
$conn = mysqli_connect($servername,$username,$password,$mydb);
```

```
if(!$conn){
```

```
die("cant reach database" .mysqli_connect_error());
```

```
}
```

```
?>
```

```
<?php
    include("dbconnect.php");
    extract($_POST);
    session_start();
    if(isset($_POST['btn']))
    {

        $file_name=$_FILES['img']['name'];
        $file_loc=$_FILES['img']['tmp_name'];
        $folder = "upload/";

        $path=move_uploaded_file($file_loc,$folder.$file_name);
        $img=$file_name;

        $qry=mysqli_query($conn,"insert                into                guides
        values(',$gname','$place','$amnt','$address','$phone','$email','$lang','$uname','$psw','$img')")
        ;
        if($qry)
        {

            echo "<script>alert('Register sucessfully');</script>";
        }
        else
        {
            echo "<script>alert('Data Not Save');</script>";

        }
    }

?>
```



```

<!DOCTYPE html>
<html class="wide wow-animation" lang="en">

<head>
  <title>Home</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, height=device-height, initial-
scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <script src="/cdn-cgi/apps/head/3ts2ksMwXvKRuG480KNifJ2_JNM.js"></script>
  <link rel="icon" href="images/favicon.ico" type="image/x-icon">
  <link
                                rel="stylesheet"
                                type="text/css"
href="//fonts.googleapis.com/css?family=Oswald:200,300,400,500,700%7CMontserrat:400,5
00,600">
  <link rel="stylesheet" href="css/bootstrap.css">
  <link rel="stylesheet" href="css/fonts.css">
  <link rel="stylesheet" href="css/style.css">
  <script
                                src="https://kit.fontawesome.com/1fb451dce7.js"
crossorigin="anonymous"></script>
  <style>

    .ie-panel {
      display: none;
      background: #212121;
      padding: 10px 0;
      box-shadow: 3px 3px 5px 0 rgba(0, 0, 0, .3);
      clear: both;
      text-align: center;
      position: relative;
      z-index: 1;
    }

```

```
html.ie-10 .ie-panel,  
html.lt-ie-10 .ie-panel {  
    display: block;  
}
```

```
body {  
    font-family: Arial, sans-serif;  
    background-color: #f0f2f5;  
  
}
```

```
.login-container {  
    background-color: #fff;  
    padding: 30px;  
    border-radius: 20px;  
    box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);  
    width: 820px;  
  
}
```

```
.login-container h1 {  
    font-size: 24px;  
    margin-bottom: 20px;  
}
```

```
.input-group {  
    margin-bottom: 20px;  
}
```

```
.input-group label {  
    display: block;  
  
}
```

```
.input-group input,textarea {  
    width: 100%;  
    padding: 10px;  
    border: 1px solid #ccc;  
    border-radius: 10px;  
    font-size: 16px;  
}
```

```
.input-group input[type="submit"] {  
    background-color: #1877f2;  
    color: #fff;  
    cursor: pointer;  
        text-align:center;  
        position:relative;  
        left:10px;  
  
}
```

```
.input-group input[type="submit"]:hover {  
    background-color: #166fe5;  
}
```

```
.forgot-password {  
    color: #1877f2;  
    text-decoration: none;  
    font-size: 14px;  
}
```

```
</style>
```

```
</head>
```

```
</head>
```

```
<body>
```

```
<div class="ie-panel"><a href="https://windows.microsoft.com/en-US/internet-explorer/"></a></div>
```

```
<div class="preloader">
```

```
<div class="preloader-body">
```

```
<div class="cssload-container">
```

```
<div class="cssload-speeding-wheel"></div>
```

```
</div>
```

```
<p>Loading...</p>
```

```
</div>
```

```
</div>
```

```
<div class="page">
```

```
<header class="section page-header">
```

```
<!--RD Navbar-->
```

```
<div class="rd-navbar-wrap">
```

```
<nav class="rd-navbar rd-navbar-classic" data-layout="rd-navbar-fixed" data-sm-layout="rd-navbar-fixed" data-md-layout="rd-navbar-fixed" data-md-device-layout="rd-navbar-fixed" data-lg-layout="rd-navbar-static" data-lg-device-layout="rd-navbar-static"
```

```
data-xl-layout="rd-navbar-static" data-xl-device-layout="rd-navbar-static" data-lg-stick-up-offset="46px" data-xl-stick-up-offset="46px" data-xxl-stick-up-offset="46px" data-lg-stick-up="true" data-xl-stick-up="true" data-xxl-stick-up="true">
```

```
<div class="rd-navbar-collapse-toggle rd-navbar-fixed-element-1" data-rd-navbar-toggle=".rd-navbar-collapse"><span></span></div>
```

```
<div class="rd-navbar-main-outer">
```

```
<div class="rd-navbar-main">
```

```
<!--RD Navbar Panel-->
```

```
<div class="rd-navbar-panel">
```

```
<!--RD Navbar Toggle-->
```

```
<button class="rd-navbar-toggle" data-rd-navbar-toggle=".rd-navbar-nav-wrap"><span></span></button>
```

```
<!--RD Navbar Brand-->
```

```
<div class="rd-navbar-brand">
```

```
<!--Brand--><h2 style="color:white">TOURIST GUIDE BOOK</h2>
```

```

        </div>
    </div>
    <div class="rd-navbar-main-element">
        <div class="rd-navbar-nav-wrap">
            <ul class="rd-navbar-nav">
                <li class="rd-nav-item"><a class="rd-nav-link"
href="index.php">Home</a> </li>

                <li class="rd-
nav-item active"><a class="rd-nav-link" href="guide.php">Guide</a></li>

                <li class="rd-nav-item"><a class="rd-nav-link"
href="user.php">User</a></li>

            </ul>
        </div>
        <!--RD Navbar Search-->
        <div class="rd-navbar-search">

        </div>
    </div>
</div>
</div>
</div>
</div>
</nav>
</div>
</header>
<!--Swiper-->
<section class="section swiper-container swiper-slider swiper-slider-1" data-
swiper='{ "loop": "true", "dataTouch": false, "autoplay": { "delay": 5000 } }'>
    <div class="swiper-wrapper text-center">
        <div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-1.jpg">
            <div class="swiper-slide-caption section-md">

```

```

<div class="container">
  <div class="row justify-content-lg-center">
    <div class="col-lg-8">
      <div class="intro-box">
        <div class="intro-box__floating-text">Journey</div>
        <div class="intro-box__title"><span data-caption-
animate="fadeInUp" data-caption-delay="200">Exploring</span><span data-caption-
animate="fadeInUp" data-caption-delay="300">the world</span></div>
        <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
      </div>
    </div>
  </div>
</div>
<div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-2.jpg">
  <div class="swiper-slide-caption section-md">
    <div class="container">
      <div class="row justify-content-lg-center">
        <div class="col-lg-8">
          <div class="intro-box">
            <div class="intro-box__floating-text">Journey</div>
            <div class="intro-box__title"><span data-caption-
animate="fadeInUp" data-caption-delay="200">Best</span><span data-caption-
animate="fadeInUp" data-caption-delay="300">Destinations</span></div>
            <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

    </div>
</div>
<div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-3.jpg">
    <div class="swiper-slide-caption section-md">
        <div class="container">
            <div class="row justify-content-lg-center">
                <div class="col-lg-8">
                    <div class="intro-box">
                        <div class="intro-box__floating-text">Journey</div>
                        <div class="intro-box__title"><span data-caption-
animate="fadeInUp" data-caption-delay="200">Memorable</span><span data-caption-
animate="fadeInUp" data-caption-delay="300">Experiences</span></div>
                        <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
<!--Swiper Pagination-->
<div class="swiper-pagination"></div>
<!--Swiper Navigation-->
<div class="swiper-button-prev fa-arrow-left"></div>
<div class="swiper-button-next fa-arrow-right"></div>
</section>
<!--Way to Travel-->

<!--Call to action creative-->

<!--Tours-->
<br /><br /><br /><br />

```

```

<div class="login-container">
  <h1>Add Guide Details</h1>
  <form method="POST" enctype="multipart/form-data">
    <div class="input-group">
      <label for="email">Guide Name</label>
      <input type="text" placeholder="Enter Guide Name" name="gname" required>
    </div>
    <div class="input-group">
      <label for="password">Per Day Amount</label>
      <input type="text" placeholder="Enter Amount Per day" name="amnt" required>
    </div>

    <div class="input-group">
      <label for="password">Place</label>
      <textarea placeholder="Enter Places He knows" name="place"
required></textarea>
    </div>

    <div class="input-group">
      <label for="password">Known Languages</label>
      <textarea placeholder="Enter Places He knows" name="lang" required></textarea>
    </div>

    <div class="input-group">
      <label for="password">Location</label>
      <input type="text" placeholder="Enter Location"
name="address" required>
    </div>

    <div class="input-group">
      <label for="password">Profile Pic</label>
      <input type="file" name="img" required>

```


</div>

```
    <div class="input-group">
      <label for="password">Email Address</label>
      <input type="text" placeholder="Enter Email Address" name="email" required>
    </div>
```

```
    <div class="input-group">
      <label for="password">Mobile</label>
      <input type="text" placeholder="Enter Mobile Number" name="phone" required>
    </div>
```

```
    <div class="input-group">
      <label for="email">Username</label>
      <input type="text" placeholder="Enter Your Username" name="uname" required>
    </div>
```

```
    <div class="input-group">
      <label for="email">Password</label>
      <input type="text" placeholder="Enter Your Password" name="psw" required>
    </div>
```

```
    <div class="input-group">
      <input type="submit" value="Log In" name="btn">
    </div>
```

</form>

</div>

<!--Info Section-->

<!--Blog Post-->

<!--Footer-->

<footer class="section footer-classic context-dark" >

<div class="container" >

<div class="row row-narrow-40 row-30" >

<div class="col-lg-6 text-center wow fadeInLeft" data-wow-delay=".1s" ">

<div class="footer-media" style="box-shadow: 0px 0px white">

</div>

</div>

<div class="col-lg-6 wow fadeInRight" data-wow-delay=".2s">

<div class="footer-classic_subscribe">

<h2>Newsletter Signup</h2>

<h5 class="text-primary">SIGN UP NOW TO RECEIVE HOT SPECIAL
OFFERS AND INFORMATION ABOUT THE BEST TOURS!</h5>

<form class="rd-form rd-mailform rd-form-inline subscribe-form" data-
form-output="form-output-global" data-form-type="subscribe" method="post"
action="bat/rd-mailform.php">

<div class="form-wrap">

<input class="form-input" id="subscribe-form-email-5" type="email"
name="email" data-constraints="@Email @Required">

<label class="form-label" for="subscribe-form-email-5">Enter your e-
mail</label>

<div class="form-button">

<button class="button button-primary fa fa-chevron-circle-right"
type="submit"></button>

</div>

</div>

</form>

</div>

</div>

```

    </div>
</div>
<div class="footer-classic-aside">
    <div class="container">
        <div class="row justify-content-between flex-column-reverse flex-md-row row-
20">
            <div class="col-xl-6 col-md-8">
                <div class="footer-classic-aside__group">
                    <!--Brand--><h2 style="color:white">TOURIST GUIDE BOOK</h2>
                    <p
class="rights"><span>Copyright</span><span>&nbsp;</span><span>&copy;&nbsp;</span>
><span      class="copyright-year"></span><span>&nbsp;</span><span>All      Rights
Reserved</span></p>
                </div>
            </div>
            <div class="col-xl-3 col-md-4">
                <ul class="social-list">
                    <li class="wow fadeInUp" data-wow-delay=".1s"><a href="#"><span
class="icon fa fa-facebook"></span></a></li>
                    <li class="wow fadeInUp" data-wow-delay=".2s"><a href="#"><span
class="icon fa fa-twitter"></span></a></li>
                    <li class="wow fadeInUp" data-wow-delay=".3s"><a href="#"><span
class="icon fa fa-instagram"></span></a></li>
                    <li class="wow fadeInUp" data-wow-delay=".4s"><a href="#"><span
class="icon fa fa-pinterest"></span></a></li>
                </ul>
            </div>
        </div>
    </div>
</div>
</div>
<div class="snackbars" id="form-output-global"></div>
<script src="js/core.min.js"></script>

```

```
<script src="js/script.js"></script>
```

```
<!--LIVEDEMO_00 -->
```

```
<script type="text/javascript">
```

```
  var _gaq = _gaq || [];
```

```
  _gaq.push(['_setAccount', 'UA-7078796-5']);
```

```
  _gaq.push(['_trackPageview']);
```

```
  (function() {
```

```
    var ga = document.createElement('script');
```

```
    ga.type = 'text/javascript';
```

```
    ga.async = true;
```

```
    ga.src = ('https:' == document.location.protocol ? 'https://ssl' : 'https://www') + '.google-  
analytics.com/ga.js';
```

```
    var s = document.getElementsByTagName('script')[0];
```

```
    s.parentNode.insertBefore(ga, s);
```

```
  })();
```

```
</script>
```

```
<!--           Google           Tag           Manager           --><noscript><iframe  
src="//www.googletagmanager.com/ns.html?id=GTM-P9FT69"    height="0"    width="0"  
style="display:none;visibility:hidden"></iframe></noscript>
```

```
<script>
```

```
  (function(w, d, s, l, i) {
```

```
    w[l] = w[l] || [];
```

```
    w[l].push({
```

```
      'gtm.start': new Date().getTime(),
```

```
      event: 'gtm.js'
```

```
    });
```

```
    var f = d.getElementsByTagName(s)[0],
```

```
        j = d.createElement(s),
```

```
        dl = l != 'dataLayer' ? '&l=' + l : '';
```

```
    j.async = true;
```

```
    j.src = '//www.googletagmanager.com/gtm.js?id=' + i + dl;
```

```

        f.parentNode.insertBefore(j, f);
    })(window, document, 'script', 'dataLayer', 'GTM-P9FT69');
</script>
<!-- End Google Tag Manager -->
</body>

</html>
<?php
session_start();
include("dbconnect.php");
extract($_POST);
$uid=$_SESSION['uid'];
?>

<!DOCTYPE html>
<html class="wide wow-animation" lang="en">

<head>
    <title>Home</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, height=device-height, initial-
scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <script src="/cdn-cgi/apps/head/3ts2ksMwXvKRuG480KNifJ2_JNM.js"></script>
    <link rel="icon" href="images/favicon.ico" type="image/x-icon">
    <link
                                rel="stylesheet"
                                type="text/css"
href="//fonts.googleapis.com/css?family=Oswald:200,300,400,500,700%7CMontserrat:400,5
00,600">
    <link rel="stylesheet" href="css/bootstrap.css">
    <link rel="stylesheet" href="css/fonts.css">
    <link rel="stylesheet" href="css/style.css">
    <script
                                src="https://kit.fontawesome.com/1fb451dce7.js"
crossorigin="anonymous"></script>

```

<style>

```
.ie-panel {  
  display: none;  
  background: #212121;  
  padding: 10px 0;  
  box-shadow: 3px 3px 5px 0 rgba(0, 0, 0, .3);  
  clear: both;  
  text-align: center;  
  position: relative;  
  z-index: 1;  
}
```

```
html.ie-10 .ie-panel,  
html.lt-ie-10 .ie-panel {  
  display: block;  
}
```

```
body {  
  font-family: Arial, sans-serif;  
  background-color: #f0f2f5;  
  
}
```

```
.login-container {  
  background-color: #fff;  
  padding: 30px;  
  border-radius: 20px;  
  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);  
  width: 320px;  
  margin: 0 auto;
```

```
}
```

```
.login-container h1 {  
  font-size: 24px;  
  margin-bottom: 20px;  
}
```

```
.input-group {  
  margin-bottom: 20px;  
}
```

```
.input-group label {  
  display: block;  
  
}
```

```
.input-group input,select {  
  width: 100%;  
  padding: 10px;  
  border: 1px solid #ccc;  
  border-radius: 10px;  
  font-size: 16px;  
}
```

```
.input-group input[type="submit"] {  
  background-color: #1877f2;  
  color: #fff;  
  cursor: pointer;  
  text-align:center;  
  position:relative;  
  left:10px;  
  
}
```

```

.input-group input[type="submit"]:hover {
    background-color: #166fe5;
}

.forgot-password {
    color: #1877f2;
    text-decoration: none;
    font-size: 14px;
}
</style>
</head>
</head>

<body>
    <div class="ie-panel"><a href="https://windows.microsoft.com/en-US/internet-explorer/"></a></div>
    <div class="preloader">
        <div class="preloader-body">
            <div class="cssload-container">
                <div class="cssload-speeding-wheel"></div>
            </div>
            <p>Loading...</p>
        </div>
    </div>
    <div class="page">
        <header class="section page-header">
            <!--RD Navbar-->
            <div class="rd-navbar-wrap">
                <nav class="rd-navbar rd-navbar-classic" data-layout="rd-navbar-fixed" data-sm-layout="rd-navbar-fixed" data-md-layout="rd-navbar-fixed" data-md-device-layout="rd-navbar-fixed" data-lg-layout="rd-navbar-static" data-lg-device-layout="rd-navbar-static">

```



```
data-xl-layout="rd-navbar-static" data-xl-device-layout="rd-navbar-static" data-
lg-stick-up-offset="46px" data-xl-stick-up-offset="46px" data-xxl-stick-up-offset="46px"
data-lg-stick-up="true" data-xl-stick-up="true" data-xxl-stick-up="true">
```

```
<div class="rd-navbar-collapse-toggle rd-navbar-fixed-element-1" data-rd-
navbar-toggle=".rd-navbar-collapse"><span></span></div>
```

```
<div class="rd-navbar-main-outer">
```

```
<div class="rd-navbar-main">
```

```
<!--RD Navbar Panel-->
```

```
<div class="rd-navbar-panel">
```

```
<!--RD Navbar Toggle-->
```

```
<button class="rd-navbar-toggle" data-rd-navbar-toggle=".rd-navbar-nav-
wrap"><span></span></button>
```

```
<!--RD Navbar Brand-->
```

```
<div class="rd-navbar-brand">
```

```
<!--Brand--><h2 style="color:white">TOURIST GUIDE BOOK</h2>
```

```
</div>
```

```
</div>
```

```
<div class="rd-navbar-main-element">
```

```
<div class="rd-navbar-nav-wrap">
```

```
<ul class="rd-navbar-nav">
```

```
<li class="rd-nav-item"><a class="rd-nav-link"
href="guideview.php">Home</a> </li>
```

```
<li class="rd-nav-item active"><a class="rd-nav-link"
href="mybook.php">View Bookings</a></li>
```

```
<li
class="rd-nav-item"><a class="rd-nav-link" href="mybook1.php">Guides Bookings</a></li>
```

```
<li class="rd-nav-item"><a class="rd-nav-link"
href="index.php">Logout</a></li>
```

```
</ul>
```

```
</div>
```

```

        <!--RD Navbar Search-->
        <div class="rd-navbar-search">

        </div>
    </div>
</div>
</div>
</div>
</nav>
</div>
</header>
<!--Swiper-->
<section class="section swiper-container swiper-slider swiper-slider-1" data-
swiper='{ "loop": "true", "dataTouch": false, "autoplay": { "delay": 5000 } }'>
    <div class="swiper-wrapper text-center">
        <div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-1.jpg">
            <div class="swiper-slide-caption section-md">
                <div class="container">
                    <div class="row justify-content-lg-center">
                        <div class="col-lg-8">
                            <div class="intro-box">
                                <div class="intro-box__floating-text">Journey</div>
                                <div class="intro-box__title"><span data-caption-
animate="fadeInUp" data-caption-delay="200">Exploring</span><span data-caption-
animate="fadeInUp" data-caption-delay="300">the world</span></div>
                                <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        <div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-2.jpg">

```

```

<div class="swiper-slide-caption section-md">
  <div class="container">
    <div class="row justify-content-lg-center">
      <div class="col-lg-8">
        <div class="intro-box">
          <div class="intro-box__floating-text">Journey</div>
          <div class="intro-box__title"><span data-caption-
animate="fadeInUp" data-caption-delay="200">Best</span><span data-caption-
animate="fadeInUp" data-caption-delay="300">Destinations</span></div>
          <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
        </div>
      </div>
    </div>
  </div>
</div>
<div class="swiper-slide context-dark" data-slide-bg="images/slider-1-slide-3.jpg">
  <div class="swiper-slide-caption section-md">
    <div class="container">
      <div class="row justify-content-lg-center">
        <div class="col-lg-8">
          <div class="intro-box">
            <div class="intro-box__floating-text">Journey</div>
            <div class="intro-box__title"><span data-caption-
animate="fadeInUp" data-caption-delay="200">Memorable</span><span data-caption-
animate="fadeInUp" data-caption-delay="300">Experiences</span></div>
            <div class="intro-box__video" data-caption-animate="fadeInUp"
data-caption-delay="400"><a href="https://www.youtube.com/watch?v=7dTve2Hsl_0" data-
lightgallery="item">Watch the video</a></div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

        </div>
    </div>
</div>
</div>
<!--Swiper Pagination-->
<div class="swiper-pagination"></div>
<!--Swiper Navigation-->
<div class="swiper-button-prev fa-arrow-left"></div>
<div class="swiper-button-next fa-arrow-right"></div>
</section>
<!--Way to Travel-->

<!--Call to action creative-->

<!--Tours-->
<br /><br /><br /><br />

```

```

<table width="96%" align="center" style="border-collapse: collapse; background-
color: #ffffff; box-shadow: 0 0 20px rgba(0,0,0,0.1); border-radius: 8px; font-family: 'Segoe
UI', Arial, sans-serif; margin: 25px auto; border: 1px solid #e0e0e0;">
<tr style="background-color: #f8f9fa; border-bottom: 2px solid #e0e0e0;">
    <td colspan="10" align="center" style="padding: 20px; font-size: 24px; color: #2c3e50;
font-weight: 600;">Guide Booking</td>
</tr>
<tr>
    <td colspan="10" align="center" style="padding: 10px;">&nbsp;</td>
</tr>
<tr style="background-color: #f8f9fa; border-bottom: 1px solid #e0e0e0;">
    <td width="0%" style="padding: 15px;">&nbsp;</td>
    <td width="11%"><div align="center" class="style6" style="font-weight: 600; color:
#2c3e50; padding: 15px; font-size: 14px;"><strong>ID</strong></div></td>

```

<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">Guide Name</div>	<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">Profile</div>	<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">Place</div>	<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">From</div>	<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">To</div>	<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">Amount Per Day</div>	<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">Total days</div>	<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">Total Amount</div>	<div align="center" class="style6" style="font-weight: 600; color: #2c3e50; padding: 15px; font-size: 14px;">Status</div>
--	---	---	--	--	--	--	--	--

```

<?php
$qry=mysqli_query($conn,"select * from booking1 where uid='$uid'");
$i=1;
while($row=mysqli_fetch_array($qry))
{
    $pid=$row['rid'];
    $qry1=mysqli_query($conn,"select * from guides where id='$pid'");
    $row1=mysqli_fetch_array($qry1);
}
?>
|&nbsp;

|  |

```

```
<td><div align="center" style="padding: 15px; color: #4a5568;"><?php echo $row['rid'];?></div></td>
```

```
<td><div align="center" style="padding: 15px; color: #4a5568;"><?php echo $row1['gname'];?></div></td>
```

```
<td><div align="center" style="padding: 15px;"></div></td>
```

```
<td><div align="center" style="padding: 15px; color: #4a5568;"><?php echo $row1['place'];?></div></td>
```

```
<td><div align="center" style="padding: 15px; color: #4a5568;"><?php echo $row['sdate'];?></div></td>
```

```
<td><div align="center" style="padding: 15px; color: #4a5568;"><?php echo $row['edate'];?></div></td>
```

```
<td><div align="center" style="padding: 15px; color: #4a5568;"><?php echo $row['amnt'];?></div></td>
```

```
<td><div align="center" style="padding: 15px; color: #4a5568;"><?php echo $row['tdays'];?></div></td>
```

```
<td><div align="center" style="padding: 15px; color: #4a5568;"><?php echo $row['tamnt'];?></div></td>
```

```
<td><div align="center" style="padding: 15px;"><span style="background-color: #48bb78; color: white; padding: 6px 12px; border-radius: 4px; font-size: 13px;">booked</span></div></td>
```

```
<td><div align="center" style="padding: 15px;">
```

```
<a href="givef.php?gid=<?php echo $row['rid'];?>" style="
```

```
background-color: #4299e1;
```

```
color: white;
```

```
padding: 8px 16px;
```

```
text-decoration: none;
```

```
border-radius: 4px;
```

```
font-size: 13px;
```

```
transition: background-color 0.3s ease;
```

```
display: inline-block;
```

```
box-shadow: 0 2px 4px rgba(0,0,0,0.1);"
```

```
onmouseover="this.style.backgroundColor='#3182ce'"
```

```
onmouseout="this.style.backgroundColor='#4299e1'">
Give Feedback
</a>
</div></td>
```

```
<td><div align="center" style="
background-color: red;
color: white;
padding: 8px 16px;
text-decoration: none;
border-radius: 4px;
font-size: 13px;
transition: background-color 0.3s ease;
display: inline-block;
box-shadow: 0 2px 4px rgba(0,0,0,0.1);"><a href="cancel.php?id=<?php echo
$row['id'];?>">Cancel booking</a></div></td>
```

```
<td width="2%"></td>
</tr>
<?php
    $i++;
}
?>
</table>
```

```
<br /><br /><br />
```

```
<!--Info Section-->
```

```
<!--Blog Post-->
```

```
<!--Footer-->
```

```

<footer class="section footer-classic context-dark" >
  <div class="container" >
    <div class="row row-narrow-40 row-30" >
      <div class="col-lg-6 text-center wow fadeInLeft" data-wow-delay=".1s" ">
        <div class="footer-media" style="box-shadow: 0px 0px white">
      </div>
      OFFERS AND INFORMATION ABOUT THE BEST TOURS!</h5>
      <form class="rd-form rd-mailform rd-form-inline subscribe-form" data-
form-output="form-output-global" data-form-type="subscribe" method="post"
action="bat/rd-mailform.php">
        <div class="form-wrap">
          <input class="form-input" id="subscribe-form-email-5" type="email"
name="email" data-constraints="@Email @Required">
          <label class="form-label" for="subscribe-form-email-5">Enter your e-
mail</label>
          <div class="form-button">
            <button class="button button-primary fa fa-chevron-circle-right"
type="submit"></button>
          </div>
        </div>
      </form>
    </div>
  </div>
</div>
<div class="footer-classic-aside">
  <div class="container">
    <div class="row justify-content-between flex-column-reverse flex-md-row row-
20">
      <div class="col-xl-6 col-md-8">
        <div class="footer-classic-aside__group">
          <!--Brand--><h2 style="color:white">TOURIST GUIDE BOOK</h2>

```


[illegible]

```

    var ga = document.createElement('script');
    ga.type = 'text/javascript';
    ga.async = true;
    ga.src = ('https:' == document.location.protocol ? 'https://ssl' : 'https://www') + '.google-
analytics.com/ga.js';
    var s = document.getElementsByTagName('script')[0];
    s.parentNode.insertBefore(ga, s);
  })();
</script>

```

```

<!--           Google           Tag           Manager           --><noscript><iframe
src="//www.googletagmanager.com/ns.html?id=GTM-P9FT69"    height="0"    width="0"
style="display:none;visibility:hidden"></iframe></noscript>
<script>
  (function(w, d, s, l, i) {
    w[l] = w[l] || [];
    w[l].push({
      'gtm.start': new Date().getTime(),
      event: 'gtm.js'
    });
    var f = d.getElementsByTagName(s)[0],
        j = d.createElement(s),
        dl = l != 'dataLayer' ? '&l=' + l : '';
    j.async = true;
    j.src = '//www.googletagmanager.com/gtm.js?id=' + i + dl;
    f.parentNode.insertBefore(j, f);
  })(window, document, 'script', 'dataLayer', 'GTM-P9FT69');
</script>
<!-- End Google Tag Manager -->
</body>

</html>

```

